



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 29, 2016 – 04:39 PM EDT

PDB ID : 5KE4
Title : Crystal structure of a chimeric acetylcholine binding protein from *Aplysia californica* (Ac-AChBP) containing loop C from the human alpha 6 nicotinic acetylcholine receptor in complex with 2-((5-(3,7-Diazabicyclo[3.3.1]nonan-3-yl)pyridin-3-yl)oxy)- N,N-dimethylethanamine (BPC)
Authors : Bobango, J.; Wu, J.; Talley, I.T.; Ralston, R.; Sankaran, B.; Talley, T.T.
Deposited on : 2016-06-09
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.


The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027790
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027790

i

X-RAY DIFFRACTION

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	3324 (2.60-2.52)
Clashscore	102246	3729 (2.60-2.52)
Ramachandran outliers	100387	3673 (2.60-2.52)
Sidechain outliers	100360	3673 (2.60-2.52)
RSRZ outliers	91569	3333 (2.60-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	230	
1	B	230	
1	C	230	
1	D	230	
1	E	230	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	6S7	A	301	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8403 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Soluble acetylcholine receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	207	Total	C	N	O	S	0	1	0
			1632	1032	265	327	8			
1	B	212	Total	C	N	O	S	0	1	0
			1682	1060	271	343	8			
1	C	211	Total	C	N	O	S	0	0	0
			1614	1022	261	322	9			
1	D	204	Total	C	N	O	S	0	0	0
			1567	994	251	314	8			
1	E	202	Total	C	N	O	S	0	0	0
			1570	994	251	317	8			

There are 105 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	ASP	-	expression tag	UNP Q8WSF8
A	-7	TYR	-	expression tag	UNP Q8WSF8
A	-6	LYS	-	expression tag	UNP Q8WSF8
A	-5	ASP	-	expression tag	UNP Q8WSF8
A	-4	ASP	-	expression tag	UNP Q8WSF8
A	-3	ASP	-	expression tag	UNP Q8WSF8
A	-2	ASP	-	expression tag	UNP Q8WSF8
A	-1	LYS	-	expression tag	UNP Q8WSF8
A	0	LEU	-	expression tag	UNP Q8WSF8
A	55	TRP	TYR	conflict	UNP Q8WSF8
A	183	LYS	ARG	conflict	UNP Q8WSF8
A	184	HIS	GLN	conflict	UNP Q8WSF8
A	185	ASP	VAL	conflict	UNP Q8WSF8
A	186	ILE	GLN	conflict	UNP Q8WSF8
A	187	LYS	HIS	conflict	UNP Q8WSF8
A	189	ASN	SER	conflict	UNP Q8WSF8
A	192	GLU	PRO	conflict	UNP Q8WSF8
A	194	ILE	PRO	conflict	UNP Q8WSF8
A	196	THR	ILE	conflict	UNP Q8WSF8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	220	SER	-	expression tag	UNP Q8WSF8
A	221	ARG	-	expression tag	UNP Q8WSF8
B	-8	ASP	-	expression tag	UNP Q8WSF8
B	-7	TYR	-	expression tag	UNP Q8WSF8
B	-6	LYS	-	expression tag	UNP Q8WSF8
B	-5	ASP	-	expression tag	UNP Q8WSF8
B	-4	ASP	-	expression tag	UNP Q8WSF8
B	-3	ASP	-	expression tag	UNP Q8WSF8
B	-2	ASP	-	expression tag	UNP Q8WSF8
B	-1	LYS	-	expression tag	UNP Q8WSF8
B	0	LEU	-	expression tag	UNP Q8WSF8
B	55	TRP	TYR	conflict	UNP Q8WSF8
B	183	LYS	ARG	conflict	UNP Q8WSF8
B	184	HIS	GLN	conflict	UNP Q8WSF8
B	185	ASP	VAL	conflict	UNP Q8WSF8
B	186	ILE	GLN	conflict	UNP Q8WSF8
B	187	LYS	HIS	conflict	UNP Q8WSF8
B	189	ASN	SER	conflict	UNP Q8WSF8
B	192	GLU	PRO	conflict	UNP Q8WSF8
B	194	ILE	PRO	conflict	UNP Q8WSF8
B	196	THR	ILE	conflict	UNP Q8WSF8
B	220	SER	-	expression tag	UNP Q8WSF8
B	221	ARG	-	expression tag	UNP Q8WSF8
C	-8	ASP	-	expression tag	UNP Q8WSF8
C	-7	TYR	-	expression tag	UNP Q8WSF8
C	-6	LYS	-	expression tag	UNP Q8WSF8
C	-5	ASP	-	expression tag	UNP Q8WSF8
C	-4	ASP	-	expression tag	UNP Q8WSF8
C	-3	ASP	-	expression tag	UNP Q8WSF8
C	-2	ASP	-	expression tag	UNP Q8WSF8
C	-1	LYS	-	expression tag	UNP Q8WSF8
C	0	LEU	-	expression tag	UNP Q8WSF8
C	55	TRP	TYR	conflict	UNP Q8WSF8
C	183	LYS	ARG	conflict	UNP Q8WSF8
C	184	HIS	GLN	conflict	UNP Q8WSF8
C	185	ASP	VAL	conflict	UNP Q8WSF8
C	186	ILE	GLN	conflict	UNP Q8WSF8
C	187	LYS	HIS	conflict	UNP Q8WSF8
C	189	ASN	SER	conflict	UNP Q8WSF8
C	192	GLU	PRO	conflict	UNP Q8WSF8
C	194	ILE	PRO	conflict	UNP Q8WSF8
C	196	THR	ILE	conflict	UNP Q8WSF8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	220	SER	-	expression tag	UNP Q8WSF8
C	221	ARG	-	expression tag	UNP Q8WSF8
D	-8	ASP	-	expression tag	UNP Q8WSF8
D	-7	TYR	-	expression tag	UNP Q8WSF8
D	-6	LYS	-	expression tag	UNP Q8WSF8
D	-5	ASP	-	expression tag	UNP Q8WSF8
D	-4	ASP	-	expression tag	UNP Q8WSF8
D	-3	ASP	-	expression tag	UNP Q8WSF8
D	-2	ASP	-	expression tag	UNP Q8WSF8
D	-1	LYS	-	expression tag	UNP Q8WSF8
D	0	LEU	-	expression tag	UNP Q8WSF8
D	55	TRP	TYR	conflict	UNP Q8WSF8
D	183	LYS	ARG	conflict	UNP Q8WSF8
D	184	HIS	GLN	conflict	UNP Q8WSF8
D	185	ASP	VAL	conflict	UNP Q8WSF8
D	186	ILE	GLN	conflict	UNP Q8WSF8
D	187	LYS	HIS	conflict	UNP Q8WSF8
D	189	ASN	SER	conflict	UNP Q8WSF8
D	192	GLU	PRO	conflict	UNP Q8WSF8
D	194	ILE	PRO	conflict	UNP Q8WSF8
D	196	THR	ILE	conflict	UNP Q8WSF8
D	220	SER	-	expression tag	UNP Q8WSF8
D	221	ARG	-	expression tag	UNP Q8WSF8
E	-8	ASP	-	expression tag	UNP Q8WSF8
E	-7	TYR	-	expression tag	UNP Q8WSF8
E	-6	LYS	-	expression tag	UNP Q8WSF8
E	-5	ASP	-	expression tag	UNP Q8WSF8
E	-4	ASP	-	expression tag	UNP Q8WSF8
E	-3	ASP	-	expression tag	UNP Q8WSF8
E	-2	ASP	-	expression tag	UNP Q8WSF8
E	-1	LYS	-	expression tag	UNP Q8WSF8
E	0	LEU	-	expression tag	UNP Q8WSF8
E	55	TRP	TYR	conflict	UNP Q8WSF8
E	183	LYS	ARG	conflict	UNP Q8WSF8
E	184	HIS	GLN	conflict	UNP Q8WSF8
E	185	ASP	VAL	conflict	UNP Q8WSF8
E	186	ILE	GLN	conflict	UNP Q8WSF8
E	187	LYS	HIS	conflict	UNP Q8WSF8
E	189	ASN	SER	conflict	UNP Q8WSF8
E	192	GLU	PRO	conflict	UNP Q8WSF8
E	194	ILE	PRO	conflict	UNP Q8WSF8
E	196	THR	ILE	conflict	UNP Q8WSF8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	220	SER	-	expression tag	UNP Q8WSF8
E	221	ARG	-	expression tag	UNP Q8WSF8

- Molecule 2 is 2-((5-(3,7-Diazabicyclo[3.3.1]nonan-3-yl)pyridin-3-yl)oxy)-N,N-dimethylethanamine (three-letter code: 6S7) (formula: C₁₆H₂₆N₄O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			21	16	4	1		
2	B	1	Total	C	N	O	0	0
			21	16	4	1		
2	C	1	Total	C	N	O	0	0
			21	16	4	1		
2	E	1	Total	C	N	O	0	0
			21	16	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	54	Total	O	0	0
			54	54		
3	B	64	Total	O	0	0
			64	64		
3	C	44	Total	O	0	0
			44	44		
3	D	40	Total	O	0	0
			40	40		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	E	52	Total	O	0	0
			52	52		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Soluble acetylcholine receptor




- Molecule 1: Soluble acetylcholine receptor





- Molecule 1: Soluble acetylcholine receptor



- Molecule 1: Soluble acetylcholine receptor



● Molecule 1: Soluble acetylcholine receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	83.00Å 118.78Å 129.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.30 – 2.55 48.30 – 2.55	Depositor EDS
% Data completeness (in resolution range)	99.1 (48.30-2.55) 98.1 (48.30-2.55)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	12.58 (at 2.54Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.187 , 0.235 0.182 , 0.233	Depositor DCC
R_{free} test set	1992 reflections (4.82%)	DCC
Wilson B-factor (Å ²)	40.6	Xtriage
Anisotropy	0.511	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8403	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6S7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1672	0.59	0/2282
1	B	0.41	0/1723	0.59	0/2351
1	C	0.40	0/1653	0.59	1/2265 (0.0%)
1	D	0.45	0/1604	0.62	0/2197
1	E	0.40	0/1606	0.60	0/2197
All	All	0.41	0/8258	0.60	1/11292 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	0	LEU	CB-CG-CD2	5.17	119.78	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	190	CYS	Peptide
1	C	190	CYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1632	0	1537	12	0
1	B	1682	0	1580	12	0
1	C	1614	0	1494	17	0
1	D	1567	0	1446	13	0
1	E	1570	0	1469	14	0
2	A	21	0	0	0	0
2	B	21	0	0	0	0
2	C	21	0	0	0	0
2	E	21	0	0	1	0
3	A	54	0	0	3	0
3	B	64	0	0	0	0
3	C	44	0	0	0	0
3	D	40	0	0	1	0
3	E	52	0	0	1	0
All	All	8403	0	7526	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:150:SER:N	1:C:153:GLU:OE1	2.03	0.91
1:E:8:ARG:NH2	1:E:71:GLU:O	2.08	0.87
1:D:172:SER:O	1:D:207:ARG:NH1	2.11	0.82
1:B:8:ARG:NH2	1:B:71:GLU:O	2.13	0.81
1:A:8:ARG:NH2	1:A:71:GLU:O	2.13	0.80
1:E:59:ARG:NH2	1:E:159:ASP:OD2	2.20	0.74
1:C:185:ASP:HB3	1:C:194:ILE:HD11	1.72	0.71
1:E:128:ASP:OD1	1:E:130:THR:HG23	1.90	0.69
1:C:160:THR:HG22	1:C:162:GLN:H	1.57	0.69
1:D:79:ARG:HD3	1:E:149:TYR:CE1	2.31	0.65
1:C:150:SER:OG	1:C:153:GLU:OE1	2.14	0.64
1:D:100:GLN:NE2	3:D:301:HOH:O	2.22	0.63
1:B:122:ARG:HD2	1:C:96:THR:O	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:12:ASP:OD2	1:B:72:TYR:OH	2.16	0.62
1:A:38:GLN:NE2	3:A:402:HOH:O	2.34	0.59
1:A:36:THR:HB	1:A:55:TRP:HB2	1.86	0.58
1:C:7:MET:SD	1:D:21:PRO:HB3	2.45	0.56
1:E:70:ASN:OD1	1:E:74:ASN:ND2	2.39	0.55
1:D:200:LEU:CD2	1:D:202:VAL:HG23	2.37	0.55
1:B:-3:ASP:HA	1:B:0:LEU:HB2	1.88	0.54
1:D:8:ARG:NH2	1:D:71:GLU:O	2.41	0.54
1:A:122:ARG:HD2	1:B:96:THR:O	2.08	0.54
1:B:79:ARG:HD3	1:C:149:TYR:CE1	2.43	0.53
1:C:161:ASP:OD1	1:C:161:ASP:N	2.33	0.53
1:C:122:ARG:HD2	1:D:96:THR:O	2.10	0.52
1:A:97[A]:ARG:NH2	3:A:403:HOH:O	2.44	0.50
1:E:0:LEU:HG	1:E:1:HIS:H	1.76	0.49
1:E:175:GLU:OE2	1:E:205:ARG:NE	2.31	0.49
1:A:96:THR:O	1:E:122:ARG:HD2	2.14	0.48
1:B:61:LYS:HA	1:B:114:SER:HA	1.95	0.48
1:E:57:GLN:HE21	1:E:59:ARG:HE	1.62	0.46
1:B:50:VAL:HG21	1:B:127:CYS:SG	2.55	0.46
1:C:143:LYS:HD2	1:C:197:ASP:CG	2.36	0.46
1:C:150:SER:CA	1:C:153:GLU:OE1	2.64	0.45
1:A:149:TYR:CE1	1:E:79:ARG:HD3	2.51	0.45
1:A:133:ASP:OD1	3:A:401:HOH:O	2.20	0.45
1:D:57:GLN:HG3	1:D:118:ILE:HG12	1.99	0.44
1:C:14:PHE:HA	1:C:19:MET:SD	2.58	0.44
1:C:77:ASP:OD1	1:C:110:THR:HG22	2.17	0.44
1:D:200:LEU:HD22	1:D:202:VAL:HG23	1.99	0.44
1:B:156:LEU:HD12	1:B:156:LEU:HA	1.85	0.43
1:D:51:ASP:HA	1:D:123:LEU:O	2.19	0.43
1:D:50:VAL:HG21	1:D:127:CYS:SG	2.58	0.43
1:C:179:ALA:HA	1:C:201:VAL:O	2.18	0.43
1:A:50:VAL:HG21	1:A:127:CYS:SG	2.59	0.43
1:A:95:SER:HB3	1:A:123:LEU:HD11	2.00	0.43
1:D:152:PHE:CE2	1:D:193:GLU:HA	2.54	0.42
1:E:52:LEU:HG	1:E:125:PHE:HE1	1.85	0.42
1:A:40:ILE:HG12	1:A:52:LEU:CD2	2.49	0.42
1:E:33:LEU:HD12	1:E:33:LEU:HA	1.84	0.42
1:C:0:LEU:O	1:C:0:LEU:HD23	2.20	0.42
1:B:33:LEU:HA	1:B:33:LEU:HD12	1.85	0.41
1:C:-1:LYS:O	1:C:3:GLN:HG3	2.21	0.41
1:D:118:ILE:HD12	2:E:301:6S7:C7	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:VAL:HG21	1:B:200:LEU:CD1	2.51	0.41
1:E:56:GLU:O	1:E:119:PRO:HD2	2.20	0.41
1:B:96:THR:C	1:B:97[B]:ARG:HG2	2.39	0.41
1:C:56:GLU:O	1:C:119:PRO:HD2	2.21	0.41
1:A:97[B]:ARG:HD2	3:E:431:HOH:O	2.21	0.40
1:E:59:ARG:HD3	1:E:116:MET:CE	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	204/230 (89%)	198 (97%)	6 (3%)	0	100	100
1	B	209/230 (91%)	200 (96%)	9 (4%)	0	100	100
1	C	209/230 (91%)	202 (97%)	7 (3%)	0	100	100
1	D	200/230 (87%)	192 (96%)	8 (4%)	0	100	100
1	E	198/230 (86%)	196 (99%)	2 (1%)	0	100	100
All	All	1020/1150 (89%)	988 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/208 (87%)	180 (99%)	1 (1%)	90	97
1	B	189/208 (91%)	189 (100%)	0	100	100
1	C	175/208 (84%)	174 (99%)	1 (1%)	90	97
1	D	170/208 (82%)	169 (99%)	1 (1%)	90	97
1	E	174/208 (84%)	172 (99%)	2 (1%)	80	92
All	All	889/1040 (86%)	884 (99%)	5 (1%)	90	97

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	C	161	ASP
1	D	124	SER
1	E	183	LYS
1	E	187	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	63	ASN
1	E	57	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	6S7	A	301	-	23,23,23	0.62	0	25,31,31	2.63	11 (44%)
2	6S7	B	301	-	23,23,23	0.43	0	25,31,31	2.62	10 (40%)
2	6S7	C	301	-	23,23,23	0.47	0	25,31,31	2.65	11 (44%)
2	6S7	E	301	-	23,23,23	0.49	0	25,31,31	2.77	12 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	6S7	A	301	-	-	0/10/28/28	0/1/3/3
2	6S7	B	301	-	-	0/10/28/28	0/1/3/3
2	6S7	C	301	-	-	0/10/28/28	0/1/3/3
2	6S7	E	301	-	-	0/10/28/28	0/1/3/3

There are no bond length outliers.

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	301	6S7	C6-C1-C21	-4.93	108.01	112.61
2	C	301	6S7	C6-C1-C21	-4.32	108.58	112.61
2	B	301	6S7	C6-C1-C21	-4.20	108.69	112.61
2	E	301	6S7	C4-C3-C19	-4.17	108.72	112.61
2	B	301	6S7	C4-C3-C19	-4.05	108.83	112.61
2	C	301	6S7	C4-C3-C19	-3.29	109.53	112.61
2	A	301	6S7	C4-C3-C19	-3.06	109.75	112.61
2	A	301	6S7	C6-C1-C21	-2.91	109.90	112.61
2	E	301	6S7	C14-C15-N16	-2.69	107.31	114.73
2	C	301	6S7	C7-C12-N11	-2.61	119.81	123.07
2	B	301	6S7	C7-C12-N11	-2.50	119.95	123.07
2	A	301	6S7	C14-C15-N16	-2.30	108.37	114.73
2	E	301	6S7	C7-C12-N11	-2.24	120.27	123.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	6S7	C14-C15-N16	-2.22	108.59	114.73
2	B	301	6S7	C14-C15-N16	-2.21	108.63	114.73
2	A	301	6S7	O13-C14-C15	-2.08	102.88	107.66
2	E	301	6S7	C9-C10-N11	-2.04	120.27	122.61
2	A	301	6S7	C3-C4-N5	2.08	114.47	110.14
2	E	301	6S7	C17-N16-C15	2.09	119.07	110.77
2	C	301	6S7	C18-N16-C15	2.10	119.11	110.77
2	B	301	6S7	C17-N16-C15	2.14	119.29	110.77
2	E	301	6S7	C18-N16-C15	2.17	119.41	110.77
2	E	301	6S7	C14-O13-C9	2.23	123.98	117.90
2	C	301	6S7	C10-N11-C12	2.29	120.96	117.51
2	B	301	6S7	C14-O13-C9	2.36	124.33	117.90
2	C	301	6S7	C17-N16-C15	2.38	120.23	110.77
2	B	301	6S7	C10-N11-C12	2.48	121.24	117.51
2	A	301	6S7	C2-C3-C4	2.59	112.30	109.66
2	E	301	6S7	C10-N11-C12	2.88	121.84	117.51
2	A	301	6S7	C14-O13-C9	2.94	125.92	117.90
2	C	301	6S7	C14-O13-C9	3.02	126.14	117.90
2	A	301	6S7	C17-N16-C15	3.13	123.22	110.77
2	A	301	6S7	C17-N16-C18	3.45	118.80	109.71
2	C	301	6S7	C17-N16-C18	4.15	120.64	109.71
2	B	301	6S7	C21-N20-C19	4.36	116.56	111.88
2	E	301	6S7	C17-N16-C18	4.46	121.47	109.71
2	B	301	6S7	C17-N16-C18	4.68	122.03	109.71
2	C	301	6S7	C21-N20-C19	5.54	117.82	111.88
2	E	301	6S7	C21-N20-C19	5.98	118.30	111.88
2	A	301	6S7	C6-N5-C4	6.21	126.39	112.49
2	E	301	6S7	C6-N5-C4	6.74	127.58	112.49
2	A	301	6S7	C21-N20-C19	6.93	119.31	111.88
2	C	301	6S7	C6-N5-C4	7.14	128.48	112.49
2	B	301	6S7	C6-N5-C4	7.15	128.49	112.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	301	6S7	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	207/230 (90%)	-0.11	1 (0%) 91 91	26, 37, 62, 72	0
1	B	212/230 (92%)	-0.16	4 (1%) 70 68	26, 36, 58, 63	0
1	C	211/230 (91%)	-0.16	5 (2%) 62 61	27, 38, 55, 75	0
1	D	204/230 (88%)	-0.08	2 (0%) 84 84	25, 38, 59, 78	0
1	E	202/230 (87%)	-0.01	8 (3%) 42 39	25, 40, 59, 70	0
All	All	1036/1150 (90%)	-0.11	20 (1%) 70 68	25, 38, 59, 78	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	190	CYS	3.7
1	E	14	PHE	3.4
1	B	14	PHE	3.2
1	E	72	TYR	3.2
1	E	70	ASN	3.1
1	C	70	ASN	3.0
1	E	67	TRP	3.0
1	C	0	LEU	3.0
1	E	11	SER	2.6
1	E	6	LEU	2.5
1	E	205	ARG	2.5
1	B	26	ASP	2.5
1	C	1	HIS	2.5
1	B	-8	ASP	2.4
1	C	-3	ASP	2.2
1	E	13	LEU	2.2
1	D	7	MET	2.1
1	A	14	PHE	2.1
1	B	15	ASN	2.1
1	C	74	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	6S7	A	301	21/21	0.91	0.22	2.07	36,44,65,72	0
2	6S7	B	301	21/21	0.96	0.15	1.07	26,30,37,42	0
2	6S7	C	301	21/21	0.96	0.13	0.15	30,38,51,55	0
2	6S7	E	301	21/21	0.94	0.14	-0.25	34,41,50,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.