



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:05 PM GMT

PDB ID : 4KHM  
Title : HCV NS5B GT1A with GSK5852  
Authors : Williams, S.P.; Kahler, K.M.; Shotwell, J.B.  
Deposited on : 2013-04-30  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	579	<div> <div>10%</div> <div>94%</div> <div>• •</div> </div>
1	B	579	<div> <div>8%</div> <div>91%</div> <div>6% •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	603	-	-	-	X
3	SO4	B	603	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9630 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HCV Polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	562	Total	C	N	O	S	0	7	0
			4320	2726	762	800	32			
1	B	562	Total	C	N	O	S	0	6	0
			4275	2702	749	791	33			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	EXPRESSION TAG	UNP B1PPP0
A	5	SER	THR	VARIANT	UNP B1PPP0
A	11	VAL	ILE	VARIANT	UNP B1PPP0
A	101	TYR	PHE	ENGINEERED MUTATION	UNP B1PPP0
A	110	SER	CYS	ENGINEERED MUTATION	UNP B1PPP0
A	113	SER	ARG	ENGINEERED MUTATION	UNP B1PPP0
A	114	ARG	LYS	ENGINEERED MUTATION	UNP B1PPP0
A	546	ALA	ASP	VARIANT	UNP B1PPP0
A	571	LEU	-	EXPRESSION TAG	UNP B1PPP0
A	572	GLU	-	EXPRESSION TAG	UNP B1PPP0
A	573	HIS	-	EXPRESSION TAG	UNP B1PPP0
A	574	HIS	-	EXPRESSION TAG	UNP B1PPP0
A	575	HIS	-	EXPRESSION TAG	UNP B1PPP0
A	576	HIS	-	EXPRESSION TAG	UNP B1PPP0
A	577	HIS	-	EXPRESSION TAG	UNP B1PPP0
A	578	HIS	-	EXPRESSION TAG	UNP B1PPP0
B	0	MET	-	EXPRESSION TAG	UNP B1PPP0
B	5	SER	THR	VARIANT	UNP B1PPP0
B	11	VAL	ILE	VARIANT	UNP B1PPP0
B	101	TYR	PHE	ENGINEERED MUTATION	UNP B1PPP0
B	110	SER	CYS	ENGINEERED MUTATION	UNP B1PPP0
B	113	SER	ARG	ENGINEERED MUTATION	UNP B1PPP0
B	114	ARG	LYS	ENGINEERED MUTATION	UNP B1PPP0
B	546	ALA	ASP	VARIANT	UNP B1PPP0
B	571	LEU	-	EXPRESSION TAG	UNP B1PPP0

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	572	GLU	-	EXPRESSION TAG	UNP B1PPP0
B	573	HIS	-	EXPRESSION TAG	UNP B1PPP0
B	574	HIS	-	EXPRESSION TAG	UNP B1PPP0
B	575	HIS	-	EXPRESSION TAG	UNP B1PPP0
B	576	HIS	-	EXPRESSION TAG	UNP B1PPP0
B	577	HIS	-	EXPRESSION TAG	UNP B1PPP0
B	578	HIS	-	EXPRESSION TAG	UNP B1PPP0

- Molecule 2 is [4-({[5-CYCLOPROPYL-2-(4-FLUOROPHENYL)-3-(METHYLCARBAMOYL)-1-BENZOFURAN-6-YL](METHYLSULFONYL)AMINO}METHYL)-2-FLUOROPHENYL]BORONIC ACID (three-letter code: 1PV) (formula: C<sub>27</sub>H<sub>25</sub>BF<sub>2</sub>N<sub>2</sub>O<sub>6</sub>S).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	A	1	Total	B	C	F	N	O	S	0	0
			39	1	27	2	2	6	1		
2	B	1	Total	B	C	F	N	O	S	0	0
			39	1	27	2	2	6	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	454	Total	O	0	0
			454	454		
4	B	468	Total	O	0	0
			468	468		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: HCV Polymerase



#### • Molecule 1: HCV Polymerase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.03Å 61.11Å 91.68Å 89.63° 87.06° 80.91°	Depositor
Resolution (Å)	29.19 – 1.70 29.19 – 1.70	Depositor EDS
% Data completeness (in resolution range)	97.3 (29.19-1.70) 97.4 (29.19-1.70)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.51 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.6.0081	Depositor
R, $R_{free}$	0.192 , 0.207 0.189 , 0.201	Depositor DCC
$R_{free}$ test set	11967 reflections (10.60%)	DCC
Wilson B-factor (Å <sup>2</sup> )	16.3	Xtriage
Anisotropy	0.192	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 44.5	EDS
Estimated twinning fraction	0.042 for -h,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 121640 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	9630	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 1PV, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.34	0/4437	0.55	0/6031
1	B	0.34	0/4389	0.55	0/5974
All	All	0.34	0/8826	0.55	0/12005

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4320	0	4303	19	1
1	B	4275	0	4213	28	0
2	A	39	0	24	0	0
2	B	39	0	24	1	0
3	A	10	0	0	0	0
3	B	25	0	0	0	0
4	A	454	0	0	2	0
4	B	468	0	0	2	1
All	All	9630	0	8564	47	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:296:TYR:CD1	1:B:313[B]:MET:HE3	2.06	0.90
1:B:296:TYR:CD1	1:B:313[B]:MET:CE	2.55	0.89
1:B:296:TYR:HD1	1:B:313[B]:MET:HE3	1.39	0.88
1:A:413:ILE:HG22	1:A:414[B]:MET:HE2	1.59	0.84
1:A:413:ILE:HG22	1:A:414[B]:MET:CE	2.10	0.81
1:B:296:TYR:HD1	1:B:313[B]:MET:CE	1.91	0.79
1:A:187:MET:CE	1:A:293:LEU:HD23	2.19	0.72
1:B:63:HIS:NE2	4:B:985:HOH:O	2.14	0.71
1:A:187:MET:HE1	1:A:293:LEU:HD23	1.75	0.68
1:B:170:CYS:HA	1:B:173:MET:HE3	1.76	0.68
1:A:63:HIS:NE2	4:A:897:HOH:O	2.27	0.67
1:B:169:VAL:HG12	1:B:173:MET:HE2	1.79	0.64
1:A:372:VAL:HG22	1:A:382:TYR:CD1	2.39	0.57
1:A:359:ASP:HB3	1:A:362:LEU:HD12	1.86	0.56
1:B:230:GLU:HG2	1:B:262[B]:VAL:HG22	1.89	0.55
1:A:413:ILE:HG22	1:A:414[B]:MET:HE3	1.89	0.55
1:B:337:ARG:NH2	4:B:1092:HOH:O	2.40	0.55
1:B:169:VAL:HG12	1:B:173:MET:CE	2.36	0.54
1:B:413:ILE:HG22	1:B:414[B]:MET:CE	2.38	0.54
1:B:413:ILE:HG22	1:B:414[B]:MET:HE2	1.89	0.54
1:B:201:VAL:HG22	1:B:384:LEU:HG	1.91	0.53
1:B:296:TYR:CD1	1:B:313[B]:MET:HE1	2.44	0.52
1:A:183:PRO:O	1:A:187:MET:HB2	2.10	0.51
1:A:346:TYR:O	1:A:347[B]:SER:HB3	2.10	0.51
1:B:346:TYR:O	1:B:347[B]:SER:HB3	2.11	0.51
1:B:372:VAL:HG22	1:B:382:TYR:CD1	2.46	0.50
1:A:372:VAL:HG22	1:A:382:TYR:CE1	2.47	0.49
1:B:21:LEU:HD12	1:B:22:PRO:HD2	1.95	0.49
1:A:413:ILE:CG2	1:A:414[B]:MET:CE	2.88	0.47
1:B:414[A]:MET:SD	2:B:601:1PV:H7	2.56	0.47
1:B:170:CYS:HA	1:B:173:MET:CE	2.43	0.46
1:A:178:VAL:HG23	4:A:969:HOH:O	2.16	0.45
1:B:197:PRO:O	1:B:201:VAL:HG23	2.17	0.45
1:B:445:CYS:SG	1:B:454:ILE:HD12	2.57	0.45
1:B:83:LEU:HB2	1:B:173:MET:HA	1.99	0.45
1:A:359:ASP:HB3	1:A:362:LEU:CD1	2.48	0.44
1:B:82:LEU:HD13	1:B:249:ALA:HB2	1.99	0.44
1:A:83:LEU:HB2	1:A:173:MET:HA	1.99	0.43
1:A:413:ILE:CG2	1:A:414[B]:MET:HE3	2.49	0.43
1:B:508:ARG:CZ	1:B:530:VAL:HG11	2.49	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:MET:HE1	1:B:315:VAL:HB	2.01	0.42
1:B:346:TYR:O	1:B:347[A]:SER:CB	2.67	0.41
1:A:437:ASP:CG	1:A:437:ASP:O	2.59	0.41
1:B:296:TYR:CE1	1:B:313[B]:MET:HE1	2.56	0.40
1:B:119:ILE:HD13	1:B:169:VAL:HG11	2.03	0.40
1:A:346:TYR:O	1:A:347[A]:SER:CB	2.69	0.40
1:A:423:MET:HA	1:A:528:TRP:CZ2	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:437:ASP:OD2	4:B:917:HOH:O[1_545]	2.08	0.12

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	567/579 (98%)	560 (99%)	5 (1%)	2 (0%)	39	20
1	B	566/579 (98%)	557 (98%)	7 (1%)	2 (0%)	39	20
All	All	1133/1158 (98%)	1117 (99%)	12 (1%)	4 (0%)	52	20

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	347[A]	SER
1	A	347[B]	SER
1	B	347[A]	SER
1	B	347[B]	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	462/483 (96%)	459 (99%)	3 (1%)	90	85
1	B	449/483 (93%)	445 (99%)	4 (1%)	84	76
All	All	911/966 (94%)	904 (99%)	7 (1%)	86	79

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	ARG
1	A	187	MET
1	A	502	HIS
1	B	31	LEU
1	B	56	ARG
1	B	130	SER
1	B	502	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	ASN
1	B	34	HIS
1	B	35	ASN
1	B	438	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	1PV	A	601	-	37,43,43	1.31	4 (10%)	42,65,65	2.31	9 (21%)
3	SO4	A	602	-	4,4,4	0.26	0	6,6,6	0.07	0
3	SO4	A	603	-	4,4,4	0.22	0	6,6,6	0.08	0
2	1PV	B	601	-	37,43,43	1.35	3 (8%)	42,65,65	2.26	10 (23%)
3	SO4	B	602	-	4,4,4	0.29	0	6,6,6	0.11	0
3	SO4	B	603	-	4,4,4	0.21	0	6,6,6	0.09	0
3	SO4	B	604	-	4,4,4	0.22	0	6,6,6	0.08	0
3	SO4	B	605	-	4,4,4	0.24	0	6,6,6	0.11	0
3	SO4	B	606	-	4,4,4	0.23	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1PV	A	601	-	-	0/26/34/34	0/3/5/5
3	SO4	A	602	-	-	0/0/0/0	0/0/0/0
3	SO4	A	603	-	-	0/0/0/0	0/0/0/0
2	1PV	B	601	-	-	0/26/34/34	0/3/5/5
3	SO4	B	602	-	-	0/0/0/0	0/0/0/0
3	SO4	B	603	-	-	0/0/0/0	0/0/0/0
3	SO4	B	604	-	-	0/0/0/0	0/0/0/0
3	SO4	B	605	-	-	0/0/0/0	0/0/0/0
3	SO4	B	606	-	-	0/0/0/0	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	1PV	C10-N11	-3.56	1.41	1.44
2	A	601	1PV	C10-N11	-3.51	1.41	1.44
2	A	601	1PV	C5-C3	-2.09	1.47	1.51
2	B	601	1PV	C24-S23	2.94	1.81	1.75
2	A	601	1PV	C24-S23	2.97	1.81	1.75
2	A	601	1PV	C28-C27	3.50	1.41	1.36
2	B	601	1PV	C28-C27	3.65	1.41	1.36

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	1PV	C9-C10-N11	-6.88	112.22	119.75
2	A	601	1PV	C22-C20-C16	-6.88	119.78	124.49
2	A	601	1PV	C9-C10-N11	-6.35	112.80	119.75
2	B	601	1PV	C22-C20-C16	-6.29	120.18	124.49
2	B	601	1PV	O26-S23-O25	-6.20	110.03	118.66
2	A	601	1PV	O26-S23-O25	-5.89	110.47	118.66
2	A	601	1PV	C14-C15-C16	-2.18	119.94	122.07
2	B	601	1PV	O4-C3-C5	-2.17	117.65	120.80
2	B	601	1PV	C14-C15-C16	-2.10	120.02	122.07
2	A	601	1PV	O25-S23-N11	2.40	110.09	107.66
2	B	601	1PV	C5-C6-C33	2.41	131.48	127.92
2	A	601	1PV	C5-C3-N2	2.49	120.34	115.26
2	B	601	1PV	O26-S23-N11	2.94	110.63	107.66
2	B	601	1PV	C5-C3-N2	3.02	121.43	115.26
2	A	601	1PV	C5-C6-C33	3.12	132.53	127.92
2	B	601	1PV	O25-S23-N11	3.45	111.15	107.66
2	A	601	1PV	O26-S23-N11	3.71	111.41	107.66
2	B	601	1PV	C12-N11-C10	4.14	123.77	117.00
2	A	601	1PV	C12-N11-C10	5.37	125.78	117.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	1PV	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	562/579 (97%)	0.81	60 (10%) 8 8	13, 20, 36, 56	0
1	B	562/579 (97%)	0.72	45 (8%) 15 17	13, 20, 34, 45	0
All	All	1124/1158 (97%)	0.77	105 (9%) 11 12	13, 20, 35, 56	0

All (105) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	548	SER	11.4
1	B	57	LEU	7.8
1	B	153	GLY	7.5
1	B	14	CYS	7.3
1	A	15	ALA	6.7
1	A	14	CYS	6.6
1	A	149	PRO	6.6
1	A	150	GLU	6.5
1	A	351	GLY	6.4
1	A	57	LEU	5.5
1	A	543	GLY	5.4
1	B	15	ALA	5.2
1	A	550	TRP	5.1
1	A	153	GLY	5.0
1	B	352	ASP	4.5
1	A	352	ASP	4.4
1	A	16	ALA	4.3
1	B	547	LEU	4.1
1	B	151	LYS	4.0
1	A	552	THR	3.9
1	B	46	CYS	3.8
1	B	16	ALA	3.7
1	A	10	LEU	3.7
1	B	404	PRO	3.6

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	546	ALA	3.6
1	A	547	LEU	3.6
1	B	152	GLY	3.5
1	A	359	ASP	3.4
1	B	402	HIS	3.4
1	A	152	GLY	3.3
1	B	351	GLY	3.3
1	A	549	GLY	3.3
1	A	377	ALA	3.2
1	B	149	PRO	3.2
1	B	548	SER	3.2
1	B	552	THR	3.1
1	A	95	HIS	3.1
1	A	46	CYS	3.0
1	A	545	LEU	3.0
1	B	161	VAL	2.9
1	B	406	ASN	2.9
1	B	313[A]	MET	2.9
1	A	376	GLY	2.8
1	A	419	LEU	2.8
1	B	377	ALA	2.8
1	B	543	GLY	2.8
1	A	154	ARG	2.8
1	B	114	ARG	2.8
1	A	542	ALA	2.8
1	B	545	LEU	2.8
1	A	23	ILE	2.7
1	B	452	TYR	2.7
1	B	106	LYS	2.7
1	B	437	ASP	2.7
1	A	540	ALA	2.7
1	A	404	PRO	2.7
1	B	540	ALA	2.7
1	B	546	ALA	2.7
1	A	148	GLN	2.6
1	A	447	ILE	2.6
1	A	220	ASP	2.6
1	B	376	GLY	2.6
1	B	158	ARG	2.6
1	A	406	ASN	2.6
1	B	101	TYR	2.6
1	B	284	VAL	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	531	ARG	2.5
1	B	362	LEU	2.5
1	A	532	THR	2.5
1	A	498	ARG	2.4
1	A	544	GLN	2.4
1	A	101	TYR	2.4
1	B	532	THR	2.4
1	A	437	ASP	2.4
1	A	270	ARG	2.4
1	A	161	VAL	2.4
1	B	441	GLN	2.3
1	A	510	ARG	2.3
1	B	405	VAL	2.3
1	B	403	THR	2.3
1	A	19	GLN	2.3
1	B	220	ASP	2.2
1	B	561	TYR	2.2
1	A	551	PHE	2.2
1	B	421	ALA	2.2
1	A	514	ARG	2.2
1	B	533	LYS	2.2
1	B	95	HIS	2.2
1	A	293	LEU	2.2
1	B	131	VAL	2.2
1	A	206	GLN	2.2
1	B	531	ARG	2.1
1	B	359	ASP	2.1
1	A	330	GLN	2.1
1	A	151	LYS	2.1
1	A	222	ARG	2.1
1	A	441	GLN	2.0
1	A	538	PRO	2.0
1	A	421	ALA	2.0
1	A	355	GLN	2.0
1	A	425	LEU	2.0
1	A	313	MET	2.0
1	A	284	VAL	2.0
1	A	223	CYS	2.0
1	A	338	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	SO4	B	603	5/5	0.92	0.31	3.02	31,32,33,33	0
3	SO4	A	603	5/5	0.95	0.30	2.34	27,28,28,29	0
3	SO4	B	602	5/5	0.92	0.16	1.36	28,30,31,31	0
3	SO4	A	602	5/5	0.93	0.21	0.61	33,34,34,35	0
2	1PV	B	601	39/39	0.94	0.12	0.10	13,14,26,28	0
2	1PV	A	601	39/39	0.94	0.11	-0.43	15,16,26,29	0
3	SO4	B	606	5/5	0.87	0.35	-	43,43,44,44	0
3	SO4	B	604	5/5	0.79	0.35	-	46,46,48,49	0
3	SO4	B	605	5/5	0.91	0.17	-	40,40,41,41	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.