



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:10 PM GMT

PDB ID : 4KP9
Title : Crystal structure of Papain modify by achiral Ru(II)complex
Authors : Cherrier, M.V.; Madern, N.; Amara, P.; Salmain, M.; Fontecilla-Camps, J.C.
Deposited on : 2013-05-13
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	213	<div> <div></div> <div>86%</div> <div>13%</div> </div>
2	B	212	<div> <div></div> <div>79%</div> <div>20%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	BU1	A	301	-	-	-	X
5	ACT	A	303	-	-	-	X
5	ACT	A	304	-	-	-	X
5	ACT	B	304	-	-	-	X
5	ACT	B	308	-	-	X	-
7	YXX	B	301	-	-	-	X

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 3802 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Papain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	212	Total	C	N	O	S	0	6	0
			1690	1074	298	311	7			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	GLN	GLU	SEE REMARK 999	UNP P00784
A	67	TXY	TYR	MICROHETEROGENEITY	UNP P00784
A	118	GLN	GLU	SEE REMARK 999	UNP P00784
A	135	GLN	GLU	SEE REMARK 999	UNP P00784


- Molecule 2 is a protein called Papain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	212	Total	C	N	O	S	0	5	0
			1677	1066	294	308	9			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	47	GLN	GLU	SEE REMARK 999	UNP P00784
B	118	GLN	GLU	SEE REMARK 999	UNP P00784
B	135	GLN	GLU	SEE REMARK 999	UNP P00784

- Molecule 3 is 1,4-BUTANEDIOL (three-letter code: BU1) (formula: C₄H₁₀O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	4	2		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0

- Molecule 6 is CHLORO[N,N-DI(PYRIDIN-2-YL-KAPPAN)PENTANE-1,5-DIAMINE]RUTHENIUM (three-letter code: YXZ) (formula: C₁₅H₂₀ClN₄Ru).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C Cl N Ru 21 15 1 4 1	0	0

- Molecule 7 is CHLORO(1-{5-[DI(PYRIDIN-2-YL-KAPPAN)AMINO]PENTYL}PYRROLIDINE-2,5-DIONE)RUTHENIUM (three-letter code: YXX) (formula: C₁₉H₂₂ClN₄O₂Ru).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
7	B	1	Total	C	Cl	N	O	Ru	0	0
			27	19	1	4	2	1		

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 9 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total Na 1 1	0	0



- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	169	Total O 169 169	0	0
10	B	169	Total O 169 169	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Papain



• Molecule 2: Papain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	61.03Å 74.85Å 86.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.42 – 2.10 37.42 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (37.42-2.10) 99.9 (37.42-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.11 (at 2.10Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, R_{free}	0.194 , 0.252 0.193 , 0.252	Depositor DCC
R_{free} test set	1184 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	16.9	Xtriage
Anisotropy	0.869	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 70.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	3 of 23677 reflections (0.013%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3802	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 40.62 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.6621e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: YXZ, YXX, CL, NA, BU1, SO4, TXY, ACT, OMX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1717	0.54	0/2327
2	B	0.38	0/1736	0.51	0/2356
All	All	0.39	0/3453	0.52	0/4683

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1690	0	1632	29	0
2	B	1677	0	1628	40	1
3	A	6	0	7	2	0
4	A	1	0	0	0	0
5	A	12	0	9	1	0
5	B	24	0	18	3	0
6	A	21	0	20	1	0
7	B	27	0	21	1	0
8	B	5	0	0	0	0
9	B	1	0	0	0	0
10	A	169	0	0	5	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	B	169	0	0	9	0
All	All	3802	0	3335	68	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:308:ACT:H1	10:B:454:HOH:O	1.73	0.87
1:A:118:GLN:HE22	1:A:192:GLY:H	1.25	0.84
2:B:135:GLN:NE2	2:B:156:LYS:HG2	1.92	0.83
2:B:118:GLN:HE22	2:B:192:GLY:H	1.26	0.82
1:A:36:GLY:HA3	10:A:568:HOH:O	1.82	0.78
2:B:190:LYS:HE3	2:B:193:THR:HG22	1.70	0.71
2:B:183[B]:GLU:OE1	5:B:308:ACT:H2	1.90	0.71
2:B:135:GLN:HE21	2:B:156:LYS:HG2	1.55	0.69
1:A:98:ARG:NE	1:A:98:ARG:HA	2.08	0.69
2:B:150:VAL:HG12	2:B:190:LYS:HD2	1.77	0.66
1:A:98:ARG:HE	1:A:98:ARG:HA	1.59	0.66
1:A:67[A]:TXY:H7	1:A:70:SER:OG	1.97	0.65
2:B:107:THR:HA	2:B:211:LYS:HD3	1.77	0.65
1:A:31[B]:VAL:HG21	1:A:50:GLU:HG3	1.82	0.62
2:B:199:VAL:O	2:B:200[B]:CYS:SG	2.59	0.61
2:B:195:ASN:OD1	2:B:195:ASN:O	2.20	0.59
1:A:118:GLN:HE22	1:A:192:GLY:N	1.99	0.58
2:B:93:ARG:HD3	2:B:96:ARG:NH2	2.17	0.58
1:A:61[A]:OMX:OC	1:A:64:ASN:HB2	2.04	0.57
1:A:74:LEU:HD12	1:A:78:TYR:HD2	1.70	0.56
1:A:114[B]:GLN:NE2	2:B:59:ARG:HG2	2.21	0.55
2:B:144:TYR:CE1	2:B:187:ILE:HG13	2.42	0.55
1:A:19:GLN:HE22	3:A:301:BU1:C4	2.20	0.54
1:A:112:GLN:NE2	10:A:509:HOH:O	2.34	0.53
1:A:73:GLN:HE21	1:A:77:GLN:HG3	1.73	0.53
1:A:59:ARG:HD3	10:B:437:HOH:O	2.09	0.53
2:B:118:GLN:HE22	2:B:192:GLY:N	2.02	0.53
1:A:65:GLY:HA3	6:A:305:YXZ:H14	1.91	0.52
2:B:144:TYR:O	2:B:182:GLY:HA2	2.10	0.51
2:B:149:PHE:CZ	2:B:151:GLY:HA2	2.46	0.51
2:B:8:ARG:HH21	2:B:172:LEU:HD21	1.74	0.51
2:B:12:ALA:HA	2:B:39:LYS:HG2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:118:GLN:NE2	2:B:192:GLY:H	2.01	0.50
2:B:84[B]:ASN:OD1	2:B:85:THR:HG23	2.13	0.49
2:B:28:PHE:O	2:B:32:VAL:HG23	2.13	0.49
2:B:73:GLN:NE2	10:B:546:HOH:O	2.34	0.49
2:B:190:LYS:CE	2:B:193:THR:HG22	2.41	0.49
1:A:31[A]:VAL:HG21	1:A:50:GLU:HG3	1.94	0.48
1:A:27:ALA:O	1:A:31[B]:VAL:HG22	2.14	0.48
1:A:18:ASN:OD1	5:A:303:ACT:H1	2.14	0.47
2:B:150:VAL:HG12	2:B:190:LYS:CD	2.44	0.47
1:A:116:TYR:HB2	7:B:301:YXX:H6	1.96	0.46
1:A:114[B]:GLN:CG	2:B:59:ARG:HB3	2.46	0.46
2:B:110:VAL:HG11	10:B:521:HOH:O	2.16	0.46
1:A:36:GLY:CA	10:A:568:HOH:O	2.51	0.46
1:A:19:GLN:HE22	3:A:301:BU1:H41	1.80	0.46
2:B:144:TYR:CZ	2:B:187:ILE:HG13	2.51	0.46
1:A:114[A]:GLN:NE2	10:A:488:HOH:O	2.48	0.45
1:A:118:GLN:NE2	1:A:192:GLY:H	2.03	0.44
2:B:135:GLN:HE21	2:B:156:LYS:H	1.65	0.44
2:B:14:THR:HB	2:B:15:PRO:CD	2.47	0.44
1:A:31[B]:VAL:HG21	1:A:50:GLU:CG	2.46	0.44
2:B:154:GLY:O	2:B:200[B]:CYS:HA	2.17	0.44
2:B:135:GLN:HE22	2:B:154:GLY:HA3	1.83	0.43
2:B:11:GLY:HA2	10:B:418:HOH:O	2.17	0.43
2:B:25:CYS:HB3	10:B:517:HOH:O	2.19	0.43
2:B:1:ILE:HG12	10:B:493:HOH:O	2.19	0.43
2:B:195:ASN:HB2	10:B:551:HOH:O	2.19	0.42
2:B:8:ARG:HH22	5:B:308:ACT:H3	1.85	0.42
2:B:52:GLU:OE2	2:B:81:HIS:ND1	2.43	0.42
1:A:30:ALA:O	1:A:34:ILE:HG12	2.20	0.42
1:A:117:ASN:ND2	10:A:488:HOH:O	2.52	0.41
1:A:73:GLN:NE2	1:A:77:GLN:HG3	2.35	0.41
1:A:96:ARG:O	1:A:100:LYS:HG2	2.21	0.41
2:B:155:ASN:HB2	10:B:528:HOH:O	2.21	0.41
2:B:96:ARG:O	2:B:100:LYS:HG2	2.21	0.40
2:B:51:GLN:HB2	2:B:88:TYR:HA	2.03	0.40
2:B:144:TYR:OH	2:B:183[B]:GLU:OE2	2.32	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:183[A]:GLU:OE1	10:A:488:HOH:O[3_444]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	212/213 (100%)	206 (97%)	6 (3%)	0	100	100
2	B	215/212 (101%)	209 (97%)	6 (3%)	0	100	100
All	All	427/425 (100%)	415 (97%)	12 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	173/169 (102%)	171 (99%)	2 (1%)	78	84
2	B	175/170 (103%)	173 (99%)	2 (1%)	80	85
All	All	348/339 (103%)	344 (99%)	4 (1%)	78	85

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	86	TYR
1	A	98	ARG
2	B	86	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	195	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	73	GLN
1	A	77	GLN
1	A	118	GLN
2	B	118	GLN
2	B	135	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	OMX	A	61[A]	-	12,13,14	1.01	1 (8%)	15,17,19	1.53	3 (20%)
1	TXY	A	67[A]	1	9,13,14	2.30	3 (33%)	5,17,19	1.29	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMX	A	61[A]	-	-	0/8/10/12	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TXY	A	67[A]	1	-	0/4/19/21	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	61[A]	OMX	OC-CB	-2.68	1.37	1.42
1	A	67[A]	TXY	CD1-CE1	2.62	1.49	1.41
1	A	67[A]	TXY	OZ-CZ	2.65	1.40	1.31
1	A	67[A]	TXY	CD1-CG	5.09	1.38	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	67[A]	TXY	O-C-CA	-2.19	119.80	125.49
1	A	61[A]	OMX	O-C-CA	-2.15	119.75	125.44
1	A	61[A]	OMX	CE2-CD2-CG	-2.06	119.09	121.20
1	A	61[A]	OMX	C-CA-N	3.87	117.92	109.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	61[A]	OMX	1	0
1	A	67[A]	TXY	1	0

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 15 ligands modelled in this entry, 2 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	BU1	A	301	1	5,5,5	2.56	2 (40%)	4,4,4	1.50	1 (25%)
5	ACT	A	303	-	1,3,3	1.01	0	0,3,3	0.00	-
5	ACT	A	304	-	1,3,3	1.16	0	0,3,3	0.00	-
6	YXZ	A	305	-	16,23,23	1.89	4 (25%)	24,31,31	1.67	4 (16%)
5	ACT	A	306	-	1,3,3	1.30	0	0,3,3	0.00	-
7	YXX	B	301	2	23,30,30	2.01	6 (26%)	35,42,42	6.67	13 (37%)
8	SO4	B	302	-	4,4,4	0.19	0	6,6,6	0.12	0
5	ACT	B	303	-	1,3,3	1.55	0	0,3,3	0.00	-
5	ACT	B	304	-	1,3,3	1.10	0	0,3,3	0.00	-
5	ACT	B	305	-	1,3,3	1.07	0	0,3,3	0.00	-
5	ACT	B	306	-	1,3,3	1.45	0	0,3,3	0.00	-
5	ACT	B	307	-	1,3,3	1.32	0	0,3,3	0.00	-
5	ACT	B	308	-	1,3,3	0.27	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BU1	A	301	1	-	0/3/3/3	0/0/0/0
5	ACT	A	303	-	-	0/0/0/0	0/0/0/0
5	ACT	A	304	-	-	0/0/0/0	0/0/0/0
6	YXZ	A	305	-	-	0/6/22/22	0/3/3/3
5	ACT	A	306	-	-	0/0/0/0	0/0/0/0
7	YXX	B	301	2	-	0/8/37/37	0/4/4/4
8	SO4	B	302	-	-	0/0/0/0	0/0/0/0
5	ACT	B	303	-	-	0/0/0/0	0/0/0/0
5	ACT	B	304	-	-	0/0/0/0	0/0/0/0
5	ACT	B	305	-	-	0/0/0/0	0/0/0/0
5	ACT	B	306	-	-	0/0/0/0	0/0/0/0
5	ACT	B	307	-	-	0/0/0/0	0/0/0/0
5	ACT	B	308	-	-	0/0/0/0	0/0/0/0

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	BU1	O6-C4	-4.10	1.19	1.42
3	A	301	BU1	O5-C1	-3.98	1.20	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	301	YXX	CAI-CAM	2.67	1.44	1.38
6	A	305	YXZ	CAI-CAM	2.82	1.44	1.38
6	A	305	YXZ	CAL-CBA	2.94	1.46	1.40
7	B	301	YXX	CAL-CBA	3.12	1.46	1.40
6	A	305	YXZ	CAJ-CAF	3.50	1.46	1.38
7	B	301	YXX	CAJ-CAF	3.55	1.46	1.38
7	B	301	YXX	CAZ-NBE	3.78	1.45	1.38
6	A	305	YXZ	CBA-NBF	4.05	1.46	1.41
7	B	301	YXX	CBA-NBF	4.17	1.46	1.41
7	B	301	YXX	CAY-NBE	4.23	1.45	1.38

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	301	YXX	CAY-NBE-CAZ	-34.37	95.97	112.97
7	B	301	YXX	OAD-CAZ-NBE	-4.38	118.59	123.92
7	B	301	YXX	CAT-CBD-CAZ	-3.76	100.62	105.16
7	B	301	YXX	OAC-CAY-NBE	-2.76	120.56	123.92
7	B	301	YXX	OAC-CAY-CAT	-2.24	121.35	127.09
7	B	301	YXX	OAD-CAZ-CBD	-2.20	121.44	127.09
3	A	301	BU1	C2-C3-C4	-2.03	101.07	114.20
6	A	305	YXZ	CAR-NBF-CBA	2.46	120.18	117.30
7	B	301	YXX	CAQ-NBE-CAZ	3.04	129.18	122.76
6	A	305	YXZ	CAR-NBF-CBB	3.16	121.01	117.30
6	A	305	YXZ	CAJ-NAU-CBA	3.22	121.73	118.36
7	B	301	YXX	CAJ-NAU-CBA	3.60	122.13	118.36
7	B	301	YXX	CAQ-NBE-CAY	4.17	131.57	122.76
7	B	301	YXX	CAK-NAV-CBB	4.42	122.99	118.36
6	A	305	YXZ	CAK-NAV-CBB	4.46	123.03	118.36
7	B	301	YXX	CAO-CAQ-NBE	4.47	122.13	112.41
7	B	301	YXX	CAT-CAY-NBE	9.47	118.09	107.93
7	B	301	YXX	CBD-CAZ-NBE	11.22	119.96	107.93

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	BU1	2	0
5	A	303	ACT	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	305	YXZ	1	0
7	B	301	YXX	1	0
5	B	308	ACT	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	210/213 (98%)	-0.13	3 (1%) 78 82	9, 16, 30, 48	0
2	B	212/212 (100%)	-0.21	1 (0%) 91 93	10, 17, 30, 43	0
All	All	422/425 (99%)	-0.17	4 (0%) 85 88	9, 17, 30, 48	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	212	ASN	5.5
2	B	194	GLY	2.3
1	A	103	TYR	2.2
1	A	11	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	TXY	A	67[A]	13/14	0.92	0.14	-	10,14,20,25	13
1	OMX	A	61[A]	13/14	0.95	0.12	-	12,16,21,24	1

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	BU1	A	301	6/6	0.91	0.28	8.59	19,25,30,41	0
5	ACT	B	304	4/4	0.91	0.19	6.22	26,30,31,37	0
5	ACT	A	304	4/4	0.93	0.18	4.26	35,41,41,47	0
7	YXX	B	301	27/27	0.94	0.16	2.64	24,34,45,50	2
5	ACT	A	303	4/4	0.89	0.15	2.23	26,35,35,43	0
5	ACT	B	305	4/4	0.88	0.19	1.71	26,26,31,32	0
6	YXZ	A	305	21/21	0.95	0.14	1.68	15,36,47,49	2
5	ACT	B	308	4/4	0.87	0.17	1.17	23,31,31,49	0
8	SO4	B	302	5/5	0.98	0.08	-1.47	20,28,31,34	0
5	ACT	B	306	4/4	0.90	0.20	-	23,27,36,41	0
5	ACT	B	307	4/4	0.80	0.18	-	30,34,37,40	0
5	ACT	B	303	4/4	0.81	0.17	-	37,37,45,54	0
9	NA	B	309	1/1	0.62	0.28	-	58,58,58,58	0
4	CL	A	302	1/1	0.98	0.08	-	21,21,21,21	0
5	ACT	A	306	4/4	0.93	0.14	-	24,30,34,38	0

6.5 Other polymers ⓘ

There are no such residues in this entry.