



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 01:28 AM BST

PDB ID : 2LF1  
Title : Solution structure of L. casei dihydrofolate reductase complexed with NADPH,  
30 structures  
Authors : Polshakov, V.; Feeney, J.; Birdsall, B.; Kovalevskaya, N.  
Deposited on : 2011-06-28

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 82%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	162	<div> <div>49%</div> <div>43%</div> <div>7%</div> </div>

## 2 Ensemble composition and analysis

This entry contains 30 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:161 (161)	0.29	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 6 clusters and 3 single-model clusters were found.

Cluster number	Models
1	1, 7, 8, 9, 10, 11, 12, 14, 15, 16, 17, 18, 19, 22, 27, 29
2	21, 23, 25
3	5, 28
4	2, 24
5	6, 13
6	3, 4
Single-model clusters	20; 26; 30


### 3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 2638 atoms, of which 1293 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Dihydrofolate reductase.

Mol	Chain	Residues	Atoms						Trace
1	A	162	Total	C	H	N	O	S	0
			2564	828	1267	225	242	2	

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ).




Mol	Chain	Residues	Atoms					
2	A	1	Total	C	H	N	O	P
			74	21	26	7	17	3

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Dihydrofolate reductase




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1 (medoid)

- Molecule 1: Dihydrofolate reductase




### 4.2.2 Score per residue for model 2

- Molecule 1: Dihydrofolate reductase




### 4.2.3 Score per residue for model 3

- Molecule 1: Dihydrofolate reductase




### 4.2.4 Score per residue for model 4

- Molecule 1: Dihydrofolate reductase



### 4.2.5 Score per residue for model 5


- Molecule 1: Dihydrofolate reductase






### 4.2.9 Score per residue for model 9

- Molecule 1: Dihydrofolate reductase




### 4.2.10 Score per residue for model 10

- Molecule 1: Dihydrofolate reductase




### 4.2.11 Score per residue for model 11

- Molecule 1: Dihydrofolate reductase




### 4.2.12 Score per residue for model 12

- Molecule 1: Dihydrofolate reductase








#### 4.2.13 Score per residue for model 13

- Molecule 1: Dihydrofolate reductase


Chain A: 48% 45% 7%



#### 4.2.14 Score per residue for model 14

- Molecule 1: Dihydrofolate reductase


Chain A: 51% 38% 10%



#### 4.2.15 Score per residue for model 15


- Molecule 1: Dihydrofolate reductase

Chain A: 48% 40% 12%




### 4.2.16 Score per residue for model 16

- Molecule 1: Dihydrofolate reductase




### 4.2.17 Score per residue for model 17

- Molecule 1: Dihydrofolate reductase



### 4.2.18 Score per residue for model 18


- Molecule 1: Dihydrofolate reductase



### 4.2.19 Score per residue for model 19


- Molecule 1: Dihydrofolate reductase






#### 4.2.20 Score per residue for model 20

- Molecule 1: Dihydrofolate reductase




#### 4.2.21 Score per residue for model 21

- Molecule 1: Dihydrofolate reductase




#### 4.2.22 Score per residue for model 22

- Molecule 1: Dihydrofolate reductase




### 4.2.23 Score per residue for model 23

- Molecule 1: Dihydrofolate reductase




### 4.2.24 Score per residue for model 24

- Molecule 1: Dihydrofolate reductase




### 4.2.25 Score per residue for model 25

- Molecule 1: Dihydrofolate reductase



### 4.2.26 Score per residue for model 26


- Molecule 1: Dihydrofolate reductase






#### 4.2.27 Score per residue for model 27

- Molecule 1: Dihydrofolate reductase




#### 4.2.28 Score per residue for model 28

- Molecule 1: Dihydrofolate reductase




#### 4.2.29 Score per residue for model 29

- Molecule 1: Dihydrofolate reductase



4.2.30 Score per residue for model 30

● Molecule 1: Dihydrofolate reductase



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 50 calculated structures, 30 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
AngleSearch	geometry optimization	
CNS	structure solution	
CNS	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	2lf1_cs.str
Number of chemical shift lists	4
Total number of shifts	5638
Number of shifts mapped to atoms	5638
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	82%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality ⓘ

### 6.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NDP

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1291	1262	1255	70±4
2	A	48	26	26	18±3
All	All	40170	38640	38430	2185

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:62:LEU:HD12	1:A:76:VAL:HG23	0.91	1.42	13	30
1:A:21:TRP:CD1	1:A:23:LEU:HD13	0.88	2.04	23	20
1:A:79:VAL:HG13	2:A:170:NDP:H62A	0.85	1.32	23	8
1:A:23:LEU:HD21	1:A:118:LEU:HD11	0.84	1.49	24	15
1:A:60:VAL:HG22	1:A:74:VAL:CG2	0.82	2.04	9	3
1:A:62:LEU:HD21	2:A:170:NDP:N6A	0.82	1.87	16	4
1:A:102:ILE:HD13	2:A:170:NDP:C8A	0.80	2.05	17	24
1:A:79:VAL:HG13	2:A:170:NDP:N6A	0.80	1.90	23	6
1:A:104:THR:OG1	1:A:129:ILE:HG21	0.79	1.78	17	28
1:A:41:VAL:HG22	1:A:45:THR:HB	0.79	1.53	11	29
1:A:126:THR:HG21	2:A:170:NDP:C4D	0.78	2.08	1	7

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:126:THR:HG21	2:A:170:NDP:H4D	0.78	1.53	1	5
1:A:60:VAL:HG21	1:A:85:TYR:OH	0.77	1.80	3	13
1:A:145:GLU:CB	1:A:152:THR:HG23	0.77	2.10	19	11
1:A:86:ALA:CB	1:A:94:LEU:HD11	0.77	2.09	25	5
1:A:45:THR:HG23	2:A:170:NDP:H5N	0.75	1.58	21	16
1:A:63:THR:HG21	1:A:68:TYR:CD2	0.75	2.16	17	18
1:A:3:PHE:HB2	1:A:113:LEU:HD12	0.74	1.59	23	17
2:A:170:NDP:H4B	2:A:170:NDP:O1A	0.74	1.83	20	2
1:A:129:ILE:HD12	1:A:130:PRO:O	0.74	1.83	5	14
1:A:27:LEU:HD12	1:A:28:HIS:N	0.72	1.99	23	6
1:A:86:ALA:HB1	1:A:94:LEU:HD11	0.72	1.60	25	2
1:A:86:ALA:HB2	1:A:94:LEU:HD13	0.72	1.62	2	2
1:A:63:THR:HG21	1:A:68:TYR:CG	0.71	2.21	14	18
1:A:24:PRO:HA	1:A:27:LEU:HD12	0.71	1.60	18	13
1:A:62:LEU:HD21	2:A:170:NDP:C6A	0.70	2.15	27	8
1:A:145:GLU:HB3	1:A:152:THR:HG23	0.70	1.63	27	29
1:A:62:LEU:HD23	1:A:102:ILE:CD1	0.69	2.18	8	6
1:A:62:LEU:CD1	1:A:76:VAL:HG23	0.69	2.17	16	23
1:A:3:PHE:CD2	1:A:110:VAL:HG21	0.69	2.22	24	1
1:A:12:LEU:HD12	1:A:126:THR:O	0.69	1.87	6	7
1:A:46:TYR:CD1	1:A:47:GLU:N	0.69	2.61	21	30
1:A:31:ARG:HD3	1:A:54:LEU:HD22	0.68	1.64	16	1
1:A:38:ILE:HD12	1:A:94:LEU:HD12	0.68	1.65	5	6
1:A:85:TYR:CE2	1:A:94:LEU:HD11	0.68	2.23	2	2
1:A:70:ALA:HB3	1:A:75:VAL:HG22	0.68	1.66	27	26
1:A:49:PHE:CE2	1:A:54:LEU:HD11	0.68	2.24	9	6
1:A:70:ALA:HB3	1:A:75:VAL:CG2	0.68	2.19	19	22
1:A:19:LEU:HD12	1:A:19:LEU:O	0.68	1.88	15	13
1:A:126:THR:HG21	2:A:170:NDP:O4D	0.68	1.89	27	3
1:A:23:LEU:CD1	1:A:118:LEU:HD21	0.67	2.19	30	9
2:A:170:NDP:H6N	2:A:170:NDP:H3D	0.67	1.66	24	12
1:A:77:HIS:O	2:A:170:NDP:H2A	0.67	1.90	27	12
2:A:170:NDP:H3D	2:A:170:NDP:H6N	0.67	1.67	6	13
1:A:62:LEU:HD12	1:A:76:VAL:CG2	0.67	2.18	20	8
1:A:23:LEU:HD23	1:A:26:ASP:HB2	0.66	1.67	21	14
1:A:38:ILE:HG23	1:A:58:THR:CG2	0.66	2.20	28	18
1:A:38:ILE:HG23	1:A:58:THR:HB	0.66	1.67	21	20
1:A:129:ILE:HD11	1:A:131:LEU:HD23	0.66	1.66	6	3
1:A:19:LEU:O	1:A:19:LEU:HD12	0.66	1.89	26	9
1:A:85:TYR:CZ	1:A:94:LEU:HD11	0.66	2.25	23	5
1:A:41:VAL:HG22	1:A:45:THR:CG2	0.66	2.20	27	24

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:76:VAL:HG21	1:A:82:VAL:HB	0.66	1.67	5	14
1:A:86:ALA:HB2	1:A:94:LEU:CD2	0.65	2.22	23	4
1:A:18:HIS:HA	2:A:170:NDP:H2D	0.65	1.68	5	25
2:A:170:NDP:H4B	2:A:170:NDP:O2A	0.65	1.92	6	2
1:A:30:PHE:O	1:A:34:THR:HG23	0.65	1.92	26	7
1:A:107:LYS:O	1:A:110:VAL:HG12	0.64	1.92	25	30
1:A:96:ILE:HG22	1:A:103:PHE:CE1	0.64	2.27	17	8
1:A:62:LEU:HD23	1:A:102:ILE:HD12	0.64	1.69	8	12
1:A:23:LEU:CD2	1:A:118:LEU:HD11	0.64	2.22	5	9
1:A:102:ILE:HD13	2:A:170:NDP:H8A	0.64	1.69	30	9
1:A:42:GLY:HA2	1:A:102:ILE:HD11	0.64	1.67	22	15
1:A:38:ILE:HG22	1:A:60:VAL:HG23	0.64	1.68	23	6
1:A:60:VAL:HG22	1:A:74:VAL:HG23	0.63	1.67	12	1
1:A:131:LEU:HD12	1:A:133:TRP:NE1	0.63	2.08	9	3
1:A:129:ILE:HD12	1:A:129:ILE:O	0.63	1.93	3	4
1:A:101:GLN:CB	2:A:170:NDP:H52A	0.62	2.25	27	10
1:A:4:LEU:HD23	1:A:30:PHE:CE1	0.62	2.29	6	3
1:A:129:ILE:CD1	1:A:131:LEU:HD23	0.62	2.24	14	4
1:A:102:ILE:N	1:A:102:ILE:HD12	0.62	2.09	7	2
1:A:23:LEU:HD11	1:A:118:LEU:HD21	0.61	1.71	16	8
1:A:79:VAL:HG12	1:A:83:PHE:CE2	0.61	2.30	19	1
1:A:18:HIS:N	2:A:170:NDP:H2D	0.61	2.09	22	15
1:A:18:HIS:CA	2:A:170:NDP:H2D	0.61	2.26	22	24
1:A:60:VAL:HG21	1:A:85:TYR:CZ	0.61	2.30	3	4
1:A:45:THR:HG23	2:A:170:NDP:O1N	0.60	1.95	1	1
1:A:131:LEU:HD12	1:A:133:TRP:CZ2	0.60	2.31	19	6
1:A:38:ILE:HD11	1:A:92:GLN:HB2	0.60	1.73	11	8
1:A:101:GLN:CG	2:A:170:NDP:H3B	0.60	2.27	12	4
1:A:13:ILE:CG1	1:A:126:THR:HG22	0.60	2.27	22	2
1:A:19:LEU:HD13	1:A:21:TRP:CD1	0.60	2.31	24	2
1:A:131:LEU:HD12	1:A:133:TRP:CE2	0.59	2.31	12	5
1:A:41:VAL:HG22	1:A:45:THR:CB	0.59	2.27	28	28
1:A:42:GLY:CA	1:A:102:ILE:HD11	0.59	2.27	29	12
1:A:101:GLN:CB	2:A:170:NDP:H3B	0.59	2.26	10	8
1:A:102:ILE:CD1	2:A:170:NDP:H8A	0.59	2.28	5	2
1:A:17:GLY:C	2:A:170:NDP:H2D	0.59	2.19	1	28
1:A:86:ALA:HB2	1:A:94:LEU:HD22	0.58	1.75	23	3
1:A:96:ILE:HD12	1:A:96:ILE:N	0.58	2.14	2	3
1:A:128:MET:SD	1:A:131:LEU:HD11	0.58	2.38	15	1
1:A:45:THR:CG2	2:A:170:NDP:H5N	0.58	2.28	5	14
1:A:101:GLN:CB	2:A:170:NDP:H51A	0.58	2.29	28	8

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:106:PHE:O	1:A:110:VAL:N	0.57	2.37	6	30
1:A:35:VAL:O	1:A:35:VAL:HG13	0.57	1.99	23	6
1:A:61:VAL:HG11	1:A:68:TYR:CE2	0.57	2.35	22	8
1:A:101:GLN:HB2	2:A:170:NDP:H52A	0.57	1.75	6	5
1:A:143:THR:HG23	1:A:154:THR:OG1	0.57	1.99	14	3
1:A:99:GLY:H	1:A:102:ILE:HD13	0.57	1.59	7	2
1:A:38:ILE:HG23	1:A:58:THR:CB	0.57	2.29	13	13
1:A:32:ALA:O	1:A:35:VAL:HG23	0.57	2.00	21	6
2:A:170:NDP:C3D	2:A:170:NDP:H6N	0.56	2.30	24	13
2:A:170:NDP:H6N	2:A:170:NDP:C3D	0.56	2.30	28	10
1:A:78:ASP:CB	1:A:81:ALA:HB2	0.56	2.31	2	7
1:A:64:HIS:CD2	2:A:170:NDP:N3A	0.56	2.74	5	8
1:A:23:LEU:HD11	1:A:118:LEU:HD11	0.56	1.77	17	1
1:A:101:GLN:HB3	2:A:170:NDP:H52A	0.56	1.78	16	7
1:A:62:LEU:HD21	2:A:170:NDP:C5A	0.55	2.30	21	4
1:A:96:ILE:N	1:A:96:ILE:HD12	0.55	2.16	3	3
1:A:43:ARG:HA	1:A:46:TYR:CD2	0.55	2.36	26	27
1:A:41:VAL:CG2	1:A:45:THR:HG21	0.55	2.32	19	1
1:A:86:ALA:HB2	1:A:94:LEU:CD1	0.55	2.32	11	1
1:A:38:ILE:HD13	1:A:85:TYR:OH	0.55	2.02	17	2
1:A:14:GLY:HA3	2:A:170:NDP:H1D	0.55	1.78	6	7
1:A:85:TYR:CG	1:A:86:ALA:N	0.55	2.74	10	30
1:A:139:VAL:HG11	1:A:159:GLN:HG3	0.54	1.79	7	2
1:A:13:ILE:HD12	2:A:170:NDP:C1D	0.54	2.32	12	8
1:A:97:ALA:O	2:A:170:NDP:H41N	0.54	2.02	15	11
1:A:13:ILE:HD11	2:A:170:NDP:O4D	0.54	2.02	19	14
1:A:100:ALA:HB3	2:A:170:NDP:O2N	0.54	2.03	22	2
1:A:64:HIS:CD2	2:A:170:NDP:H2B	0.54	2.37	3	2
1:A:41:VAL:HG12	1:A:60:VAL:O	0.54	2.03	11	2
1:A:86:ALA:CB	1:A:94:LEU:HD22	0.54	2.34	3	3
1:A:13:ILE:HG13	1:A:14:GLY:N	0.53	2.19	28	29
1:A:3:PHE:CB	1:A:113:LEU:HD12	0.53	2.30	30	7
1:A:102:ILE:HD11	2:A:170:NDP:H51A	0.53	1.80	5	1
1:A:78:ASP:HB2	1:A:81:ALA:HB2	0.53	1.80	2	6
2:A:170:NDP:P2B	2:A:170:NDP:O3B	0.53	2.67	11	6
1:A:43:ARG:CG	2:A:170:NDP:H4B	0.53	2.33	23	2
1:A:128:MET:HE3	1:A:129:ILE:CD1	0.53	2.34	30	1
1:A:23:LEU:HD23	1:A:26:ASP:OD1	0.53	2.04	25	1
1:A:38:ILE:HG22	1:A:60:VAL:CG2	0.53	2.33	25	3
1:A:119:ALA:HB3	1:A:149:PRO:O	0.53	2.03	30	1
1:A:119:ALA:HB2	1:A:152:THR:HB	0.53	1.80	11	8

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:59:ASN:CB	1:A:73:ALA:HB2	0.53	2.33	25	4
1:A:46:TYR:CD1	1:A:46:TYR:C	0.53	2.83	2	19
1:A:139:VAL:HG21	1:A:159:GLN:CG	0.53	2.34	19	1
1:A:23:LEU:HD13	1:A:118:LEU:HD21	0.53	1.79	30	2
1:A:129:ILE:CD1	1:A:131:LEU:HD21	0.52	2.34	30	3
1:A:139:VAL:CG2	1:A:157:VAL:HG12	0.52	2.35	9	5
1:A:23:LEU:HD21	1:A:153:HIS:CE1	0.52	2.40	30	4
1:A:5:TRP:CH2	1:A:115:VAL:HG12	0.52	2.39	24	23
1:A:5:TRP:CH2	1:A:115:VAL:CG1	0.52	2.93	14	30
1:A:79:VAL:HG11	1:A:105:ALA:HB1	0.52	1.80	1	1
1:A:86:ALA:CB	1:A:94:LEU:HD13	0.52	2.35	3	2
1:A:139:VAL:HG21	1:A:159:GLN:HG3	0.52	1.81	19	1
1:A:101:GLN:OE1	2:A:170:NDP:H2B	0.52	2.04	13	1
1:A:142:ARG:O	1:A:154:THR:HG23	0.52	2.04	17	2
1:A:68:TYR:CE2	1:A:70:ALA:HB2	0.52	2.40	14	3
1:A:17:GLY:O	2:A:170:NDP:H2D	0.52	2.05	3	10
1:A:23:LEU:HD21	1:A:118:LEU:CD1	0.52	2.31	24	1
1:A:79:VAL:HG22	2:A:170:NDP:H62A	0.52	1.63	27	2
1:A:43:ARG:HG3	2:A:170:NDP:H4B	0.52	1.81	23	2
1:A:64:HIS:CE1	2:A:170:NDP:C2A	0.51	2.93	28	14
1:A:49:PHE:HE2	1:A:54:LEU:HD11	0.51	1.65	4	5
1:A:101:GLN:HB3	2:A:170:NDP:H51A	0.51	1.83	12	5
1:A:54:LEU:HD12	1:A:59:ASN:OD1	0.51	2.06	30	2
1:A:41:VAL:HG22	1:A:45:THR:HG21	0.51	1.82	6	5
1:A:64:HIS:CD2	2:A:170:NDP:H1B	0.51	2.41	13	1
1:A:38:ILE:HD12	1:A:93:GLU:O	0.50	2.06	10	1
1:A:96:ILE:N	1:A:96:ILE:CD1	0.50	2.74	10	1
1:A:38:ILE:HG21	1:A:85:TYR:OH	0.50	2.06	17	3
1:A:3:PHE:CE2	1:A:110:VAL:HG21	0.50	2.41	24	1
1:A:129:ILE:HD12	1:A:131:LEU:HD23	0.50	1.82	21	4
1:A:102:ILE:CD1	2:A:170:NDP:H51A	0.50	2.36	5	1
1:A:12:LEU:HG	1:A:13:ILE:H	0.50	1.67	3	1
1:A:6:ALA:HB3	1:A:19:LEU:HD23	0.50	1.82	14	2
1:A:139:VAL:HG23	1:A:157:VAL:HG12	0.50	1.83	25	1
1:A:96:ILE:CD1	1:A:96:ILE:N	0.50	2.75	11	5
1:A:68:TYR:HE2	1:A:70:ALA:HB2	0.50	1.66	14	1
1:A:101:GLN:HB2	2:A:170:NDP:C5B	0.50	2.36	1	2
1:A:15:LYS:O	1:A:16:ASP:CB	0.50	2.60	18	4
1:A:43:ARG:O	1:A:46:TYR:CD2	0.50	2.65	10	29
2:A:170:NDP:O3B	2:A:170:NDP:P2B	0.50	2.70	3	3
1:A:43:ARG:HD2	2:A:170:NDP:H4B	0.50	1.84	27	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:128:MET:HE3	1:A:129:ILE:HD11	0.50	1.83	30	1
1:A:101:GLN:HB3	2:A:170:NDP:H3B	0.49	1.82	30	7
1:A:38:ILE:HD12	1:A:94:LEU:CD1	0.49	2.38	23	4
1:A:43:ARG:N	2:A:170:NDP:H52A	0.49	2.22	13	1
1:A:139:VAL:HG23	1:A:157:VAL:CG1	0.49	2.37	25	3
1:A:104:THR:O	1:A:107:LYS:CG	0.49	2.61	11	7
1:A:86:ALA:HB2	1:A:94:LEU:HD11	0.49	1.84	17	2
1:A:70:ALA:CB	1:A:75:VAL:HG22	0.49	2.37	16	11
1:A:59:ASN:HB2	1:A:73:ALA:HB2	0.49	1.85	28	3
1:A:62:LEU:CD2	1:A:102:ILE:HD12	0.49	2.38	21	2
1:A:82:VAL:O	1:A:85:TYR:CD2	0.49	2.65	23	28
1:A:31:ARG:HD2	1:A:54:LEU:HD23	0.49	1.85	3	1
1:A:99:GLY:HA3	2:A:170:NDP:H51N	0.48	1.84	26	4
1:A:102:ILE:HD12	1:A:102:ILE:N	0.48	2.22	3	1
1:A:130:PRO:O	1:A:131:LEU:HD23	0.48	2.09	11	2
1:A:102:ILE:CD1	2:A:170:NDP:C5B	0.48	2.92	3	1
1:A:82:VAL:HG22	1:A:85:TYR:CD2	0.48	2.44	11	23
1:A:113:LEU:HD21	1:A:131:LEU:HD13	0.48	1.84	26	2
1:A:64:HIS:NE2	2:A:170:NDP:N3A	0.48	2.62	29	8
1:A:38:ILE:HD11	1:A:92:GLN:HB3	0.48	1.86	17	4
1:A:46:TYR:C	1:A:46:TYR:CD1	0.48	2.86	3	11
1:A:51:LYS:HG2	1:A:54:LEU:HD23	0.48	1.84	8	1
1:A:43:ARG:HA	1:A:46:TYR:CE2	0.47	2.43	20	21
1:A:45:THR:HG23	2:A:170:NDP:C5N	0.47	2.36	21	1
2:A:170:NDP:C5D	2:A:170:NDP:PA	0.47	3.02	14	2
1:A:12:LEU:HD11	1:A:124:GLY:HA3	0.47	1.86	4	1
1:A:102:ILE:N	1:A:102:ILE:CD1	0.47	2.77	7	1
1:A:23:LEU:CD2	1:A:153:HIS:CE1	0.47	2.98	8	10
1:A:140:SER:HB3	1:A:157:VAL:HG23	0.47	1.86	17	3
1:A:24:PRO:HA	1:A:27:LEU:HD21	0.47	1.86	23	4
1:A:61:VAL:HG11	1:A:68:TYR:HE2	0.47	1.70	17	8
1:A:112:THR:HA	1:A:158:TRP:O	0.47	2.10	28	5
1:A:101:GLN:CB	2:A:170:NDP:C5B	0.47	2.93	21	3
1:A:43:ARG:NH2	2:A:170:NDP:P2B	0.47	2.88	21	1
1:A:107:LYS:HD2	1:A:129:ILE:HD13	0.47	1.85	25	2
1:A:1:THR:HG21	1:A:83:PHE:CE1	0.47	2.45	23	1
1:A:131:LEU:CD1	1:A:133:TRP:CZ2	0.47	2.98	12	2
1:A:110:VAL:HG13	1:A:136:PHE:CZ	0.47	2.45	1	1
1:A:2:ALA:O	1:A:95:VAL:HG13	0.47	2.10	5	1
1:A:85:TYR:C	1:A:85:TYR:CD1	0.47	2.87	10	3
1:A:65:GLN:O	1:A:77:HIS:CE1	0.47	2.68	7	24

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:70:ALA:CB	1:A:75:VAL:CG2	0.46	2.93	3	6
1:A:70:ALA:H	1:A:75:VAL:HG21	0.46	1.71	27	12
1:A:102:ILE:HD13	2:A:170:NDP:N7A	0.46	2.25	8	3
1:A:101:GLN:CD	2:A:170:NDP:H3B	0.46	2.30	20	1
1:A:18:HIS:CD2	1:A:18:HIS:N	0.46	2.82	3	1
1:A:5:TRP:CZ3	1:A:115:VAL:HG12	0.46	2.45	4	4
1:A:2:ALA:HB2	1:A:112:THR:HB	0.46	1.88	4	3
1:A:8:ASP:OD1	1:A:21:TRP:CZ3	0.46	2.69	26	2
1:A:136:PHE:CE1	1:A:160:LYS:CG	0.46	2.99	5	2
1:A:5:TRP:CZ2	1:A:115:VAL:CG1	0.46	2.99	30	4
1:A:46:TYR:CZ	1:A:68:TYR:CZ	0.46	3.04	6	2
1:A:15:LYS:HG2	1:A:15:LYS:O	0.46	2.10	18	1
1:A:38:ILE:CD1	1:A:94:LEU:HD12	0.46	2.41	28	1
1:A:101:GLN:NE2	2:A:170:NDP:O3B	0.46	2.48	23	1
1:A:38:ILE:HG23	1:A:58:THR:HG21	0.46	1.87	3	2
1:A:77:HIS:O	2:A:170:NDP:N1A	0.46	2.49	1	6
1:A:14:GLY:HA2	1:A:18:HIS:O	0.46	2.11	22	3
1:A:46:TYR:CZ	1:A:68:TYR:CE1	0.46	3.04	17	3
1:A:14:GLY:HA3	2:A:170:NDP:O2D	0.46	2.11	23	5
1:A:5:TRP:CZ2	1:A:115:VAL:HG12	0.46	2.46	19	4
1:A:5:TRP:CH2	1:A:128:MET:CE	0.45	2.99	28	4
1:A:151:LEU:O	1:A:153:HIS:NE2	0.45	2.49	28	15
1:A:62:LEU:HD21	2:A:170:NDP:N1A	0.45	2.25	17	2
1:A:60:VAL:HG22	1:A:74:VAL:HG21	0.45	1.86	9	1
1:A:18:HIS:N	2:A:170:NDP:O2D	0.45	2.50	13	1
1:A:31:ARG:O	1:A:35:VAL:HG23	0.45	2.11	17	1
1:A:85:TYR:OH	1:A:94:LEU:HD11	0.45	2.11	23	1
1:A:96:ILE:CG2	1:A:103:PHE:CE1	0.45	2.98	17	1
1:A:51:LYS:HB3	1:A:54:LEU:HD23	0.45	1.87	16	1
2:A:170:NDP:C6N	2:A:170:NDP:C3D	0.45	2.95	28	5
2:A:170:NDP:O3B	2:A:170:NDP:O1X	0.45	2.32	15	2
1:A:101:GLN:HB2	2:A:170:NDP:H51A	0.45	1.86	21	4
1:A:110:VAL:HG22	1:A:111:ASP:N	0.45	2.26	11	25
1:A:54:LEU:HB2	1:A:57:ARG:HD3	0.45	1.87	2	2
1:A:62:LEU:CD2	2:A:170:NDP:C5A	0.45	2.95	21	3
1:A:3:PHE:CD2	1:A:113:LEU:HD11	0.45	2.47	17	2
1:A:41:VAL:CG2	1:A:45:THR:CG2	0.45	2.94	19	14
1:A:19:LEU:HB2	1:A:21:TRP:NE1	0.45	2.27	28	1
1:A:76:VAL:HG21	1:A:82:VAL:CB	0.45	2.42	15	2
1:A:23:LEU:HG	1:A:153:HIS:CE1	0.44	2.48	14	3
1:A:17:GLY:CA	2:A:170:NDP:O3D	0.44	2.66	22	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:122:PHE:CD1	1:A:122:PHE:N	0.44	2.84	7	1
1:A:63:THR:CG2	1:A:68:TYR:CD2	0.44	2.98	6	5
1:A:17:GLY:N	2:A:170:NDP:O3D	0.44	2.51	22	2
1:A:140:SER:CB	1:A:157:VAL:CG2	0.44	2.96	6	6
1:A:85:TYR:O	1:A:88:GLN:N	0.44	2.50	21	8
1:A:151:LEU:O	1:A:153:HIS:CD2	0.44	2.71	4	3
1:A:31:ARG:O	1:A:35:VAL:HG22	0.44	2.12	2	3
1:A:46:TYR:CE1	1:A:68:TYR:OH	0.44	2.70	18	9
1:A:57:ARG:HD3	1:A:59:ASN:ND2	0.44	2.27	12	4
1:A:38:ILE:CG2	1:A:58:THR:CG2	0.44	2.96	7	2
1:A:77:HIS:O	2:A:170:NDP:C2A	0.44	2.66	5	10
1:A:13:ILE:HD12	2:A:170:NDP:C2N	0.44	2.42	22	2
1:A:39:MET:CE	1:A:54:LEU:HD12	0.44	2.43	13	3
1:A:31:ARG:CD	1:A:54:LEU:HD22	0.44	2.38	16	1
1:A:64:HIS:CE1	2:A:170:NDP:N3A	0.44	2.86	9	3
2:A:170:NDP:C3D	2:A:170:NDP:C6N	0.43	2.95	24	5
2:A:170:NDP:H52N	2:A:170:NDP:PA	0.43	2.52	29	1
1:A:102:ILE:CD1	1:A:102:ILE:N	0.43	2.81	5	2
1:A:102:ILE:CD1	2:A:170:NDP:C8A	0.43	2.96	8	5
1:A:59:ASN:HB3	1:A:73:ALA:HB2	0.43	1.88	13	1
2:A:170:NDP:O2X	2:A:170:NDP:O3B	0.43	2.35	11	1
1:A:64:HIS:CD2	2:A:170:NDP:O1X	0.43	2.71	14	2
1:A:102:ILE:HD12	2:A:170:NDP:H8A	0.43	1.89	5	1
1:A:85:TYR:CD2	1:A:86:ALA:N	0.43	2.86	6	1
1:A:85:TYR:CD1	1:A:85:TYR:C	0.43	2.91	11	4
1:A:38:ILE:CG2	1:A:60:VAL:HG23	0.43	2.41	10	1
1:A:105:ALA:HB3	2:A:170:NDP:H61A	0.43	1.72	17	1
1:A:3:PHE:CE2	1:A:110:VAL:CG2	0.43	3.02	24	1
1:A:24:PRO:HA	1:A:27:LEU:HD11	0.43	1.89	5	1
1:A:131:LEU:O	1:A:133:TRP:CD1	0.43	2.72	29	5
1:A:107:LYS:CD	1:A:129:ILE:HD13	0.43	2.43	13	2
1:A:38:ILE:HD11	1:A:92:GLN:CB	0.43	2.43	10	3
1:A:105:ALA:CB	2:A:170:NDP:H61A	0.43	2.26	27	1
1:A:60:VAL:HG21	1:A:85:TYR:HH	0.43	1.73	26	1
1:A:38:ILE:CG2	1:A:85:TYR:OH	0.43	2.66	17	1
1:A:62:LEU:CD2	2:A:170:NDP:C6A	0.43	2.93	27	3
1:A:3:PHE:CD1	1:A:110:VAL:CG2	0.43	3.01	26	1
1:A:13:ILE:CD1	2:A:170:NDP:O4D	0.43	2.67	6	7
1:A:139:VAL:HG23	1:A:158:TRP:CA	0.43	2.43	10	1
1:A:138:LYS:HG3	1:A:158:TRP:CE2	0.43	2.48	7	1
1:A:64:HIS:ND1	2:A:170:NDP:C2A	0.43	2.82	2	4

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:101:GLN:HG3	2:A:170:NDP:H3B	0.43	1.91	15	3
1:A:129:ILE:HD12	1:A:129:ILE:C	0.43	2.34	28	1
1:A:64:HIS:CG	2:A:170:NDP:O2X	0.43	2.72	27	2
1:A:23:LEU:HD23	1:A:26:ASP:CB	0.43	2.43	17	2
1:A:122:PHE:N	1:A:122:PHE:CD1	0.43	2.87	17	3
1:A:139:VAL:CG2	1:A:157:VAL:CG1	0.43	2.96	7	4
1:A:129:ILE:C	1:A:129:ILE:HD12	0.43	2.34	22	1
1:A:101:GLN:HB3	2:A:170:NDP:H8A	0.43	1.91	11	3
1:A:129:ILE:CD1	1:A:131:LEU:CD2	0.43	2.96	10	5
1:A:82:VAL:HG11	1:A:106:PHE:HZ	0.43	1.73	4	1
1:A:82:VAL:CG2	1:A:85:TYR:CD2	0.43	3.02	18	2
1:A:79:VAL:CG1	1:A:105:ALA:HB1	0.43	2.44	1	1
1:A:129:ILE:HD11	1:A:131:LEU:CD2	0.42	2.43	16	2
1:A:44:ARG:HB2	2:A:170:NDP:PA	0.42	2.54	6	1
1:A:138:LYS:HD3	1:A:158:TRP:CZ2	0.42	2.50	18	3
1:A:79:VAL:O	1:A:83:PHE:CD2	0.42	2.73	28	7
1:A:31:ARG:O	1:A:35:VAL:HG13	0.42	2.14	19	2
1:A:86:ALA:HB1	1:A:94:LEU:CD1	0.42	2.37	25	1
1:A:82:VAL:HG22	1:A:85:TYR:CE2	0.42	2.49	18	7
1:A:3:PHE:CE1	1:A:96:ILE:CG1	0.42	3.03	28	1
1:A:77:HIS:HA	2:A:170:NDP:H2A	0.42	1.91	25	1
1:A:138:LYS:CD	1:A:158:TRP:CZ2	0.42	3.03	18	1
1:A:3:PHE:CE2	1:A:110:VAL:HB	0.42	2.50	24	1
1:A:46:TYR:CE2	1:A:68:TYR:CZ	0.42	3.08	6	1
1:A:54:LEU:HB2	1:A:57:ARG:CD	0.42	2.45	6	1
1:A:42:GLY:HA3	1:A:102:ILE:HD11	0.42	1.91	29	1
1:A:143:THR:HA	1:A:154:THR:HG23	0.42	1.91	30	1
1:A:107:LYS:HG3	1:A:108:ASP:N	0.42	2.30	5	1
1:A:5:TRP:NE1	1:A:7:GLN:NE2	0.42	2.68	4	16
1:A:64:HIS:CD2	2:A:170:NDP:C2B	0.42	3.03	21	1
1:A:43:ARG:CG	2:A:170:NDP:O4B	0.42	2.68	19	1
1:A:41:VAL:HG12	1:A:61:VAL:HA	0.42	1.91	11	1
1:A:7:GLN:HA	1:A:12:LEU:O	0.42	2.15	18	1
1:A:7:GLN:CB	1:A:12:LEU:O	0.42	2.68	15	7
1:A:5:TRP:CZ2	1:A:128:MET:SD	0.42	3.13	8	3
1:A:12:LEU:HD21	1:A:123:GLU:O	0.42	2.14	30	1
1:A:5:TRP:CD1	1:A:13:ILE:CG2	0.42	3.03	27	1
2:A:170:NDP:O3B	2:A:170:NDP:O2X	0.42	2.36	1	2
1:A:78:ASP:HB3	1:A:81:ALA:HB2	0.42	1.92	3	1
1:A:19:LEU:HD13	1:A:21:TRP:NE1	0.42	2.30	24	1
1:A:21:TRP:HD1	1:A:23:LEU:HD13	0.42	1.65	24	1

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:61:VAL:HG12	1:A:62:LEU:N	0.42	2.30	24	1
1:A:65:GLN:O	1:A:77:HIS:ND1	0.42	2.53	2	3
1:A:8:ASP:N	1:A:8:ASP:OD1	0.42	2.52	27	1
1:A:82:VAL:CG1	1:A:83:PHE:N	0.42	2.83	23	2
1:A:89:HIS:CE1	1:A:92:GLN:NE2	0.42	2.87	19	1
1:A:43:ARG:NH2	2:A:170:NDP:O1X	0.42	2.52	11	1
1:A:46:TYR:CE1	1:A:47:GLU:HG2	0.41	2.50	6	1
1:A:116:THR:OG1	1:A:155:TYR:CE1	0.41	2.73	29	13
1:A:57:ARG:CD	1:A:59:ASN:ND2	0.41	2.83	27	3
1:A:102:ILE:CD1	2:A:170:NDP:H52A	0.41	2.45	3	1
2:A:170:NDP:O2A	2:A:170:NDP:C5D	0.41	2.68	13	1
1:A:8:ASP:OD2	1:A:12:LEU:HB3	0.41	2.15	27	1
1:A:43:ARG:CG	2:A:170:NDP:C4B	0.41	2.97	23	1
1:A:3:PHE:CE1	1:A:96:ILE:HG13	0.41	2.50	1	2
1:A:42:GLY:CA	1:A:102:ILE:CD1	0.41	2.99	19	3
2:A:170:NDP:O2A	2:A:170:NDP:H51N	0.41	2.15	14	1
1:A:25:ASP:OD2	1:A:153:HIS:CE1	0.41	2.74	4	3
1:A:38:ILE:HG23	1:A:58:THR:HG22	0.41	1.90	17	1
1:A:40:VAL:HB	1:A:96:ILE:HD13	0.41	1.91	12	1
1:A:43:ARG:NH2	2:A:170:NDP:O2X	0.41	2.54	7	2
2:A:170:NDP:C4B	2:A:170:NDP:O2A	0.41	2.66	6	1
1:A:43:ARG:HB3	2:A:170:NDP:H4B	0.41	1.92	13	1
1:A:38:ILE:HB	1:A:85:TYR:OH	0.41	2.16	10	1
1:A:157:VAL:C	1:A:158:TRP:CD1	0.41	2.93	7	2
2:A:170:NDP:O3X	2:A:170:NDP:O3B	0.41	2.36	8	1
1:A:39:MET:CE	1:A:54:LEU:CD1	0.41	2.99	25	3
1:A:13:ILE:CD1	2:A:170:NDP:C1D	0.41	2.98	22	1
1:A:13:ILE:HD12	2:A:170:NDP:N1N	0.41	2.31	12	1
1:A:41:VAL:CG1	1:A:61:VAL:HG22	0.41	2.45	3	1
1:A:51:LYS:CG	1:A:54:LEU:HD23	0.41	2.45	8	1
1:A:57:ARG:NE	1:A:58:THR:O	0.41	2.54	20	1
1:A:3:PHE:CZ	1:A:110:VAL:HB	0.41	2.51	1	1
1:A:39:MET:N	1:A:57:ARG:NH2	0.41	2.69	6	1
1:A:68:TYR:CD1	1:A:69:GLN:N	0.41	2.89	27	1
1:A:101:GLN:HB3	2:A:170:NDP:C5B	0.41	2.46	21	1
1:A:46:TYR:CE1	1:A:47:GLU:OE1	0.41	2.74	21	1
1:A:13:ILE:HG13	2:A:170:NDP:H1D	0.41	1.93	19	1
1:A:86:ALA:HB2	1:A:94:LEU:HD21	0.40	1.93	24	1
1:A:96:ILE:CG2	1:A:103:PHE:CD1	0.40	3.05	6	1
1:A:34:THR:CG2	1:A:57:ARG:NH1	0.40	2.84	15	1
1:A:8:ASP:OD2	1:A:12:LEU:CB	0.40	2.70	4	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:39:MET:HE2	1:A:54:LEU:CD1	0.40	2.46	25	1
1:A:29:TYR:CE1	1:A:33:GLN:CG	0.40	3.05	30	1
1:A:42:GLY:HA2	1:A:102:ILE:CD1	0.40	2.46	14	1
1:A:46:TYR:CD1	1:A:68:TYR:OH	0.40	2.74	19	1
1:A:139:VAL:HG23	1:A:157:VAL:HB	0.40	1.93	22	1
2:A:170:NDP:O1X	2:A:170:NDP:O3B	0.40	2.34	28	1
1:A:89:HIS:CE1	1:A:92:GLN:OE1	0.40	2.74	27	1
1:A:29:TYR:O	1:A:29:TYR:CD1	0.40	2.74	4	1
1:A:44:ARG:O	1:A:48:SER:CB	0.40	2.69	1	1
1:A:78:ASP:CB	1:A:81:ALA:CB	0.40	2.99	2	1
2:A:170:NDP:C5D	2:A:170:NDP:O2A	0.40	2.70	14	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	160/162 (99%)	145±2 (91±1%)	12±2 (8±1%)	3±1 (2±0%)	16	59
All	All	4800/4860 (99%)	4351 (91%)	366 (8%)	83 (2%)	16	59

All 4 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	12	LEU	30
1	A	13	ILE	29
1	A	17	GLY	20
1	A	16	ASP	4

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	137/137 (100%)	101±4 (74±3%)	36±4 (26±3%)	3	24
All	All	4110/4110 (100%)	3029 (74%)	1081 (26%)	3	24

All 96 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	85	TYR	30
1	A	38	ILE	30
1	A	131	LEU	30
1	A	7	GLN	30
1	A	57	ARG	30
1	A	15	LYS	29
1	A	47	GLU	27
1	A	140	SER	27
1	A	87	LYS	27
1	A	101	GLN	26
1	A	41	VAL	26
1	A	33	GLN	26
1	A	132	ASN	25
1	A	153	HIS	24
1	A	45	THR	21
1	A	52	ARG	20
1	A	109	ASP	19
1	A	127	LYS	18
1	A	123	GLU	18
1	A	147	THR	18
1	A	49	PHE	18
1	A	44	ARG	17
1	A	145	GLU	17
1	A	27	LEU	17
1	A	88	GLN	16
1	A	117	ARG	16
1	A	126	THR	16
1	A	56	GLU	15
1	A	23	LEU	14
1	A	160	LYS	14
1	A	146	ASP	13
1	A	77	HIS	13
1	A	135	ASP	13
1	A	30	PHE	13
1	A	134	ASP	12
1	A	16	ASP	12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	78	ASP	12
1	A	107	LYS	11
1	A	83	PHE	11
1	A	111	ASP	11
1	A	92	GLN	11
1	A	125	ASP	10
1	A	22	HIS	10
1	A	1	THR	10
1	A	108	ASP	10
1	A	79	VAL	10
1	A	9	ARG	10
1	A	66	GLU	9
1	A	71	GLN	9
1	A	31	ARG	9
1	A	18	HIS	9
1	A	159	GLN	9
1	A	51	LYS	9
1	A	67	ASP	9
1	A	93	GLU	9
1	A	43	ARG	8
1	A	121	SER	8
1	A	91	ASP	8
1	A	143	THR	8
1	A	144	VAL	7
1	A	28	HIS	7
1	A	138	LYS	7
1	A	141	SER	7
1	A	37	LYS	6
1	A	10	ASP	6
1	A	19	LEU	6
1	A	142	ARG	6
1	A	59	ASN	5
1	A	161	LYS	5
1	A	58	THR	5
1	A	35	VAL	4
1	A	64	HIS	4
1	A	94	LEU	4
1	A	54	LEU	4
1	A	139	VAL	3
1	A	69	GLN	3
1	A	8	ASP	3
1	A	118	LEU	3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	74	VAL	3
1	A	26	ASP	3
1	A	148	ASN	2
1	A	39	MET	2
1	A	152	THR	2
1	A	65	GLN	2
1	A	113	LEU	2
1	A	25	ASP	2
1	A	63	THR	2
1	A	48	SER	1
1	A	34	THR	1
1	A	46	TYR	1
1	A	155	TYR	1
1	A	89	HIS	1
1	A	128	MET	1
1	A	156	GLU	1
1	A	21	TRP	1
1	A	151	LEU	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with  $|Z| > 2$  is

considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	NDP	A	170	-	44,52,52	1.45±0.01	1±0 (2±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	NDP	A	170	-	55,80,80	1.80±0.00	3±0 (5±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	170	-	-	0±0,30,77,77	0±0,5,5,5

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	170	NDP	C6N-N1N	6.54	1.54	1.37	1	30

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
2	A	170	NDP	O3X-P2B-O2X	6.87	132.66	107.44	11	30
2	A	170	NDP	C1D-N1N-C2N	5.40	130.23	120.85	25	30
2	A	170	NDP	C4N-C3N-C7N	5.28	132.51	118.19	13	30
2	A	170	NDP	C1D-N1N-C6N	5.02	109.58	120.80	25	4

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 6.7 Other polymers

There are no such molecules in this entry.

## 6.8 Polymer linkage issues

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 82% for the well-defined parts and 82% for the entire structure.

### 7.1 Chemical shift list 1

File name: 2lf1\_cs.str

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1871
Number of shifts mapped to atoms	1871
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	9

#### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	159	$-0.82 \pm 0.12$	Should be applied
$^{13}\text{C}_\beta$	145	$-0.55 \pm 0.12$	Should be applied
$^{13}\text{C}'$	150	$0.23 \pm 0.09$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	153	$-0.26 \pm 0.47$	None needed ( $< 0.5$ ppm)

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 82%, i.e. 1644 atoms were assigned a chemical shift out of a possible 2000. 0 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	772/789 (98%)	312/314 (99%)	308/322 (96%)	152/153 (99%)
Sidechain	750/995 (75%)	490/578 (85%)	240/372 (65%)	20/45 (44%)

*Continued on next page...*



Continued from previous page...

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Aromatic	122/216 (56%)	91/112 (81%)	31/86 (36%)	0/18 (0%)
Overall	1644/2000 (82%)	893/1004 (89%)	579/780 (74%)	172/216 (80%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 82%, i.e. 1650 atoms were assigned a chemical shift out of a possible 2007. 0 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	776/794 (98%)	314/316 (99%)	309/324 (95%)	153/154 (99%)
Sidechain	752/997 (75%)	491/579 (85%)	241/373 (65%)	20/45 (44%)
Aromatic	122/216 (56%)	91/112 (81%)	31/86 (36%)	0/18 (0%)
Overall	1650/2007 (82%)	896/1007 (89%)	581/783 (74%)	173/217 (80%)

#### 7.1.4 Statistically unusual chemical shifts ⓘ


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	142	ARG	NE	121.89	92.63 – 76.73	23.4
1	A	138	LYS	HB3	-0.88	3.10 – 0.40	-9.7
1	A	20	PRO	HD2	0.22	5.45 – 1.85	-9.5
1	A	113	LEU	HD21	-1.03	2.14 – -0.66	-6.3
1	A	113	LEU	HD22	-1.03	2.14 – -0.66	-6.3
1	A	113	LEU	HD23	-1.03	2.14 – -0.66	-6.3
1	A	133	TRP	HZ3	4.43	8.87 – 4.87	-6.1
1	A	98	GLY	HA2	1.90	5.87 – 2.07	-5.4
1	A	138	LYS	HG2	0.05	2.67 – 0.07	-5.1

#### 7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



## 7.2 Chemical shift list 2

File name: 2lf1\_cs.str

Chemical shift list name: *assigned\_chem\_shift\_list\_2*

### 7.2.1 Bookkeeping ⓘ

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1871
Number of shifts mapped to atoms	1871
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	9

### 7.2.2 Chemical shift referencing ⓘ

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	159	$-0.83 \pm 0.13$	Should be applied
$^{13}\text{C}_\beta$	145	$-0.55 \pm 0.08$	Should be applied
$^{13}\text{C}'$	150	$0.22 \pm 0.09$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	153	$-0.26 \pm 0.33$	None needed ( $< 0.5$ ppm)

### 7.2.3 Completeness of resonance assignments ⓘ

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 82%, i.e. 1644 atoms were assigned a chemical shift out of a possible 2000. 0 out of 29 assigned methyl groups (LEU and VAL) were assigned

stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	772/789 (98%)	312/314 (99%)	308/322 (96%)	152/153 (99%)
Sidechain	750/995 (75%)	490/578 (85%)	240/372 (65%)	20/45 (44%)
Aromatic	122/216 (56%)	91/112 (81%)	31/86 (36%)	0/18 (0%)
Overall	1644/2000 (82%)	893/1004 (89%)	579/780 (74%)	172/216 (80%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 82%, i.e. 1650 atoms were assigned a chemical shift out of a possible 2007. 0 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	776/794 (98%)	314/316 (99%)	309/324 (95%)	153/154 (99%)
Sidechain	752/997 (75%)	491/579 (85%)	241/373 (65%)	20/45 (44%)
Aromatic	122/216 (56%)	91/112 (81%)	31/86 (36%)	0/18 (0%)
Overall	1650/2007 (82%)	896/1007 (89%)	581/783 (74%)	173/217 (80%)

#### 7.2.4 Statistically unusual chemical shifts [i](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	142	ARG	NE	121.89	92.63 – 76.73	23.4
1	A	138	LYS	HB3	-0.88	3.10 – 0.40	-9.7
1	A	20	PRO	HD2	0.22	5.45 – 1.85	-9.5
1	A	113	LEU	HD21	-1.03	2.14 – -0.66	-6.3
1	A	113	LEU	HD22	-1.03	2.14 – -0.66	-6.3
1	A	113	LEU	HD23	-1.03	2.14 – -0.66	-6.3
1	A	133	TRP	HZ3	4.43	8.87 – 4.87	-6.1
1	A	98	GLY	HA2	1.90	5.87 – 2.07	-5.4
1	A	138	LYS	HG2	0.05	2.67 – 0.07	-5.1

#### 7.2.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



## 7.3 Chemical shift list 3

File name: 2lf1\_cs.str

Chemical shift list name: *assigned\_chem\_shift\_list\_3*

### 7.3.1 Bookkeeping ⓘ

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1871
Number of shifts mapped to atoms	1871
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	9

### 7.3.2 Chemical shift referencing ⓘ

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	159	$-0.82 \pm 0.17$	Should be applied
$^{13}\text{C}_\beta$	145	$-0.54 \pm 0.09$	Should be applied
$^{13}\text{C}'$	150	$0.22 \pm 0.11$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	153	$-0.27 \pm 0.30$	None needed ( $< 0.5$ ppm)

### 7.3.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 82%, i.e. 1644 atoms were assigned a chemical shift out of a possible 2000. 0 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	772/789 (98%)	312/314 (99%)	308/322 (96%)	152/153 (99%)
Sidechain	750/995 (75%)	490/578 (85%)	240/372 (65%)	20/45 (44%)
Aromatic	122/216 (56%)	91/112 (81%)	31/86 (36%)	0/18 (0%)
Overall	1644/2000 (82%)	893/1004 (89%)	579/780 (74%)	172/216 (80%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 82%, i.e. 1650 atoms were assigned a chemical shift out of a possible 2007. 0 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	776/794 (98%)	314/316 (99%)	309/324 (95%)	153/154 (99%)
Sidechain	752/997 (75%)	491/579 (85%)	241/373 (65%)	20/45 (44%)
Aromatic	122/216 (56%)	91/112 (81%)	31/86 (36%)	0/18 (0%)
Overall	1650/2007 (82%)	896/1007 (89%)	581/783 (74%)	173/217 (80%)

### 7.3.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.


Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	142	ARG	NE	121.89	92.63 – 76.73	23.4
1	A	138	LYS	HB3	-0.88	3.10 – 0.40	-9.7
1	A	20	PRO	HD2	0.22	5.45 – 1.85	-9.5
1	A	113	LEU	HD21	-1.03	2.14 – -0.66	-6.3
1	A	113	LEU	HD22	-1.03	2.14 – -0.66	-6.3
1	A	113	LEU	HD23	-1.03	2.14 – -0.66	-6.3
1	A	133	TRP	HZ3	4.43	8.87 – 4.87	-6.1
1	A	98	GLY	HA2	1.90	5.87 – 2.07	-5.4
1	A	138	LYS	HG2	0.05	2.67 – 0.07	-5.1

### 7.3.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from

the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



## 7.4 Chemical shift list 4

File name: 2lf1\_cs.str

Chemical shift list name: *assigned\_chem\_shift\_list\_4*

### 7.4.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	25
Number of shifts mapped to atoms	25
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

### 7.4.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

### 7.4.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 2000. 0 out of 29 assigned methyl groups (LEU and VAL) were assigned

stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	0 / 789 (0%)	0 / 314 (0%)	0 / 322 (0%)	0 / 153 (0%)
Sidechain	0 / 995 (0%)	0 / 578 (0%)	0 / 372 (0%)	0 / 45 (0%)
Aromatic	0 / 216 (0%)	0 / 112 (0%)	0 / 86 (0%)	0 / 18 (0%)
Overall	0 / 2000 (0%)	0 / 1004 (0%)	0 / 780 (0%)	0 / 216 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 2007. 0 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	0 / 794 (0%)	0 / 316 (0%)	0 / 324 (0%)	0 / 154 (0%)
Sidechain	0 / 997 (0%)	0 / 579 (0%)	0 / 373 (0%)	0 / 45 (0%)
Aromatic	0 / 216 (0%)	0 / 112 (0%)	0 / 86 (0%)	0 / 18 (0%)
Overall	0 / 2007 (0%)	0 / 1007 (0%)	0 / 783 (0%)	0 / 217 (0%)

#### 7.4.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

#### 7.4.5 Random Coil Index (RCI) plots ⓘ

No *random coil index* (RCI) plot could be generated from the current chemical shift list (assigned\_chem\_shift\_list\_4). RCI is only applicable to proteins.