



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 06:27 PM GMT

PDB ID : 4LOG
Title : The crystal structure of the orphan nuclear receptor PNR ligand binding domain fused with MBP
Authors : Tan, M.E.; Zhou, X.E.; Soon, F.-F.; Li, X.; Li, J.; Yong, E.-L.; Melcher, K.; Xu, H.E.
Deposited on : 2013-07-12
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	A	574	4%	61%	31%	.	.
1	B	574	5%	24%	14%	.	60%

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 6234 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Maltose ABC transporter periplasmic protein and NR2E3 protein chimeric construct.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	553	Total	C 4334	N 2799	O 712	S 809	14	0	0
1	B	232	Total	C 1838	N 1184	O 314	S 330	10	0	0

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	INITIATING METHIONINE	UNP K0BGG6
A	369	ASN	-	LINKER	UNP K0BGG6
A	370	ALA	-	LINKER	UNP K0BGG6
A	371	ALA	-	LINKER	UNP K0BGG6
A	372	ALA	-	LINKER	UNP K0BGG6
A	1215	GLU	-	LINKER	UNP K0BGG6
A	1216	PHE	-	LINKER	UNP K0BGG6
A	1405	SER	CYS	ENGINEERED MUTATION	UNP Q8IVZ9
A	1411	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
A	1412	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
A	1413	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
A	1414	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
A	1415	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
A	1416	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
B	1	MET	-	INITIATING METHIONINE	UNP K0BGG6
B	369	ASN	-	LINKER	UNP K0BGG6
B	370	ALA	-	LINKER	UNP K0BGG6
B	371	ALA	-	LINKER	UNP K0BGG6
B	372	ALA	-	LINKER	UNP K0BGG6
B	1215	GLU	-	LINKER	UNP K0BGG6
B	1216	PHE	-	LINKER	UNP K0BGG6
B	1405	SER	CYS	ENGINEERED MUTATION	UNP Q8IVZ9
B	1411	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
B	1412	HIS	-	EXPRESSION TAG	UNP Q8IVZ9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1413	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
B	1414	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
B	1415	HIS	-	EXPRESSION TAG	UNP Q8IVZ9
B	1416	HIS	-	EXPRESSION TAG	UNP Q8IVZ9


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	33	Total O 33 33	0	0
2	B	29	Total O 29 29	0	0

3 Residue-property plots [\(i\)](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Maltose ABC transporter periplasmic protein and NR2E3 protein chimeric construct



- Molecule 1: Maltose ABC transporter periplasmic protein and NR2E3 protein chimeric construct





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	89.44 Å 184.94 Å 85.97 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.70 29.70 – 2.70	Depositor EDS
% Data completeness (in resolution range)	96.5 (30.00-2.70) 96.4 (29.70-2.70)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.73 (at 2.68 Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R , R_{free}	0.285 , 0.307 0.278 , 0.296	Depositor DCC
R_{free} test set	2958 reflections (8.30%)	DCC
Wilson B-factor (Å ²)	62.2	Xtriage
Anisotropy	0.176	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 40.8	EDS
Estimated twinning fraction	0.017 for l,-k,h	Xtriage
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.33$	Xtriage
Outliers	0 of 38646 reflections	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	6234	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.57	0/4439	0.59	0/6025
1	B	0.62	2/1879 (0.1%)	0.64	0/2548
All	All	0.58	2/6318 (0.0%)	0.61	0/8573

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	342	TRP	CD2-CE2	5.45	1.47	1.41
1	B	1268	TRP	CD2-CE2	5.04	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4334	0	4340	155	0
1	B	1838	0	1875	69	0
2	A	33	0	0	6	0
2	B	29	0	0	2	0
All	All	6234	0	6215	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1302:VAL:O	1:B:1306:THR:HG22	1.50	1.12
1:A:61:ILE:HD11	1:A:266:ALA:HB1	1.46	0.96
1:B:1400:MET:HE2	1:B:1404:LEU:HG	1.67	0.76
1:A:1275:CYS:HB2	1:A:1276:PRO:HD3	1.68	0.76
1:A:152:ASN:HD21	1:A:155:GLU:HG2	1.53	0.74
1:A:9:LEU:HD21	1:A:37:VAL:HG22	1.69	0.73
1:A:194:LEU:HD22	1:A:363:LEU:HD21	1.71	0.72
1:A:1219:SER:O	1:A:1223:THR:HG22	1.91	0.71
1:A:81:ILE:HG22	1:A:268:ILE:HD12	1.72	0.71
1:B:1318:THR:HG23	2:B:1503:HOH:O	1.91	0.70
1:B:1278:LEU:HB2	1:B:1292:ARG:HH21	1.58	0.69
1:B:1398:THR:HG22	1:B:1401:GLU:H	1.58	0.69
1:A:1216:PHE:CG	1:A:1226:ARG:HG3	2.28	0.69
1:A:1252:LEU:HD13	1:A:1336:LEU:HD21	1.74	0.69
1:A:1357:SER:OG	1:A:1367:ARG:HD3	1.93	0.69
1:B:1398:THR:HG22	1:B:1401:GLU:HG3	1.76	0.67
1:B:341:PHE:O	1:B:345:VAL:HG23	1.95	0.66
1:A:147:SER:OG	1:A:224:THR:HG23	1.96	0.65
1:A:1393:LYS:HA	2:A:1527:HOH:O	1.95	0.65
1:B:1216:PHE:HB3	1:B:1217:LEU:HD22	1.77	0.65
1:A:130:THR:HG22	1:A:251:THR:OG1	1.98	0.64
1:A:1316:ASP:HB2	1:A:1317:PRO:HD2	1.78	0.64
1:A:1350:GLN:CD	1:B:1366:VAL:HG22	2.18	0.63
1:B:1398:THR:HG23	1:B:1400:MET:H	1.65	0.62
1:A:72:TYR:HA	1:A:77:LEU:HD12	1.81	0.61
1:A:357:GLN:HE21	1:A:361:GLU:HB2	1.65	0.61
1:A:199:ASP:HA	1:A:202:LYS:HB3	1.81	0.61
1:B:1276:PRO:HA	1:B:1292:ARG:HD2	1.81	0.61
1:A:1279:ALA:H	1:A:1280:PRO:HD2	1.65	0.61
1:A:1272:LEU:HD23	1:A:1275:CYS:SG	2.40	0.61
1:A:9:LEU:CD2	1:A:37:VAL:HG22	2.31	0.61
1:A:1302:VAL:O	1:A:1306:THR:HG22	2.01	0.60
1:A:151:PHE:O	1:A:153:LEU:HD23	2.01	0.60
1:A:10:VAL:HG13	1:A:59:PRO:HA	1.84	0.60
1:A:198:VAL:HG21	1:A:359:VAL:HG22	1.84	0.59
1:A:61:ILE:HD12	1:A:267:GLY:O	2.02	0.59
1:B:1400:MET:HE3	1:B:1403:LEU:HD22	1.83	0.59
1:A:1366:VAL:HG22	1:B:1350:GLN:CD	2.23	0.59
1:A:156:PRO:HG3	1:A:346:ARG:HA	1.85	0.58
1:A:237:ILE:O	1:A:237:ILE:HG22	2.04	0.58
1:A:138:ASP:HA	1:A:148:ALA:HB2	1.84	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:372:ALA:HA	1:B:1291:GLY:HA2	1.85	0.57
1:A:257:SER:O	1:A:259:PRO:HD3	2.05	0.57
1:A:1398:THR:HG22	1:A:1401:GLU:H	1.70	0.57
1:A:1245:PRO:O	1:A:1248:ASP:N	2.38	0.57
1:A:1316:ASP:OD1	1:A:1356:HIS:HE1	1.88	0.57
1:A:49:PHE:HB3	1:A:50:PRO:HD3	1.85	0.57
1:A:1309:ARG:NE	1:B:1332:GLU:HG2	2.20	0.56
1:A:1350:GLN:NE2	2:A:1518:HOH:O	2.38	0.56
1:A:1344:ALA:O	1:A:1348:GLN:HG3	2.06	0.56
1:A:8:LYS:HA	1:A:35:ILE:HG23	1.89	0.56
1:A:246:VAL:HB	1:A:318:ARG:HA	1.88	0.56
1:B:1400:MET:CE	1:B:1404:LEU:HG	2.35	0.55
1:A:1350:GLN:NE2	1:B:1369:GLY:HA3	2.21	0.55
1:A:91:LEU:HD12	1:A:96:TRP:CZ2	2.40	0.55
1:A:1392:ARG:HE	1:A:1393:LYS:HE3	1.71	0.55
1:A:1350:GLN:NE2	1:B:1366:VAL:HG22	2.21	0.55
1:B:1279:ALA:HB3	1:B:1280:PRO:HD3	1.88	0.55
1:A:156:PRO:HB3	1:A:345:VAL:HG12	1.89	0.55
1:A:248:VAL:HA	1:A:325:ASN:HD21	1.72	0.55
1:A:344:ALA:HB1	1:A:366:ALA:HA	1.88	0.54
1:B:1221:HIS:NE2	1:B:1276:PRO:HB2	2.22	0.54
1:A:82:THR:HG23	1:A:279:LYS:NZ	2.22	0.54
1:A:160:TRP:N	1:A:161:PRO:CD	2.70	0.54
1:A:1301:ARG:CZ	1:B:1334:ARG:HH12	2.21	0.54
1:A:1309:ARG:CD	1:B:1332:GLU:HG2	2.38	0.53
1:B:1309:ARG:O	1:B:1313:LEU:HD13	2.08	0.53
1:A:1369:GLY:HA3	1:B:1350:GLN:NE2	2.24	0.53
1:A:90:LYS:O	1:A:306:LEU:HD12	2.08	0.52
1:A:1369:GLY:HA3	1:B:1350:GLN:HE22	1.74	0.52
1:A:11:ILE:HG12	1:A:61:ILE:HG23	1.90	0.52
1:A:154:GLN:HG2	1:A:211:ASP:HA	1.90	0.52
1:A:156:PRO:HB3	1:A:345:VAL:CG1	2.40	0.52
1:A:1276:PRO:HD2	1:A:1277:LEU:HD23	1.93	0.51
1:A:9:LEU:HA	1:A:60:ASP:OD2	2.10	0.51
1:A:1393:LYS:NZ	1:A:1393:LYS:HB2	2.26	0.51
1:A:204:LYS:HA	1:A:204:LYS:NZ	2.25	0.51
1:B:1299:GLU:OE1	1:B:1385:ARG:HD3	2.10	0.51
1:A:274:ASN:HB3	1:A:277:LEU:HB2	1.92	0.51
1:A:1309:ARG:HD2	1:B:1332:GLU:HG2	1.91	0.51
1:A:1216:PHE:CD2	1:A:1226:ARG:HG3	2.45	0.51
1:B:1398:THR:HG23	1:B:1400:MET:N	2.25	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1217:LEU:HD23	1:B:1292:ARG:HG2	1.93	0.50
1:A:1277:LEU:HD13	1:A:1303:LEU:HD22	1.92	0.50
1:A:124:LEU:HD13	1:A:141:LEU:HD11	1.93	0.50
1:A:110:ILE:HD11	1:A:301:LEU:HD13	1.94	0.50
1:A:1275:CYS:CB	1:A:1276:PRO:HD3	2.40	0.50
1:B:335:ILE:HG13	1:B:338:MET:HB2	1.94	0.50
1:A:92:TYR:HB2	1:A:95:THR:HG23	1.94	0.49
1:B:1398:THR:CG2	1:B:1401:GLU:H	2.25	0.49
1:A:138:ASP:HB3	1:A:205:HIS:CD2	2.47	0.49
1:B:1316:ASP:HB2	1:B:1317:PRO:HD2	1.96	0.48
1:A:131:TRP:CD1	1:A:250:PRO:HB2	2.49	0.48
1:A:1234:TRP:CZ2	1:A:1238:LEU:HD11	2.48	0.48
1:B:1313:LEU:N	1:B:1313:LEU:HD12	2.28	0.48
1:A:364:LYS:HA	1:A:364:LYS:HE3	1.94	0.48
1:A:1232:VAL:HG11	1:A:1403:LEU:HD21	1.95	0.48
1:B:1402:LYS:NZ	1:B:1406:ASP:CG	2.66	0.48
1:A:1218:ASP:HB2	1:A:1222:GLU:OE2	2.13	0.48
1:A:248:VAL:HA	1:A:325:ASN:ND2	2.29	0.48
1:A:118:ILE:HG22	1:A:219:PHE:CZ	2.49	0.48
1:A:331:ILE:HD12	1:A:331:ILE:H	1.78	0.47
1:A:1277:LEU:HD12	1:A:1300:THR:HG23	1.97	0.47
1:A:50:PRO:O	1:A:54:ALA:HB2	2.14	0.47
1:A:50:PRO:HG3	1:A:72:TYR:CE1	2.50	0.47
1:A:337:GLN:HE21	1:A:340:ALA:HB3	1.80	0.47
1:B:1259:GLU:HB2	1:B:1327:VAL:HG11	1.97	0.47
1:B:1262:LEU:O	1:B:1266:ILE:HD12	2.15	0.47
1:B:1217:LEU:N	1:B:1217:LEU:HD22	2.30	0.47
1:B:1216:PHE:CB	1:B:1217:LEU:HD22	2.44	0.47
1:A:156:PRO:HD3	1:A:346:ARG:HE	1.80	0.47
1:A:1268:TRP:HZ3	1:A:1275:CYS:HB3	1.80	0.46
1:A:1272:LEU:HD23	1:A:1275:CYS:HG	1.78	0.46
1:B:1226:ARG:O	1:B:1230:MET:HB2	2.15	0.46
1:A:1403:LEU:O	1:A:1407:MET:HG3	2.16	0.46
1:A:63:PHE:CE2	1:A:266:ALA:HB2	2.51	0.46
1:B:1218:ASP:O	1:B:1222:GLU:HG2	2.16	0.46
1:B:1353:LEU:HD23	1:B:1368:PHE:CE1	2.50	0.46
1:A:1385:ARG:NH2	1:A:1389:LEU:HD21	2.30	0.46
1:A:1276:PRO:HD2	1:A:1277:LEU:CD2	2.45	0.46
1:B:368:THR:O	1:B:372:ALA:HB2	2.16	0.46
1:A:1227:LEU:HD13	1:A:1227:LEU:HA	1.80	0.45
1:A:166:ASP:O	1:A:189:GLY:HA3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1350:GLN:OE1	1:B:1366:VAL:HG22	2.15	0.45
1:B:338:MET:O	1:B:341:PHE:HB2	2.15	0.45
1:A:348:ALA:HB2	1:A:366:ALA:HB2	1.99	0.45
1:B:1295:LEU:HB3	1:B:1300:THR:OG1	2.17	0.45
1:A:142:LYS:HZ2	1:A:147:SER:HA	1.81	0.45
1:A:1278:LEU:H	1:A:1278:LEU:HD23	1.81	0.45
1:A:350:ILE:HD12	2:A:1515:HOH:O	2.17	0.45
1:B:1316:ASP:HB2	1:B:1317:PRO:CD	2.47	0.45
1:A:1270:LEU:HB2	1:A:1271:PRO:HD3	1.99	0.45
1:A:151:PHE:O	1:A:153:LEU:CD2	2.65	0.45
1:B:1402:LYS:NZ	1:B:1406:ASP:OD2	2.49	0.45
1:A:1277:LEU:N	1:A:1277:LEU:HD23	2.33	0.44
1:A:1218:ASP:OD1	1:A:1218:ASP:N	2.50	0.44
1:A:1299:GLU:OE1	1:A:1389:LEU:HD11	2.17	0.44
1:A:150:MET:HB2	1:A:224:THR:HG21	1.99	0.44
1:A:249:LEU:HD12	1:A:259:PRO:HG3	1.99	0.44
1:B:1381:ILE:HD11	1:B:1386:ILE:HD13	1.99	0.44
1:A:63:PHE:O	1:A:64:TRP:HB2	2.17	0.44
1:A:82:THR:HG23	1:A:82:THR:O	2.18	0.44
1:A:1301:ARG:O	1:A:1304:GLN:HG2	2.17	0.44
1:A:1332:GLU:HG2	1:B:1309:ARG:HD2	1.99	0.44
1:B:348:ALA:HB2	1:B:366:ALA:HB2	1.99	0.44
1:A:54:ALA:HA	1:A:77:LEU:HD21	1.99	0.44
1:A:145:GLY:HA2	2:A:1525:HOH:O	2.17	0.44
1:A:118:ILE:HA	1:A:245:GLY:O	2.18	0.44
1:A:1332:GLU:HG2	1:B:1309:ARG:CD	2.48	0.44
1:B:1313:LEU:CD1	1:B:1313:LEU:N	2.81	0.44
1:B:1269:SER:HA	1:B:1272:LEU:HD22	1.99	0.43
1:A:201:ILE:HD13	1:A:208:ALA:HB2	2.00	0.43
1:A:14:ASN:ND2	1:A:16:ASP:OD1	2.43	0.43
1:A:177:LYS:HG2	1:A:178:TYR:H	1.83	0.43
1:A:268:ILE:N	2:A:1501:HOH:O	2.40	0.43
1:A:153:LEU:HD21	2:A:1503:HOH:O	2.18	0.43
1:A:344:ALA:HB1	1:A:366:ALA:CA	2.48	0.43
1:B:1336:LEU:HD13	1:B:1342:VAL:HG21	2.01	0.43
1:A:110:ILE:HG13	1:A:111:ALA:N	2.32	0.43
1:A:187:ASN:HA	1:A:187:ASN:HD22	1.63	0.43
1:A:231:PRO:HA	1:A:234:TRP:CE2	2.53	0.43
1:A:337:GLN:HE21	1:A:340:ALA:CB	2.32	0.43
1:B:1275:CYS:HB2	1:B:1276:PRO:HD2	2.01	0.43
1:A:1304:GLN:HA	1:A:1307:ILE:HD12	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:343:TYR:HE1	1:A:369:ASN:ND2	2.17	0.43
1:B:1220:ILE:N	2:B:1506:HOH:O	2.41	0.43
1:A:110:ILE:HG23	1:A:264:LEU:O	2.18	0.42
1:A:44:LYS:HB2	1:A:48:LYS:HE3	2.02	0.42
1:A:1366:VAL:HG22	1:B:1350:GLN:NE2	2.34	0.42
1:A:161:PRO:HG3	1:A:259:PRO:HA	2.02	0.42
1:A:249:LEU:CD1	1:A:259:PRO:HG3	2.49	0.42
1:A:43:ASP:C	1:A:45:LEU:H	2.20	0.42
1:A:1302:VAL:O	1:A:1306:THR:CG2	2.68	0.42
1:B:1327:VAL:O	1:B:1330:LYS:NZ	2.34	0.42
1:A:323:MET:HG3	1:A:327:GLN:OE1	2.19	0.42
1:A:343:TYR:HE1	1:A:369:ASN:HD22	1.66	0.42
1:A:1255:GLU:HG3	1:A:1333:THR:CG2	2.50	0.42
1:A:110:ILE:HD12	1:A:110:ILE:O	2.20	0.42
1:B:1260:LEU:HD11	1:B:1328:LEU:HD13	2.01	0.42
1:B:1215:GLU:O	1:B:1216:PHE:C	2.58	0.42
1:A:1361:HIS:N	1:A:1362:PRO:HD3	2.35	0.41
1:A:369:ASN:O	1:A:372:ALA:HB3	2.19	0.41
1:B:1331:PRO:HG3	1:B:1343:GLU:HA	2.02	0.41
1:A:61:ILE:HD11	1:A:266:ALA:CB	2.33	0.41
1:A:14:ASN:HB2	1:A:64:TRP:HZ3	1.85	0.41
1:A:1228:LEU:O	1:A:1231:ALA:HB3	2.20	0.41
1:A:12:TRP:CH2	1:A:52:VAL:HG21	2.55	0.41
1:A:1367:ARG:HH11	1:A:1367:ARG:HG3	1.84	0.41
1:A:54:ALA:HA	1:A:77:LEU:CD2	2.51	0.41
1:B:1331:PRO:HD2	1:B:1332:GLU:OE2	2.21	0.41
1:A:134:ILE:N	1:A:135:PRO:CD	2.83	0.41
1:A:108:TYR:CD2	1:A:282:LEU:HD13	2.56	0.41
1:B:372:ALA:HB1	1:B:1291:GLY:C	2.41	0.41
1:A:118:ILE:HG12	1:A:246:VAL:HG22	2.02	0.41
1:A:342:TRP:HA	1:A:342:TRP:CE3	2.56	0.41
1:A:20:ASN:O	1:A:24:GLU:HG2	2.21	0.41
1:A:1375:LEU:N	1:A:1376:PRO:CD	2.84	0.41
1:B:1315:VAL:HA	1:B:1319:GLU:OE1	2.21	0.41
1:B:1375:LEU:N	1:B:1376:PRO:CD	2.84	0.41
1:B:1257:TRP:CG	1:B:1258:SER:N	2.89	0.40
1:A:1245:PRO:O	1:A:1246:PHE:C	2.59	0.40
1:A:99:VAL:HG21	1:A:109:PRO:HD3	2.03	0.40
1:B:358:THR:HG22	1:B:359:VAL:H	1.85	0.40
1:A:1303:LEU:HD23	1:A:1303:LEU:O	2.22	0.40
1:A:43:ASP:O	1:A:45:LEU:N	2.48	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1301:ARG:O	1:B:1305:GLU:HB2	2.22	0.40
1:B:363:LEU:O	1:B:367:GLN:HB2	2.22	0.40
1:A:142:LYS:NZ	1:A:147:SER:HA	2.37	0.40
1:A:75:SER:HB2	1:A:77:LEU:HG	2.03	0.40
1:A:82:THR:HG23	1:A:279:LYS:HZ2	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	549/574 (96%)	488 (89%)	53 (10%)	8 (2%)	13 32
1	B	228/574 (40%)	199 (87%)	22 (10%)	7 (3%)	5 12
All	All	777/1148 (68%)	687 (88%)	75 (10%)	15 (2%)	10 25

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1276	PRO
1	B	362	ALA
1	B	1281	PRO
1	A	1275	CYS
1	B	1277	LEU
1	B	1279	ALA
1	A	1279	ALA
1	A	1394	THR
1	A	1395	ILE
1	A	1274	SER
1	B	1280	PRO
1	B	1396	GLY
1	B	359	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1271	PRO
1	A	56	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	459/472 (97%)	422 (92%)	37 (8%)	15 33
1	B	201/472 (43%)	178 (89%)	23 (11%)	7 16
All	All	660/944 (70%)	600 (91%)	60 (9%)	12 26

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	GLU
1	A	9	LEU
1	A	10	VAL
1	A	41	HIS
1	A	46	GLU
1	A	61	ILE
1	A	67	ASP
1	A	85	LYS
1	A	110	ILE
1	A	116	SER
1	A	144	LYS
1	A	181	LYS
1	A	187	ASN
1	A	204	LYS
1	A	280	GLU
1	A	324	GLU
1	A	364	LYS
1	A	1218	ASP
1	A	1221	HIS
1	A	1223	THR
1	A	1226	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1227	LEU
1	A	1232	VAL
1	A	1237	ASN
1	A	1242	SER
1	A	1252	LEU
1	A	1260	LEU
1	A	1293	LEU
1	A	1305	GLU
1	A	1306	THR
1	A	1332	GLU
1	A	1350	GLN
1	A	1366	VAL
1	A	1393	LYS
1	A	1394	THR
1	A	1397	ASN
1	A	1398	THR
1	B	341	PHE
1	B	342	TRP
1	B	358	THR
1	B	363	LEU
1	B	367	GLN
1	B	1227	LEU
1	B	1230	MET
1	B	1233	LYS
1	B	1282	GLU
1	B	1290	GLN
1	B	1298	MET
1	B	1303	LEU
1	B	1306	THR
1	B	1318	THR
1	B	1332	GLU
1	B	1337	LYS
1	B	1366	VAL
1	B	1381	ILE
1	B	1384	GLU
1	B	1388	LEU
1	B	1393	LYS
1	B	1394	THR
1	B	1398	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	ASN
1	A	51	GLN
1	A	187	ASN
1	A	205	HIS
1	A	220	ASN
1	A	337	GLN
1	A	357	GLN
1	A	1267	GLN
1	A	1350	GLN
1	A	1356	HIS
1	A	1360	HIS
1	B	357	GLN
1	B	1290	GLN
1	B	1341	HIS
1	B	1350	GLN
1	B	1356	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	553/574 (96%)	0.13	23 (4%) 40 39	21, 59, 99, 161	0
1	B	232/574 (40%)	0.46	29 (12%) 5 4	21, 50, 112, 148	7 (3%)
All	All	785/1148 (68%)	0.23	52 (6%) 22 20	21, 57, 104, 161	7 (0%)

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1281	PRO	12.1
1	A	180	ILE	8.4
1	B	360	ASP	6.8
1	A	1279	ALA	6.4
1	B	337	GLN	6.4
1	B	336	PRO	6.0
1	B	1282	GLU	5.8
1	A	1295	LEU	5.5
1	B	356	ARG	5.4
1	A	54	ALA	5.1
1	A	1293	LEU	4.8
1	B	332	MET	4.8
1	B	342	TRP	4.6
1	B	1280	PRO	4.4
1	A	1278	LEU	4.3
1	B	1215	GLU	3.8
1	B	335	ILE	3.7
1	B	359	VAL	3.6
1	A	1280	PRO	3.4
1	B	331	ILE	3.4
1	B	355	GLY	3.3
1	A	1294	THR	3.3
1	B	363	LEU	3.3
1	B	1216	PHE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1314	ALA	3.2
1	A	354	SER	3.1
1	A	1277	LEU	3.0
1	A	1274	SER	2.9
1	A	371	ALA	2.9
1	A	55	THR	2.8
1	A	266	ALA	2.8
1	B	352	ALA	2.8
1	B	361	GLU	2.8
1	B	367	GLN	2.7
1	A	315	LYS	2.6
1	B	1268	TRP	2.6
1	B	1289	ALA	2.6
1	A	239	THR	2.6
1	A	1281	PRO	2.5
1	B	353	ALA	2.5
1	B	365	ASP	2.5
1	B	357	GLN	2.4
1	A	53	ALA	2.3
1	B	1276	PRO	2.3
1	A	370	ALA	2.3
1	A	265	SER	2.2
1	B	1410	ASN	2.2
1	A	267	GLY	2.1
1	A	1410	ASN	2.1
1	B	341	PHE	2.1
1	A	1360	HIS	2.1
1	B	364	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.