Full wwPDB X-ray Structure Validation Report (i)

Feb 1, 2016 – 06:27 PM GMT

PDB ID	:	4LOK
Title	:	Crystal structure of mSting in complex with c[G(3',5')pA(3',5')p]
Authors	:	Gao, P.; Patel, D.J.
Deposited on	:	2013-07-12
Resolution	:	2.07 Å(reported)

The following versions of software and data (see references (i)) were used in the production of this report:

|		
MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Rfree		0.240
Clashscore		22
Ramachandran outliers		0.8%
Sidechain outliers		8.2%
RSRZ outliers		3.9%

Worse　　　　　　　　　　　　　　　　　　　*Better*

▌Percentile relative to all X-ray structures
❘Percentile relative to X-ray structures of similar resolution

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1799 (2.08-2.04)
Clashscore	102246	1910 (2.08-2.04)
Ramachandran outliers	100387	1893 (2.08-2.04)
Sidechain outliers	100360	1893 (2.08-2.04)
RSRZ outliers	91569	1802 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	188	81% ... 13% ··
1	B	188	69% ... 16% 6% ··

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 3130 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Stimulator of interferon genes protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	181	Total	C	N	O	S	0	0	0
			1454	916	262	268	8			
1	B	180	Total	C	N	O	S	0	0	0
			1447	911	261	267	8			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	153	SER	-	EXPRESSION TAG	UNP Q3TBT3
B	153	SER	-	EXPRESSION TAG	UNP Q3TBT3

- Molecule 2 is 2-AMINO-9-[(2R,3R,3AR,5S,7AS,9R,10R,10AR,12R,14AS)-9-(6-AMINO-9H-PURIN-9-YL)-3,5,10,12-TETRAHYDROXY-5,12-DIOXIDOOCTAHYDRO-2H,7H-DIFURO[3,2-D:3',2'-J][1,3,7,9,2,8]TETRAOXADIPHOSPHACYCLODODECIN-2-YL]-1,9-DIHYDRO-6H-PURIN-6-ONE (three-letter code: 1YD) (formula: $C_{20}H_{24}N_{10}O_{13}P_2$).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total 90	C 40	N 20	O 26	P 4	0	1

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	78	Total 78	O 78	0	0
3	B	61	Total 61	O 61	0	0

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Stimulator of interferon genes protein

Chain A:

- Molecule 1: Stimulator of interferon genes protein

Chain B:

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	46.38Å 47.38Å 156.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.38 – 2.07 45.34 – 2.07	Depositor EDS
% Data completeness (in resolution range)	97.1 (45.38-2.07) 97.2 (45.34-2.07)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.96 (at 2.07Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.177 , 0.236 0.183 , 0.240	Depositor DCC
R_{free} test set	1068 reflections (5.30%)	DCC
Wilson B-factor (Å^2)	32.4	Xtriage
Anisotropy	0.110	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 42.9	EDS
Estimated twinning fraction	0.036 for k,h,-l	Xtriage
L-test for twinning[2]	$< |L| > = 0.49, < L^2 > = 0.32$	Xtriage
Outliers	0 of 21261 reflections	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	3130	wwPDB-VP
Average B, all atoms (Å^2)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.37% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 1YD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$>5	RMSZ	#$|Z|$>5
1	A	0.66	0/1482	0.74	0/2006
1	B	0.72	0/1475	1.08	16/1996 (0.8%)
All	All	0.69	0/2957	0.92	16/4002 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	304	SER	CB-CA-C	-12.35	86.64	110.10
1	B	231	ARG	NE-CZ-NH2	-10.08	115.26	120.30
1	B	272	GLN	N-CA-CB	-9.62	93.28	110.60
1	B	304	SER	N-CA-CB	-9.50	96.25	110.50
1	B	305	ARG	N-CA-CB	-8.96	94.47	110.60
1	B	231	ARG	NE-CZ-NH1	8.21	124.41	120.30
1	B	274	ALA	N-CA-CB	7.93	121.21	110.10
1	B	303	GLU	CB-CA-C	7.03	124.46	110.40
1	B	273	ASP	N-CA-C	-6.35	93.85	111.00
1	B	282	ASP	CB-CG-OD1	6.12	123.81	118.30
1	B	304	SER	N-CA-C	6.10	127.48	111.00
1	B	276	ALA	CB-CA-C	-5.91	101.23	110.10
1	B	278	PHE	CB-CA-C	5.89	122.18	110.40
1	B	333	ARG	NE-CZ-NH1	5.83	123.22	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	301	VAL	C-N-CD	5.68	140.33	128.40
1	B	273	ASP	CB-CA-C	5.18	120.76	110.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	280	ARG	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1454	0	1444	25	0
1	B	1447	0	1435	98	0
2	B	90	0	44	14	0
3	A	78	0	0	5	0
3	B	61	0	0	2	0
All	All	3130	0	2923	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:ARG:NH1	1:B:281:GLU:HA	1.31	1.37
1:B:302:PRO:HA	1:B:305:ARG:HG2	1.30	1.12
1:B:155:ALA:HB2	1:B:286:GLN:NE2	1.66	1.09
1:B:280:ARG:HA	1:B:282:ASP:N	1.74	1.01
1:B:280:ARG:NH1	1:B:281:GLU:CA	2.24	0.99
1:B:298:LEU:HA	1:B:301:VAL:HG21	1.49	0.95
1:B:246:ILE:CD1	1:B:325:SER:HB2	2.00	0.92
1:B:280:ARG:HH12	1:B:281:GLU:HA	1.15	0.91
1:B:271:SER:O	1:B:278:PHE:CD1	2.25	0.89

Continued on next page...

Full wwPDB X-ray Structure Validation Report 4LOK

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:302:PRO:HA	1:B:305:ARG:CG	2.04	0.88
1:B:280:ARG:HH11	1:B:281:GLU:HA	1.33	0.87
1:A:315:GLU:HG2	3:A:472:HOH:O	1.75	0.85
1:B:280:ARG:HA	1:B:282:ASP:H	1.43	0.83
2:B:401[A]:1YD:CAL	2:B:401[A]:1YD:H8	2.09	0.82
1:B:246:ILE:HD11	1:B:325:SER:HB2	1.61	0.82
1:A:221:ARG:HD2	1:A:245:GLU:HB2	1.60	0.82
1:B:278:PHE:O	1:B:282:ASP:CB	2.29	0.80
2:B:401[A]:1YD:H4	2:B:401[A]:1YD:H8	1.63	0.79
1:B:274:ALA:CB	1:B:278:PHE:CD2	2.65	0.79
1:B:278:PHE:O	1:B:282:ASP:HB3	1.85	0.77
1:B:329:LEU:O	1:B:333:ARG:HG2	1.84	0.76
1:B:302:PRO:CA	1:B:305:ARG:HG2	2.15	0.74
1:B:298:LEU:HA	1:B:301:VAL:CG2	2.17	0.74
1:B:280:ARG:CA	1:B:282:ASP:H	2.00	0.73
1:B:298:LEU:O	1:B:301:VAL:HG23	1.89	0.72
2:B:401[B]:1YD:C8	2:B:401[B]:1YD:H16	2.19	0.72
1:B:271:SER:O	1:B:278:PHE:HD1	1.70	0.72
1:A:326:GLN:HG3	3:A:477:HOH:O	1.89	0.71
1:B:280:ARG:HA	1:B:281:GLU:C	2.11	0.70
1:B:300:ASP:C	1:B:302:PRO:HD3	2.13	0.67
1:B:231:ARG:HD3	1:B:239:TYR:OH	1.93	0.67
1:B:155:ALA:CB	1:B:286:GLN:NE2	2.50	0.67
1:B:280:ARG:HH11	1:B:281:GLU:CA	2.01	0.67
1:B:298:LEU:C	1:B:301:VAL:HG23	2.15	0.67
1:B:274:ALA:CB	1:B:278:PHE:HD2	2.09	0.66
1:B:274:ALA:HB2	1:B:278:PHE:CD2	2.31	0.66
1:B:299:GLU:O	1:B:300:ASP:OD1	2.14	0.65
1:B:274:ALA:HB2	1:B:278:PHE:CB	2.27	0.64
1:B:279:SER:O	1:B:282:ASP:HB3	1.98	0.64
2:B:401[B]:1YD:H16	2:B:401[B]:1YD:H21	1.80	0.64
1:A:182:ASN:HD21	1:A:189:LEU:H	1.45	0.63
1:B:208:PRO:HG3	1:B:214:VAL:HG11	1.81	0.63
1:B:297:ILE:O	1:B:301:VAL:CG2	2.46	0.63
1:B:302:PRO:HA	1:B:305:ARG:CD	2.31	0.61
1:B:302:PRO:HA	1:B:305:ARG:HD3	1.83	0.60
2:B:401[A]:1YD:CAL	2:B:401[A]:1YD:CBK	2.80	0.59
1:B:272:GLN:O	1:B:273:ASP:C	2.40	0.59
1:B:155:ALA:HB2	1:B:286:GLN:CD	2.22	0.58
1:A:315:GLU:CG	3:A:472:HOH:O	2.42	0.58
1:B:292:ARG:HH11	1:B:292:ARG:HG3	1.68	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:ALA:HB2	1:B:278:PHE:HB3	1.83	0.58
2:B:401[A]:1YD:C8	2:B:401[A]:1YD:H16	2.34	0.58
2:B:401[A]:1YD:C8	2:B:401[A]:1YD:C4'	2.82	0.57
1:B:279:SER:O	1:B:282:ASP:CB	2.52	0.56
1:A:170:ILE:HD11	1:A:239:TYR:HB3	1.87	0.56
1:B:280:ARG:CA	1:B:282:ASP:N	2.56	0.56
1:B:266:THR:O	1:B:270:MET:HG3	2.06	0.56
1:B:274:ALA:HB2	1:B:278:PHE:CG	2.41	0.55
1:A:221:ARG:NH1	1:A:245:GLU:OE1	2.32	0.55
1:B:279:SER:O	1:B:282:ASP:N	2.35	0.55
1:B:274:ALA:HB1	1:B:278:PHE:HD2	1.69	0.55
1:B:302:PRO:O	1:B:303:GLU:C	2.44	0.55
1:B:274:ALA:C	1:B:275:LYS:NZ	2.60	0.55
1:B:301:VAL:HA	1:B:303:GLU:HG3	1.88	0.55
1:B:271:SER:HA	1:B:278:PHE:HA	1.89	0.54
1:A:182:ASN:HD21	1:A:189:LEU:N	2.05	0.54
1:B:278:PHE:CG	1:B:279:SER:N	2.71	0.53
1:A:276:ALA:HB2	1:B:160:TRP:CZ2	2.42	0.53
1:A:293:THR:O	1:A:297:ILE:HG12	2.08	0.53
1:B:268:PHE:CE1	1:B:272:GLN:OE1	2.62	0.52
1:B:246:ILE:HG12	1:B:329:LEU:HG	1.91	0.52
1:B:274:ALA:HB1	1:B:275:LYS:HZ3	1.76	0.51
1:A:170:ILE:HD11	1:A:239:TYR:CB	2.41	0.51
1:B:298:LEU:CA	1:B:301:VAL:CG2	2.89	0.51
1:A:276:ALA:HB2	1:B:160:TRP:CE2	2.46	0.50
1:A:182:ASN:ND2	1:A:189:LEU:H	2.08	0.50
1:B:302:PRO:C	1:B:304:SER:N	2.63	0.50
2:B:401[B]:1YD:C8	2:B:401[B]:1YD:C4'	2.89	0.49
1:A:265:GLN:OE1	1:B:231:ARG:NH2	2.43	0.49
2:B:401[B]:1YD:CBK	2:B:401[B]:1YD:CAL	2.90	0.49
1:B:278:PHE:CD1	1:B:279:SER:N	2.76	0.49
1:B:279:SER:C	1:B:282:ASP:HB3	2.33	0.49
1:B:266:THR:HG22	1:B:270:MET:CE	2.43	0.49
1:B:274:ALA:HB1	1:B:275:LYS:NZ	2.28	0.49
1:B:299:GLU:O	1:B:300:ASP:CB	2.61	0.49
1:B:155:ALA:HB2	1:B:286:GLN:HE22	1.65	0.49
1:B:271:SER:OG	1:B:283:ARG:HD3	2.12	0.48
1:B:280:ARG:HH12	1:B:281:GLU:CA	2.03	0.48
1:B:275:LYS:NZ	1:B:275:LYS:N	2.60	0.48
2:B:401[A]:1YD:H16	2:B:401[A]:1YD:H21	1.95	0.48
1:A:245:GLU:HG3	1:A:255:VAL:HG22	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:401[A]:1YD:H21	2:B:401[A]:1YD:C4'	2.44	0.47
1:B:302:PRO:CA	1:B:305:ARG:HD3	2.45	0.46
2:B:401[B]:1YD:CAL	2:B:401[B]:1YD:H8	2.46	0.46
1:B:279:SER:OG	1:B:281:GLU:OE2	2.32	0.46
2:B:401[A]:1YD:H4	2:B:401[A]:1YD:CBK	2.38	0.46
1:B:280:ARG:HH11	1:B:281:GLU:C	2.19	0.46
1:A:203:LEU:HB2	1:A:314:GLN:HG3	1.97	0.46
1:A:154:VAL:HB	1:A:156:HIS:H	1.81	0.45
1:B:272:GLN:O	1:B:274:ALA:N	2.50	0.45
1:B:304:SER:OG	1:B:305:ARG:N	2.47	0.45
1:B:316:PRO:O	3:B:558:HOH:O	2.21	0.45
1:B:275:LYS:CA	1:B:275:LYS:CE	2.95	0.45
1:B:275:LYS:N	1:B:275:LYS:HE2	2.31	0.45
1:B:298:LEU:O	1:B:300:ASP:O	2.34	0.45
1:A:246:ILE:HG21	1:A:329:LEU:HG	1.98	0.45
1:B:297:ILE:O	1:B:301:VAL:HG21	2.17	0.45
1:B:246:ILE:HD13	1:B:325:SER:HB2	1.95	0.45
1:B:155:ALA:CB	1:B:286:GLN:HE22	2.24	0.44
1:B:275:LYS:N	1:B:275:LYS:CE	2.81	0.44
1:A:235:LYS:HG3	1:B:220:PHE:CD1	2.52	0.44
1:A:326:GLN:CG	3:A:477:HOH:O	2.57	0.43
1:B:274:ALA:CB	1:B:278:PHE:HB3	2.46	0.43
1:B:272:GLN:HB3	1:B:273:ASP:H	1.68	0.43
1:B:196:ARG:NH1	1:B:309:ARG:NH2	2.66	0.43
1:B:266:THR:HG22	1:B:270:MET:HE3	2.01	0.43
1:A:201:PHE:CE1	1:A:310:LEU:HG	2.54	0.43
1:B:274:ALA:C	1:B:275:LYS:HZ3	2.22	0.42
1:B:276:ALA:HB1	1:B:277:GLY:H	1.64	0.42
3:A:404:HOH:O	1:B:240:SER:HB2	2.18	0.42
1:A:154:VAL:HB	1:A:156:HIS:N	2.35	0.42
1:B:298:LEU:CA	1:B:301:VAL:HG21	2.35	0.42
1:B:278:PHE:O	1:B:282:ASP:HB2	2.14	0.41
1:B:301:VAL:C	1:B:303:GLU:N	2.72	0.41
1:B:240:SER:HB2	3:B:553:HOH:O	2.19	0.41
1:B:166:TYR:CZ	1:B:170:ILE:HD13	2.56	0.41
1:B:274:ALA:C	1:B:275:LYS:HZ1	2.24	0.41
1:A:189:LEU:HD23	1:A:255:VAL:HG12	2.02	0.41
1:B:299:GLU:C	1:B:300:ASP:OD1	2.60	0.40
1:A:305:ARG:HB2	1:A:305:ARG:HE	1.57	0.40
2:B:401[B]:1YD:CBK	2:B:401[B]:1YD:H4	2.51	0.40
1:B:299:GLU:O	1:B:300:ASP:HB2	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:ASN:O	1:A:190:SER:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	179/188 (95%)	172 (96%)	7 (4%)	0	100	100
1	B	178/188 (95%)	161 (90%)	14 (8%)	3 (2%)	11	3
All	All	357/376 (95%)	333 (93%)	21 (6%)	3 (1%)	24	12

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	300	ASP
1	B	301	VAL
1	B	271	SER

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	159/166 (96%)	153 (96%)	6 (4%)	40	32
1	B	158/166 (95%)	138 (87%)	20 (13%)	5	1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	317/332 (96%)	291 (92%)	26 (8%)	14 6

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	154	VAL
1	A	211	LEU
1	A	221	ARG
1	A	222	ASP
1	A	227	GLN
1	A	310	LEU
1	B	187	ASN
1	B	221	ARG
1	B	223	MET
1	B	227	GLN
1	B	240	SER
1	B	246	ILE
1	B	272	GLN
1	B	275	LYS
1	B	278	PHE
1	B	280	ARG
1	B	281	GLU
1	B	282	ASP
1	B	299	GLU
1	B	300	ASP
1	B	301	VAL
1	B	303	GLU
1	B	305	ARG
1	B	310	LEU
1	B	317	THR
1	B	318	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	182	ASN
1	B	272	GLN
1	B	286	GLN

5.3.3　RNA (i)

There are no RNA molecules in this entry.

5.4　Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5　Carbohydrates (i)

There are no carbohydrates in this entry.

5.6　Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	#$|Z| > 2$	Counts	RMSZ	#$|Z| > 2$
2	1YD	B	401[A]	-	41,51,51	1.68	10 (24%)	47,80,80	3.36	16 (34%)
2	1YD	B	401[B]	-	41,51,51	2.07	17 (41%)	47,80,80	3.25	18 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1YD	B	401[A]	-	-	1/22/62/62	0/6/7/7
2	1YD	B	401[B]	-	-	0/22/62/62	0/6/7/7

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401[B]	1YD	CBC-CBE	-4.57	1.32	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401[A]	1YD	CBC-CBE	-4.17	1.32	1.41
2	B	401[B]	1YD	O4'-C4'	-4.12	1.35	1.45
2	B	401[A]	1YD	OAX-CBK	-3.23	1.37	1.45
2	B	401[B]	1YD	C5-C4	-3.20	1.33	1.40
2	B	401[A]	1YD	C5-C4	-3.17	1.33	1.40
2	B	401[A]	1YD	CBE-CBG	-3.09	1.33	1.40
2	B	401[B]	1YD	CBM-CBK	-2.92	1.44	1.52
2	B	401[B]	1YD	CBE-CBG	-2.88	1.34	1.40
2	B	401[B]	1YD	C2'-C3'	-2.76	1.46	1.53
2	B	401[A]	1YD	C2'-C3'	-2.75	1.46	1.53
2	B	401[B]	1YD	CBI-CBM	-2.75	1.46	1.53
2	B	401[B]	1YD	OAX-CBO	-2.69	1.37	1.41
2	B	401[B]	1YD	PBR-O3'	-2.68	1.53	1.60
2	B	401[B]	1YD	PBR-OAD	-2.61	1.43	1.54
2	B	401[B]	1YD	CBG-NAS	-2.49	1.31	1.35
2	B	401[A]	1YD	C5-N7	-2.21	1.31	1.39
2	B	401[A]	1YD	C4-N3	-2.16	1.32	1.35
2	B	401[B]	1YD	C4-N3	-2.13	1.32	1.35
2	B	401[B]	1YD	C5-N7	-2.13	1.32	1.39
2	B	401[A]	1YD	PBR-OAD	-2.03	1.46	1.54
2	B	401[B]	1YD	PBS-O5'	-2.02	1.49	1.59
2	B	401[A]	1YD	C2-N1	2.23	1.38	1.33
2	B	401[B]	1YD	C2-N1	2.38	1.38	1.33
2	B	401[B]	1YD	CBC-NAT	2.43	1.37	1.33
2	B	401[A]	1YD	C2-N3	2.81	1.37	1.32
2	B	401[B]	1YD	C2-N3	3.77	1.38	1.32

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	401[A]	1YD	N3-C2-N1	-13.98	118.19	128.89
2	B	401[B]	1YD	N3-C2-N1	-12.91	119.01	128.89
2	B	401[A]	1YD	CBK-OAX-CBO	-11.20	97.42	109.72
2	B	401[B]	1YD	C4'-O4'-C1'	-10.42	98.27	109.72
2	B	401[A]	1YD	C4'-O4'-C1'	-8.02	100.90	109.72
2	B	401[B]	1YD	CBK-OAX-CBO	-6.02	103.10	109.72
2	B	401[B]	1YD	NAS-CBA-NAT	-5.20	119.52	127.44
2	B	401[A]	1YD	NAS-CBA-NAT	-4.70	120.29	127.44
2	B	401[A]	1YD	CBI-CBM-CBK	-3.80	96.16	103.29
2	B	401[B]	1YD	C1'-N9-C4	-3.68	121.40	126.94
2	B	401[B]	1YD	C2'-C3'-C4'	-3.60	96.53	103.29
2	B	401[A]	1YD	O4'-C4'-C3'	-3.36	97.10	104.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401[B]	1YD	O2'-C2'-C3'	-3.29	101.66	111.16
2	B	401[B]	1YD	CBE-CBC-NAT	-3.17	119.25	123.59
2	B	401[B]	1YD	CBI-CBM-CBK	-3.07	97.53	103.29
2	B	401[B]	1YD	O5'-C5'-C4'	-3.00	98.06	109.12
2	B	401[B]	1YD	OAG-CBI-CBM	-2.95	102.64	111.16
2	B	401[A]	1YD	C1'-N9-C4	-2.94	122.50	126.94
2	B	401[B]	1YD	CBO-NBQ-CBG	-2.90	122.56	126.94
2	B	401[A]	1YD	C2'-C3'-C4'	-2.90	97.85	103.29
2	B	401[B]	1YD	OAX-CBK-CBM	-2.87	98.24	104.86
2	B	401[A]	1YD	OAG-CBI-CBM	-2.70	103.36	111.16
2	B	401[B]	1YD	C4-C5-N7	-2.66	107.03	109.48
2	B	401[B]	1YD	CBG-CBE-NAR	-2.60	107.09	109.48
2	B	401[A]	1YD	OAV-PBR-OAH	-2.58	99.59	109.62
2	B	401[A]	1YD	OAV-CAN-CBK	-2.43	100.15	109.12
2	B	401[B]	1YD	OAZ-PBS-OAE	-2.42	99.93	109.46
2	B	401[A]	1YD	C4-C5-N7	-2.41	107.26	109.48
2	B	401[A]	1YD	CBE-CBC-NAT	-2.19	120.60	123.59
2	B	401[A]	1YD	CBO-NBQ-CBG	-2.18	123.66	126.94
2	B	401[A]	1YD	O2'-C2'-C3'	-2.16	104.92	111.16
2	B	401[B]	1YD	CBC-NAT-CBA	2.01	118.73	115.94
2	B	401[B]	1YD	OAD-PBR-O3'	2.37	116.00	106.49
2	B	401[A]	1YD	NAA-CBA-NAS	2.79	123.16	117.80

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401[A]	1YD	PBS-OAZ-CBM-CBI

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401[A]	1YD	8	0
2	B	401[B]	1YD	6	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	181/188 (96%)	-0.24	1 (0%)	90	92	22, 35, 61, 79	0
1	B	180/188 (95%)	0.14	13 (7%)	18	21	25, 41, 96, 119	0
All	All	361/376 (96%)	-0.05	14 (3%)	43	47	22, 37, 76, 119	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	279	SER	4.8
1	B	299	GLU	4.4
1	B	272	GLN	4.3
1	B	278	PHE	3.6
1	B	274	ALA	3.4
1	B	302	PRO	3.1
1	B	282	ASP	3.0
1	A	276	ALA	2.7
1	B	304	SER	2.7
1	B	301	VAL	2.6
1	B	273	ASP	2.2
1	B	318	ASP	2.1
1	B	271	SER	2.1
1	B	305	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
2	1YD	B	401[B]	45/45	0.97	0.10	-0.42	19,36,45,51	45
2	1YD	B	401[A]	45/45	0.97	0.10	-0.45	26,37,47,65	45

6.5 Other polymers (i)

There are no such residues in this entry.