



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:29 PM GMT

PDB ID : 4LRL
Title : Structure of an Enterococcus Faecalis HD-domain protein complexed with dGTP and dTTP
Authors : Vorontsov, I.I.; Minasov, G.; Shuvalova, L.; Joachimiak, A.; Anderson, W.F.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2013-07-19
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1352 (2.38-2.34)
Clashscore	102246	1456 (2.38-2.34)
Ramachandran outliers	100387	1435 (2.38-2.34)
Sidechain outliers	100360	1436 (2.38-2.34)
RSRZ outliers	91569	1358 (2.38-2.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	480	<div> <div>6%</div> <div>86% 8% 6%</div> </div>
1	B	480	<div> <div>9%</div> <div>81% 12% 7%</div> </div>
1	C	480	<div> <div>6%</div> <div>85% 10% 5%</div> </div>
1	D	480	<div> <div>19%</div> <div>80% 11% 9%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	TRS	A	503	-	-	-	X
4	TRS	B	505	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 15805 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HD domain protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	451	Total	C	N	O	S	0	6	0
			3751	2404	636	698	13			
1	B	445	Total	C	N	O	S	0	5	0
			3688	2370	622	683	13			
1	C	455	Total	C	N	O	S	0	5	0
			3777	2422	641	702	12			
1	D	439	Total	C	N	O	S	0	3	0
			3631	2329	611	678	13			

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-23	MET	-	EXPRESSION TAG	UNP Q836G9
A	-22	HIS	-	EXPRESSION TAG	UNP Q836G9
A	-21	HIS	-	EXPRESSION TAG	UNP Q836G9
A	-20	HIS	-	EXPRESSION TAG	UNP Q836G9
A	-19	HIS	-	EXPRESSION TAG	UNP Q836G9
A	-18	HIS	-	EXPRESSION TAG	UNP Q836G9
A	-17	HIS	-	EXPRESSION TAG	UNP Q836G9
A	-16	SER	-	EXPRESSION TAG	UNP Q836G9
A	-15	SER	-	EXPRESSION TAG	UNP Q836G9
A	-14	GLY	-	EXPRESSION TAG	UNP Q836G9
A	-13	VAL	-	EXPRESSION TAG	UNP Q836G9
A	-12	ASP	-	EXPRESSION TAG	UNP Q836G9
A	-11	LEU	-	EXPRESSION TAG	UNP Q836G9
A	-10	GLY	-	EXPRESSION TAG	UNP Q836G9
A	-9	THR	-	EXPRESSION TAG	UNP Q836G9
A	-8	GLU	-	EXPRESSION TAG	UNP Q836G9
A	-7	ASN	-	EXPRESSION TAG	UNP Q836G9
A	-6	LEU	-	EXPRESSION TAG	UNP Q836G9
A	-5	TYR	-	EXPRESSION TAG	UNP Q836G9
A	-4	PHE	-	EXPRESSION TAG	UNP Q836G9
A	-3	GLN	-	EXPRESSION TAG	UNP Q836G9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	EXPRESSION TAG	UNP Q836G9
A	-1	ASN	-	EXPRESSION TAG	UNP Q836G9
A	0	ALA	-	EXPRESSION TAG	UNP Q836G9
B	-23	MET	-	EXPRESSION TAG	UNP Q836G9
B	-22	HIS	-	EXPRESSION TAG	UNP Q836G9
B	-21	HIS	-	EXPRESSION TAG	UNP Q836G9
B	-20	HIS	-	EXPRESSION TAG	UNP Q836G9
B	-19	HIS	-	EXPRESSION TAG	UNP Q836G9
B	-18	HIS	-	EXPRESSION TAG	UNP Q836G9
B	-17	HIS	-	EXPRESSION TAG	UNP Q836G9
B	-16	SER	-	EXPRESSION TAG	UNP Q836G9
B	-15	SER	-	EXPRESSION TAG	UNP Q836G9
B	-14	GLY	-	EXPRESSION TAG	UNP Q836G9
B	-13	VAL	-	EXPRESSION TAG	UNP Q836G9
B	-12	ASP	-	EXPRESSION TAG	UNP Q836G9
B	-11	LEU	-	EXPRESSION TAG	UNP Q836G9
B	-10	GLY	-	EXPRESSION TAG	UNP Q836G9
B	-9	THR	-	EXPRESSION TAG	UNP Q836G9
B	-8	GLU	-	EXPRESSION TAG	UNP Q836G9
B	-7	ASN	-	EXPRESSION TAG	UNP Q836G9
B	-6	LEU	-	EXPRESSION TAG	UNP Q836G9
B	-5	TYR	-	EXPRESSION TAG	UNP Q836G9
B	-4	PHE	-	EXPRESSION TAG	UNP Q836G9
B	-3	GLN	-	EXPRESSION TAG	UNP Q836G9
B	-2	SER	-	EXPRESSION TAG	UNP Q836G9
B	-1	ASN	-	EXPRESSION TAG	UNP Q836G9
B	0	ALA	-	EXPRESSION TAG	UNP Q836G9
C	-23	MET	-	EXPRESSION TAG	UNP Q836G9
C	-22	HIS	-	EXPRESSION TAG	UNP Q836G9
C	-21	HIS	-	EXPRESSION TAG	UNP Q836G9
C	-20	HIS	-	EXPRESSION TAG	UNP Q836G9
C	-19	HIS	-	EXPRESSION TAG	UNP Q836G9
C	-18	HIS	-	EXPRESSION TAG	UNP Q836G9
C	-17	HIS	-	EXPRESSION TAG	UNP Q836G9
C	-16	SER	-	EXPRESSION TAG	UNP Q836G9
C	-15	SER	-	EXPRESSION TAG	UNP Q836G9
C	-14	GLY	-	EXPRESSION TAG	UNP Q836G9
C	-13	VAL	-	EXPRESSION TAG	UNP Q836G9
C	-12	ASP	-	EXPRESSION TAG	UNP Q836G9
C	-11	LEU	-	EXPRESSION TAG	UNP Q836G9
C	-10	GLY	-	EXPRESSION TAG	UNP Q836G9
C	-9	THR	-	EXPRESSION TAG	UNP Q836G9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-8	GLU	-	EXPRESSION TAG	UNP Q836G9
C	-7	ASN	-	EXPRESSION TAG	UNP Q836G9
C	-6	LEU	-	EXPRESSION TAG	UNP Q836G9
C	-5	TYR	-	EXPRESSION TAG	UNP Q836G9
C	-4	PHE	-	EXPRESSION TAG	UNP Q836G9
C	-3	GLN	-	EXPRESSION TAG	UNP Q836G9
C	-2	SER	-	EXPRESSION TAG	UNP Q836G9
C	-1	ASN	-	EXPRESSION TAG	UNP Q836G9
C	0	ALA	-	EXPRESSION TAG	UNP Q836G9
D	-23	MET	-	EXPRESSION TAG	UNP Q836G9
D	-22	HIS	-	EXPRESSION TAG	UNP Q836G9
D	-21	HIS	-	EXPRESSION TAG	UNP Q836G9
D	-20	HIS	-	EXPRESSION TAG	UNP Q836G9
D	-19	HIS	-	EXPRESSION TAG	UNP Q836G9
D	-18	HIS	-	EXPRESSION TAG	UNP Q836G9
D	-17	HIS	-	EXPRESSION TAG	UNP Q836G9
D	-16	SER	-	EXPRESSION TAG	UNP Q836G9
D	-15	SER	-	EXPRESSION TAG	UNP Q836G9
D	-14	GLY	-	EXPRESSION TAG	UNP Q836G9
D	-13	VAL	-	EXPRESSION TAG	UNP Q836G9
D	-12	ASP	-	EXPRESSION TAG	UNP Q836G9
D	-11	LEU	-	EXPRESSION TAG	UNP Q836G9
D	-10	GLY	-	EXPRESSION TAG	UNP Q836G9
D	-9	THR	-	EXPRESSION TAG	UNP Q836G9
D	-8	GLU	-	EXPRESSION TAG	UNP Q836G9
D	-7	ASN	-	EXPRESSION TAG	UNP Q836G9
D	-6	LEU	-	EXPRESSION TAG	UNP Q836G9
D	-5	TYR	-	EXPRESSION TAG	UNP Q836G9
D	-4	PHE	-	EXPRESSION TAG	UNP Q836G9
D	-3	GLN	-	EXPRESSION TAG	UNP Q836G9
D	-2	SER	-	EXPRESSION TAG	UNP Q836G9
D	-1	ASN	-	EXPRESSION TAG	UNP Q836G9
D	0	ALA	-	EXPRESSION TAG	UNP Q836G9

- Molecule 2 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Ni 1 1	0	0
2	A	1	Total Ni 1 1	0	0
2	D	1	Total Ni 1 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	1	Total	Ni	0	0
			1	1		

- Molecule 3 is 2'-DEOXYGUANOSINE-5'-TRIPHOSPHATE (three-letter code: DGT) (formula: $C_{10}H_{16}N_5O_{13}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
3	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
3	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
3	D	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 4 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: $C_4H_{12}NO_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			8	4	1	3		
4	B	1	Total	C	N	O	0	0
			8	4	1	3		
4	B	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 5 is THYMIDINE-5'-TRIPHOSPHATE (three-letter code: TTP) (formula: C₁₀H₁₇N₂O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			29	10	2	14	3		
5	D	1	Total	C	N	O	P	0	0
			29	10	2	14	3		

- Molecule 6 is MALONATE ION (three-letter code: MLI) (formula: $C_3H_2O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			7	3	4		
6	C	1	Total	C	O	0	0
			7	3	4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	241	Total	O	0	0
			241	241		
7	B	193	Total	O	0	0
			193	193		
7	C	168	Total	O	0	0
			168	168		
7	D	132	Total	O	0	0
			132	132		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: HD domain protein




• Molecule 1: HD domain protein




• Molecule 1: HD domain protein





● Molecule 1: HD domain protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.54Å 144.62Å 155.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.86 – 2.35 29.86 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.5 (29.86-2.35) 99.5 (29.86-2.35)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.13 (at 2.36Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.184 , 0.235 0.184 , 0.235	Depositor DCC
R_{free} test set	4304 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	41.2	Xtriage
Anisotropy	0.262	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 48.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 86071 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15805	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NI, TRS, TTP, DGT, MLI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/3856	0.57	0/5221
1	B	0.45	0/3795	0.56	0/5138
1	C	0.42	0/3887	0.56	0/5263
1	D	0.42	0/3730	0.54	1/5053 (0.0%)
All	All	0.44	0/15268	0.55	1/20675 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	200	GLY	N-CA-C	-5.12	100.31	113.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	199	TYR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3751	0	3665	23	0
1	B	3688	0	3608	41	0
1	C	3777	0	3695	24	0
1	D	3631	0	3545	26	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	31	0	12	0	0
3	B	31	0	12	1	0
3	C	31	0	12	0	0
3	D	31	0	12	0	0
4	A	8	0	12	0	0
4	B	16	0	24	0	0
5	B	29	0	13	0	0
5	D	29	0	13	2	0
6	B	7	0	2	0	0
6	C	7	0	2	0	0
7	A	241	0	0	3	0
7	B	193	0	0	2	0
7	C	168	0	0	0	0
7	D	132	0	0	2	0
All	All	15805	0	14627	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:188:LEU:HD11	1:B:235:ARG:HG3	1.52	0.92
1:B:273:TYR:CE2	1:B:311:VAL:HG22	2.08	0.88
1:C:366:SER:HB2	1:C:415:ASP:O	1.87	0.74
1:B:239:TYR:CE2	1:B:372:TYR:HB3	2.25	0.72
1:A:331:SER:HB3	1:A:419:TYR:CE2	2.28	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:249:ARG:HD3	1:B:370:LEU:HD11	1.73	0.68
1:C:249:ARG:HD3	1:C:370:LEU:HD11	1.74	0.68
1:D:16:PHE:HB2	1:D:24:ILE:HB	1.78	0.66
1:C:49:LEU:HB3	1:C:52:SER:HB2	1.76	0.66
1:B:120:THR:O	1:B:124:ILE:HD12	1.95	0.66
1:B:239:TYR:HE2	1:B:372:TYR:CB	2.08	0.65
1:B:446:TYR:CE2	1:B:455:LYS:HB2	2.32	0.65
1:A:311:VAL:HG12	1:A:313:ASP:H	1.61	0.64
1:D:336:ASN:HB2	1:D:339:GLU:HB2	1.79	0.63
1:B:403:PRO:HD2	1:C:411:GLN:HE21	1.64	0.63
1:B:331:SER:HB3	1:B:419:TYR:CE2	2.35	0.62
1:A:49:LEU:HB3	1:A:52:SER:HB2	1.80	0.62
1:D:180:ILE:HG12	1:D:231:TYR:CE2	2.35	0.61
1:B:14:LYS:NZ	3:B:502:DGT:O2A	2.35	0.60
1:A:209:ARG:NH2	7:A:744:HOH:O	2.35	0.59
1:A:140:PRO:HA	1:A:145:TYR:CD2	2.38	0.59
1:B:331:SER:HB3	1:B:419:TYR:CD2	2.38	0.58
1:B:237[B]:GLN:OE1	1:B:237[B]:GLN:HA	2.03	0.58
1:B:239:TYR:CE2	1:B:372:TYR:CB	2.84	0.57
1:C:16:PHE:HB2	1:C:24:ILE:HB	1.86	0.57
1:B:140:PRO:HA	1:B:145:TYR:CD2	2.39	0.57
1:A:47:LYS:HD2	7:A:696:HOH:O	2.05	0.56
1:D:39:GLU:HG2	1:D:144:VAL:HG23	1.88	0.55
1:C:390:GLN:HB2	1:C:392:ASP:OD1	2.07	0.55
5:D:503:TTP:O3G	5:D:503:TTP:O1A	2.25	0.55
1:C:378:ASN:HB3	1:C:381:ARG:HB2	1.90	0.54
1:B:239:TYR:HE2	1:B:372:TYR:HB3	1.66	0.54
1:D:254:ILE:HD11	1:D:328:PRO:HA	1.91	0.53
1:D:49:LEU:HB3	1:D:52:SER:HB2	1.90	0.53
1:B:201:THR:HG21	7:B:734:HOH:O	2.09	0.53
1:C:397:GLU:O	1:C:400:THR:HB	2.10	0.52
1:C:214:TYR:CE1	1:C:395:LEU:HD11	2.45	0.51
1:B:273:TYR:CZ	1:B:311:VAL:HG22	2.44	0.51
1:D:124:ILE:HD11	1:D:256:ASP:HA	1.93	0.51
1:B:239:TYR:HE2	1:B:372:TYR:HB2	1.75	0.50
1:C:331:SER:HB3	1:C:419:TYR:CD2	2.46	0.50
1:B:70:VAL:HG21	1:B:110:HIS:CE1	2.46	0.50
1:C:400:THR:HG22	1:C:401:VAL:HG13	1.94	0.50
1:B:308:TRP:HA	1:B:311:VAL:HG23	1.94	0.50
1:B:235:ARG:O	1:B:239:TYR:HD1	1.94	0.49
1:C:47:LYS:HD3	1:C:60[A]:GLU:OE1	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:49:LEU:HB3	1:B:52:SER:HB2	1.94	0.49
1:D:47:LYS:HD3	1:D:60[A]:GLU:OE1	2.13	0.49
1:D:140:PRO:HA	1:D:145:TYR:CD2	2.49	0.48
1:D:261:ARG:O	1:D:265:LEU:HG	2.14	0.47
1:C:112:VAL:HG12	1:C:133:THR:HG23	1.96	0.47
1:A:23:TYR:CE1	1:C:206:ARG:HD3	2.49	0.47
1:B:180:ILE:HG12	1:B:231:TYR:CE2	2.48	0.47
1:C:283:PHE:HZ	1:C:293:TYR:HA	1.80	0.47
1:D:79[A]:GLU:CD	1:D:100:ARG:HH22	2.18	0.47
1:D:254:ILE:CD1	1:D:328:PRO:HA	2.44	0.47
1:B:5:TYR:CE2	1:B:30:VAL:HG22	2.50	0.47
1:B:70:VAL:HG22	1:B:183:ASP:HA	1.97	0.47
1:C:6:LYS:HB2	1:C:151:VAL:HG13	1.97	0.47
7:A:818:HOH:O	1:B:325[B]:MET:SD	2.61	0.46
1:D:81:PHE:CE2	1:D:213:PRO:HD3	2.50	0.46
1:D:289:THR:HB	7:D:648:HOH:O	2.14	0.46
1:A:5:TYR:CE2	1:A:30:VAL:HG22	2.50	0.46
1:B:39:GLU:OE1	1:B:143:GLU:HB2	2.15	0.46
1:B:202:PHE:HA	7:B:724:HOH:O	2.15	0.46
1:A:331:SER:HB3	1:A:419:TYR:CD2	2.51	0.46
1:B:239:TYR:CZ	1:B:372:TYR:HB3	2.51	0.46
1:A:47:LYS:HE3	1:A:60:GLU:HA	1.97	0.46
1:B:199:TYR:CE1	1:C:226:HIS:HB3	2.51	0.45
1:D:100:ARG:O	1:D:104:LEU:HG	2.17	0.45
1:D:249:ARG:HD3	1:D:370:LEU:HD11	1.98	0.45
1:B:137:ILE:HG23	1:B:148:LEU:CD1	2.46	0.45
1:A:376:ARG:HH11	1:A:412:SER:HA	1.82	0.45
1:A:19:PRO:HB2	1:A:193:TYR:CE2	2.52	0.45
1:C:336:ASN:HB3	1:C:339:GLU:HG2	1.99	0.44
1:A:180:ILE:HG23	1:A:180:ILE:O	2.17	0.44
1:B:19:PRO:HB2	1:B:193:TYR:CE2	2.52	0.44
1:A:181:ASP:OD2	1:A:183:ASP:HB3	2.17	0.44
1:D:220:PHE:O	1:D:388:LEU:HA	2.17	0.44
1:B:309:MET:HE2	1:B:309:MET:HB3	1.74	0.44
1:B:84:ASN:O	1:B:89:ARG:NH1	2.51	0.44
1:A:16:PHE:HB2	1:A:24:ILE:HB	2.01	0.43
1:D:237[A]:GLN:HA	1:D:237[A]:GLN:OE1	2.18	0.43
1:C:331:SER:HB3	1:C:419:TYR:CE2	2.54	0.43
1:A:322:ARG:HG2	1:A:327:LYS:HB2	2.01	0.42
1:C:82:GLN:OE1	1:C:97:ASP:HB2	2.20	0.42
1:A:240:VAL:HG23	1:A:241:GLN:HG3	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:249:ARG:HD3	1:A:370:LEU:HD11	2.01	0.42
1:A:257:HIS:HE1	1:A:362:THR:O	2.02	0.42
1:C:17:ARG:HA	1:C:17:ARG:HD2	1.92	0.42
1:D:17:ARG:HB2	5:D:503:TTP:H1'	2.01	0.42
1:D:124:ILE:HD13	1:D:259:LEU:HB2	2.01	0.42
1:C:140:PRO:HA	1:C:145:TYR:CD2	2.55	0.42
1:D:210:VAL:HG11	1:D:224:GLY:HA3	2.02	0.42
1:D:112:VAL:HG12	1:D:133:THR:HG23	2.02	0.41
1:B:167:TYR:CD1	1:B:168:PRO:HD2	2.55	0.41
1:B:181:ASP:OD2	1:B:183:ASP:HB3	2.20	0.41
1:A:60:GLU:OE1	1:B:61:HIS:HA	2.20	0.41
1:D:202:PHE:HA	7:D:667:HOH:O	2.20	0.41
1:C:379:LYS:HE2	1:C:379:LYS:HB3	1.93	0.41
1:B:353:LYS:HE2	1:B:439:THR:OG1	2.21	0.41
1:D:132:ILE:HG21	1:D:293:TYR:CE2	2.55	0.41
1:D:184:ARG:HA	1:D:187:TYR:CE2	2.55	0.41
1:B:239:TYR:OH	1:B:372:TYR:HB3	2.20	0.41
1:D:39:GLU:HG2	1:D:144:VAL:CG2	2.50	0.41
1:C:318:ASP:OD2	1:C:322:ARG:HD2	2.21	0.41
1:B:239:TYR:CE2	1:B:372:TYR:HB2	2.55	0.41
1:A:220:PHE:O	1:A:388:LEU:HA	2.21	0.40
1:A:70:VAL:HG21	1:A:110:HIS:CE1	2.55	0.40
1:B:412:SER:C	1:B:414:GLY:H	2.25	0.40
1:A:273:TYR:CG	1:A:274:ASP:N	2.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	453/480 (94%)	436 (96%)	14 (3%)	3 (1%)	26 29

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	444/480 (92%)	429 (97%)	15 (3%)	0	100	100
1	C	458/480 (95%)	440 (96%)	16 (4%)	2 (0%)	39	46
1	D	438/480 (91%)	417 (95%)	19 (4%)	2 (0%)	34	39
All	All	1793/1920 (93%)	1722 (96%)	64 (4%)	7 (0%)	39	46

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	412	SER
1	C	429	ASN
1	D	50	GLY
1	D	445	SER
1	C	180	ILE
1	A	180	ILE
1	A	312	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	410/430 (95%)	408 (100%)	2 (0%)	92	97
1	B	404/430 (94%)	397 (98%)	7 (2%)	68	82
1	C	413/430 (96%)	406 (98%)	7 (2%)	68	82
1	D	398/430 (93%)	389 (98%)	9 (2%)	58	73
All	All	1625/1720 (94%)	1600 (98%)	25 (2%)	70	85

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	GLU
1	A	354	VAL
1	B	16	PHE
1	B	71	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	166	GLN
1	B	187	TYR
1	B	206	ARG
1	B	442	GLU
1	B	452	LEU
1	C	27	GLN
1	C	42	ARG
1	C	328	PRO
1	C	335	THR
1	C	337	GLU
1	C	396	VAL
1	C	452	LEU
1	D	2	THR
1	D	27	GLN
1	D	83	ARG
1	D	118	SER
1	D	130	GLU
1	D	265	LEU
1	D	273	TYR
1	D	384	THR
1	D	426	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	411	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 15 ligands modelled in this entry, 4 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	DGT	A	502	-	25,33,33	1.17	2 (8%)	35,52,52	1.91	8 (22%)
4	TRS	A	503	-	7,7,7	1.18	1 (14%)	9,9,9	0.45	0
3	DGT	B	502	-	25,33,33	1.14	2 (8%)	35,52,52	1.73	7 (20%)
5	TTP	B	503	-	21,30,30	0.55	0	31,47,47	1.82	3 (9%)
6	MLI	B	504	-	0,6,6	0.00	-	0,7,7	0.00	-
4	TRS	B	505	-	7,7,7	1.19	1 (14%)	9,9,9	0.62	0
4	TRS	B	506	-	7,7,7	1.11	1 (14%)	9,9,9	0.43	0
3	DGT	C	502	-	25,33,33	1.05	2 (8%)	35,52,52	1.75	7 (20%)
6	MLI	C	503	-	0,6,6	0.00	-	0,7,7	0.00	-
3	DGT	D	502	-	25,33,33	1.17	2 (8%)	35,52,52	1.70	7 (20%)
5	TTP	D	503	-	21,30,30	0.53	0	31,47,47	1.60	3 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DGT	A	502	-	-	0/18/34/34	0/3/3/3
4	TRS	A	503	-	-	0/9/9/9	0/0/0/0
3	DGT	B	502	-	-	0/18/34/34	0/3/3/3
5	TTP	B	503	-	-	0/18/34/34	0/2/2/2
6	MLI	B	504	-	-	0/0/4/4	0/0/0/0
4	TRS	B	505	-	-	0/9/9/9	0/0/0/0
4	TRS	B	506	-	-	0/9/9/9	0/0/0/0
3	DGT	C	502	-	-	0/18/34/34	0/3/3/3
6	MLI	C	503	-	-	0/0/4/4	0/0/0/0
3	DGT	D	502	-	-	0/18/34/34	0/3/3/3
5	TTP	D	503	-	-	0/18/34/34	0/2/2/2

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	505	TRS	C-N	-3.05	1.46	1.50
4	A	503	TRS	C-N	-2.97	1.46	1.50
4	B	506	TRS	C-N	-2.74	1.46	1.50
3	A	502	DGT	C5-C4	2.80	1.46	1.40
3	C	502	DGT	C5-C4	3.08	1.47	1.40
3	B	502	DGT	C5-C4	3.14	1.47	1.40
3	D	502	DGT	C5-C4	3.21	1.47	1.40
3	C	502	DGT	C6-C5	3.34	1.47	1.41
3	A	502	DGT	C6-C5	3.76	1.48	1.41
3	B	502	DGT	C6-C5	4.00	1.49	1.41
3	D	502	DGT	C6-C5	4.11	1.49	1.41

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	503	TTP	C5-C4-N3	-4.79	119.80	125.14
3	C	502	DGT	C5-C6-N1	-4.33	117.67	123.59
3	A	502	DGT	PB-O3B-PG	-4.32	118.18	132.67
3	A	502	DGT	C6-C5-C4	-4.18	115.91	120.90
3	A	502	DGT	N3-C2-N1	-3.90	121.51	127.44
5	D	503	TTP	C5-C4-N3	-3.82	120.88	125.14
3	A	502	DGT	C5-C6-N1	-3.80	118.39	123.59
3	D	502	DGT	C5-C6-N1	-3.79	118.41	123.59
3	B	502	DGT	C5-C6-N1	-3.63	118.63	123.59
3	D	502	DGT	C6-C5-C4	-3.54	116.67	120.90
3	B	502	DGT	PA-O3A-PB	-3.41	123.16	132.73
3	C	502	DGT	PB-O3B-PG	-3.32	121.52	132.67
3	B	502	DGT	C6-C5-C4	-3.32	116.93	120.90
3	B	502	DGT	N3-C2-N1	-3.21	122.56	127.44
3	C	502	DGT	N3-C2-N1	-3.21	122.56	127.44
3	D	502	DGT	N3-C2-N1	-3.02	122.85	127.44
3	B	502	DGT	C4-C5-N7	-2.95	106.77	109.48
3	C	502	DGT	PA-O3A-PB	-2.85	124.71	132.73
3	B	502	DGT	PB-O3B-PG	-2.83	123.17	132.67
3	C	502	DGT	C6-C5-C4	-2.81	117.53	120.90
3	D	502	DGT	PB-O3B-PG	-2.81	123.24	132.67
3	D	502	DGT	C4-C5-N7	-2.71	106.99	109.48
3	C	502	DGT	C4-C5-N7	-2.54	107.14	109.48
3	D	502	DGT	PA-O3A-PB	-2.40	126.00	132.73
3	A	502	DGT	C4-C5-N7	-2.07	107.57	109.48
3	A	502	DGT	N2-C2-N1	2.10	120.67	117.20
3	A	502	DGT	O2G-PG-O1G	2.21	115.78	107.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
5	D	503	TTP	O4'-C1'-N1	2.50	112.05	107.72
5	B	503	TTP	O4'-C1'-N1	2.81	112.59	107.72
3	B	502	DGT	C6-N1-C2	4.51	122.20	115.94
3	C	502	DGT	C6-N1-C2	4.91	122.75	115.94
3	D	502	DGT	C6-N1-C2	4.94	122.79	115.94
3	A	502	DGT	C6-N1-C2	4.97	122.83	115.94
5	D	503	TTP	C4-N3-C2	5.99	120.43	115.25
5	B	503	TTP	C4-N3-C2	7.37	121.62	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	502	DGT	1	0
5	D	503	TTP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	451/480 (93%)	0.18	29 (6%) 23 34	21, 38, 74, 117	0
1	B	445/480 (92%)	0.44	44 (9%) 9 16	25, 46, 94, 160	0
1	C	455/480 (94%)	0.27	30 (6%) 22 32	27, 45, 79, 150	0
1	D	439/480 (91%)	0.93	91 (20%) 1 2	28, 53, 148, 252	0
All	All	1790/1920 (93%)	0.45	194 (10%) 8 13	21, 45, 106, 252	0

All (194) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	432	HIS	10.1
1	D	368	TYR	9.7
1	D	435	LEU	9.0
1	D	1	MET	9.0
1	C	430	LYS	8.3
1	D	346	TYR	8.2
1	D	273	TYR	8.1
1	C	433	TYR	7.9
1	D	374	PHE	7.7
1	D	381	ARG	7.6
1	C	429	ASN	7.5
1	D	425	LEU	7.2
1	D	334	PHE	7.2
1	D	271	PHE	6.8
1	B	375	TYR	6.8
1	A	435	LEU	6.6
1	D	440	TYR	6.6
1	B	368	TYR	6.6
1	A	273	TYR	6.5
1	A	380	ASP	6.4
1	B	374[A]	PHE	6.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	335	THR	6.1
1	D	383	ARG	6.1
1	D	436	PHE	5.9
1	A	1	MET	5.8
1	C	434	ASP	5.8
1	D	443	PHE	5.7
1	D	424	MET	5.7
1	D	270	GLU	5.6
1	C	412	SER	5.4
1	C	428	GLY	5.4
1	D	269	PRO	5.4
1	B	456	LYS	5.3
1	B	436	PHE	5.3
1	D	355	GLY	5.3
1	C	427	GLN	5.2
1	B	377	PRO	5.2
1	D	380	ASP	5.2
1	B	435	LEU	5.2
1	D	354	VAL	5.1
1	D	379	LYS	5.0
1	D	274	ASP	4.9
1	B	434	ASP	4.9
1	B	372	TYR	4.8
1	D	378	ASN	4.8
1	A	368	TYR	4.7
1	B	382	HIS	4.6
1	D	2	THR	4.6
1	D	199	TYR	4.6
1	D	414	GLY	4.6
1	C	273	TYR	4.5
1	D	426	ASP	4.5
1	A	434	ASP	4.5
1	D	353	LYS	4.5
1	C	272	ASP	4.4
1	D	418	PHE	4.4
1	D	422	LYS	4.4
1	D	344	ILE	4.4
1	A	272	ASP	4.4
1	D	441	ARG	4.3
1	C	435	LEU	4.2
1	B	384	THR	4.2
1	D	371	PRO	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	431	LYS	4.1
1	D	351	ILE	4.1
1	A	411	GLN	4.0
1	B	2	THR	4.0
1	A	200	GLY	4.0
1	D	332	ALA	3.9
1	A	427	GLN	3.9
1	A	426	ASP	3.9
1	C	11	PRO	3.9
1	A	270	GLU	3.9
1	D	382	HIS	3.9
1	B	369	ASP	3.8
1	A	198	GLU	3.8
1	B	412	SER	3.7
1	D	285	LYS	3.7
1	B	371	PRO	3.7
1	D	343	THR	3.7
1	B	455	LYS	3.7
1	D	356	PHE	3.7
1	D	350	LEU	3.6
1	D	347	LEU	3.6
1	B	413	GLN	3.5
1	D	341	ALA	3.5
1	C	411	GLN	3.4
1	A	0	ALA	3.4
1	A	199	TYR	3.4
1	D	281	VAL	3.4
1	D	438	GLU	3.4
1	D	412	SER	3.4
1	D	372	TYR	3.4
1	C	88	GLU	3.3
1	D	198	GLU	3.3
1	D	300	VAL	3.3
1	B	383	ARG	3.3
1	D	310	ASP	3.3
1	D	377	PRO	3.3
1	D	338	LYS	3.2
1	A	378	ASN	3.2
1	D	369	ASP	3.2
1	D	339	GLU	3.2
1	D	268	ASN	3.2
1	C	286	GLY	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	409	ALA	3.1
1	A	412	SER	3.1
1	A	381	ARG	3.0
1	C	426	ASP	3.0
1	D	272	ASP	3.0
1	D	311	VAL	3.0
1	D	284	PHE	3.0
1	A	436	PHE	3.0
1	B	376	ARG	3.0
1	D	410	GLY	3.0
1	D	349	GLU	3.0
1	B	199	TYR	3.0
1	B	414	GLY	3.0
1	B	370	LEU	3.0
1	B	400	THR	2.9
1	D	366	SER	2.9
1	D	413	GLN	2.9
1	B	411	GLN	2.9
1	D	348	ARG	2.9
1	A	346	TYR	2.9
1	B	454	LEU	2.9
1	D	447	ILE	2.8
1	D	88	GLU	2.8
1	A	271	PHE	2.8
1	D	301	LEU	2.8
1	D	333	THR	2.7
1	D	275	LEU	2.7
1	C	376	ARG	2.7
1	D	287	ASP	2.7
1	D	324	LEU	2.7
1	D	286	GLY	2.7
1	B	273	TYR	2.6
1	D	337	GLU	2.6
1	B	3	ILE	2.6
1	B	373	ASP	2.6
1	D	3	ILE	2.6
1	D	266	PHE	2.6
1	A	236[A]	TYR	2.6
1	A	350	LEU	2.6
1	D	411	GLN	2.6
1	D	445	SER	2.6
1	C	271	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	415	ASP	2.5
1	D	446	TYR	2.5
1	C	381	ARG	2.5
1	D	331	SER	2.5
1	D	299	GLY	2.4
1	D	336	ASN	2.4
1	B	385	GLN	2.4
1	B	335	THR	2.4
1	D	239	TYR	2.4
1	C	380	ASP	2.4
1	D	416	GLU	2.4
1	B	182	ALA	2.4
1	D	345	ALA	2.4
1	A	455	LYS	2.3
1	A	456	LYS	2.3
1	D	265	LEU	2.3
1	C	6	LYS	2.3
1	C	379	LYS	2.3
1	D	444	SER	2.3
1	D	276	GLN	2.2
1	A	126	ASP	2.2
1	D	376	ARG	2.2
1	B	197	THR	2.2
1	B	439	THR	2.2
1	C	153	ALA	2.2
1	D	364	ILE	2.2
1	B	4	PRO	2.2
1	B	208	LEU	2.2
1	B	366	SER	2.2
1	B	200	GLY	2.2
1	D	385	GLN	2.2
1	C	382	HIS	2.2
1	D	342	ALA	2.2
1	C	299	GLY	2.1
1	B	339	GLU	2.1
1	B	367	SER	2.1
1	C	199	TYR	2.1
1	C	98	ASP	2.1
1	C	302	SER	2.1
1	C	369	ASP	2.1
1	B	126	ASP	2.1
1	B	336	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	440	TYR	2.1
1	B	446	TYR	2.1
1	A	382	HIS	2.1
1	A	441	ARG	2.0
1	A	337	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	TRS	B	505	8/8	0.88	0.21	2.14	42,43,44,45	8
4	TRS	A	503	8/8	0.80	0.22	2.11	48,49,49,49	8
3	DGT	D	502	31/31	0.95	0.14	0.52	26,38,58,59	4
3	DGT	A	502	31/31	0.95	0.12	0.44	19,34,53,56	4
5	TTP	D	503	29/29	0.91	0.14	0.28	45,49,63,64	4
5	TTP	B	503	29/29	0.91	0.13	0.12	37,40,56,58	4
6	MLI	C	503	7/7	0.83	0.13	0.06	52,53,53,54	7
3	DGT	B	502	31/31	0.96	0.11	-0.44	28,37,55,57	4
3	DGT	C	502	31/31	0.93	0.12	-0.47	35,46,66,67	4
2	NI	A	501	1/1	1.00	0.06	-2.49	35,35,35,35	0
2	NI	C	501	1/1	1.00	0.05	-2.96	46,46,46,46	0
2	NI	B	501	1/1	0.99	0.03	-4.17	52,52,52,52	0
2	NI	D	501	1/1	0.98	0.06	-4.17	48,48,48,48	0
6	MLI	B	504	7/7	0.69	0.27	-	52,53,53,53	7
4	TRS	B	506	8/8	0.77	0.32	-	61,61,61,61	8

6.5 Other polymers [i](#)

There are no such residues in this entry.