



Full wwPDB X-ray Structure Validation Report i

Jan 31, 2016 – 08:48 PM GMT

PDB ID : 1M2Z
Title : Crystal structure of a dimer complex of the human glucocorticoid receptor ligand-binding domain bound to dexamethasone and a TIF2 coactivator motif
Authors : Bledsoe, R.B.; Montana, V.G.; Stanley, T.B.; Delves, C.J.; Apolito, C.J.; McKee, D.D.; Consler, T.G.; Parks, D.J.; Stewart, E.L.; Willson, T.M.; Lambert, M.H.; Moore, J.T.; Pearce, K.H.; Xu, H.E.
Deposited on : 2002-06-26
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	BOG	A	501	X	-	-	X
3	BOG	A	778	X	-	-	X
3	BOG	A	779	X	-	-	X

2 Entry composition [\(i\)](#)

There are 5 unique types of molecules in this entry. The entry contains 4783 atoms, of which 1 is hydrogen and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called glucocorticoid receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	255	Total	C	N	O	S	0	0	0
			2074	1335	341	380	18			
1	D	253	Total	C	N	O	S	0	0	0
			2058	1324	339	377	18			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	602	SER	PHE	ENGINEERED	UNP P04150
D	602	SER	PHE	ENGINEERED	UNP P04150

- Molecule 2 is a protein called nuclear receptor coactivator 2.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	21	Total	C	N	O	0	0	0
			172	109	29	34			
2	E	21	Total	C	N	O	0	0	0
			172	109	29	34			

- Molecule 3 is SUGAR (B-OCTYLGLUCOSIDE) (three-letter code: BOG) (formula: C₁₄H₂₈O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 19 14 5	0	0
3	A	1	Total C O 12 6 6	0	0
3	A	1	Total C O 14 8 6	0	0

- Molecule 4 is DEXAMETHASONE (three-letter code: DEX) (formula: C₂₂H₂₉FO₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C F H O 29 22 1 1 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	1	Total C F O 28 22 1 5	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	108	Total O 108 108	0	0
5	B	5	Total O 5 5	0	0
5	D	87	Total O 87 87	0	0
5	E	5	Total O 5 5	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: glucocorticoid receptor



- Molecule 1: glucocorticoid receptor



- Molecule 2: nuclear receptor coactivator 2



- Molecule 2: nuclear receptor coactivator 2





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	125.84 Å 125.84 Å 85.98 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.50 18.57 – 2.39	Depositor EDS
% Data completeness (in resolution range)	81.8 (8.00-2.50) 91.3 (18.57-2.39)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$< I/\sigma(I) >$ ¹	1.22 (at 2.38 Å)	Xtriage
Refinement program	CNX 2000	Depositor
R , R_{free}	0.237 , 0.267 0.251 , 0.273	Depositor DCC
R_{free} test set	1938 reflections (8.68%)	DCC
Wilson B-factor (Å ²)	58.2	Xtriage
Anisotropy	0.361	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 50.5	EDS
Estimated twinning fraction	0.047 for h,-h-k,-l	Xtriage
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Outliers	0 of 28157 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4783	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: DEX, BOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/2119	0.56	1/2866 (0.0%)
1	D	0.39	0/2103	0.54	0/2843
2	B	0.54	0/174	0.83	0/231
2	E	0.41	0/174	0.57	0/231
All	All	0.38	0/4570	0.56	1/6171 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	527	GLN	N-CA-C	7.81	132.08	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2074	0	2097	93	0
1	D	2058	0	2075	84	0
2	B	172	0	182	27	0
2	E	172	0	182	5	0
3	A	45	0	35	5	0
4	A	28	1	29	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	28	0	29	2	0
5	A	108	0	0	1	0
5	B	5	0	0	0	0
5	D	87	0	0	1	0
5	E	5	0	0	1	0
All	All	4782	1	4629	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:501:BOG:C1'	3:A:501:BOG:C1	2.28	1.11
1:D:544:LEU:HD21	1:D:570:GLN:HG2	1.60	0.84
2:B:742:ASN:OD1	2:B:745:LEU:HB2	1.79	0.82
1:A:680:LEU:H	1:A:683:GLN:HG2	1.47	0.79
2:B:751:LYS:HD3	2:B:751:LYS:O	1.84	0.78
1:A:760:GLN:HB3	1:A:764:TYR:HD1	1.48	0.77
1:A:633:ARG:HA	1:A:636:LEU:CD1	2.16	0.76
1:D:760:GLN:HB3	1:D:764:TYR:HD1	1.56	0.70
1:A:761:ILE:CG2	1:A:762:PRO:HD3	2.21	0.70
1:D:701:ILE:HG23	1:D:714:ARG:HG2	1.72	0.69
1:A:588:HIS:HD2	1:A:590:ASP:HB2	1.56	0.69
1:D:548:TYR:HD1	1:D:562:THR:HG21	1.57	0.68
1:D:757:ILE:O	1:D:761:ILE:HG12	1.95	0.67
1:A:524:THR:O	1:A:525:LEU:HD12	1.94	0.67
1:A:753:LEU:O	1:A:757:ILE:HD12	1.95	0.66
1:D:558:ARG:O	1:D:562:THR:HG23	1.96	0.66
1:A:761:ILE:HG22	1:A:762:PRO:HD3	1.76	0.66
1:A:630:ASN:OD1	1:D:545:TYR:HE1	1.79	0.65
1:A:570:GLN:HB3	1:A:604:MET:HE1	1.79	0.65
1:A:588:HIS:CD2	1:A:681:LYS:HD2	2.32	0.65
1:A:591:ASP:CG	1:A:680:LEU:HB3	2.17	0.64
1:A:759:ASN:HA	2:B:741:GLU:HG2	1.80	0.64
1:A:568:GLY:HA2	1:A:753:LEU:HD13	1.80	0.63
1:D:544:LEU:HD23	1:D:544:LEU:H	1.63	0.63
1:A:761:ILE:HD13	1:A:761:ILE:O	1.99	0.62
1:A:543:VAL:HG11	1:A:625:PRO:HD3	1.82	0.62
2:B:740:LYS:HA	2:B:740:LYS:HE2	1.80	0.62
1:A:759:ASN:HA	2:B:741:GLU:CG	2.30	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:751:LYS:O	2:E:752:ASP:HB2	1.99	0.61
1:D:548:TYR:CD1	1:D:562:THR:HG21	2.36	0.61
1:A:646:MET:O	1:A:649:VAL:HG12	2.00	0.61
1:A:598:TYR:CE2	1:A:769:ILE:HG12	2.36	0.61
1:A:701:ILE:HD11	1:A:718:LEU:HD12	1.82	0.60
1:A:575:VAL:O	1:A:579:LYS:HG3	2.01	0.60
1:D:707:ASN:HB3	1:D:710:GLN:OE1	2.01	0.60
1:D:701:ILE:HD11	1:D:718:LEU:HD12	1.83	0.60
1:D:680:LEU:HD23	1:D:680:LEU:N	2.17	0.59
1:A:591:ASP:OD1	1:A:680:LEU:HB3	2.03	0.59
1:A:602:SER:OG	1:A:670:LEU:HG	2.02	0.59
1:A:579:LYS:HD3	2:B:749:LEU:HA	1.84	0.59
1:D:699:LYS:O	1:D:702:VAL:HG22	2.02	0.59
1:D:568:GLY:HA2	1:D:753:LEU:HD13	1.84	0.59
1:A:633:ARG:HA	1:A:636:LEU:HD13	1.84	0.59
2:B:734:PRO:O	2:B:735:VAL:HG13	2.03	0.58
1:D:675:VAL:HB	1:D:680:LEU:CD2	2.33	0.58
1:D:661:GLU:OE1	1:D:703:LYS:HE2	2.04	0.58
2:B:738:LYS:HE3	2:B:741:GLU:HB3	1.86	0.57
1:D:762:PRO:O	1:D:766:ASN:OD1	2.22	0.57
1:D:725:MET:HA	1:D:728:VAL:HG13	1.87	0.57
2:B:737:PRO:HA	2:B:739:LYS:HE2	1.87	0.57
1:A:631:GLU:O	1:A:635:THR:HG22	2.05	0.57
1:A:670:LEU:HD13	1:A:722:LEU:HD22	1.88	0.56
1:D:675:VAL:HB	1:D:680:LEU:HD21	1.87	0.56
1:D:726:HIS:HE1	1:D:772:LEU:O	1.89	0.56
1:A:759:ASN:CB	2:B:741:GLU:HG3	2.36	0.55
1:A:545:TYR:HE1	1:A:625:PRO:HB2	1.70	0.55
1:A:559:ILE:O	1:A:563:LEU:HG	2.06	0.55
2:E:737:PRO:O	2:E:738:LYS:HB2	2.07	0.55
2:B:735:VAL:O	2:B:737:PRO:HD3	2.05	0.55
1:D:666:MET:HB3	1:D:722:LEU:HD21	1.88	0.55
1:D:675:VAL:HB	1:D:676:PRO:HD2	1.90	0.54
3:A:501:BOG:C1'	3:A:501:BOG:O5	2.56	0.54
1:A:752:MET:HE1	2:B:748:LEU:CD1	2.39	0.53
1:D:591:ASP:OD1	1:D:680:LEU:HB3	2.08	0.52
1:D:568:GLY:O	1:D:572:ILE:HG13	2.09	0.52
1:A:572:ILE:HG12	1:A:752:MET:HE3	1.92	0.52
1:A:698:GLY:CA	3:A:779:BOG:H62	2.40	0.52
1:D:565:MET:HE3	1:D:750:PRO:HB3	1.91	0.52
1:D:755:GLU:HG2	5:E:104:HOH:O	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:705:GLU:HG3	1:D:710:GLN:HG2	1.91	0.51
1:A:690:ARG:HD3	3:A:501:BOG:O3	2.11	0.51
1:D:735:TYR:O	1:D:739:THR:HG23	2.10	0.51
1:A:759:ASN:CG	2:B:741:GLU:HG3	2.31	0.51
1:A:761:ILE:C	1:A:761:ILE:HD13	2.31	0.51
2:E:751:LYS:O	2:E:752:ASP:CB	2.59	0.50
1:D:755:GLU:HG3	2:E:742:ASN:HD22	1.75	0.50
1:A:655:ARG:HH21	1:A:656:LEU:HD21	1.75	0.50
1:A:725:MET:O	1:A:729:VAL:HG23	2.11	0.50
1:D:676:PRO:HD2	1:D:680:LEU:HD22	1.92	0.50
1:A:720:LYS:HD2	1:A:775:HIS:HD2	1.76	0.50
1:D:737:PHE:CG	1:D:761:ILE:HD13	2.48	0.49
1:A:589:LEU:HD23	1:A:589:LEU:O	2.10	0.49
1:D:685:LEU:HD22	1:D:689:ILE:HG13	1.93	0.49
1:A:720:LYS:HD2	1:A:775:HIS:CD2	2.48	0.49
2:B:739:LYS:O	2:B:740:LYS:CB	2.59	0.49
2:E:752:ASP:O	2:E:753:ASP:HB2	2.13	0.49
2:B:751:LYS:HD2	2:B:751:LYS:N	2.28	0.48
1:A:579:LYS:HD3	2:B:749:LEU:HD23	1.94	0.48
1:D:557:TRP:CZ3	1:D:746:SER:O	2.66	0.48
1:D:615:GLN:NE2	1:D:628:ILE:HD11	2.28	0.48
2:B:750:ASP:O	2:B:751:LYS:HB3	2.13	0.48
1:A:615:GLN:HG3	1:D:615:GLN:HG2	1.95	0.48
1:D:600:TRP:O	1:D:604:MET:HG2	2.13	0.48
2:B:750:ASP:O	2:B:751:LYS:CB	2.59	0.48
1:A:733:LEU:HG	1:A:737:PHE:CZ	2.49	0.48
1:D:684:GLU:HG2	1:D:685:LEU:H	1.79	0.48
1:D:707:ASN:CB	1:D:710:GLN:OE1	2.62	0.48
1:D:677:LYS:O	1:D:678:ASP:CG	2.52	0.47
1:A:736:CYS:HA	4:A:301:DEX:O4	2.15	0.47
2:B:738:LYS:HD3	2:B:738:LYS:O	2.14	0.47
1:A:525:LEU:HA	1:A:526:PRO:C	2.35	0.47
2:B:739:LYS:O	2:B:740:LYS:HG2	2.15	0.47
1:D:609:GLY:HA3	1:D:649:VAL:HG22	1.96	0.47
1:A:757:ILE:O	1:A:761:ILE:HB	2.15	0.47
1:A:755:GLU:O	1:A:759:ASN:HB2	2.14	0.47
1:A:570:GLN:HB3	1:A:604:MET:CE	2.45	0.47
1:D:639:MET:CE	1:D:639:MET:HA	2.44	0.47
1:A:761:ILE:HG23	1:A:762:PRO:HD3	1.96	0.46
1:A:632:GLN:O	1:A:635:THR:HG23	2.16	0.46
1:D:706:GLY:O	1:D:707:ASN:HB2	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:531:THR:O	1:A:534:SER:HB3	2.15	0.46
1:A:613:TYR:CE1	1:A:654:HIS:HA	2.51	0.46
1:D:545:TYR:HB3	1:D:626:ASP:OD2	2.15	0.46
1:A:662:GLU:O	1:A:666:MET:HG3	2.16	0.46
4:A:301:DEX:H931	4:A:301:DEX:O2	2.16	0.45
4:D:401:DEX:O2	4:D:401:DEX:H931	2.16	0.45
1:D:705:GLU:CG	1:D:710:GLN:HG2	2.45	0.45
1:D:675:VAL:CB	1:D:680:LEU:HD21	2.46	0.45
1:D:572:ILE:CG1	1:D:752:MET:HG3	2.46	0.45
2:B:739:LYS:O	2:B:740:LYS:HB2	2.17	0.45
1:D:571:VAL:O	1:D:575:VAL:HG23	2.16	0.45
1:D:602:SER:HB2	1:D:729:VAL:HG21	1.99	0.45
2:B:747:TYR:O	2:B:751:LYS:HE2	2.16	0.45
1:A:572:ILE:HG12	1:A:752:MET:CE	2.47	0.45
1:A:690:ARG:O	1:A:694:ILE:HG13	2.17	0.45
1:A:698:GLY:HA2	3:A:779:BOG:HG62	1.99	0.45
1:A:531:THR:CG2	1:A:533:VAL:HG12	2.46	0.45
1:A:568:GLY:O	1:A:572:ILE:HG13	2.17	0.44
1:D:613:TYR:CE1	1:D:654:HIS:HA	2.52	0.44
1:D:670:LEU:HA	1:D:673:SER:HB3	1.98	0.44
2:B:752:ASP:O	2:B:752:ASP:OD1	2.35	0.44
1:A:729:VAL:O	1:A:733:LEU:HB2	2.17	0.44
1:A:543:VAL:HG11	1:A:625:PRO:CD	2.46	0.44
1:D:608:LEU:HD13	1:D:623:PHE:HA	2.00	0.44
1:A:560:MET:HE3	1:A:747:ILE:HD13	2.00	0.44
2:B:742:ASN:CG	2:B:745:LEU:HB2	2.36	0.43
1:D:762:PRO:HG2	1:D:763:LYS:H	1.83	0.43
1:A:752:MET:HE1	2:B:748:LEU:HD13	2.00	0.43
1:D:726:HIS:CE1	1:D:771:LYS:HB3	2.52	0.43
1:A:589:LEU:HD23	1:A:589:LEU:C	2.38	0.43
1:D:529:THR:O	1:D:529:THR:HG23	2.18	0.43
1:D:568:GLY:CA	1:D:753:LEU:HD13	2.49	0.43
1:D:706:GLY:O	1:D:707:ASN:CB	2.66	0.43
1:D:556:THR:HG22	1:D:560:MET:SD	2.58	0.43
1:A:759:ASN:ND2	2:B:741:GLU:HG3	2.34	0.43
1:A:588:HIS:CD2	1:A:590:ASP:H	2.36	0.43
1:D:560:MET:HE1	1:D:642:GLN:HE22	1.84	0.43
1:A:630:ASN:OD1	1:D:545:TYR:CE1	2.67	0.43
1:A:560:MET:CE	1:A:747:ILE:HD13	2.49	0.43
1:A:711:ASN:HA	1:A:711:ASN:HD22	1.59	0.43
1:D:544:LEU:CD2	1:D:544:LEU:H	2.32	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:675:VAL:CG1	1:D:680:LEU:HD21	2.49	0.42
1:D:751:GLU:HA	1:D:751:GLU:OE1	2.18	0.42
1:A:759:ASN:O	1:A:762:PRO:HD2	2.18	0.42
1:D:703:LYS:O	1:D:703:LYS:HG3	2.19	0.42
1:D:707:ASN:O	1:D:708:SER:CB	2.68	0.42
1:D:642:GLN:HB2	4:D:401:DEX:C22	2.50	0.42
1:A:577:TRP:CZ2	1:A:581:ILE:HD11	2.55	0.42
1:A:758:THR:O	1:A:761:ILE:HG22	2.19	0.42
1:A:527:GLN:C	1:A:529:THR:H	2.23	0.42
1:A:556:THR:O	1:A:560:MET:HG3	2.20	0.42
1:D:761:ILE:HB	1:D:762:PRO:CD	2.49	0.42
1:A:625:PRO:O	1:D:625:PRO:O	2.38	0.42
1:D:535:LEU:HD22	1:D:582:PRO:CG	2.50	0.42
1:A:536:LEU:HA	1:A:539:ILE:HG12	2.02	0.42
1:A:577:TRP:CE2	1:A:581:ILE:HD11	2.55	0.41
1:D:575:VAL:O	1:D:579:LYS:HG3	2.20	0.41
1:A:776:GLN:HG3	1:A:776:GLN:H	1.72	0.41
1:D:632:GLN:O	1:D:635:THR:HG23	2.19	0.41
1:D:565:MET:CE	1:D:750:PRO:HB3	2.50	0.41
1:A:761:ILE:HG23	1:A:762:PRO:CD	2.51	0.41
1:A:570:GLN:HE21	1:A:604:MET:HG3	1.86	0.41
1:A:527:GLN:HG3	1:A:534:SER:OG	2.20	0.41
1:D:754:ALA:O	1:D:758:THR:OG1	2.38	0.41
1:A:621:LEU:HG	1:A:647:LEU:CD2	2.51	0.41
1:A:740:PHE:CE2	1:A:758:THR:HG23	2.55	0.41
1:D:626:ASP:OD1	1:D:626:ASP:C	2.59	0.41
1:A:660:TYR:O	1:A:663:TYR:HB3	2.21	0.41
1:A:632:GLN:O	1:A:635:THR:CG2	2.69	0.41
1:D:645:HIS:O	1:D:648:TYR:HB3	2.21	0.41
1:A:634:MET:SD	1:A:640:TYR:HD1	2.44	0.41
1:D:563:LEU:HD13	1:D:623:PHE:CE1	2.56	0.41
1:A:525:LEU:HA	1:A:526:PRO:O	2.20	0.41
1:D:560:MET:HE3	1:D:642:GLN:OE1	2.20	0.41
1:A:567:GLY:O	1:A:571:VAL:HG23	2.21	0.41
1:D:631:GLU:O	1:D:635:THR:HG22	2.21	0.41
1:D:705:GLU:HB3	1:D:706:GLY:H	1.69	0.40
1:D:725:MET:HA	1:D:728:VAL:CG1	2.50	0.40
1:A:531:THR:HG22	1:A:533:VAL:HG12	2.02	0.40
1:D:760:GLN:O	1:D:761:ILE:C	2.60	0.40
1:D:681:LYS:HA	5:D:157:HOH:O	2.19	0.40
1:D:701:ILE:CD1	1:D:718:LEU:HD12	2.49	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:542:GLU:HB2	5:A:80:HOH:O	2.22	0.40
1:A:524:THR:HB	1:A:528:LEU:HD12	2.04	0.40
1:D:752:MET:O	1:D:756:ILE:HG13	2.21	0.40
1:D:776:GLN:HE21	1:D:776:GLN:HB2	1.64	0.40
1:A:743:LYS:HD3	1:A:743:LYS:HA	1.81	0.40
2:B:751:LYS:O	2:B:751:LYS:CD	2.63	0.40
1:A:586:ASN:HD22	1:A:586:ASN:HA	1.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	253/257 (98%)	232 (92%)	17 (7%)	4 (2%)	12 21
1	D	251/257 (98%)	227 (90%)	15 (6%)	9 (4%)	4 5
2	B	19/21 (90%)	11 (58%)	2 (10%)	6 (32%)	0 0
2	E	19/21 (90%)	12 (63%)	4 (21%)	3 (16%)	0 0
All	All	542/556 (98%)	482 (89%)	38 (7%)	22 (4%)	3 4

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	527	GLN
1	A	637	PRO
2	B	740	LYS
2	B	751	LYS
2	B	753	ASP
1	D	526	PRO
1	D	707	ASN
1	D	708	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	751	LYS
2	E	753	ASP
2	B	739	LYS
2	B	741	GLU
1	D	678	ASP
1	D	705	GLU
1	A	530	PRO
1	D	762	PRO
2	E	752	ASP
1	A	742	ASP
2	B	742	ASN
1	D	637	PRO
1	D	761	ILE
1	D	625	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	234/236 (99%)	212 (91%)	22 (9%)	11 20
1	D	232/236 (98%)	198 (85%)	34 (15%)	4 7
2	B	20/20 (100%)	11 (55%)	9 (45%)	0 0
2	E	20/20 (100%)	18 (90%)	2 (10%)	9 18
All	All	506/512 (99%)	439 (87%)	67 (13%)	5 9

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	525	LEU
1	A	526	PRO
1	A	529	THR
1	A	532	LEU
1	A	557	TRP
1	A	560	MET
1	A	595	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	604	MET
1	A	630	ASN
1	A	635	THR
1	A	670	LEU
1	A	683	GLN
1	A	685	LEU
1	A	688	GLU
1	A	711	ASN
1	A	721	LEU
1	A	727	GLU
1	A	744	THR
1	A	761	ILE
1	A	763	LYS
1	A	764	TYR
1	A	776	GLN
2	B	736	SER
2	B	738	LYS
2	B	739	LYS
2	B	741	GLU
2	B	742	ASN
2	B	744	LEU
2	B	745	LEU
2	B	751	LYS
2	B	754	THR
1	D	526	PRO
1	D	527	GLN
1	D	535	LEU
1	D	544	LEU
1	D	557	TRP
1	D	565	MET
1	D	589	LEU
1	D	613	TYR
1	D	625	PRO
1	D	626	ASP
1	D	632	GLN
1	D	635	THR
1	D	637	PRO
1	D	641	ASP
1	D	649	VAL
1	D	656	LEU
1	D	669	LEU
1	D	680	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	685	LEU
1	D	704	ARG
1	D	705	GLU
1	D	707	ASN
1	D	710	GLN
1	D	711	ASN
1	D	721	LEU
1	D	728	VAL
1	D	735	TYR
1	D	743	LYS
1	D	744	THR
1	D	748	GLU
1	D	758	THR
1	D	764	TYR
1	D	766	ASN
1	D	776	GLN
2	E	745	LEU
2	E	752	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	570	GLN
1	A	586	ASN
1	A	588	HIS
1	A	597	GLN
1	A	619	ASN
1	A	630	ASN
1	A	642	GLN
1	A	683	GLN
1	A	707	ASN
1	A	710	GLN
1	A	711	ASN
1	A	713	GLN
1	A	738	GLN
1	A	760	GLN
1	D	570	GLN
1	D	597	GLN
1	D	711	ASN
1	D	713	GLN
1	D	726	HIS
1	D	760	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	768	ASN
1	D	776	GLN
2	E	742	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DEX	A	301	-	31,31,31	1.46	4 (12%)	51,53,53	1.83	13 (25%)
3	BOG	A	501	-	18,18,20	0.67	0	20,21,25	3.80	12 (60%)
3	BOG	A	778	-	12,12,20	0.68	0	17,17,25	4.41	15 (88%)
3	BOG	A	779	-	14,14,20	0.61	0	19,19,25	4.46	16 (84%)
4	DEX	D	401	-	31,31,31	1.46	5 (16%)	51,53,53	1.77	12 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DEX	A	301	-	-	0/8/84/84	0/4/4/4
3	BOG	A	501	-	4/4/4/5	0/7/24/31	0/1/1/1
3	BOG	A	778	-	5/5/5/5	0/2/22/31	0/1/1/1
3	BOG	A	779	-	5/5/5/5	0/5/25/31	0/1/1/1
4	DEX	D	401	-	-	0/8/84/84	0/4/4/4

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	301	DEX	C10-C9	-4.71	1.53	1.57
4	D	401	DEX	C10-C9	-4.62	1.53	1.57
4	D	401	DEX	C17-C13	-3.38	1.53	1.57
4	A	301	DEX	C17-C13	-3.34	1.53	1.57
4	A	301	DEX	C17-C16	-2.71	1.53	1.56
4	D	401	DEX	C17-C16	-2.71	1.53	1.56
4	A	301	DEX	F1-C9	-2.69	1.36	1.42
4	D	401	DEX	F1-C9	-2.68	1.36	1.42
4	D	401	DEX	C9-C11	-2.01	1.53	1.54

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	401	DEX	C1-C2-C3	-3.62	118.03	121.44
4	A	301	DEX	C1-C2-C3	-3.62	118.03	121.44
4	A	301	DEX	C6-C5-C4	-3.15	116.90	120.89
4	D	401	DEX	C6-C5-C4	-3.11	116.95	120.89
4	A	301	DEX	C5-C4-C3	-2.74	120.09	122.76
4	D	401	DEX	C5-C4-C3	-2.73	120.11	122.76
4	A	301	DEX	O4-C20-C17	-2.47	120.41	122.87
4	D	401	DEX	O4-C20-C17	-2.33	120.55	122.87
4	A	301	DEX	F1-C9-C8	-2.08	104.00	105.86
3	A	779	BOG	C1'-O1-C1	-2.04	108.83	113.76
4	D	401	DEX	C15-C14-C8	2.08	121.07	119.12
4	A	301	DEX	C15-C14-C8	2.23	121.21	119.12
3	A	779	BOG	C6-C5-C4	2.29	118.67	113.02
4	D	401	DEX	C10-C5-C4	2.58	124.22	122.16
3	A	778	BOG	C3-C4-C5	2.67	114.85	110.20
4	D	401	DEX	C10-C1-C2	2.72	126.49	124.33
4	A	301	DEX	C10-C5-C4	2.73	124.34	122.16
4	D	401	DEX	C13-C17-C16	2.89	105.94	103.11
4	A	301	DEX	C10-C1-C2	2.92	126.64	124.33
3	A	778	BOG	O1-C1-O5	3.01	118.48	110.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
4	D	401	DEX	C9-C8-C14	3.06	111.66	109.27
4	A	301	DEX	C13-C17-C16	3.11	106.15	103.11
4	A	301	DEX	C9-C8-C14	3.12	111.70	109.27
3	A	778	BOG	C4-C3-C2	3.17	116.71	110.79
3	A	778	BOG	C6-C5-C4	3.35	121.28	113.02
4	D	401	DEX	C7-C8-C9	3.46	114.32	110.87
3	A	779	BOG	C4-C3-C2	3.47	117.28	110.79
3	A	501	BOG	C3-C4-C5	3.50	116.30	110.20
3	A	501	BOG	O5-C1-C2	3.51	116.55	110.86
4	A	301	DEX	C7-C8-C9	3.52	114.38	110.87
4	D	401	DEX	C12-C11-C9	3.55	115.46	112.91
3	A	501	BOG	C6-C5-C4	3.64	122.01	113.02
3	A	778	BOG	C1-C2-C3	3.66	115.87	110.43
3	A	779	BOG	C1-C2-C3	3.71	117.28	109.97
3	A	501	BOG	C2-C3-C4	3.73	117.38	111.04
3	A	779	BOG	O5-C1-O1	3.78	119.17	110.05
3	A	779	BOG	C3-C4-C5	3.87	116.95	110.20
4	A	301	DEX	C12-C11-C9	4.05	115.83	112.91
3	A	501	BOG	C1-C2-C3	4.37	114.72	109.54
3	A	778	BOG	O5-C5-C4	4.38	117.91	109.68
3	A	778	BOG	O1-C1-C2	4.48	121.22	109.21
3	A	779	BOG	O4-C4-C5	4.58	121.37	109.24
3	A	501	BOG	O5-C5-C6	4.83	117.81	107.35
3	A	779	BOG	O3-C3-C2	4.87	121.30	110.34
3	A	779	BOG	O2-C2-C3	4.89	121.35	110.34
3	A	501	BOG	O4-C4-C5	4.91	122.25	109.24
3	A	501	BOG	O4-C4-C3	4.92	121.40	110.34
3	A	779	BOG	O3-C3-C4	4.92	121.42	110.34
3	A	501	BOG	O3-C3-C4	4.96	121.50	110.34
3	A	778	BOG	O3-C3-C4	4.97	121.53	110.34
4	A	301	DEX	C6-C5-C10	5.01	118.76	115.60
3	A	779	BOG	O4-C4-C3	5.03	121.67	110.34
3	A	778	BOG	O4-C4-C5	5.04	122.60	109.24
3	A	778	BOG	O3-C3-C2	5.06	121.72	110.34
4	D	401	DEX	C6-C5-C10	5.11	118.83	115.60
3	A	779	BOG	O2-C2-C1	5.17	121.35	110.02
3	A	778	BOG	O2-C2-C3	5.26	122.18	110.34
3	A	778	BOG	O4-C4-C3	5.41	122.53	110.34
3	A	778	BOG	O2-C2-C1	5.46	121.84	109.82
3	A	779	BOG	O5-C5-C6	5.47	120.18	106.36
3	A	778	BOG	O5-C5-C6	5.65	120.63	106.36
3	A	779	BOG	O5-C1-C2	5.97	122.53	110.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	A	779	BOG	O5-C5-C4	6.11	121.14	109.68
3	A	501	BOG	O3-C3-C2	6.16	121.13	110.00
3	A	501	BOG	O2-C2-C3	6.17	122.53	110.12
3	A	778	BOG	O5-C1-C2	6.59	120.30	109.80
3	A	501	BOG	O2-C2-C1	6.71	122.66	109.21
3	A	779	BOG	O1-C1-C2	8.04	118.19	108.04

All (14) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	779	BOG	C4
3	A	779	BOG	C3
3	A	779	BOG	C5
3	A	779	BOG	C2
3	A	779	BOG	C1
3	A	778	BOG	C4
3	A	778	BOG	C3
3	A	778	BOG	C5
3	A	778	BOG	C2
3	A	778	BOG	C1
3	A	501	BOG	C4
3	A	501	BOG	C3
3	A	501	BOG	C5
3	A	501	BOG	C2

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	301	DEX	2	0
3	A	501	BOG	3	0
3	A	779	BOG	2	0
4	D	401	DEX	2	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	255/257 (99%)	0.45	23 (9%) 12 12	34, 61, 103, 127	0
1	D	253/257 (98%)	0.47	25 (9%) 9 10	34, 59, 109, 139	0
2	B	21/21 (100%)	3.15	12 (57%) 0 0	55, 109, 157, 160	0
2	E	21/21 (100%)	4.00	11 (52%) 0 0	59, 110, 168, 171	0
All	All	550/556 (98%)	0.70	71 (12%) 5 4	34, 62, 121, 171	0

All (71) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	736	SER	14.3
2	E	734	PRO	12.2
2	E	735	VAL	10.8
1	D	765	SER	9.9
2	E	738	LYS	9.4
1	D	707	ASN	9.0
1	A	707	ASN	8.6
1	D	766	ASN	8.2
2	B	736	SER	8.2
1	A	709	SER	8.0
2	E	754	THR	7.8
2	B	737	PRO	7.6
2	B	739	LYS	6.1
1	A	523	ALA	5.7
2	B	734	PRO	5.7
2	B	735	VAL	5.4
2	B	741	GLU	5.2
1	A	524	THR	5.0
1	D	764	TYR	5.0
2	E	740	LYS	4.9
1	A	710	GLN	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	766	ASN	4.7
2	E	737	PRO	4.7
2	B	740	LYS	4.7
1	A	706	GLY	4.6
2	E	739	LYS	4.5
1	D	528	LEU	4.4
2	B	750	ASP	4.3
1	D	708	SER	4.3
2	B	738	LYS	4.2
1	A	777	LYS	4.1
1	D	777	LYS	4.0
1	D	767	GLY	3.9
1	A	557	TRP	3.9
1	D	706	GLY	3.6
1	D	678	ASP	3.6
1	A	765	SER	3.4
1	A	545	TYR	3.2
1	D	753	LEU	3.2
1	D	526	PRO	3.1
2	E	750	ASP	3.1
2	E	753	ASP	3.1
1	A	525	LEU	3.1
2	B	752	ASP	3.1
1	A	764	TYR	3.0
1	D	557	TRP	2.8
1	D	684	GLU	2.7
1	D	625	PRO	2.6
1	D	743	LYS	2.5
1	A	684	GLU	2.5
1	D	710	GLN	2.5
1	A	767	GLY	2.5
1	D	529	THR	2.5
1	D	641	ASP	2.4
1	A	527	GLN	2.4
2	B	751	LYS	2.4
2	E	741	GLU	2.4
1	A	526	PRO	2.4
1	A	708	SER	2.4
1	A	776	GLN	2.4
1	A	638	CYS	2.3
1	A	739	THR	2.3
2	B	754	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	560	MET	2.2
1	D	748	GLU	2.2
1	D	704	ARG	2.2
1	D	629	ILE	2.2
1	D	705	GLU	2.2
1	D	709	SER	2.1
1	A	639	MET	2.0
1	A	743	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	BOG	A	778	12/20	0.86	0.29	6.98	112,113,114,115	0
3	BOG	A	779	14/20	0.71	0.35	5.16	76,87,90,90	0
3	BOG	A	501	19/20	0.49	0.36	4.29	79,95,100,101	0
4	DEX	D	401	28/28	0.94	0.21	0.55	51,55,59,60	0
4	DEX	A	301	28/28	0.95	0.20	0.39	48,52,59,62	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.