



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:50 PM GMT

PDB ID : 1M7H  
Title : Crystal Structure of APS kinase from *Penicillium Chrysogenum*: Structure with APS soaked out of one dimer  
Authors : Lansdon, E.B.; Sege, I.H.; Fisher, A.J.  
Deposited on : 2002-07-19  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	211	<div> <div>7%</div> <div>74% 21% . .</div> </div>
1	B	211	<div> <div>7%</div> <div>77% 17% 5%</div> </div>
1	C	211	<div> <div>8%</div> <div>74% 22% . .</div> </div>
1	D	211	<div> <div>10%</div> <div>73% 19% . 6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	B	1003	-	-	-	X
2	SO4	B	1007	-	-	-	X
2	SO4	D	1010	-	-	-	X
4	ADX	B	1303	-	-	-	X
4	ADX	D	1306	-	-	-	X

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7111 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenylylsulfate kinase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	203	Total	C	N	O	0	0	0
			1609	1012	288	309			
1	B	200	Total	C	N	O	0	0	0
			1590	1000	286	304			
1	C	204	Total	C	N	O	0	0	0
			1616	1016	289	311			
1	D	198	Total	C	N	O	0	0	0
			1575	992	283	300			

- Molecule 2 is SULFATE ION (three-letter code: SO<sub>4</sub>) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	D	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{10}\text{P}_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		


- Molecule 4 is ADENOSINE-5'-PHOSPHOSULFATE (three-letter code: ADX) (formula:  $C_{10}H_{14}N_5O_{10}PS$ ).




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Adenylylsulfate kinase




#### • Molecule 1: Adenylylsulfate kinase



#### • Molecule 1: Adenylylsulfate kinase



#### • Molecule 1: Adenylylsulfate kinase







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	83.60Å 83.69Å 138.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.91 – 2.00 29.91 – 2.00	Depositor EDS
% Data completeness (in resolution range)	95.1 (29.91-2.00) 95.2 (29.91-2.00)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.89 (at 2.00Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.215 , 0.258 0.215 , 0.258	Depositor DCC
$R_{free}$ test set	3134 reflections (4.97%)	DCC
Wilson B-factor (Å <sup>2</sup> )	31.9	Xtriage
Anisotropy	0.058	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 58.4	EDS
Estimated twinning fraction	0.015 for k,h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.52$ , $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	3 of 63077 reflections (0.005%)	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7111	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.86 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 9.3386e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADX, ADP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.47	0/1640	0.67	0/2221
1	B	0.43	0/1619	0.68	0/2187
1	C	0.46	0/1647	0.65	0/2231
1	D	0.42	0/1604	0.64	0/2170
All	All	0.44	0/6510	0.66	0/8809

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1609	0	1596	38	0
1	B	1590	0	1575	29	0
1	C	1616	0	1603	38	0
1	D	1575	0	1568	34	0
2	A	25	0	0	0	0
2	B	10	0	0	1	0
2	C	20	0	0	0	0
2	D	5	0	0	0	0
3	A	27	0	12	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	27	0	12	0	0
3	C	27	0	12	0	0
3	D	27	0	12	0	0
4	B	27	0	12	1	0
4	D	27	0	12	3	0
5	A	126	0	0	3	0
5	B	142	0	0	3	0
5	C	127	0	0	5	0
5	D	104	0	0	0	0
All	All	7111	0	6414	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:51:ARG:HH11	1:C:51:ARG:HB2	1.31	0.95
1:C:23:GLN:HE22	1:C:56:HIS:H	0.95	0.94
1:A:23:GLN:HE22	1:A:56:HIS:H	0.98	0.88
1:D:23:GLN:HE22	1:D:56:HIS:H	0.92	0.88
1:D:23:GLN:NE2	1:D:56:HIS:H	1.72	0.88
1:D:23:GLN:HE22	1:D:56:HIS:N	1.71	0.87
1:B:84:ILE:HG21	1:B:112:ASP:HB3	1.60	0.83
1:C:51:ARG:NH1	1:C:51:ARG:HB2	1.92	0.83
1:B:17:ARG:HD2	1:B:98:ASN:HD22	1.46	0.81
1:C:23:GLN:NE2	1:C:56:HIS:H	1.77	0.80
1:C:14:ARG:HG3	1:C:14:ARG:HH11	1.45	0.80
1:C:23:GLN:HE22	1:C:56:HIS:N	1.77	0.80
1:A:14:ARG:HH11	1:A:14:ARG:HG3	1.47	0.79
1:A:23:GLN:NE2	1:A:56:HIS:H	1.80	0.75
1:A:53:ARG:NH2	1:A:201:ASP:OD2	2.20	0.74
1:B:41:LEU:HD13	5:B:1392:HOH:O	1.86	0.73
1:B:53:ARG:NH2	1:B:201:ASP:OD2	2.22	0.73
1:A:80:ARG:NH1	5:A:1334:HOH:O	2.20	0.73
1:D:92:LYS:HD2	1:D:119:LEU:HD13	1.69	0.73
1:D:41:LEU:HD11	1:D:192:ALA:HB3	1.74	0.70
1:A:124:THR:OG1	1:A:125:PRO:HD2	1.93	0.69
1:B:53:ARG:HH22	1:B:201:ASP:CG	1.95	0.68
1:A:208:ALA:O	1:A:209:LYS:HB2	1.94	0.67
1:D:41:LEU:HD11	1:D:192:ALA:CB	2.28	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:155:LYS:O	1:C:159:GLU:HG3	1.99	0.62
1:C:13:THR:OG1	1:C:16:GLU:HG3	1.98	0.62
1:A:47:HIS:HD2	1:A:51:ARG:NH2	1.97	0.61
1:C:51:ARG:NH1	1:D:20:LEU:HD11	2.16	0.61
1:C:119:LEU:HG	5:C:1352:HOH:O	2.01	0.60
1:B:15:SER:O	1:B:19:GLU:HG3	2.01	0.60
1:C:118:GLN:O	1:C:122:VAL:HG23	2.03	0.59
1:A:47:HIS:HE1	1:B:10:SER:O	1.87	0.58
1:D:53:ARG:NH2	1:D:201:ASP:OD2	2.36	0.57
1:C:14:ARG:NH1	1:C:14:ARG:HG3	2.18	0.56
1:B:17:ARG:HD2	1:B:98:ASN:ND2	2.17	0.56
1:C:124:THR:HG23	1:C:125:PRO:HD2	1.88	0.55
1:D:114:ASP:O	1:D:118:GLN:HG3	2.07	0.55
1:C:198:ASP:O	1:C:202:THR:HG23	2.08	0.54
1:A:47:HIS:HD2	1:A:51:ARG:HH21	1.55	0.54
1:A:47:HIS:CD2	1:A:51:ARG:NH2	2.76	0.54
1:A:13:THR:OG1	1:A:16:GLU:HG3	2.08	0.53
1:C:142:VAL:HG21	5:C:1384:HOH:O	2.08	0.53
1:A:118:GLN:O	1:A:122:VAL:HG13	2.08	0.53
1:A:124:THR:CG2	1:A:127:GLU:HG2	2.38	0.53
1:C:17:ARG:HG2	1:C:98:ASN:ND2	2.23	0.53
1:A:164:GLU:HA	1:A:169:SER:OG	2.09	0.53
1:C:16:GLU:O	1:C:20:LEU:HD13	2.09	0.52
1:B:111:LYS:HE2	5:B:1420:HOH:O	2.09	0.52
1:C:53:ARG:NH2	1:C:209:LYS:HE2	2.24	0.52
1:A:61:ASP:C	1:A:61:ASP:OD1	2.48	0.52
1:C:53:ARG:NH2	1:C:201:ASP:OD2	2.42	0.52
1:C:51:ARG:HH11	1:C:51:ARG:CB	2.14	0.51
1:A:149:ASP:N	1:A:150:PRO:HD3	2.24	0.51
1:A:66:ARG:O	1:A:71:LYS:HA	2.11	0.51
1:D:158:ARG:HH11	1:D:158:ARG:HG2	1.76	0.50
1:D:92:LYS:HD2	1:D:119:LEU:CD1	2.40	0.50
1:B:16:GLU:O	1:B:20:LEU:HD23	2.12	0.50
1:C:27:THR:OG1	1:C:120:HIS:HE1	1.95	0.49
1:C:61:ASP:HA	1:C:105:PHE:CZ	2.46	0.49
1:A:14:ARG:NH1	1:A:131:LEU:HD21	2.28	0.49
1:B:43:VAL:HA	1:B:59:ARG:HD3	1.94	0.48
1:D:146:GLU:HG2	1:D:154:TYR:CD1	2.48	0.48
1:D:208:ALA:O	1:D:209:LYS:HG3	2.14	0.48
1:B:190:GLN:NE2	1:B:190:GLN:HA	2.29	0.48
1:C:30:LEU:HD23	1:C:136:VAL:HB	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:SER:O	1:A:35:ALA:HB3	2.14	0.47
1:B:13:THR:OG1	1:B:16:GLU:HG3	2.14	0.47
1:A:14:ARG:HG3	1:A:14:ARG:NH1	2.21	0.47
1:B:141:PRO:HG2	1:B:144:VAL:HG23	1.96	0.47
1:A:116:ALA:O	1:A:120:HIS:HD2	1.97	0.47
1:A:208:ALA:O	1:A:209:LYS:CB	2.61	0.47
1:D:84:ILE:HG21	1:D:112:ASP:HB3	1.97	0.47
1:A:27:THR:OG1	1:A:120:HIS:HE1	1.97	0.47
1:D:158:ARG:NH1	1:D:158:ARG:HG2	2.30	0.47
1:C:59:ARG:NH1	5:C:1353:HOH:O	2.39	0.47
1:B:46:GLU:CD	1:B:59:ARG:HG3	2.34	0.46
1:D:27:THR:OG1	1:D:120:HIS:HE1	1.98	0.46
1:D:53:ARG:HH22	1:D:201:ASP:CG	2.19	0.46
1:A:124:THR:HG22	1:A:127:GLU:HB2	1.96	0.46
1:D:53:ARG:NH2	1:D:209:LYS:HE3	2.30	0.46
1:D:37:GLY:O	1:D:41:LEU:HD23	2.16	0.46
1:D:22:ASN:CG	1:D:22:ASN:O	2.54	0.46
1:D:44:GLU:HG3	1:D:193:VAL:HG21	1.98	0.45
1:A:119:LEU:HG	5:A:1350:HOH:O	2.16	0.45
1:D:30:LEU:HD12	1:D:136:VAL:HB	1.97	0.45
1:A:16:GLU:HA	5:A:1375:HOH:O	2.16	0.45
1:B:190:GLN:HG2	5:B:1344:HOH:O	2.17	0.45
1:A:47:HIS:CD2	1:A:51:ARG:HH21	2.33	0.45
1:C:142:VAL:HG23	5:C:1385:HOH:O	2.16	0.45
1:B:87:ILE:HD13	1:B:105:PHE:CE2	2.51	0.45
1:A:159:GLU:O	1:A:161:VAL:N	2.50	0.44
1:B:59:ARG:NH1	1:B:61:ASP:OD2	2.50	0.44
1:D:106:ILE:HG13	4:D:1306:ADX:H5'	2.00	0.44
1:B:116:ALA:O	1:B:120:HIS:HD2	2.00	0.44
1:C:190:GLN:H	1:C:190:GLN:NE2	2.16	0.44
1:A:174:ALA:HA	1:A:175:PRO:HD3	1.90	0.44
1:C:14:ARG:NH1	1:C:131:LEU:HD21	2.33	0.44
1:B:114:ASP:O	1:B:118:GLN:HG2	2.18	0.44
1:C:47:HIS:O	1:C:51:ARG:HB3	2.17	0.43
1:C:27:THR:OG1	1:C:120:HIS:CE1	2.71	0.43
1:A:27:THR:OG1	1:A:120:HIS:CE1	2.71	0.43
1:B:15:SER:HB3	2:B:1003:SO4:O4	2.18	0.43
1:C:116:ALA:O	1:C:120:HIS:HD2	2.01	0.43
1:A:23:GLN:HE22	1:A:56:HIS:N	1.83	0.43
1:C:106:ILE:O	1:C:107:SER:C	2.57	0.43
1:C:76:SER:O	1:C:80:ARG:HG2	2.19	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:153:LEU:CD1	4:D:1306:ADX:O2'	2.67	0.43
1:D:153:LEU:HD13	4:D:1306:ADX:O2'	2.18	0.43
1:D:18:THR:HA	1:D:98:ASN:ND2	2.33	0.43
1:B:190:GLN:HE21	1:B:190:GLN:HA	1.84	0.42
1:D:13:THR:OG1	1:D:16:GLU:HG3	2.19	0.42
1:A:17:ARG:NH2	1:B:57:ALA:O	2.52	0.42
1:D:190:GLN:H	1:D:190:GLN:NE2	2.17	0.42
1:D:56:HIS:HD2	1:D:99:SER:OG	2.02	0.41
1:A:61:ASP:HA	1:A:105:PHE:CZ	2.54	0.41
1:B:105:PHE:HB3	4:B:1303:ADX:O1B	2.20	0.41
1:D:59:ARG:NH1	1:D:61:ASP:OD2	2.53	0.41
1:A:47:HIS:CE1	1:B:10:SER:O	2.69	0.41
1:C:141:PRO:HG2	1:C:144:VAL:HG23	2.01	0.41
1:B:30:LEU:HD23	1:B:136:VAL:HB	2.02	0.41
1:D:185:TYR:O	1:D:186:GLU:C	2.58	0.41
1:C:143:GLU:CD	1:C:143:GLU:H	2.24	0.41
1:A:106:ILE:O	1:A:107:SER:C	2.59	0.41
1:C:80:ARG:NH1	5:C:1333:HOH:O	2.52	0.41
1:A:67:PHE:N	1:A:67:PHE:CD1	2.89	0.41
1:D:27:THR:OG1	1:D:120:HIS:CE1	2.73	0.41
1:B:76:SER:O	1:B:79:ASP:HB2	2.21	0.41
1:B:199:TYR:O	1:B:203:LYS:HG2	2.21	0.41
1:D:198:ASP:O	1:D:202:THR:HG23	2.21	0.41
1:C:8:HIS:HB2	1:D:47:HIS:CD2	2.56	0.40
1:C:14:ARG:CG	1:C:14:ARG:NH1	2.84	0.40
1:B:13:THR:HG23	1:B:16:GLU:OE2	2.21	0.40
1:C:34:SER:O	1:C:35:ALA:HB3	2.21	0.40
1:A:48:GLN:O	1:A:52:ASP:HB2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	201/211 (95%)	187 (93%)	11 (6%)	3 (2%)	13	5
1	B	196/211 (93%)	188 (96%)	8 (4%)	0	100	100
1	C	202/211 (96%)	191 (95%)	11 (5%)	0	100	100
1	D	194/211 (92%)	185 (95%)	8 (4%)	1 (0%)	34	26
All	All	793/844 (94%)	751 (95%)	38 (5%)	4 (0%)	34	26

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	208	ALA
1	A	160	GLY
1	A	164	GLU
1	A	125	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	171/180 (95%)	166 (97%)	5 (3%)	50	49
1	B	168/180 (93%)	164 (98%)	4 (2%)	57	58
1	C	172/180 (96%)	165 (96%)	7 (4%)	37	32
1	D	168/180 (93%)	164 (98%)	4 (2%)	57	58
All	All	679/720 (94%)	659 (97%)	20 (3%)	50	49

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	LEU
1	A	66	ARG
1	A	113	ARG
1	A	147	GLN
1	A	185	TYR
1	B	26	LEU
1	B	41	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	131	LEU
1	B	171	PRO
1	C	26	LEU
1	C	41	LEU
1	C	51	ARG
1	C	77	GLU
1	C	113	ARG
1	C	147	GLN
1	C	190	GLN
1	D	22	ASN
1	D	26	LEU
1	D	75	PHE
1	D	190	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	47	HIS
1	A	48	GLN
1	A	120	HIS
1	B	48	GLN
1	B	56	HIS
1	B	98	ASN
1	B	120	HIS
1	B	190	GLN
1	B	195	GLN
1	C	23	GLN
1	C	48	GLN
1	C	98	ASN
1	C	118	GLN
1	C	120	HIS
1	C	147	GLN
1	C	190	GLN
1	C	195	GLN
1	D	22	ASN
1	D	23	GLN
1	D	56	HIS
1	D	81	ASN
1	D	118	GLN
1	D	120	HIS
1	D	190	GLN



### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	SO4	A	1002	-	4,4,4	0.23	0	6,6,6	0.09	0
2	SO4	A	1005	-	4,4,4	0.20	0	6,6,6	0.06	0
2	SO4	A	1006	-	4,4,4	0.22	0	6,6,6	0.12	0
2	SO4	A	1009	-	4,4,4	0.27	0	6,6,6	0.10	0
2	SO4	A	1012	-	4,4,4	0.18	0	6,6,6	0.12	0
3	ADP	A	1301	-	22,29,29	1.48	4 (18%)	27,45,45	3.09	5 (18%)
2	SO4	B	1003	-	4,4,4	0.16	0	6,6,6	0.08	0
2	SO4	B	1007	-	4,4,4	0.26	0	6,6,6	0.11	0
3	ADP	B	1302	-	22,29,29	1.40	4 (18%)	27,45,45	3.15	5 (18%)
4	ADX	B	1303	-	22,29,29	2.59	7 (31%)	25,45,45	1.72	5 (20%)
2	SO4	C	1001	-	4,4,4	0.30	0	6,6,6	0.10	0
2	SO4	C	1004	-	4,4,4	0.25	0	6,6,6	0.08	0
2	SO4	C	1008	-	4,4,4	0.21	0	6,6,6	0.09	0
2	SO4	C	1011	-	4,4,4	0.16	0	6,6,6	0.11	0
3	ADP	C	1304	-	22,29,29	1.38	4 (18%)	27,45,45	3.03	3 (11%)
2	SO4	D	1010	-	4,4,4	0.24	0	6,6,6	0.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ADP	D	1305	-	22,29,29	1.50	5 (22%)	27,45,45	3.13	6 (22%)
4	ADX	D	1306	-	22,29,29	2.45	7 (31%)	25,45,45	1.85	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	1002	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1005	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1006	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1009	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1012	-	-	0/0/0/0	0/0/0/0
3	ADP	A	1301	-	-	0/12/32/32	0/3/3/3
2	SO4	B	1003	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1007	-	-	0/0/0/0	0/0/0/0
3	ADP	B	1302	-	-	0/12/32/32	0/3/3/3
4	ADX	B	1303	-	-	0/6/32/32	0/3/3/3
2	SO4	C	1001	-	-	0/0/0/0	0/0/0/0
2	SO4	C	1004	-	-	0/0/0/0	0/0/0/0
2	SO4	C	1008	-	-	0/0/0/0	0/0/0/0
2	SO4	C	1011	-	-	0/0/0/0	0/0/0/0
3	ADP	C	1304	-	-	0/12/32/32	0/3/3/3
2	SO4	D	1010	-	-	0/0/0/0	0/0/0/0
3	ADP	D	1305	-	-	0/12/32/32	0/3/3/3
4	ADX	D	1306	-	-	0/6/32/32	0/3/3/3

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1301	ADP	C5-N7	-2.82	1.29	1.39
3	C	1304	ADP	C5-N7	-2.74	1.30	1.39
3	D	1305	ADP	C5-N7	-2.40	1.31	1.39
4	B	1303	ADX	O3'-C3'	-2.38	1.37	1.43
3	B	1302	ADP	C5-N7	-2.30	1.31	1.39
3	D	1305	ADP	PA-O2A	-2.12	1.45	1.54
3	A	1301	ADP	PA-O2A	-2.11	1.45	1.54
4	D	1306	ADX	O3'-C3'	-2.02	1.38	1.43
3	D	1305	ADP	C4-N3	2.08	1.38	1.35
3	C	1304	ADP	C2-N1	2.18	1.38	1.33
4	D	1306	ADX	C3'-C4'	2.29	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1304	ADP	O4'-C1'	2.36	1.44	1.41
3	B	1302	ADP	C4-N3	2.38	1.39	1.35
3	A	1301	ADP	C2-N3	2.55	1.36	1.32
3	B	1302	ADP	O4'-C1'	2.63	1.44	1.41
4	B	1303	ADX	C3'-C4'	2.64	1.60	1.53
3	B	1302	ADP	C2-N3	2.74	1.37	1.32
3	C	1304	ADP	C2-N3	2.76	1.37	1.32
3	D	1305	ADP	C2-N3	2.79	1.37	1.32
3	A	1301	ADP	O4'-C1'	3.08	1.45	1.41
3	D	1305	ADP	O4'-C1'	3.42	1.45	1.41
4	D	1306	ADX	O4'-C4'	3.43	1.52	1.45
4	D	1306	ADX	C2-N3	3.49	1.38	1.32
4	B	1303	ADX	O4'-C4'	3.66	1.53	1.45
4	B	1303	ADX	C2-N3	3.85	1.39	1.32
4	B	1303	ADX	C4-N3	4.14	1.41	1.35
4	D	1306	ADX	C4-N3	4.23	1.41	1.35
4	D	1306	ADX	O4'-C1'	4.89	1.47	1.41
4	B	1303	ADX	O4'-C1'	5.57	1.48	1.41
4	D	1306	ADX	O2'-C2'	6.78	1.59	1.43
4	B	1303	ADX	O2'-C2'	6.89	1.59	1.43

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1301	ADP	N3-C2-N1	-14.20	118.02	128.89
3	B	1302	ADP	N3-C2-N1	-14.02	118.16	128.89
3	D	1305	ADP	N3-C2-N1	-13.98	118.19	128.89
3	C	1304	ADP	N3-C2-N1	-13.84	118.30	128.89
3	B	1302	ADP	C1'-N9-C4	-5.75	118.27	126.94
4	D	1306	ADX	N3-C2-N1	-5.73	124.51	128.89
3	D	1305	ADP	C1'-N9-C4	-5.72	118.32	126.94
4	B	1303	ADX	N3-C2-N1	-5.56	124.63	128.89
3	C	1304	ADP	C1'-N9-C4	-5.38	118.83	126.94
3	A	1301	ADP	C1'-N9-C4	-4.98	119.42	126.94
3	D	1305	ADP	C2'-C1'-N9	-2.37	110.67	114.29
3	B	1302	ADP	C4-C5-N7	-2.33	107.33	109.48
4	D	1306	ADX	O2'-C2'-C3'	-2.22	104.60	111.83
3	B	1302	ADP	C2'-C1'-N9	-2.20	110.93	114.29
3	D	1305	ADP	C4-C5-N7	-2.01	107.63	109.48
3	A	1301	ADP	C4-C5-N7	-2.00	107.64	109.48
3	D	1305	ADP	C2-N1-C6	2.01	122.35	118.77
3	A	1301	ADP	C2-N1-C6	2.08	122.49	118.77

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1303	ADX	C4'-O4'-C1'	2.15	112.08	109.72
4	B	1303	ADX	N6-C6-N1	2.24	124.02	119.20
3	C	1304	ADP	C4'-O4'-C1'	2.35	112.31	109.72
4	D	1306	ADX	N6-C6-N1	2.39	124.34	119.20
4	D	1306	ADX	C4'-O4'-C1'	2.48	112.44	109.72
3	D	1305	ADP	C4'-O4'-C1'	2.58	112.56	109.72
4	B	1303	ADX	C1'-N9-C4	2.63	130.91	126.94
3	B	1302	ADP	C4'-O4'-C1'	2.97	112.98	109.72
3	A	1301	ADP	C4'-O4'-C1'	2.98	113.00	109.72
4	D	1306	ADX	C1'-N9-C4	3.02	131.50	126.94
4	B	1303	ADX	C2-N1-C6	3.65	125.28	118.77
4	D	1306	ADX	C2-N1-C6	3.65	125.29	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1003	SO4	1	0
4	B	1303	ADX	1	0
4	D	1306	ADX	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	203/211 (96%)	0.26	15 (7%) 17 18	20, 32, 66, 84	0
1	B	200/211 (94%)	0.32	14 (7%) 19 21	22, 34, 62, 73	0
1	C	204/211 (96%)	0.35	17 (8%) 14 15	18, 33, 64, 91	0
1	D	198/211 (93%)	0.45	21 (10%) 8 9	23, 37, 69, 86	0
All	All	805/844 (95%)	0.34	67 (8%) 14 15	18, 34, 65, 91	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	122	VAL	7.5
1	D	15	SER	5.8
1	A	160	GLY	5.6
1	C	124	THR	5.6
1	D	122	VAL	5.6
1	C	6	THR	5.0
1	A	124	THR	4.8
1	A	125	PRO	4.6
1	D	129	THR	4.6
1	A	126	GLY	4.4
1	D	208	ALA	4.3
1	D	75	PHE	4.2
1	C	209	LYS	4.0
1	D	118	GLN	4.0
1	C	126	GLY	3.9
1	A	128	GLU	3.8
1	C	128	GLU	3.8
1	A	157	ALA	3.8
1	C	123	ALA	3.7
1	B	20	LEU	3.5
1	B	102	ILE	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	102	ILE	3.4
1	B	211	GLU	3.4
1	C	208	ALA	3.3
1	C	129	THR	3.2
1	D	22	ASN	3.2
1	B	19	GLU	3.2
1	C	125	PRO	3.2
1	D	60	LEU	3.1
1	A	7	PHE	3.1
1	A	123	ALA	3.0
1	D	119	LEU	2.9
1	A	129	THR	2.9
1	C	122	VAL	2.9
1	B	118	GLN	2.8
1	C	7	PHE	2.8
1	B	22	ASN	2.8
1	B	15	SER	2.7
1	A	209	LYS	2.7
1	B	77	GLU	2.7
1	D	57	ALA	2.6
1	D	103	THR	2.5
1	C	101	ALA	2.5
1	C	8	HIS	2.5
1	D	111	LYS	2.4
1	B	129	THR	2.4
1	A	66	ARG	2.4
1	C	102	ILE	2.3
1	A	162	ILE	2.3
1	D	13	THR	2.3
1	D	18	THR	2.3
1	D	30	LEU	2.3
1	D	204	GLY	2.2
1	A	75	PHE	2.2
1	A	161	VAL	2.2
1	C	127	GLU	2.2
1	B	103	THR	2.2
1	B	60	LEU	2.1
1	D	94	PHE	2.1
1	C	67	PHE	2.1
1	D	19	GLU	2.1
1	D	101	ALA	2.1
1	B	30	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	101	ALA	2.1
1	A	60	LEU	2.1
1	D	130	GLY	2.1
1	C	91	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	B	1007	5/5	0.79	0.31	4.87	52,52,54,55	5
2	SO4	D	1010	5/5	0.79	0.27	4.37	86,87,89,89	5
4	ADX	B	1303	27/27	0.85	0.31	4.32	27,37,41,47	27
4	ADX	D	1306	27/27	0.84	0.34	3.17	32,41,45,51	27
2	SO4	B	1003	5/5	0.70	0.44	2.35	147,147,148,148	0
2	SO4	C	1008	5/5	0.90	0.19	1.25	88,88,89,89	5
2	SO4	A	1005	5/5	0.90	0.17	0.87	84,85,86,86	5
3	ADP	B	1302	27/27	0.96	0.13	0.76	25,46,55,56	0
2	SO4	A	1006	5/5	0.85	0.26	0.51	82,82,83,84	5
3	ADP	D	1305	27/27	0.96	0.12	0.19	26,44,51,52	0
3	ADP	C	1304	27/27	0.98	0.12	0.04	19,25,31,32	0
2	SO4	A	1002	5/5	0.94	0.14	-0.23	65,69,71,71	0
3	ADP	A	1301	27/27	0.99	0.11	-0.29	19,25,30,30	0
2	SO4	C	1004	5/5	0.93	0.16	-0.45	75,77,78,78	0
2	SO4	C	1001	5/5	0.97	0.10	-1.31	45,49,51,51	0
2	SO4	A	1009	5/5	0.93	0.27	-	65,65,66,66	5
2	SO4	C	1011	5/5	0.89	0.21	-	81,82,84,85	5

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	A	1012	5/5	0.84	0.24	-	90,90,91,92	5

## 6.5 Other polymers [i](#)

There are no such residues in this entry.