WORLDWIDE PDB PROTEIN DATA BANK

Full wwPDB X-ray Structure Validation Report (i)

Feb 1, 2016 – 10:31 AM GMT

PDB ID : 3MAR
Title : Crystal structure of homodimeric R132H mutant of human cytosolic NADP(+)-dependent isocitrate dehydrogenase in complex with NADP
Authors : Yang, B.; Peng, Y.; Ding, J.
Deposited on : 2010-03-24
Resolution : 3.41 Å(reported)

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Rfree		0.242
Clashscore		15
Ramachandran outliers		2.6%
Sidechain outliers		10.9%
RSRZ outliers		3.4%

Worse *Better*

■ Percentile relative to all X-ray structures
▯ Percentile relative to X-ray structures of similar resolution

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1049 (3.52-3.32)
Clashscore	102246	1032 (3.50-3.34)
Ramachandran outliers	100387	1002 (3.50-3.34)
Sidechain outliers	100360	1003 (3.50-3.34)
RSRZ outliers	91569	1054 (3.52-3.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	422	4% / 56% / 30% / 7% / 7%
1	B	422	2% / 65% / 23% / 5% / 6%

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 6334 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP] cytoplasmic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	393	Total	C	N	O	S	0	0	0
			3109	1982	527	583	17			
1	B	395	Total	C	N	O	S	0	0	0
			3129	1993	533	584	19			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	132	HIS	ARG	ENGINEERED	UNP O75874
A	415	LEU	-	EXPRESSION TAG	UNP O75874
A	416	GLU	-	EXPRESSION TAG	UNP O75874
A	417	HIS	-	EXPRESSION TAG	UNP O75874
A	418	HIS	-	EXPRESSION TAG	UNP O75874
A	419	HIS	-	EXPRESSION TAG	UNP O75874
A	420	HIS	-	EXPRESSION TAG	UNP O75874
A	421	HIS	-	EXPRESSION TAG	UNP O75874
A	422	HIS	-	EXPRESSION TAG	UNP O75874
B	132	HIS	ARG	ENGINEERED	UNP O75874
B	415	LEU	-	EXPRESSION TAG	UNP O75874
B	416	GLU	-	EXPRESSION TAG	UNP O75874
B	417	HIS	-	EXPRESSION TAG	UNP O75874
B	418	HIS	-	EXPRESSION TAG	UNP O75874
B	419	HIS	-	EXPRESSION TAG	UNP O75874
B	420	HIS	-	EXPRESSION TAG	UNP O75874
B	421	HIS	-	EXPRESSION TAG	UNP O75874
B	422	HIS	-	EXPRESSION TAG	UNP O75874

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).

NAP

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic

• Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α, β, γ	83.10Å 83.10Å 306.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 3.41	Depositor
	38.70 – 3.41	EDS
% Data completeness (in resolution range)	91.3 (50.00-3.41)	Depositor
	91.3 (38.70-3.41)	EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$<I/\sigma(I)>$ [1]	2.30 (at 3.40Å)	Xtriage
Refinement program	CNS 1.3	Depositor
R, R_{free}	0.245 , 0.289	Depositor
	0.248 , 0.242	DCC
R_{free} test set	719 reflections (5.07%)	DCC
Wilson B-factor (Å^2)	81.6	Xtriage
Anisotropy	0.472	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 70.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning[2]	$<|L|> = 0.49$, $<L^2> = 0.32$	Xtriage
Outliers	0 of 14202 reflections	Xtriage
F_o,F_c correlation	0.90	EDS
Total number of atoms	6334	wwPDB-VP
Average B, all atoms (Å^2)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.68% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1] Intensities estimated from amplitudes.
[2] Theoretical values of $<|L|>$, $<L^2>$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$ >5	RMSZ	#$|Z|$ >5
1	A	0.53	0/3172	0.62	0/4273
1	B	0.55	1/3192 (0.0%)	0.58	0/4298
All	All	0.54	1/6364 (0.0%)	0.60	0/8571

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	183	TYR	CE2-CZ	5.41	1.45	1.38

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3109	0	3094	122	0
1	B	3129	0	3130	85	0
2	A	48	0	25	2	0
2	B	48	0	25	2	0
All	All	6334	0	6274	192	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:196:SER:O	1:B:207:LEU:HD11	1.44	1.18
1:A:172:PHE:HE2	1:A:177:GLY:HA3	1.25	1.01
1:A:22:ILE:O	1:A:26:ILE:HD13	1.64	0.97
1:A:229:GLU:H	1:A:229:GLU:CD	1.65	0.93
1:A:19:THR:HG21	1:A:74:ALA:HB3	1.51	0.93
1:A:329:PRO:O	1:A:333:ILE:HD13	1.70	0.92
1:A:113:ILE:HD13	1:A:127:PRO:HB3	1.57	0.85
1:A:172:PHE:CE2	1:A:177:GLY:HA3	2.14	0.83
1:A:222:ARG:HA	1:A:225:ASP:HB2	1.62	0.82
1:B:205:TRP:HB3	1:B:206:PRO:HD2	1.62	0.81
1:A:380:ILE:HG22	1:A:381:LYS:HG3	1.64	0.79
1:B:291:MET:HB3	1:B:308:ALA:HB3	1.63	0.78
1:A:17:GLU:HG3	1:A:316:TYR:CD2	2.19	0.77
1:A:13:MET:CE	1:A:64:ILE:HD11	2.15	0.77
1:A:385:ASN:H	1:A:385:ASN:HD22	1.31	0.76
1:B:121:VAL:HG12	1:B:123:GLY:H	1.52	0.75
1:A:156:TYR:HD2	1:B:152:VAL:HG22	1.51	0.75
1:A:315:HIS:HE1	2:A:1003:NAP:O2X	1.70	0.75
1:B:196:SER:O	1:B:207:LEU:CD1	2.31	0.73
1:A:80:GLU:O	1:A:83:VAL:HG23	1.88	0.73
1:B:403:GLU:O	1:B:407:ILE:HG12	1.90	0.71
1:A:46:ILE:HD11	1:A:88:LEU:HD21	1.72	0.71
1:A:177:GLY:N	1:B:186:ASP:OD1	2.23	0.70
1:A:231:TYR:HE1	1:A:239:PHE:CD2	2.10	0.69
1:B:236:LYS:O	1:B:240:GLU:HG2	1.93	0.68
1:B:211:THR:CG2	1:B:248:HIS:HE1	2.07	0.67
1:A:385:ASN:H	1:A:385:ASN:ND2	1.92	0.67
1:B:205:TRP:HB3	1:B:206:PRO:CD	2.26	0.66
1:B:154:ILE:HD13	1:B:155:THR:N	2.11	0.66
1:A:13:MET:HE2	1:A:64:ILE:HD11	1.77	0.65
1:B:114:CYS:HB3	1:B:364:ILE:HG23	1.79	0.65
1:B:79:ASP:OD2	1:B:81:LYS:HB2	1.97	0.65
1:A:219:TYR:HA	1:B:178:VAL:HG21	1.79	0.64
1:A:68:ASN:HA	1:A:302:THR:HG23	1.79	0.64
1:B:133:HIS:HB2	1:B:192:PHE:CE1	2.34	0.63
1:B:231:TYR:O	1:B:236:LYS:N	2.32	0.63
1:A:307:ALA:HB1	1:A:331:ALA:HB1	1.81	0.62
1:A:184:ASN:HB3	1:A:189:ILE:HD11	1.82	0.62
1:B:22:ILE:O	1:B:26:ILE:HG12	1.99	0.62
1:B:211:THR:HG22	1:B:248:HIS:HE1	1.64	0.62

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298:PRO:O	1:A:300:GLY:N	2.32	0.62
1:A:248:HIS:C	1:A:248:HIS:CD2	2.74	0.60
1:B:156:TYR:CE1	1:B:158:PRO:HD3	2.37	0.60
1:B:215:ILE:HG22	1:B:216:LEU:HD13	1.83	0.60
1:B:212:LYS:HG2	1:B:215:ILE:HD13	1.83	0.59
1:B:189:ILE:HG22	1:B:226:ILE:HG21	1.83	0.59
1:A:377:ALA:O	1:A:380:ILE:O	2.19	0.59
1:A:156:TYR:CE2	1:B:146:VAL:HG13	2.37	0.59
1:A:229:GLU:CD	1:A:229:GLU:N	2.48	0.59
1:B:60:ALA:O	1:B:64:ILE:HG12	2.03	0.59
1:A:9:SER:OG	1:A:67:HIS:HD2	1.84	0.59
1:B:74:ALA:O	1:B:75:THR:HG23	2.02	0.59
1:A:231:TYR:HE1	1:A:239:PHE:CE2	2.21	0.59
1:A:193:ALA:O	1:A:197:PHE:HD1	1.86	0.58
1:A:197:PHE:HE2	1:A:231:TYR:HD1	1.51	0.58
1:A:211:THR:HG22	1:A:248:HIS:NE2	2.19	0.58
1:A:357:ASN:O	1:A:361:GLU:HG2	2.04	0.57
1:A:61:ALA:HB1	1:A:102:ILE:HG21	1.87	0.57
1:A:173:GLU:HG3	1:A:174:GLU:HG2	1.86	0.57
1:B:231:TYR:CE2	1:B:236:LYS:HD2	2.39	0.57
1:A:258:ALA:HA	1:A:261:SER:HB3	1.87	0.56
1:A:86:PHE:O	1:A:87:LYS:HB2	2.06	0.56
1:B:96:ASN:HD21	2:B:1003:NAP:H72N	1.54	0.56
1:A:97:GLY:HA2	1:A:100:ARG:HB2	1.88	0.56
1:A:116:ASN:O	1:A:380:ILE:HD11	2.05	0.56
1:B:153:GLU:HA	1:B:169:VAL:HG22	1.88	0.56
1:B:371:PHE:HD2	1:B:392:LEU:HD11	1.71	0.55
1:B:357:ASN:O	1:B:361:GLU:HG2	2.07	0.55
1:B:120:LEU:HB3	1:B:124:TRP:CZ3	2.41	0.55
1:B:72:LYS:HG2	1:B:73:CYS:O	2.07	0.55
1:A:343:ARG:HH21	1:A:347:ASP:CG	2.09	0.54
1:A:329:PRO:HB2	1:A:333:ILE:HD11	1.89	0.54
1:A:4:LYS:HB3	1:A:36:GLU:HG2	1.88	0.54
1:A:385:ASN:N	1:A:385:ASN:ND2	2.56	0.54
1:A:91:MET:CE	1:A:91:MET:HA	2.38	0.53
1:A:15:GLY:HA2	1:A:75:THR:HG22	1.89	0.53
1:A:209:LEU:HD22	1:A:268:ALA:O	2.09	0.52
1:A:152:VAL:HG13	1:B:154:ILE:HD11	1.92	0.52
1:B:80:GLU:H	1:B:80:GLU:CD	2.13	0.52
1:B:169:VAL:O	1:B:170:HIS:HB2	2.09	0.52
1:A:72:LYS:HG2	1:A:73:CYS:O	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:HIS:CE1	1:A:235:TYR:HE1	2.27	0.52
1:A:52:THR:O	1:A:55:GLN:HB2	2.09	0.52
1:A:17:GLU:OE1	1:A:76:ILE:HD11	2.09	0.51
1:B:172:PHE:CD1	1:B:172:PHE:N	2.77	0.51
1:B:207:LEU:HD23	1:B:208:TYR:N	2.26	0.51
1:A:9:SER:OG	1:A:67:HIS:CD2	2.65	0.50
1:A:249:ARG:O	1:A:250:LEU:HB2	2.11	0.50
1:A:26:ILE:O	1:A:30:LEU:HB2	2.12	0.50
1:A:230:ILE:O	1:A:230:ILE:HG22	2.11	0.50
1:B:231:TYR:CZ	1:B:246:TYR:HB3	2.47	0.49
1:A:244:ILE:CG2	1:A:245:TRP:N	2.75	0.49
1:A:228:GLN:O	1:A:231:TYR:HB3	2.12	0.49
1:A:16:ASP:O	1:A:311:THR:HG22	2.11	0.49
1:A:81:LYS:HD2	1:A:81:LYS:H	1.78	0.49
1:A:381:LYS:O	1:A:382:GLY:O	2.31	0.48
1:B:237:SER:O	1:B:240:GLU:HG3	2.12	0.48
1:B:211:THR:HG22	1:B:248:HIS:CE1	2.47	0.48
1:A:95:PRO:O	1:A:99:ILE:HG13	2.13	0.48
1:A:150:GLY:HA3	1:B:158:PRO:HA	1.95	0.48
1:A:219:TYR:CE1	1:B:180:MET:HG2	2.48	0.47
1:B:187:LYS:O	1:B:190:GLU:HG3	2.14	0.47
1:A:91:MET:HE2	1:A:91:MET:HA	1.96	0.47
1:B:231:TYR:CZ	1:B:236:LYS:HD2	2.49	0.47
1:B:231:TYR:CD2	1:B:246:TYR:HD1	2.33	0.47
1:B:192:PHE:HD1	1:B:223:PHE:HE2	1.61	0.47
1:A:288:LEU:HD13	2:A:1003:NAP:H1B	1.97	0.47
1:A:78:PRO:HA	1:A:82:ARG:HG3	1.97	0.47
1:A:231:TYR:CE1	1:A:246:TYR:HB3	2.50	0.47
1:A:381:LYS:O	1:A:385:ASN:HB2	2.15	0.47
1:A:25:LEU:HD22	1:A:398:MET:HG3	1.96	0.47
1:B:154:ILE:HD13	1:B:155:THR:H	1.77	0.47
1:B:165:VAL:HG12	1:B:167:TYR:CE1	2.50	0.47
1:B:183:TYR:HD2	1:B:183:TYR:H	1.62	0.47
1:A:244:ILE:HG22	1:A:245:TRP:N	2.29	0.46
1:A:211:THR:HG22	1:A:248:HIS:HE2	1.78	0.46
1:A:177:GLY:CA	1:B:186:ASP:OD1	2.62	0.46
1:A:113:ILE:CD1	1:A:127:PRO:HB3	2.38	0.46
1:A:69:VAL:HG21	1:A:343:ARG:HD2	1.96	0.46
1:B:172:PHE:HD1	1:B:172:PHE:N	2.12	0.46
1:A:383:LEU:O	1:A:386:VAL:HG23	2.15	0.46
1:A:94:SER:HB3	1:A:96:ASN:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:211:THR:HG23	1:A:212:LYS:N	2.30	0.46
1:A:23:TRP:C	1:A:25:LEU:H	2.20	0.46
1:A:18:MET:H	1:A:316:TYR:HB2	1.81	0.46
1:A:186:ASP:CG	1:B:177:GLY:H	2.19	0.45
1:B:237:SER:HA	1:B:240:GLU:OE1	2.16	0.45
1:A:144:PHE:CZ	1:B:154:ILE:HD12	2.52	0.45
1:B:194:HIS:O	1:B:195:SER:C	2.55	0.45
1:A:13:MET:HG3	1:A:71:VAL:O	2.17	0.45
1:A:403:GLU:O	1:A:407:ILE:HG12	2.16	0.45
1:B:215:ILE:HD12	1:B:215:ILE:N	2.32	0.45
1:B:318:MET:HB3	1:B:323:GLN:HB2	1.99	0.45
1:B:114:CYS:SG	1:B:117:ILE:HD13	2.57	0.44
1:B:16:ASP:OD1	1:B:46:ILE:HG22	2.17	0.44
1:A:248:HIS:HD2	1:A:249:ARG:N	2.16	0.44
1:A:197:PHE:HE2	1:A:231:TYR:CD1	2.31	0.44
1:B:133:HIS:HB2	1:B:192:PHE:CD1	2.53	0.44
1:B:194:HIS:O	1:B:197:PHE:N	2.50	0.44
1:A:232:ASP:HA	1:A:236:LYS:HB2	2.00	0.44
1:B:374:LYS:HE2	1:B:391:TYR:CE2	2.52	0.44
1:A:333:ILE:CD1	1:A:333:ILE:N	2.81	0.44
1:B:211:THR:OG1	1:B:220:ASP:HB3	2.18	0.44
1:B:242:GLN:O	1:B:244:ILE:HG13	2.17	0.44
1:A:172:PHE:N	1:A:172:PHE:HD1	2.15	0.44
1:A:172:PHE:N	1:A:172:PHE:CD1	2.85	0.44
1:A:29:LYS:HG3	1:A:30:LEU:HD22	2.00	0.43
1:A:267:TRP:NE1	1:A:269:CYS:HB3	2.33	0.43
1:A:326:SER:HB2	1:A:393:ASN:HA	1.99	0.43
1:A:186:ASP:OD1	1:B:176:GLY:HA3	2.19	0.43
1:B:115:LYS:HD3	1:B:368:GLU:OE2	2.18	0.43
1:A:146:VAL:HG13	1:B:156:TYR:CE2	2.53	0.43
1:A:143:ASP:OD2	1:B:218:LYS:HB2	2.18	0.43
1:B:77:THR:HA	1:B:78:PRO:HD3	1.80	0.43
1:B:343:ARG:NE	1:B:347:ASP:OD2	2.52	0.43
1:A:344:ALA:HA	1:A:349:ASN:HB3	2.01	0.42
1:A:249:ARG:HB3	1:A:250:LEU:H	1.67	0.42
1:A:168:LEU:HD12	1:A:170:HIS:N	2.33	0.42
1:A:99:ILE:O	1:A:102:ILE:HG22	2.19	0.42
1:B:382:GLY:O	1:B:386:VAL:HG23	2.19	0.42
1:A:186:ASP:CG	1:B:177:GLY:N	2.72	0.42
1:A:193:ALA:O	1:A:197:PHE:N	2.52	0.42
1:B:121:VAL:HG12	1:B:123:GLY:N	2.27	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:ALA:HB1	1:A:102:ILE:CG2	2.49	0.42
1:B:344:ALA:HB2	1:B:352:LEU:HD23	2.02	0.42
1:A:228:GLN:N	1:A:229:GLU:OE2	2.52	0.42
1:A:193:ALA:C	1:A:197:PHE:HD1	2.22	0.42
1:B:393:ASN:HD22	1:B:395:PHE:H	1.67	0.42
1:B:69:VAL:HG21	1:B:343:ARG:HB2	2.01	0.42
1:A:158:PRO:HA	1:B:150:GLY:HA3	2.01	0.42
1:A:326:SER:HA	1:A:394:THR:H	1.83	0.42
1:A:194:HIS:O	1:A:195:SER:C	2.57	0.41
1:B:75:THR:O	2:B:1003:NAP:H2N	2.20	0.41
1:B:334:PHE:O	1:B:338:ARG:HB2	2.19	0.41
1:A:113:ILE:HD12	1:A:113:ILE:N	2.35	0.41
1:A:297:CYS:HB2	1:A:302:THR:HB	2.02	0.41
1:B:267:TRP:C	1:B:267:TRP:CD1	2.93	0.41
1:A:212:LYS:HE3	1:A:251:ILE:HG21	2.02	0.41
1:A:383:LEU:N	1:A:384:PRO:CD	2.84	0.41
1:B:58:LYS:O	1:B:62:GLU:HG2	2.21	0.41
1:A:248:HIS:HD2	1:A:248:HIS:C	2.21	0.41
1:B:266:ILE:HD12	1:B:266:ILE:N	2.36	0.41
1:B:184:ASN:HA	1:B:184:ASN:HD22	1.60	0.41
1:A:211:THR:HG22	1:A:248:HIS:CE1	2.56	0.40
1:A:30:LEU:HD23	1:A:398:MET:HE1	2.03	0.40
1:A:194:HIS:ND1	1:A:235:TYR:OH	2.55	0.40
1:A:230:ILE:O	1:A:230:ILE:CG2	2.70	0.40
1:A:116:ASN:OD1	1:A:368:GLU:HA	2.20	0.40
1:A:83:VAL:O	1:A:87:LYS:HA	2.20	0.40
1:A:334:PHE:HA	1:A:337:THR:OG1	2.21	0.40
1:A:270:LYS:HG2	1:A:271:ASN:N	2.37	0.40
1:B:20:ARG:O	1:B:24:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	385/422 (91%)	325 (84%)	47 (12%)	13 (3%)	5	37
1	B	389/422 (92%)	348 (90%)	34 (9%)	7 (2%)	11	51
All	All	774/844 (92%)	673 (87%)	81 (10%)	20 (3%)	7	43

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	170	HIS
1	A	299	ASP
1	B	2	SER
1	A	122	SER
1	A	148	GLY
1	A	250	LEU
1	A	382	GLY
1	B	75	THR
1	B	161	GLY
1	A	4	LYS
1	A	93	LYS
1	A	287	SER
1	B	74	ALA
1	B	163	GLN
1	B	170	HIS
1	A	46	ILE
1	A	54	ASP
1	A	87	LYS
1	B	194	HIS
1	A	121	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/358 (93%)	291 (88%)	41 (12%)	6	28
1	B	335/358 (94%)	303 (90%)	32 (10%)	10	42
All	All	667/716 (93%)	594 (89%)	73 (11%)	8	36

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	13	MET
1	A	16	ASP
1	A	17	GLU
1	A	25	LEU
1	A	26	ILE
1	A	46	ILE
1	A	55	GLN
1	A	81	LYS
1	A	83	VAL
1	A	90	GLN
1	A	91	MET
1	A	106	THR
1	A	115	LYS
1	A	119	ARG
1	A	142	THR
1	A	145	VAL
1	A	157	THR
1	A	166	THR
1	A	168	LEU
1	A	174	GLU
1	A	180	MET
1	A	185	GLN
1	A	228	GLN
1	A	238	GLN
1	A	248	HIS
1	A	249	ARG
1	A	251	ILE
1	A	254	MET
1	A	285	TYR
1	A	288	LEU
1	A	304	GLU
1	A	311	THR
1	A	326	SER
1	A	333	ILE
1	A	345	LYS
1	A	381	LYS
1	A	383	LEU
1	A	385	ASN
1	A	393	ASN
1	A	414	LEU
1	B	2	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	3	LYS
1	B	4	LYS
1	B	54	ASP
1	B	75	THR
1	B	81	LYS
1	B	114	CYS
1	B	115	LYS
1	B	119	ARG
1	B	153	GLU
1	B	154	ILE
1	B	155	THR
1	B	167	TYR
1	B	171	ASN
1	B	172	PHE
1	B	180	MET
1	B	183	TYR
1	B	184	ASN
1	B	186	ASP
1	B	190	GLU
1	B	198	GLN
1	B	213	ASN
1	B	216	LEU
1	B	237	SER
1	B	238	GLN
1	B	243	LYS
1	B	250	LEU
1	B	252	ASP
1	B	253	ASP
1	B	338	ARG
1	B	388	ARG
1	B	401	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	GLN
1	A	67	HIS
1	A	101	ASN
1	A	198	GLN
1	A	309	HIS
1	A	315	HIS
1	A	385	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	393	ASN
1	B	96	ASN
1	B	184	ASN
1	B	213	ASN
1	B	234	GLN
1	B	238	GLN
1	B	248	HIS
1	B	309	HIS
1	B	315	HIS
1	B	393	ASN

5.3.3   RNA ⓘ

There are no RNA molecules in this entry.

5.4   Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5   Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6   Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	#$|Z| > 2$	Counts	RMSZ	#$|Z| > 2$
2	NAP	A	1003	-	42,52,52	1.46	7 (16%)	54,80,80	1.78	10 (18%)
2	NAP	B	1003	-	42,52,52	1.27	4 (9%)	54,80,80	1.85	6 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1003	-	-	0/27/67/67	0/5/5/5
2	NAP	B	1003	-	-	0/27/67/67	0/5/5/5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1003	NAP	C5A-N7A	-2.10	1.32	1.39
2	A	1003	NAP	O4D-C1D	2.13	1.43	1.41
2	B	1003	NAP	C6N-N1N	2.15	1.41	1.35
2	A	1003	NAP	C6N-N1N	2.21	1.41	1.35
2	A	1003	NAP	P2B-O3X	2.29	1.62	1.54
2	B	1003	NAP	C3N-C7N	2.91	1.55	1.50
2	B	1003	NAP	P2B-O1X	2.95	1.60	1.51
2	A	1003	NAP	C3N-C7N	3.37	1.55	1.50
2	A	1003	NAP	P2B-O1X	3.93	1.64	1.51
2	B	1003	NAP	O4B-C1B	4.53	1.46	1.41
2	A	1003	NAP	O4B-C1B	4.61	1.47	1.41

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1003	NAP	N3A-C2A-N1A	-9.12	121.92	128.89
2	A	1003	NAP	N3A-C2A-N1A	-8.73	122.21	128.89
2	B	1003	NAP	C4D-O4D-C1D	-5.13	104.08	109.72
2	B	1003	NAP	PN-O3-PA	-4.02	121.44	132.73
2	A	1003	NAP	C4D-O4D-C1D	-3.76	105.58	109.72
2	A	1003	NAP	PN-O3-PA	-3.36	123.31	132.73
2	B	1003	NAP	C5D-C4D-C3D	-3.27	102.22	115.21
2	A	1003	NAP	C3N-C7N-N7N	-2.72	114.84	117.82
2	A	1003	NAP	C4B-O4B-C1B	-2.26	107.24	109.72
2	A	1003	NAP	C4A-C5A-N7A	-2.16	107.50	109.48
2	A	1003	NAP	C5B-C4B-C3B	-2.11	106.82	115.21
2	A	1003	NAP	P2B-O2B-C2B	-2.03	116.70	121.56
2	B	1003	NAP	O3X-P2B-O2X	2.07	115.25	107.38
2	A	1003	NAP	O7N-C7N-C3N	2.29	122.09	119.59
2	B	1003	NAP	O4D-C1D-N1N	2.41	110.78	108.13
2	A	1003	NAP	O4D-C1D-N1N	2.46	110.83	108.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1003	NAP	2	0
2	B	1003	NAP	2	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	393/422 (93%)	0.22	17 (4%)	39	34	42, 86, 122, 168	0
1	B	395/422 (93%)	0.22	10 (2%)	61	55	56, 85, 125, 185	0
All	All	788/844 (93%)	0.22	27 (3%)	49	44	42, 86, 125, 185	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	253	ASP	3.8
1	A	123	GLY	3.7
1	A	261	SER	3.3
1	A	78	PRO	3.3
1	A	262	GLU	2.9
1	A	86	PHE	2.9
1	B	84	GLU	2.9
1	B	235	TYR	2.8
1	A	82	ARG	2.8
1	A	122	SER	2.6
1	B	88	LEU	2.6
1	A	321	LYS	2.6
1	A	173	GLU	2.6
1	A	348	ASN	2.5
1	B	214	THR	2.5
1	B	213	ASN	2.4
1	B	80	GLU	2.4
1	A	322	GLY	2.3
1	A	88	LEU	2.3
1	A	243	LYS	2.2
1	B	412	ALA	2.2
1	B	414	LEU	2.2
1	A	85	GLU	2.2
1	A	79	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	230	ILE	2.1
1	A	242	GLN	2.0
1	A	174	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
2	NAP	B	1003	48/48	0.95	0.20	-0.24	40,81,128,171	0
2	NAP	A	1003	48/48	0.93	0.20	-0.45	18,81,148,205	0

6.5 Other polymers (i)

There are no such residues in this entry.