



Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 02:56 AM BST

PDB ID : 2ME8
Title : Solution Structure of BCL-xL in its p53-bound conformation determined with selective isotope labelling of I,L,V sidechains
Authors : Viacava Follis, A.; Grace, C.R.; Kriwacki, R.W.
Deposited on : 2013-09-25

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 45%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	212	

2 Ensemble composition and analysis

This entry contains 20 models. The atoms present in the NMR models are not consistent. Some calculations may have failed as a result. All residues are included in the validation scores. Model 16 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:6-A:26, A:88-A:196 (130)	0.87	16

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 3 single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 4, 6, 7, 8, 9, 10, 13, 14, 16, 18, 19, 20
2	11, 12
Single-model clusters	5; 15; 17

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3228 atoms, of which 1560 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Bcl-2-like protein 1.

Mol	Chain	Residues	Atoms						Trace
1	A	212	Total	C	H	N	O	S	0
			3228	1039	1560	290	333	6	

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	EXPRESSION TAG	UNP Q07817
A	2	HIS	-	EXPRESSION TAG	UNP Q07817
A	3	SER	-	EXPRESSION TAG	UNP Q07817

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Bcl-2-like protein 1




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Bcl-2-like protein 1




4.2.2 Score per residue for model 2

- Molecule 1: Bcl-2-like protein 1




4.2.3 Score per residue for model 3

- Molecule 1: Bcl-2-like protein 1




4.2.4 Score per residue for model 4

- Molecule 1: Bcl-2-like protein 1




4.2.5 Score per residue for model 5

- Molecule 1: Bcl-2-like protein 1




4.2.6 Score per residue for model 6

- Molecule 1: Bcl-2-like protein 1




4.2.7 Score per residue for model 7

- Molecule 1: Bcl-2-like protein 1




4.2.8 Score per residue for model 8


- Molecule 1: Bcl-2-like protein 1



- Molecule 1: Bcl-2-like protein 1




- Molecule 1: Bcl-2-like protein 1




4.2.11 Score per residue for model 11

- Molecule 1: Bcl-2-like protein 1



- Molecule 1: Bcl-2-like protein 1




- Molecule 1: Bcl-2-like protein 1




4.2.14 Score per residue for model 14

- Molecule 1: Bcl-2-like protein 1




4.2.15 Score per residue for model 15

- Molecule 1: Bcl-2-like protein 1




4.2.16 Score per residue for model 16 (medoid)

- Molecule 1: Bcl-2-like protein 1




4.2.17 Score per residue for model 17

- Molecule 1: Bcl-2-like protein 1




4.2.18 Score per residue for model 18

- Molecule 1: Bcl-2-like protein 1




4.2.19 Score per residue for model 19

- Molecule 1: Bcl-2-like protein 1



4.2.20 Score per residue for model 20

● Molecule 1: Bcl-2-like protein 1



5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	
AMBER	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	2me8_cs.str
Number of chemical shift lists	1
Total number of shifts	1254
Number of shifts mapped to atoms	1254
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	45%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality i

6.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.71±0.03	0±1/1081 (0.0±0.1%)	0.89±0.02	0±1/1465 (0.0±0.1%)
All	All	0.72	5/21620 (0.0%)	0.89	9/29300 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	5.5±1.9
All	All	0	109

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	95	GLU	CD-OE1	-6.26	1.18	1.25	9	1
1	A	95	GLU	CD-OE2	5.92	1.32	1.25	9	1
1	A	132	GLU	CD-OE2	5.43	1.31	1.25	15	2
1	A	132	GLU	CD-OE1	-5.14	1.20	1.25	11	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	192	ASP	CB-CG-OD2	-7.73	111.34	118.30	5	1
1	A	14	ASP	CB-CG-OD2	-7.25	111.78	118.30	2	2
1	A	14	ASP	CB-CG-OD1	-6.54	112.41	118.30	4	1
1	A	136	ASP	CB-CG-OD1	-5.89	113.00	118.30	15	1
1	A	176	TYR	CB-CG-CD2	-5.51	117.69	121.00	5	1
1	A	192	ASP	CB-CG-OD1	-5.45	113.40	118.30	15	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	136	ASP	CB-CG-OD2	-5.37	113.47	118.30	19	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	14	ASP	Sidechain,Mainchain	8
1	A	99	GLU	Sidechain	8
1	A	192	ASP	Sidechain,Mainchain	7
1	A	104	TYR	Sidechain,Mainchain	7
1	A	101	GLU	Sidechain,Mainchain	7
1	A	132	GLU	Sidechain	6
1	A	139	ASN	Mainchain	5
1	A	88	ALA	Mainchain	5
1	A	182	GLU	Sidechain	5
1	A	136	ASP	Sidechain	5
1	A	95	GLU	Sidechain,Mainchain	5
1	A	196	GLU	Sidechain,Mainchain	5
1	A	98	ASP	Sidechain	4
1	A	161	GLU	Sidechain	3
1	A	162	MET	Mainchain	3
1	A	159	ASP	Sidechain	3
1	A	156	GLU	Sidechain	2
1	A	18	TYR	Sidechain	2
1	A	10	GLU	Sidechain,Mainchain	2
1	A	127	GLU	Sidechain	1
1	A	176	TYR	Sidechain	1
1	A	123	TYR	Mainchain	1
1	A	178	ASN	Sidechain	1
1	A	175	THR	Mainchain	1
1	A	107	ALA	Mainchain	1
1	A	26	SER	Mainchain	1
1	A	109	SER	Mainchain	1
1	A	108	PHE	Mainchain	1
1	A	187	GLU	Sidechain	1
1	A	24	GLY	Mainchain	1
1	A	25	TYR	Sidechain	1
1	A	114	GLN	Sidechain	1
1	A	110	ASP	Sidechain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1055	1007	1007	15±3
All	All	21100	20140	20140	298

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:115:LEU:HD22	1:A:129:VAL:HG22	0.92	1.40	2	1
1:A:133:LEU:HD23	1:A:138:VAL:HG12	0.86	1.44	17	1
1:A:115:LEU:HD11	1:A:129:VAL:HG22	0.82	1.50	1	1
1:A:117:ILE:HG21	1:A:165:LEU:HD11	0.81	1.52	7	3
1:A:11:LEU:HD23	1:A:89:VAL:HG22	0.79	1.55	6	4
1:A:138:VAL:HG23	1:A:143:ILE:HD11	0.79	1.52	3	2
1:A:88:ALA:HB1	1:A:195:VAL:HG21	0.77	1.56	3	2
1:A:117:ILE:HD11	1:A:153:LEU:HD22	0.77	1.57	19	3
1:A:20:LEU:HD12	1:A:166:VAL:HG21	0.77	1.55	10	1
1:A:117:ILE:HD12	1:A:153:LEU:HD13	0.77	1.55	2	4
1:A:88:ALA:HB3	1:A:195:VAL:HG11	0.73	1.60	10	1
1:A:121:THR:HG21	1:A:165:LEU:HD21	0.71	1.60	9	1
1:A:117:ILE:HG21	1:A:165:LEU:HD21	0.70	1.62	3	2
1:A:11:LEU:HD13	1:A:89:VAL:HG22	0.68	1.64	12	1
1:A:88:ALA:HB1	1:A:195:VAL:HG11	0.68	1.64	15	1
1:A:104:TYR:CE1	1:A:111:LEU:HD13	0.67	2.25	3	1
1:A:181:LEU:HD12	1:A:185:ILE:HD12	0.66	1.68	6	1
1:A:96:ALA:HB2	1:A:144:VAL:HG12	0.65	1.68	17	1
1:A:153:LEU:HD11	1:A:169:ILE:HD11	0.65	1.68	19	1
1:A:129:VAL:HG22	1:A:146:PHE:CE1	0.64	2.28	8	1
1:A:133:LEU:HD22	1:A:146:PHE:CG	0.63	2.28	18	5
1:A:157:SER:CB	1:A:165:LEU:HD12	0.63	2.24	19	4
1:A:117:ILE:HG23	1:A:165:LEU:HD11	0.63	1.70	17	1
1:A:20:LEU:HD11	1:A:166:VAL:HG11	0.63	1.71	14	1
1:A:115:LEU:HD11	1:A:129:VAL:HG12	0.62	1.71	17	2
1:A:15:PHE:CD2	1:A:93:LEU:HD12	0.62	2.30	8	2
1:A:15:PHE:CZ	1:A:93:LEU:HD12	0.61	2.31	11	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:129:VAL:HG12	1:A:146:PHE:CE1	0.61	2.30	1	2
1:A:191:TRP:O	1:A:195:VAL:HG23	0.60	1.96	19	7
1:A:117:ILE:CG2	1:A:165:LEU:HD21	0.60	2.26	3	2
1:A:145:ALA:HB1	1:A:149:PHE:CE2	0.60	2.32	11	3
1:A:130:VAL:HG11	1:A:176:TYR:CG	0.60	2.32	7	1
1:A:138:VAL:HG21	1:A:181:LEU:HD11	0.59	1.74	17	1
1:A:153:LEU:CD1	1:A:165:LEU:HD13	0.59	2.27	19	3
1:A:15:PHE:CD1	1:A:93:LEU:HD12	0.58	2.33	13	1
1:A:185:ILE:HG23	1:A:194:PHE:CZ	0.58	2.33	17	2
1:A:150:GLY:O	1:A:169:ILE:HD13	0.58	1.97	3	1
1:A:117:ILE:CG2	1:A:165:LEU:HD11	0.58	2.28	7	2
1:A:12:VAL:HG11	1:A:177:LEU:HD22	0.58	1.74	8	2
1:A:16:LEU:HD21	1:A:170:ALA:HB2	0.58	1.75	10	1
1:A:12:VAL:HG21	1:A:173:MET:HB3	0.57	1.77	14	3
1:A:20:LEU:CD1	1:A:166:VAL:HG21	0.57	2.29	10	1
1:A:158:VAL:HG13	1:A:162:MET:O	0.57	2.00	7	2
1:A:15:PHE:CE2	1:A:93:LEU:HD13	0.57	2.35	15	1
1:A:158:VAL:HG13	1:A:166:VAL:HG21	0.57	1.75	14	1
1:A:115:LEU:HD23	1:A:117:ILE:CG2	0.57	2.30	10	1
1:A:130:VAL:HG11	1:A:176:TYR:CD1	0.57	2.35	7	1
1:A:130:VAL:HG13	1:A:176:TYR:CE2	0.56	2.35	5	3
1:A:165:LEU:HD12	1:A:169:ILE:HD11	0.56	1.77	3	5
1:A:20:LEU:HD12	1:A:25:TYR:HB3	0.56	1.77	18	2
1:A:115:LEU:HD23	1:A:117:ILE:HG23	0.56	1.77	10	1
1:A:88:ALA:CB	1:A:195:VAL:HG22	0.56	2.31	18	2
1:A:93:LEU:HD11	1:A:147:PHE:CD2	0.56	2.36	1	1
1:A:20:LEU:HD23	1:A:158:VAL:HG11	0.56	1.76	2	1
1:A:158:VAL:HG13	1:A:163:GLN:HG3	0.55	1.76	12	1
1:A:11:LEU:HB2	1:A:89:VAL:HG21	0.55	1.78	8	1
1:A:165:LEU:HD12	1:A:169:ILE:CD1	0.55	2.31	18	9
1:A:185:ILE:HG22	1:A:190:GLY:HA2	0.55	1.78	14	1
1:A:11:LEU:HD13	1:A:89:VAL:CG2	0.55	2.31	8	3
1:A:89:VAL:O	1:A:93:LEU:HD13	0.55	2.00	9	3
1:A:130:VAL:HG13	1:A:176:TYR:CZ	0.55	2.37	10	4
1:A:181:LEU:HD12	1:A:185:ILE:HD11	0.54	1.79	11	4
1:A:11:LEU:HD11	1:A:89:VAL:HG21	0.54	1.79	16	1
1:A:176:TYR:CZ	1:A:181:LEU:HD13	0.54	2.37	16	1
1:A:11:LEU:HD21	1:A:93:LEU:HD22	0.54	1.79	4	2
1:A:140:TRP:CZ2	1:A:193:THR:HG21	0.54	2.37	7	2
1:A:20:LEU:HD12	1:A:25:TYR:CB	0.54	2.32	6	1
1:A:89:VAL:HA	1:A:93:LEU:HD23	0.54	1.78	11	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:20:LEU:HD11	1:A:154:CYS:SG	0.54	2.43	4	7
1:A:129:VAL:HG22	1:A:146:PHE:CE2	0.53	2.39	13	1
1:A:150:GLY:O	1:A:169:ILE:HG21	0.53	2.04	8	4
1:A:11:LEU:HD21	1:A:93:LEU:HG	0.53	1.81	1	1
1:A:117:ILE:CD1	1:A:153:LEU:HD13	0.52	2.35	6	2
1:A:111:LEU:HD11	1:A:153:LEU:HD21	0.52	1.81	15	1
1:A:92:ALA:HB1	1:A:194:PHE:CE2	0.52	2.40	13	1
1:A:8:ASN:HA	1:A:11:LEU:HD23	0.52	1.80	8	2
1:A:20:LEU:HD21	1:A:166:VAL:HG21	0.52	1.81	4	2
1:A:154:CYS:O	1:A:158:VAL:HG23	0.52	2.05	7	2
1:A:11:LEU:HD21	1:A:93:LEU:CD2	0.52	2.35	14	2
1:A:93:LEU:HD12	1:A:147:PHE:CD2	0.52	2.40	16	1
1:A:133:LEU:HD13	1:A:146:PHE:CG	0.52	2.39	16	1
1:A:15:PHE:CD2	1:A:93:LEU:HD13	0.52	2.40	15	1
1:A:15:PHE:CE1	1:A:93:LEU:HD12	0.52	2.39	11	1
1:A:93:LEU:HD11	1:A:191:TRP:CH2	0.51	2.40	3	1
1:A:117:ILE:CD1	1:A:153:LEU:HD22	0.51	2.33	19	1
1:A:20:LEU:CD1	1:A:166:VAL:HG11	0.51	2.34	14	1
1:A:89:VAL:O	1:A:93:LEU:HD23	0.51	2.05	2	1
1:A:20:LEU:HA	1:A:155:VAL:HG22	0.51	1.82	8	1
1:A:88:ALA:CB	1:A:195:VAL:HG11	0.50	2.36	15	1
1:A:11:LEU:HD13	1:A:191:TRP:CD2	0.50	2.42	16	1
1:A:133:LEU:HD22	1:A:146:PHE:CD2	0.50	2.42	1	3
1:A:158:VAL:HG23	1:A:163:GLN:CA	0.50	2.36	11	1
1:A:12:VAL:CG1	1:A:177:LEU:HD22	0.50	2.37	8	4
1:A:96:ALA:HB2	1:A:144:VAL:CG1	0.50	2.36	17	1
1:A:11:LEU:HD23	1:A:89:VAL:HG23	0.50	1.82	18	2
1:A:176:TYR:CE2	1:A:181:LEU:HD22	0.50	2.42	5	1
1:A:88:ALA:HB3	1:A:195:VAL:CG1	0.50	2.37	13	1
1:A:20:LEU:HD12	1:A:24:GLY:O	0.50	2.07	15	1
1:A:153:LEU:HD11	1:A:165:LEU:HD13	0.49	1.85	17	3
1:A:185:ILE:HG21	1:A:191:TRP:CD1	0.49	2.41	13	1
1:A:91:GLN:NE2	1:A:195:VAL:HG22	0.49	2.21	17	1
1:A:11:LEU:HD23	1:A:12:VAL:N	0.49	2.22	11	3
1:A:8:ASN:O	1:A:12:VAL:HG12	0.49	2.08	5	4
1:A:126:PHE:CE2	1:A:130:VAL:HG21	0.49	2.43	19	2
1:A:88:ALA:HB2	1:A:195:VAL:HG22	0.48	1.84	18	2
1:A:88:ALA:HB1	1:A:195:VAL:CG2	0.48	2.38	4	1
1:A:20:LEU:HD21	1:A:166:VAL:CG2	0.48	2.38	4	1
1:A:176:TYR:CZ	1:A:181:LEU:HD23	0.48	2.43	20	3
1:A:133:LEU:HD12	1:A:146:PHE:CB	0.48	2.38	12	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:153:LEU:HD11	1:A:165:LEU:HG	0.48	1.86	3	1
1:A:185:ILE:HG23	1:A:190:GLY:HA3	0.47	1.85	1	1
1:A:11:LEU:HD13	1:A:191:TRP:CE3	0.47	2.44	16	1
1:A:162:MET:HB3	1:A:164:VAL:HG12	0.47	1.85	1	1
1:A:111:LEU:HD11	1:A:153:LEU:CD2	0.47	2.40	15	1
1:A:11:LEU:HD21	1:A:191:TRP:CE2	0.47	2.43	8	1
1:A:158:VAL:HG23	1:A:163:GLN:HA	0.47	1.86	11	1
1:A:115:LEU:HD21	1:A:129:VAL:HG22	0.47	1.86	15	1
1:A:16:LEU:O	1:A:20:LEU:HD12	0.47	2.10	4	1
1:A:144:VAL:HG21	1:A:194:PHE:CZ	0.47	2.45	1	1
1:A:181:LEU:HD12	1:A:185:ILE:CD1	0.47	2.39	6	2
1:A:158:VAL:HG22	1:A:166:VAL:CG2	0.47	2.40	7	1
1:A:92:ALA:HB2	1:A:195:VAL:HG12	0.46	1.87	10	2
1:A:15:PHE:CD1	1:A:93:LEU:HD23	0.46	2.46	9	1
1:A:12:VAL:HG21	1:A:173:MET:HG2	0.46	1.87	6	1
1:A:152:ALA:O	1:A:155:VAL:HG22	0.46	2.11	18	1
1:A:181:LEU:HD13	1:A:184:TRP:HB2	0.46	1.86	6	1
1:A:20:LEU:HD23	1:A:20:LEU:H	0.46	1.71	6	1
1:A:157:SER:HB3	1:A:165:LEU:HD12	0.46	1.87	7	2
1:A:115:LEU:HD21	1:A:129:VAL:CG2	0.45	2.40	19	1
1:A:88:ALA:CB	1:A:195:VAL:HG21	0.45	2.41	4	1
1:A:133:LEU:HD11	1:A:143:ILE:HD13	0.45	1.88	8	1
1:A:130:VAL:HG21	1:A:176:TYR:CB	0.45	2.42	7	1
1:A:158:VAL:HG13	1:A:163:GLN:CG	0.45	2.42	12	1
1:A:126:PHE:O	1:A:130:VAL:HG23	0.45	2.11	17	1
1:A:111:LEU:HD11	1:A:153:LEU:HD22	0.45	1.89	20	1
1:A:115:LEU:HD12	1:A:153:LEU:CD2	0.44	2.42	9	1
1:A:20:LEU:HD22	1:A:154:CYS:SG	0.44	2.51	15	1
1:A:108:PHE:CD2	1:A:112:THR:HG21	0.44	2.48	17	1
1:A:151:GLY:O	1:A:155:VAL:HG23	0.44	2.13	2	1
1:A:111:LEU:HD23	1:A:112:THR:N	0.44	2.28	11	1
1:A:11:LEU:HD23	1:A:89:VAL:CG2	0.44	2.42	14	1
1:A:11:LEU:HD21	1:A:191:TRP:NE1	0.44	2.28	13	1
1:A:130:VAL:HG22	1:A:176:TYR:CD2	0.44	2.48	19	2
1:A:11:LEU:CD2	1:A:89:VAL:HG22	0.44	2.39	2	1
1:A:176:TYR:CE2	1:A:181:LEU:HD13	0.44	2.47	16	1
1:A:181:LEU:HD13	1:A:184:TRP:CB	0.43	2.43	6	1
1:A:13:VAL:HG12	1:A:173:MET:HE3	0.43	1.90	20	1
1:A:88:ALA:HB1	1:A:91:GLN:HB2	0.43	1.91	10	1
1:A:20:LEU:HD12	1:A:25:TYR:O	0.43	2.14	19	1
1:A:153:LEU:O	1:A:153:LEU:HD12	0.43	2.13	20	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:117:ILE:HD11	1:A:153:LEU:HD13	0.43	1.89	16	1
1:A:15:PHE:CE2	1:A:93:LEU:HD22	0.43	2.48	15	1
1:A:165:LEU:HD22	1:A:169:ILE:HD11	0.43	1.89	8	1
1:A:11:LEU:CD1	1:A:89:VAL:HG21	0.43	2.43	16	1
1:A:115:LEU:HD11	1:A:129:VAL:HG21	0.43	1.90	15	1
1:A:11:LEU:HD13	1:A:191:TRP:CD1	0.42	2.49	20	1
1:A:15:PHE:CD2	1:A:93:LEU:HD11	0.42	2.49	7	1
1:A:115:LEU:HD12	1:A:117:ILE:HD11	0.42	1.91	13	1
1:A:111:LEU:HD12	1:A:112:THR:N	0.42	2.30	12	1
1:A:153:LEU:C	1:A:153:LEU:HD12	0.42	2.35	20	3
1:A:115:LEU:HD12	1:A:117:ILE:HD13	0.42	1.92	14	1
1:A:11:LEU:HD13	1:A:89:VAL:CG1	0.42	2.44	10	1
1:A:158:VAL:HG13	1:A:166:VAL:CG2	0.42	2.44	14	1
1:A:93:LEU:N	1:A:93:LEU:HD22	0.42	2.30	17	1
1:A:133:LEU:HD13	1:A:146:PHE:CB	0.42	2.45	16	1
1:A:92:ALA:CB	1:A:195:VAL:HG22	0.42	2.45	1	1
1:A:115:LEU:CD2	1:A:129:VAL:HG22	0.42	2.45	15	1
1:A:19:LYS:HG3	1:A:155:VAL:HG21	0.41	1.91	19	1
1:A:153:LEU:HD12	1:A:153:LEU:O	0.41	2.15	12	1
1:A:11:LEU:HD22	1:A:11:LEU:O	0.41	2.16	14	1
1:A:133:LEU:HD21	1:A:143:ILE:HG13	0.41	1.91	9	1
1:A:93:LEU:HD21	1:A:191:TRP:CH2	0.41	2.50	11	1
1:A:20:LEU:CD2	1:A:158:VAL:HG11	0.41	2.45	2	1
1:A:89:VAL:CG2	1:A:93:LEU:HD23	0.41	2.45	16	1
1:A:138:VAL:HG12	1:A:184:TRP:CD1	0.41	2.51	16	1
1:A:16:LEU:O	1:A:20:LEU:HD23	0.41	2.15	6	1
1:A:155:VAL:O	1:A:158:VAL:HG12	0.41	2.16	6	1
1:A:24:GLY:O	1:A:158:VAL:HG11	0.41	2.16	1	1
1:A:133:LEU:HD23	1:A:138:VAL:CG1	0.41	2.32	17	1
1:A:20:LEU:CD2	1:A:166:VAL:HG21	0.41	2.46	4	1
1:A:116:HIS:O	1:A:121:THR:HG21	0.41	2.16	7	1
1:A:138:VAL:HG23	1:A:143:ILE:CD1	0.40	2.35	3	1
1:A:88:ALA:HB3	1:A:92:ALA:H	0.40	1.74	19	1
1:A:138:VAL:CG2	1:A:143:ILE:HD11	0.40	2.46	19	1
1:A:125:SER:O	1:A:129:VAL:HG13	0.40	2.15	17	1
1:A:111:LEU:C	1:A:111:LEU:HD13	0.40	2.36	5	1
1:A:25:TYR:CD2	1:A:158:VAL:HG22	0.40	2.50	19	1
1:A:96:ALA:HB1	1:A:100:PHE:CE2	0.40	2.51	11	1
1:A:88:ALA:HB2	1:A:195:VAL:HG21	0.40	1.93	11	1
1:A:111:LEU:HD13	1:A:111:LEU:C	0.40	2.37	14	1
1:A:11:LEU:HD12	1:A:89:VAL:HG23	0.40	1.92	15	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	130/212 (61%)	114±3 (87±2%)	10±3 (8±2%)	7±2 (5±1%)	5	26
All	All	2600/4240 (61%)	2271 (87%)	198 (8%)	131 (5%)	5	26

All 20 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	138	VAL	19
1	A	162	MET	15
1	A	122	ALA	15
1	A	23	LYS	12
1	A	163	GLN	11
1	A	26	SER	9
1	A	109	SER	9
1	A	117	ILE	8
1	A	88	ALA	8
1	A	118	THR	6
1	A	190	GLY	4
1	A	189	GLY	3
1	A	120	GLY	3
1	A	119	PRO	2
1	A	151	GLY	2
1	A	161	GLU	1
1	A	7	SER	1
1	A	24	GLY	1
1	A	107	ALA	1
1	A	6	GLN	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	111/176 (63%)	81±4 (73±4%)	30±4 (27±4%)	2	23
All	All	2220/3520 (63%)	1629 (73%)	591 (27%)	2	23

All 93 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	115	LEU	18
1	A	153	LEU	18
1	A	118	THR	17
1	A	154	CYS	16
1	A	19	LYS	16
1	A	163	GLN	15
1	A	181	LEU	14
1	A	162	MET	14
1	A	177	LEU	13
1	A	165	LEU	13
1	A	184	TRP	12
1	A	9	ARG	12
1	A	124	GLN	11
1	A	109	SER	11
1	A	180	HIS	11
1	A	168	ARG	10
1	A	23	LYS	10
1	A	135	ARG	10
1	A	108	PHE	10
1	A	196	GLU	9
1	A	160	LYS	9
1	A	126	PHE	9
1	A	16	LEU	9
1	A	136	ASP	9
1	A	94	ARG	9
1	A	26	SER	9
1	A	11	LEU	9
1	A	148	SER	9
1	A	22	GLN	9
1	A	116	HIS	9
1	A	106	ARG	8
1	A	99	GLU	8
1	A	132	GLU	8
1	A	173	MET	8
1	A	128	GLN	7
1	A	14	ASP	7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	7	SER	7
1	A	182	GLU	7
1	A	10	GLU	7
1	A	113	SER	6
1	A	192	ASP	6
1	A	90	LYS	6
1	A	186	GLN	6
1	A	15	PHE	6
1	A	104	TYR	5
1	A	188	ASN	5
1	A	139	ASN	5
1	A	105	ARG	5
1	A	142	ARG	5
1	A	121	THR	5
1	A	110	ASP	5
1	A	95	GLU	5
1	A	156	GLU	5
1	A	91	GLN	5
1	A	159	ASP	4
1	A	172	TRP	4
1	A	103	ARG	4
1	A	25	TYR	4
1	A	6	GLN	4
1	A	114	GLN	3
1	A	101	GLU	3
1	A	131	ASN	3
1	A	127	GLU	3
1	A	191	TRP	3
1	A	167	SER	3
1	A	178	ASN	3
1	A	161	GLU	3
1	A	147	PHE	3
1	A	125	SER	3
1	A	149	PHE	3
1	A	193	THR	3
1	A	100	PHE	3
1	A	157	SER	3
1	A	133	LEU	3
1	A	102	LEU	2
1	A	146	PHE	2
1	A	93	LEU	2
1	A	111	LEU	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	21	SER	2
1	A	8	ASN	2
1	A	117	ILE	2
1	A	187	GLU	2
1	A	138	VAL	2
1	A	179	ASP	2
1	A	123	TYR	1
1	A	17	SER	1
1	A	98	ASP	1
1	A	185	ILE	1
1	A	175	THR	1
1	A	176	TYR	1
1	A	194	PHE	1
1	A	112	THR	1
1	A	20	LEU	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry ⓘ

There are no ligands in this entry.

6.7 Other polymers ⓘ

There are no such molecules in this entry.

6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 45% for the well-defined parts and 44% for the entire structure.

7.1 Chemical shift list 1

File name: 2me8_cs.str

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1254
Number of shifts mapped to atoms	1254
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	3

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	203	0.22 ± 0.19	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	188	1.82 ± 0.15	Should be applied
$^{13}\text{C}'$	192	-0.20 ± 0.14	None needed (< 0.5 ppm)
^{15}N	203	0.61 ± 0.17	Should be applied

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 45%, i.e. 740 atoms were assigned a chemical shift out of a possible 1630. 24 out of 24 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	509/646 (79%)	128/258 (50%)	253/260 (97%)	128/128 (100%)
Sidechain	223/799 (28%)	52/466 (11%)	171/292 (59%)	0/41 (0%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	8/185 (4%)	4/97 (4%)	0/80 (0%)	4/8 (50%)
Overall	740/1630 (45%)	184/821 (22%)	424/632 (67%)	132/177 (75%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 44%, i.e. 1127 atoms were assigned a chemical shift out of a possible 2549. 27 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	801/1046 (77%)	203/417 (49%)	395/424 (93%)	203/205 (99%)
Sidechain	314/1253 (25%)	63/735 (9%)	251/456 (55%)	0/62 (0%)
Aromatic	12/250 (5%)	6/130 (5%)	0/104 (0%)	6/16 (38%)
Overall	1127/2549 (44%)	272/1282 (21%)	646/984 (66%)	209/283 (74%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	138	VAL	HG23	-0.75	2.20 – -0.60	-5.5
1	A	138	VAL	HG22	-0.75	2.20 – -0.60	-5.5
1	A	138	VAL	HG21	-0.75	2.20 – -0.60	-5.5

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

