



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:50 AM GMT

PDB ID : 3NAK
Title : Crystal structure of the complex of goat lactoperoxidase with hypothiocyanite at 3.3 Å resolution
Authors : Vikram, G.; Singh, R.P.; Singh, A.K.; Sinha, M.; Bhushan, A.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2010-06-02
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2060 (3.40-3.20)
Clashscore	102246	1058 (3.38-3.22)
Ramachandran outliers	100387	1038 (3.38-3.22)
Sidechain outliers	100360	1037 (3.38-3.22)
RSRZ outliers	91569	2070 (3.40-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	<div> <div>5%</div> <div>80%</div> <div>19%</div> <div>.</div> </div>
1	B	595	<div> <div>6%</div> <div>81%</div> <div>16%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	600	-	-	-	X
2	NAG	B	596	-	-	-	X
6	HEM	A	3003	-	-	-	X
6	HEM	B	1003	-	-	-	X
7	OSM	A	3333	-	-	X	-
7	OSM	B	3333	-	-	X	-
8	FMT	A	2001	-	-	X	-
8	FMT	A	2002	-	-	X	X
8	FMT	B	2003	-	-	-	X
8	FMT	B	2004	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 10098 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	P	S	0	0	0
			4757	3021	844	865	1	26			
1	B	595	Total	C	N	O	P	S	0	0	0
			4757	3021	844	865	1	26			

- Molecule 2 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	3	Total	C	N	O	0	0
			39	22	2	15		
2	A	3	Total	C	N	O	0	0
			39	22	2	15		
2	B	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 3 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	3	Total	C	N	O	0	0
			39	22	2	15		
3	B	3	Total	C	N	O	0	0
			39	22	2	15		
3	B	3	Total	C	N	O	0	0
			39	22	2	15		


- Molecule 4 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	2	Total	C	N	O	0	0
			28	16	2	10		
4	B	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Ca	0	0
			1	1		
5	A	1	Total	Ca	0	0
			1	1		

- Molecule 6 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
6	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 7 is 1-(OXIDOSULFANYL)METHANAMINE (three-letter code: OSM) (formula: CH_5NOS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total 4	C 1	N 1	O 1	S 1	0	0
7	B	1	Total 4	C 1	N 1	O 1	S 1	0	0

- Molecule 8 is FORMIC ACID (three-letter code: FMT) (formula: CH₂O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 3 1 2	0	0
8	A	1	Total C O 3 1 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			3	1	2		
8	B	1	Total	C	O	0	0
			3	1	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	98	Total	O	0	0
			98	98		
9	B	88	Total	O	0	0
			88	88		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Lactoperoxidase



• Molecule 1: Lactoperoxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	57.99Å 72.27Å 83.65Å 85.45° 84.04° 75.89°	Depositor
Resolution (Å)	19.87 – 3.30 19.87 – 3.30	Depositor EDS
% Data completeness (in resolution range)	94.5 (19.87-3.30) 93.2 (19.87-3.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.70 (at 3.29Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.205 , 0.243 0.208 , 0.281	Depositor DCC
R_{free} test set	950 reflections (5.38%)	DCC
Wilson B-factor (Å ²)	43.6	Xtriage
Anisotropy	0.448	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 60.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 18593 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	10098	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, SEP, FMT, OSM, HEM, CA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	1/4875 (0.0%)	0.54	0/6621
1	B	0.41	0/4875	0.57	2/6621 (0.0%)
All	All	0.40	1/9750 (0.0%)	0.56	2/13242 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	258	GLU	CD-OE1	-5.17	1.20	1.25

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	119	LEU	CA-CB-CG	5.47	127.88	115.30
1	B	119	LEU	N-CA-C	-5.02	97.45	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4757	0	4644	112	0
1	B	4757	0	4644	109	0
2	A	78	0	68	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	39	0	34	1	0
3	A	39	0	34	0	0
3	B	78	0	68	1	0
4	A	28	0	25	0	0
4	B	28	0	25	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	43	0	30	11	0
6	B	43	0	30	17	0
7	A	4	0	5	3	0
7	B	4	0	5	4	0
8	A	6	0	2	6	0
8	B	6	0	2	0	0
9	A	98	0	0	1	0
9	B	88	0	0	2	0
All	All	10098	0	9616	228	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (228) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:GLU:OE2	6:B:1003:HEM:HMB3	1.16	1.25
1:B:258:GLU:OE2	6:B:1003:HEM:CMB	1.85	1.23
1:B:167:CYS:HB3	1:B:168:PRO:HD3	1.21	1.19
1:B:167:CYS:CB	1:B:168:PRO:HD3	1.78	1.13
1:A:96:ARG:HH11	1:A:96:ARG:HG3	1.10	1.12
1:A:360:ARG:HH11	1:A:360:ARG:HG3	1.18	1.07
1:B:113:PHE:HA	6:B:1003:HEM:O2D	1.56	1.06
1:A:12:LEU:O	1:A:12:LEU:HD12	1.58	1.03
1:A:255:ARG:HG2	7:A:3333:OSM:H2	1.39	0.99
1:A:110:ASP:N	1:A:191:LEU:HD11	1.77	0.98
1:A:17:GLU:HB3	1:A:31:ARG:HH12	1.32	0.93
1:B:165:PHE:HZ	1:B:170:PRO:O	1.53	0.92
1:A:96:ARG:HH11	1:A:96:ARG:CG	1.86	0.88
1:B:117:THR:HG21	1:B:138:GLU:HB3	1.56	0.86
1:B:551:ARG:HD2	1:B:584:LYS:HA	1.58	0.85
1:B:170:PRO:HB2	1:B:171:PRO:CD	2.06	0.84
1:B:167:CYS:CB	1:B:168:PRO:CD	2.55	0.84
1:B:117:THR:HG21	1:B:138:GLU:CB	2.09	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:557:THR:HG22	1:B:558:HIS:H	1.46	0.80
1:B:170:PRO:CB	1:B:171:PRO:HD3	2.11	0.80
6:B:1003:HEM:C2A	7:B:3333:OSM:H1	2.16	0.80
1:B:169:THR:O	1:B:169:THR:CG2	2.29	0.80
1:B:170:PRO:CB	1:B:171:PRO:CD	2.63	0.77
1:A:360:ARG:HH11	1:A:360:ARG:CG	1.98	0.76
1:B:165:PHE:CZ	1:B:170:PRO:O	2.39	0.75
1:A:96:ARG:NH1	1:A:96:ARG:HG3	1.90	0.74
6:B:1003:HEM:HMC2	6:B:1003:HEM:HBC2	1.67	0.74
1:A:110:ASP:CA	1:A:191:LEU:CD1	2.65	0.74
1:A:123:GLU:HG3	1:A:125:SER:H	1.51	0.73
1:B:197:PRO:HD2	1:B:198:SEP:O3P	1.88	0.73
1:A:110:ASP:HA	1:A:191:LEU:CD1	2.19	0.72
1:A:196:GLU:HB3	1:A:198:SEP:O3P	1.89	0.72
1:B:167:CYS:HB3	1:B:168:PRO:CD	2.13	0.72
1:B:123:GLU:OE2	1:B:125:SER:HB2	1.91	0.71
1:A:213:MET:SD	1:A:270:LEU:HD12	2.31	0.71
1:A:110:ASP:HA	1:A:191:LEU:HD12	1.73	0.70
1:A:140:PHE:O	1:A:160:PHE:HB3	1.91	0.70
1:A:172:TYR:C	1:A:173:GLN:HG3	2.12	0.70
1:A:12:LEU:CD1	1:A:12:LEU:O	2.39	0.69
1:A:109:HIS:C	1:A:191:LEU:HD11	2.11	0.69
1:B:557:THR:HG22	1:B:558:HIS:N	2.08	0.69
1:B:169:THR:H	1:B:170:PRO:HD3	1.58	0.68
1:A:167:CYS:HB3	1:A:168:PRO:HD3	1.73	0.68
1:B:117:THR:HB	1:B:162:ARG:O	1.92	0.68
1:A:110:ASP:N	1:A:191:LEU:CD1	2.54	0.68
1:B:10:VAL:HG12	1:B:10:VAL:O	1.95	0.67
1:B:259:GLN:HG2	6:B:1003:HEM:CBB	2.25	0.67
1:A:557:THR:HG21	1:A:559:ILE:HG12	1.76	0.67
6:B:1003:HEM:C4A	7:B:3333:OSM:S	2.88	0.66
1:A:2:TRP:HB3	1:A:3:GLU:HA	1.76	0.66
1:B:167:CYS:HB2	1:B:168:PRO:HD3	1.74	0.65
1:A:203:LEU:O	1:A:213:MET:HG3	1.96	0.65
1:B:407:MET:HB3	1:B:501:MET:HE1	1.78	0.65
1:A:167:CYS:CB	1:A:168:PRO:CD	2.75	0.64
6:B:1003:HEM:C3A	7:B:3333:OSM:H1	2.32	0.64
1:A:128:GLN:HE22	1:B:170:PRO:HA	1.62	0.64
1:A:255:ARG:HG2	7:A:3333:OSM:C	2.21	0.64
1:A:42:ALA:HB2	1:A:166:VAL:HG11	1.79	0.64
1:A:360:ARG:NH1	1:A:360:ARG:HG3	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:407:MET:HB3	1:B:501:MET:CE	2.29	0.63
1:B:118:GLU:OE1	1:B:118:GLU:HA	1.96	0.63
1:B:169:THR:O	1:B:169:THR:HG23	1.98	0.62
1:A:105:GLN:HB2	6:A:3003:HEM:CMC	2.30	0.62
1:B:452:TRP:CD1	1:B:492:ILE:HD12	2.35	0.62
1:A:213:MET:SD	1:A:270:LEU:CD1	2.88	0.62
1:A:175:LEU:HD23	1:A:176:ALA:H	1.65	0.62
1:B:258:GLU:OE2	6:B:1003:HEM:C2B	2.54	0.61
1:B:108:ASP:OD2	6:B:1003:HEM:C2D	2.54	0.60
1:B:165:PHE:N	1:B:165:PHE:CD1	2.69	0.60
1:B:88:GLU:O	1:B:91:VAL:HG22	2.00	0.60
1:B:170:PRO:HB3	1:B:171:PRO:HD3	1.81	0.60
1:A:557:THR:CG2	1:A:559:ILE:HG12	2.31	0.59
1:A:400:LEU:HD11	1:A:553:ILE:HD13	1.84	0.59
1:A:175:LEU:HD23	1:A:176:ALA:N	2.16	0.59
1:A:414:THR:HG22	1:A:416:GLU:H	1.67	0.59
1:B:259:GLN:HG2	6:B:1003:HEM:HBB2	1.84	0.58
1:B:167:CYS:HB2	1:B:168:PRO:CD	2.32	0.58
1:B:140:PHE:O	1:B:160:PHE:HB3	2.03	0.58
1:B:169:THR:N	1:B:170:PRO:CD	2.67	0.58
1:A:306:ILE:HD13	1:A:544:LEU:O	2.03	0.58
1:A:258:GLU:HG2	1:A:258:GLU:O	2.01	0.58
1:B:169:THR:O	1:B:169:THR:HG22	2.01	0.57
1:A:197:PRO:HD2	1:A:198:SEP:O3P	2.04	0.57
1:A:440:ARG:NH1	6:A:3003:HEM:O1A	2.37	0.57
1:B:568:GLN:OE1	2:B:596:NAG:H5	2.03	0.57
1:A:127:VAL:HG13	1:A:131:GLU:HG3	1.87	0.57
1:A:407:MET:HB3	1:A:501:MET:CE	2.35	0.57
1:A:96:ARG:NH1	1:A:96:ARG:CG	2.54	0.56
1:A:17:GLU:CB	1:A:31:ARG:HH12	2.14	0.56
1:B:25:THR:HG22	1:B:197:PRO:HD3	1.86	0.56
1:B:61:TRP:CH2	1:B:136:GLY:HA3	2.40	0.56
1:A:88:GLU:OE2	1:A:414:THR:HG23	2.06	0.56
1:B:255:ARG:HD2	7:B:3333:OSM:H2	1.87	0.55
1:B:144:PHE:HE2	1:B:158:MET:CE	2.19	0.55
1:A:105:GLN:NE2	6:A:3003:HEM:C4B	2.75	0.55
1:B:202:ARG:HD2	1:B:250:GLN:HE22	1.72	0.55
1:A:17:GLU:HB3	1:A:31:ARG:NH1	2.13	0.55
1:B:197:PRO:CD	1:B:198:SEP:O3P	2.54	0.55
1:A:95:ASN:O	1:A:96:ARG:HG3	2.06	0.55
1:A:360:ARG:HB3	1:A:394:PRO:HB2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:169:THR:N	1:B:170:PRO:HD3	2.22	0.54
1:A:77:GLU:OE2	1:A:81:LYS:NZ	2.40	0.54
1:A:150:LYS:HE3	1:A:419:ASN:OD1	2.08	0.54
1:A:167:CYS:CB	1:A:168:PRO:HD3	2.35	0.54
1:A:46:TRP:H	8:A:2002:FMT:H	1.71	0.54
3:B:599:NAG:H61	3:B:600:NAG:H82	1.89	0.53
1:B:213:MET:HG2	1:B:273:HIS:CD2	2.43	0.53
1:A:111:LEU:HB3	1:A:339:ILE:CD1	2.38	0.53
1:A:113:PHE:HA	6:A:3003:HEM:O2D	2.08	0.53
1:A:173:GLN:HG2	9:A:3100:HOH:O	2.09	0.53
1:B:464:LEU:HA	1:B:481:LEU:CD1	2.37	0.53
1:A:397:ARG:HG3	1:A:559:ILE:HD12	1.89	0.53
1:A:112:ASP:OD2	6:A:3003:HEM:HBD1	2.08	0.52
1:A:7:GLY:HA2	1:A:167:CYS:HA	1.91	0.52
1:A:82:ILE:HG21	1:A:494:ILE:HD11	1.90	0.52
1:A:36:LEU:HG	1:A:337:PRO:HD2	1.90	0.52
1:A:328:TYR:HD1	1:A:523:ARG:HH11	1.58	0.52
1:A:2:TRP:HB3	1:A:3:GLU:CA	2.40	0.52
1:B:177:ARG:O	1:B:177:ARG:HG3	2.10	0.52
1:A:117:THR:HG23	1:A:162:ARG:O	2.10	0.51
1:B:551:ARG:HG3	1:B:583:ASP:O	2.10	0.51
1:A:105:GLN:HB2	6:A:3003:HEM:HMC1	1.93	0.51
1:A:588:SER:OG	1:A:589:PRO:HD3	2.10	0.51
1:B:258:GLU:CD	6:B:1003:HEM:HMB3	2.18	0.51
1:A:387:ILE:HG22	1:A:388:LYS:HG3	1.92	0.50
1:B:264:THR:HG23	1:B:392:ILE:HB	1.93	0.50
1:A:407:MET:HB3	1:A:501:MET:HE1	1.93	0.50
1:B:106:ILE:HG23	1:B:191:LEU:HD11	1.94	0.50
1:A:16:ASP:O	1:A:18:GLN:N	2.43	0.50
1:B:42:ALA:HB2	1:B:166:VAL:HG11	1.94	0.50
1:B:170:PRO:HB2	1:B:171:PRO:HD2	1.91	0.49
1:B:551:ARG:NH1	1:B:584:LYS:HG2	2.27	0.49
1:B:117:THR:HG21	1:B:138:GLU:HB2	1.94	0.49
1:B:67:ARG:NH1	9:B:3066:HOH:O	2.45	0.49
1:B:360:ARG:NH1	1:B:374:LEU:HD22	2.28	0.49
1:A:123:GLU:HG3	1:A:125:SER:N	2.26	0.48
1:A:61:TRP:HA	1:A:135:GLN:HE22	1.78	0.48
6:B:1003:HEM:HBC2	6:B:1003:HEM:CMC	2.39	0.48
1:B:61:TRP:HH2	1:B:137:ASP:N	2.11	0.48
1:B:471:LEU:HA	1:B:500:PRO:HD3	1.95	0.48
1:B:113:PHE:HA	6:B:1003:HEM:CGD	2.40	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:ARG:HH21	6:A:3003:HEM:HBD2	1.79	0.48
1:B:105:GLN:HG3	6:B:1003:HEM:C1C	2.48	0.48
6:A:3003:HEM:CMB	6:A:3003:HEM:HBB2	2.44	0.48
1:B:287:TRP:CZ3	1:B:295:GLU:HG3	2.49	0.48
1:A:557:THR:HG22	1:A:558:HIS:N	2.29	0.47
1:B:520:GLN:HG3	1:B:521:GLN:N	2.28	0.47
1:A:452:TRP:HH2	8:A:2002:FMT:C	2.27	0.47
1:A:16:ASP:C	1:A:18:GLN:H	2.17	0.47
1:A:167:CYS:HB2	1:A:168:PRO:CD	2.45	0.47
1:A:189:ALA:HB2	1:A:304:ILE:HD12	1.96	0.47
1:B:348:ARG:HH11	1:B:437:ASN:ND2	2.12	0.47
1:B:168:PRO:HB2	1:B:170:PRO:HD2	1.97	0.47
1:A:104:GLY:HA3	6:A:3003:HEM:CBC	2.45	0.47
1:A:244:ALA:O	1:A:245:HIS:HB2	2.15	0.47
1:A:392:ILE:O	1:A:396:VAL:HG23	2.14	0.47
1:A:150:LYS:NZ	1:A:419:ASN:O	2.42	0.46
1:A:46:TRP:H	8:A:2002:FMT:C	2.28	0.46
1:A:459:SER:O	1:A:461:PRO:HD3	2.16	0.46
1:B:97:SER:O	1:B:404:SER:HB2	2.15	0.46
1:B:557:THR:CG2	1:B:558:HIS:N	2.78	0.46
1:A:272:GLU:HG3	1:A:556:ASN:HD21	1.81	0.46
1:A:107:VAL:O	1:A:110:ASP:HB3	2.15	0.46
1:B:118:GLU:HG2	1:B:161:PHE:CE2	2.50	0.46
1:B:257:SER:O	1:B:381:PHE:HA	2.16	0.46
1:A:418:ARG:HG2	1:A:418:ARG:O	2.16	0.46
1:B:168:PRO:HB2	1:B:170:PRO:CD	2.45	0.46
1:B:137:ASP:HA	1:B:138:GLU:HA	1.57	0.46
1:A:110:ASP:HB2	1:A:191:LEU:HD13	1.98	0.45
1:B:306:ILE:HD13	1:B:544:LEU:O	2.16	0.45
1:B:25:THR:CG2	1:B:197:PRO:HD3	2.47	0.45
1:A:320:GLU:HG3	1:A:502:VAL:HG11	1.99	0.45
1:A:397:ARG:HH21	8:A:2001:FMT:H	1.81	0.45
1:A:530:TRP:CE2	1:A:531:GLU:HG3	2.52	0.45
1:A:46:TRP:HB2	8:A:2002:FMT:H	1.98	0.45
1:B:25:THR:HG23	1:B:197:PRO:HG3	1.99	0.45
1:A:407:MET:SD	1:A:408:ASN:N	2.90	0.45
1:B:172:TYR:C	1:B:173:GLN:HG3	2.37	0.45
1:B:123:GLU:HB3	1:B:126:LYS:HG3	1.98	0.44
1:B:118:GLU:HG2	1:B:161:PHE:CD2	2.53	0.44
1:B:504:ARG:HG3	9:B:3085:HOH:O	2.17	0.44
1:B:144:PHE:HE2	1:B:158:MET:HE3	1.80	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:377:HIS:HA	1:A:380:PHE:CE2	2.53	0.44
1:A:557:THR:HG22	1:A:558:HIS:H	1.82	0.44
1:A:257:SER:O	1:A:381:PHE:HA	2.18	0.43
1:A:397:ARG:HE	8:A:2001:FMT:H	1.84	0.43
1:A:75:ALA:HB2	1:A:439:GLN:HG3	1.99	0.43
1:A:203:LEU:O	1:A:213:MET:CG	2.66	0.43
1:B:118:GLU:O	1:B:119:LEU:HG	2.18	0.43
1:B:544:LEU:O	1:B:547:VAL:HG22	2.18	0.43
1:A:255:ARG:NH2	6:A:3003:HEM:HBD2	2.34	0.43
1:B:298:LYS:NZ	1:B:535:VAL:O	2.51	0.43
1:A:88:GLU:O	1:A:91:VAL:HG22	2.19	0.43
1:B:105:GLN:HB2	6:B:1003:HEM:CMC	2.49	0.43
1:A:3:GLU:H	1:A:3:GLU:HG2	1.61	0.43
1:A:328:TYR:HD1	1:A:523:ARG:NH1	2.15	0.43
1:B:298:LYS:HE2	1:B:536:PHE:CZ	2.54	0.43
1:B:360:ARG:HH12	1:B:374:LEU:HD22	1.83	0.42
1:A:255:ARG:HB3	7:A:3333:OSM:S	2.59	0.42
6:A:3003:HEM:HBB2	6:A:3003:HEM:HMB2	2.01	0.42
1:A:111:LEU:HB3	1:A:339:ILE:HD11	2.00	0.42
1:B:175:LEU:HD13	1:B:176:ALA:N	2.34	0.42
1:A:77:GLU:HG2	1:A:483:LEU:HD21	2.01	0.42
1:B:165:PHE:HD1	1:B:165:PHE:N	2.16	0.42
1:B:460:GLN:HA	1:B:461:PRO:HD3	1.91	0.42
1:B:128:GLN:HG2	1:B:134:VAL:HG21	2.02	0.42
1:A:563:PRO:HD3	1:A:576:PHE:CE2	2.54	0.42
1:B:351:HIS:CD2	1:B:433:LEU:HD21	2.55	0.42
1:A:253:ASP:OD2	1:A:255:ARG:HD3	2.20	0.41
1:B:1:SER:HB3	1:B:2:TRP:H	1.73	0.41
1:B:128:GLN:HG2	1:B:134:VAL:CG2	2.50	0.41
1:B:360:ARG:HB3	1:B:394:PRO:HB2	2.02	0.41
1:A:172:TYR:O	1:A:173:GLN:HG3	2.20	0.41
1:B:450:ASN:OD1	1:B:461:PRO:HD2	2.21	0.41
1:B:280:LEU:HD11	1:B:299:ILE:HD12	2.01	0.41
1:B:118:GLU:HG2	1:B:161:PHE:CZ	2.56	0.41
1:A:461:PRO:HG3	1:A:470:VAL:HG21	2.02	0.41
1:B:402:LYS:HA	1:B:402:LYS:HD3	1.86	0.41
1:B:557:THR:CG2	1:B:558:HIS:H	2.23	0.40
1:A:246:VAL:HA	1:A:247:PRO:HD2	1.98	0.40
1:A:19:SER:HA	1:A:20:PRO:HD3	1.91	0.40
1:B:112:ASP:HA	1:B:181:ASN:OD1	2.22	0.40
1:B:255:ARG:HH12	6:B:1003:HEM:HBD2	1.86	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:283:LEU:HD22	1:B:591:ALA:HB2	2.04	0.40
1:B:343:PHE:CD1	1:B:518:GLN:HG2	2.56	0.40
1:B:349:PHE:HB2	1:B:497:ASN:HD21	1.86	0.40
1:B:123:GLU:CB	1:B:126:LYS:HG3	2.51	0.40
1:A:36:LEU:HD12	1:A:36:LEU:HA	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	592/595 (100%)	551 (93%)	36 (6%)	5 (1%)	24	62
1	B	592/595 (100%)	555 (94%)	28 (5%)	9 (2%)	13	49
All	All	1184/1190 (100%)	1106 (93%)	64 (5%)	14 (1%)	16	54

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	9	PRO
1	A	167	CYS
1	A	171	PRO
1	B	167	CYS
1	B	171	PRO
1	A	174	SER
1	B	9	PRO
1	B	122	SER
1	B	137	ASP
1	B	170	PRO
1	A	17	GLU
1	B	119	LEU
1	B	168	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	169	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	516/516 (100%)	504 (98%)	12 (2%)	58	83
1	B	516/516 (100%)	498 (96%)	18 (4%)	43	77
All	All	1032/1032 (100%)	1002 (97%)	30 (3%)	50	80

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	96	ARG
1	A	108	ASP
1	A	124	HIS
1	A	172	TYR
1	A	173	GLN
1	A	177	ARG
1	A	180	ILE
1	A	190	SER
1	A	272	GLU
1	A	339	ILE
1	A	347	PHE
1	A	360	ARG
1	B	2	TRP
1	B	3	GLU
1	B	10	VAL
1	B	117	THR
1	B	118	GLU
1	B	128	GLN
1	B	148	ASP
1	B	165	PHE
1	B	169	THR
1	B	173	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	175	LEU
1	B	177	ARG
1	B	190	SER
1	B	332	ASN
1	B	347	PHE
1	B	523	ARG
1	B	551	ARG
1	B	556	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	124	HIS
1	A	364	ASN
1	A	497	ASN
1	A	545	GLN
1	A	556	ASN
1	B	128	GLN
1	B	250	GLN
1	B	437	ASN
1	B	497	ASN
1	B	521	GLN
1	B	556	ASN
1	B	574	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	SEP	A	198	1	8,9,10	1.66	3 (37%)	8,12,14	1.91	2 (25%)
1	SEP	B	198	1	8,9,10	1.64	2 (25%)	8,12,14	1.45	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	198	1	-	0/6/8/10	0/0/0/0
1	SEP	B	198	1	-	0/6/8/10	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	198	SEP	P-O3P	2.03	1.62	1.54
1	B	198	SEP	P-O2P	2.05	1.62	1.54
1	A	198	SEP	P-O2P	2.15	1.62	1.54
1	A	198	SEP	P-O1P	3.36	1.62	1.51
1	B	198	SEP	P-O1P	3.48	1.62	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SEP	O2P-P-OG	2.37	113.40	106.56
1	B	198	SEP	OG-CB-CA	2.73	110.60	108.27
1	A	198	SEP	OG-CB-CA	3.96	111.65	108.27

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	198	SEP	2	0
1	B	198	SEP	2	0

5.5 Carbohydrates

22 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	596	1,2	14,14,15	0.60	0	15,19,21	0.54	0
2	NAG	A	597	2	14,14,15	0.60	0	15,19,21	1.67	3 (20%)
2	MAN	A	598	2	11,11,12	0.60	0	14,15,17	1.81	2 (14%)
2	NAG	A	599	1,2	14,14,15	0.56	0	15,19,21	0.85	1 (6%)
2	NAG	A	600	2	14,14,15	0.60	0	15,19,21	0.99	1 (6%)
2	MAN	A	601	2	11,11,12	0.56	0	14,15,17	0.83	0
3	NAG	A	602	1,3	14,14,15	0.50	0	15,19,21	1.29	1 (6%)
3	NAG	A	603	3	14,14,15	0.47	0	15,19,21	1.47	2 (13%)
3	BMA	A	604	3	11,11,12	0.62	0	14,15,17	1.81	1 (7%)
4	NAG	A	605	1,4	14,14,15	0.52	0	15,19,21	1.23	2 (13%)
4	NAG	A	606	4	14,14,15	0.77	0	15,19,21	1.18	1 (6%)
2	NAG	B	596	1,2	14,14,15	0.58	0	15,19,21	1.17	1 (6%)
2	NAG	B	597	2	14,14,15	0.80	0	15,19,21	1.65	3 (20%)
2	MAN	B	598	2	11,11,12	0.69	0	14,15,17	1.08	1 (7%)
3	NAG	B	599	1,3	14,14,15	0.50	0	15,19,21	0.91	1 (6%)
3	NAG	B	600	3	14,14,15	0.62	0	15,19,21	0.89	1 (6%)
3	BMA	B	601	3	11,11,12	0.73	0	14,15,17	1.58	2 (14%)
3	NAG	B	602	1,3	14,14,15	0.54	0	15,19,21	1.09	1 (6%)
3	NAG	B	603	3	14,14,15	0.46	0	15,19,21	1.14	1 (6%)
3	BMA	B	604	3	11,11,12	0.59	0	14,15,17	1.62	2 (14%)
4	NAG	B	605	1,4	14,14,15	0.52	0	15,19,21	1.17	2 (13%)
4	NAG	B	606	4	14,14,15	0.52	0	15,19,21	0.89	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	596	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	597	2	-	0/6/23/26	0/1/1/1
2	MAN	A	598	2	-	0/2/19/22	0/1/1/1
2	NAG	A	599	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	600	2	-	0/6/23/26	0/1/1/1
2	MAN	A	601	2	-	0/2/19/22	0/1/1/1
3	NAG	A	602	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	603	3	-	0/6/23/26	0/1/1/1
3	BMA	A	604	3	-	0/2/19/22	1/1/1/1
4	NAG	A	605	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	606	4	-	0/6/23/26	0/1/1/1
2	NAG	B	596	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	597	2	-	0/6/23/26	0/1/1/1
2	MAN	B	598	2	-	0/2/19/22	0/1/1/1
3	NAG	B	599	1,3	-	0/6/23/26	0/1/1/1
3	NAG	B	600	3	-	0/6/23/26	0/1/1/1
3	BMA	B	601	3	-	0/2/19/22	1/1/1/1
3	NAG	B	602	1,3	-	0/6/23/26	0/1/1/1
3	NAG	B	603	3	-	0/6/23/26	0/1/1/1
3	BMA	B	604	3	-	0/2/19/22	1/1/1/1
4	NAG	B	605	1,4	-	0/6/23/26	0/1/1/1
4	NAG	B	606	4	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	603	NAG	C3-C4-C5	2.03	113.74	110.20
4	B	606	NAG	C4-C3-C2	2.07	114.44	111.23
2	A	599	NAG	C1-O5-C5	2.16	114.99	112.25
2	B	597	NAG	C3-C4-C5	2.21	114.06	110.20
3	B	600	NAG	C4-C3-C2	2.23	114.69	111.23
3	B	601	BMA	C1-C2-C3	2.23	112.18	109.54
4	B	605	NAG	C3-C4-C5	2.29	114.18	110.20
2	A	597	NAG	C4-C3-C2	2.30	114.81	111.23
3	B	604	BMA	O5-C5-C6	2.31	112.35	107.35
4	A	605	NAG	C3-C4-C5	2.36	114.31	110.20
2	A	598	MAN	C1-C2-C3	2.47	112.46	109.54
4	B	605	NAG	C4-C3-C2	2.63	115.32	111.23
2	A	600	NAG	C4-C3-C2	2.70	115.42	111.23
3	B	599	NAG	C1-O5-C5	2.81	115.81	112.25
2	B	598	MAN	C1-O5-C5	2.88	115.90	112.25
3	B	602	NAG	C1-O5-C5	3.16	116.26	112.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	603	NAG	C1-O5-C5	3.34	116.49	112.25
4	A	605	NAG	C4-C3-C2	3.39	116.50	111.23
2	B	596	NAG	C4-C3-C2	3.40	116.51	111.23
2	B	597	NAG	C1-O5-C5	3.40	116.56	112.25
3	A	602	NAG	C1-O5-C5	3.45	116.63	112.25
2	A	597	NAG	C1-O5-C5	3.85	117.13	112.25
4	A	606	NAG	C4-C3-C2	3.89	117.27	111.23
2	A	597	NAG	C3-C4-C5	4.04	117.25	110.20
2	B	597	NAG	C4-C3-C2	4.14	117.67	111.23
3	B	604	BMA	C1-O5-C5	4.71	118.23	112.25
3	A	603	NAG	C1-O5-C5	4.72	118.24	112.25
3	B	601	BMA	C1-O5-C5	4.75	118.28	112.25
2	A	598	MAN	C1-O5-C5	5.21	118.86	112.25
3	A	604	BMA	C1-O5-C5	5.85	119.67	112.25

There are no chirality outliers.

There are no torsion outliers.

All (3) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	604	BMA	C1-C2-C3-C4-C5-O5
3	A	604	BMA	C1-C2-C3-C4-C5-O5
3	B	601	BMA	C1-C2-C3-C4-C5-O5

3 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	596	NAG	1	0
3	B	599	NAG	1	0
3	B	600	NAG	1	0

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is

the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	FMT	A	2001	-	0,2,2	0.00	-	0,1,1	0.00	-
8	FMT	A	2002	-	0,2,2	0.00	-	0,1,1	0.00	-
6	HEM	A	3003	1	30,50,50	2.25	10 (33%)	24,82,82	2.23	7 (29%)
7	OSM	A	3333	-	1,3,3	0.50	0	0,2,2	0.00	-
6	HEM	B	1003	1	30,50,50	2.30	10 (33%)	24,82,82	2.17	7 (29%)
8	FMT	B	2003	-	0,2,2	0.00	-	0,1,1	0.00	-
8	FMT	B	2004	-	0,2,2	0.00	-	0,1,1	0.00	-
7	OSM	B	3333	-	1,3,3	0.54	0	0,2,2	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	FMT	A	2001	-	-	0/0/0/0	0/0/0/0
8	FMT	A	2002	-	-	0/0/0/0	0/0/0/0
6	HEM	A	3003	1	-	0/10/54/54	0/0/8/8
7	OSM	A	3333	-	-	0/0/1/1	0/0/0/0
6	HEM	B	1003	1	-	0/10/54/54	0/0/8/8
8	FMT	B	2003	-	-	0/0/0/0	0/0/0/0
8	FMT	B	2004	-	-	0/0/0/0	0/0/0/0
7	OSM	B	3333	-	-	0/0/1/1	0/0/0/0

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	1003	HEM	C3B-C4B	-7.66	1.45	1.51
6	A	3003	HEM	C3B-C4B	-7.27	1.45	1.51
6	A	3003	HEM	C3D-C4D	-5.18	1.44	1.51
6	B	1003	HEM	C3D-C4D	-5.10	1.45	1.51
6	A	3003	HEM	C2C-C1C	-3.60	1.45	1.52
6	B	1003	HEM	C2C-C1C	-3.54	1.45	1.52
6	A	3003	HEM	C2D-C1D	-2.13	1.44	1.51
6	B	1003	HEM	C2D-C1D	-2.11	1.44	1.51
6	B	1003	HEM	C4C-NC	2.16	1.38	1.36
6	A	3003	HEM	C1C-NC	2.20	1.38	1.36
6	B	1003	HEM	CAA-C2A	2.25	1.55	1.52
6	B	1003	HEM	C3B-CAB	2.25	1.55	1.51
6	A	3003	HEM	C3B-CAB	2.27	1.55	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	1003	HEM	C3C-CAC	2.34	1.55	1.51
6	A	3003	HEM	C4C-NC	2.36	1.38	1.36
6	B	1003	HEM	FE-NB	2.36	2.10	1.97
6	A	3003	HEM	C3C-CAC	2.39	1.55	1.51
6	A	3003	HEM	FE-NB	2.62	2.11	1.97
6	A	3003	HEM	FE-NC	2.69	2.06	1.95
6	B	1003	HEM	FE-NC	3.53	2.09	1.95

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	1003	HEM	CBD-CAD-C3D	-2.89	105.14	113.55
6	A	3003	HEM	CBD-CAD-C3D	-2.58	106.04	113.55
6	B	1003	HEM	C2D-C3D-C4D	2.41	105.58	101.50
6	A	3003	HEM	C2D-C3D-C4D	2.47	105.69	101.50
6	A	3003	HEM	CMD-C2D-C3D	2.58	125.78	114.35
6	B	1003	HEM	CMD-C2D-C3D	2.61	125.91	114.35
6	B	1003	HEM	CMB-C2B-C3B	3.69	125.74	116.53
6	A	3003	HEM	CMB-C2B-C3B	3.90	126.27	116.53
6	B	1003	HEM	CMC-C2C-C3C	4.30	127.25	116.53
6	A	3003	HEM	CMC-C2C-C3C	4.43	127.59	116.53
6	A	3003	HEM	CAD-C3D-C4D	4.47	128.23	112.47
6	A	3003	HEM	CAD-C3D-C2D	4.47	126.08	113.22
6	B	1003	HEM	CAD-C3D-C2D	4.48	126.10	113.22
6	B	1003	HEM	CAD-C3D-C4D	4.49	128.29	112.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 38 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	2001	FMT	2	0
8	A	2002	FMT	4	0
6	A	3003	HEM	11	0
7	A	3333	OSM	3	0
6	B	1003	HEM	17	0
7	B	3333	OSM	4	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/595 (99%)	0.05	28 (4%) 35 29	8, 24, 47, 72	0
1	B	594/595 (99%)	0.02	34 (5%) 27 22	4, 23, 47, 76	0
All	All	1188/1190 (99%)	0.04	62 (5%) 31 25	4, 23, 47, 76	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	5	GLY	7.1
1	A	121	SER	6.3
1	A	120	GLY	6.3
1	A	6	CYS	5.8
1	A	8	ALA	5.5
1	A	5	GLY	5.4
1	A	595	ASN	5.2
1	B	1	SER	5.0
1	A	3	GLU	4.9
1	B	172	TYR	4.8
1	B	6	CYS	4.8
1	A	7	GLY	4.8
1	A	171	PRO	4.6
1	B	4	VAL	4.6
1	B	2	TRP	4.5
1	A	1	SER	4.2
1	A	2	TRP	4.0
1	A	170	PRO	3.9
1	B	174	SER	3.8
1	A	172	TYR	3.7
1	B	121	SER	3.7
1	B	170	PRO	3.7
1	A	174	SER	3.6
1	B	7	GLY	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	9	PRO	3.6
1	B	3	GLU	3.3
1	A	122	SER	3.3
1	B	8	ALA	3.3
1	B	122	SER	3.0
1	B	120	GLY	3.0
1	A	4	VAL	3.0
1	A	16	ASP	2.9
1	A	13	VAL	2.9
1	A	14	THR	2.8
1	B	14	THR	2.8
1	B	242	THR	2.8
1	B	146	LYS	2.8
1	B	593	ARG	2.8
1	B	243	THR	2.6
1	A	173	GLN	2.6
1	B	595	ASN	2.6
1	B	173	GLN	2.6
1	B	119	LEU	2.5
1	A	594	GLU	2.5
1	A	593	ARG	2.5
1	A	12	LEU	2.5
1	B	594	GLU	2.4
1	B	18	GLN	2.3
1	A	167	CYS	2.3
1	B	12	LEU	2.3
1	B	469	ALA	2.2
1	B	17	GLU	2.2
1	B	167	CYS	2.2
1	B	147	ASN	2.2
1	B	168	PRO	2.2
1	B	171	PRO	2.1
1	B	16	ASP	2.1
1	A	146	LYS	2.1
1	A	168	PRO	2.1
1	B	334	SER	2.0
1	B	9	PRO	2.0
1	A	573	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	SEP	A	198	10/11	0.83	0.49	-	33,34,39,39	0
1	SEP	B	198	10/11	0.80	0.50	-	33,34,41,41	0

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	B	596	14/15	0.78	0.51	3.77	46,51,54,58	0
2	NAG	A	600	14/15	0.87	0.41	1.87	51,52,55,57	0
3	NAG	B	602	14/15	0.87	0.23	-0.05	48,50,53,56	0
3	NAG	B	599	14/15	0.88	0.22	-0.45	44,46,49,53	0
3	NAG	A	602	14/15	0.90	0.19	-0.86	42,44,46,50	0
2	NAG	A	599	14/15	0.92	0.17	-1.01	38,41,43,47	0
4	NAG	A	606	14/15	0.66	0.67	-	55,57,57,57	0
3	NAG	B	600	14/15	0.75	0.49	-	57,58,61,64	0
2	MAN	A	598	11/12	0.61	0.67	-	67,68,69,69	0
3	BMA	B	604	11/12	0.68	0.66	-	65,66,66,67	0
3	BMA	B	601	11/12	0.46	0.75	-	66,68,68,68	0
2	MAN	A	601	11/12	0.61	0.58	-	59,60,61,61	0
2	NAG	A	596	14/15	0.62	0.52	-	48,53,55,59	0
3	BMA	A	604	11/12	0.47	0.55	-	59,60,61,61	0
4	NAG	B	606	14/15	0.62	0.80	-	62,63,64,64	0
2	NAG	A	597	14/15	0.66	0.60	-	62,65,65,67	0
2	NAG	B	597	14/15	0.70	0.55	-	63,66,67,69	0
3	NAG	B	603	14/15	0.72	0.47	-	60,62,63,64	0
4	NAG	A	605	14/15	0.71	0.42	-	43,46,48,51	0
4	NAG	B	605	14/15	0.66	0.53	-	50,55,56,59	0
3	NAG	A	603	14/15	0.63	0.55	-	53,54,56,58	0
2	MAN	B	598	11/12	0.43	0.73	-	71,71,72,72	0

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
8	FMT	B	2004	3/3	0.94	0.32	5.97	29,29,29,29	0
8	FMT	A	2002	3/3	0.94	0.41	5.59	32,32,32,32	0
6	HEM	B	1003	43/43	0.79	0.31	3.44	12,13,14,15	0
8	FMT	B	2003	3/3	0.94	0.30	3.17	46,46,46,46	0
6	HEM	A	3003	43/43	0.82	0.31	2.63	17,18,22,23	0
8	FMT	A	2001	3/3	0.93	0.23	0.38	42,42,42,42	0
5	CA	A	607	1/1	0.96	0.09	-2.94	25,25,25,25	0
5	CA	B	607	1/1	0.97	0.07	-3.58	34,34,34,34	0
7	OSM	B	3333	4/4	0.61	0.48	-	54,54,54,54	0
7	OSM	A	3333	4/4	0.58	0.53	-	48,48,48,48	0

6.5 Other polymers ⓘ

There are no such residues in this entry.