



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:07 PM GMT

PDB ID : 4NS3
Title : Crystal structure of the Delta-pyrroline-5-carboxylate dehydrogenase from Mycobacterium tuberculosis bound with NAD and cobalamin
Authors : Lagautriere, T.; Bashiri, G.; Baker, E.N.
Deposited on : 2013-11-27
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4019 (2.40-2.36)
Clashscore	102246	4595 (2.40-2.36)
Ramachandran outliers	100387	4520 (2.40-2.36)
Sidechain outliers	100360	4522 (2.40-2.36)
RSRZ outliers	91569	4034 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	563	<div> <div>90%</div> <div>6%</div> <div>.</div> </div>
1	B	563	<div> <div>88%</div> <div>7%</div> <div>..</div> </div>
1	C	563	<div> <div>88%</div> <div>8%</div> <div>.</div> </div>
1	D	563	<div> <div>90%</div> <div>6%</div> <div>.</div> </div>
1	E	563	<div> <div>4%</div> <div>85%</div> <div>9%</div> <div>6%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	563	 3% 86% 9% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	B12	A	601	X	-	-	-
2	B12	B	601	X	-	-	-
2	B12	C	601	X	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 27892 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Delta-1-pyrroline-5-carboxylate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	542	Total	C	N	O	S	0	0	0
			4161	2636	736	778	11			
1	B	542	Total	C	N	O	S	0	0	0
			4163	2638	736	778	11			
1	C	544	Total	C	N	O	S	0	0	0
			4176	2645	738	782	11			
1	D	544	Total	C	N	O	S	0	0	0
			4171	2642	738	780	11			
1	E	532	Total	C	N	O	S	0	0	0
			4072	2581	723	757	11			
1	F	535	Total	C	N	O	S	0	0	0
			4100	2597	727	765	11			

There are 126 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP L7N4Z6
A	-18	GLY	-	EXPRESSION TAG	UNP L7N4Z6
A	-17	SER	-	EXPRESSION TAG	UNP L7N4Z6
A	-16	SER	-	EXPRESSION TAG	UNP L7N4Z6
A	-15	HIS	-	EXPRESSION TAG	UNP L7N4Z6
A	-14	HIS	-	EXPRESSION TAG	UNP L7N4Z6
A	-13	HIS	-	EXPRESSION TAG	UNP L7N4Z6
A	-12	HIS	-	EXPRESSION TAG	UNP L7N4Z6
A	-11	HIS	-	EXPRESSION TAG	UNP L7N4Z6
A	-10	HIS	-	EXPRESSION TAG	UNP L7N4Z6
A	-9	SER	-	EXPRESSION TAG	UNP L7N4Z6
A	-8	SER	-	EXPRESSION TAG	UNP L7N4Z6
A	-7	GLY	-	EXPRESSION TAG	UNP L7N4Z6
A	-6	LEU	-	EXPRESSION TAG	UNP L7N4Z6
A	-5	VAL	-	EXPRESSION TAG	UNP L7N4Z6
A	-4	PRO	-	EXPRESSION TAG	UNP L7N4Z6
A	-3	ARG	-	EXPRESSION TAG	UNP L7N4Z6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	EXPRESSION TAG	UNP L7N4Z6
A	-1	SER	-	EXPRESSION TAG	UNP L7N4Z6
A	0	HIS	-	EXPRESSION TAG	UNP L7N4Z6
A	505	ASP	GLY	ENGINEERED MUTATION	UNP L7N4Z6
B	-19	MET	-	EXPRESSION TAG	UNP L7N4Z6
B	-18	GLY	-	EXPRESSION TAG	UNP L7N4Z6
B	-17	SER	-	EXPRESSION TAG	UNP L7N4Z6
B	-16	SER	-	EXPRESSION TAG	UNP L7N4Z6
B	-15	HIS	-	EXPRESSION TAG	UNP L7N4Z6
B	-14	HIS	-	EXPRESSION TAG	UNP L7N4Z6
B	-13	HIS	-	EXPRESSION TAG	UNP L7N4Z6
B	-12	HIS	-	EXPRESSION TAG	UNP L7N4Z6
B	-11	HIS	-	EXPRESSION TAG	UNP L7N4Z6
B	-10	HIS	-	EXPRESSION TAG	UNP L7N4Z6
B	-9	SER	-	EXPRESSION TAG	UNP L7N4Z6
B	-8	SER	-	EXPRESSION TAG	UNP L7N4Z6
B	-7	GLY	-	EXPRESSION TAG	UNP L7N4Z6
B	-6	LEU	-	EXPRESSION TAG	UNP L7N4Z6
B	-5	VAL	-	EXPRESSION TAG	UNP L7N4Z6
B	-4	PRO	-	EXPRESSION TAG	UNP L7N4Z6
B	-3	ARG	-	EXPRESSION TAG	UNP L7N4Z6
B	-2	GLY	-	EXPRESSION TAG	UNP L7N4Z6
B	-1	SER	-	EXPRESSION TAG	UNP L7N4Z6
B	0	HIS	-	EXPRESSION TAG	UNP L7N4Z6
B	505	ASP	GLY	ENGINEERED MUTATION	UNP L7N4Z6
C	-19	MET	-	EXPRESSION TAG	UNP L7N4Z6
C	-18	GLY	-	EXPRESSION TAG	UNP L7N4Z6
C	-17	SER	-	EXPRESSION TAG	UNP L7N4Z6
C	-16	SER	-	EXPRESSION TAG	UNP L7N4Z6
C	-15	HIS	-	EXPRESSION TAG	UNP L7N4Z6
C	-14	HIS	-	EXPRESSION TAG	UNP L7N4Z6
C	-13	HIS	-	EXPRESSION TAG	UNP L7N4Z6
C	-12	HIS	-	EXPRESSION TAG	UNP L7N4Z6
C	-11	HIS	-	EXPRESSION TAG	UNP L7N4Z6
C	-10	HIS	-	EXPRESSION TAG	UNP L7N4Z6
C	-9	SER	-	EXPRESSION TAG	UNP L7N4Z6
C	-8	SER	-	EXPRESSION TAG	UNP L7N4Z6
C	-7	GLY	-	EXPRESSION TAG	UNP L7N4Z6
C	-6	LEU	-	EXPRESSION TAG	UNP L7N4Z6
C	-5	VAL	-	EXPRESSION TAG	UNP L7N4Z6
C	-4	PRO	-	EXPRESSION TAG	UNP L7N4Z6
C	-3	ARG	-	EXPRESSION TAG	UNP L7N4Z6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	EXPRESSION TAG	UNP L7N4Z6
C	-1	SER	-	EXPRESSION TAG	UNP L7N4Z6
C	0	HIS	-	EXPRESSION TAG	UNP L7N4Z6
C	505	ASP	GLY	ENGINEERED MUTATION	UNP L7N4Z6
D	-19	MET	-	EXPRESSION TAG	UNP L7N4Z6
D	-18	GLY	-	EXPRESSION TAG	UNP L7N4Z6
D	-17	SER	-	EXPRESSION TAG	UNP L7N4Z6
D	-16	SER	-	EXPRESSION TAG	UNP L7N4Z6
D	-15	HIS	-	EXPRESSION TAG	UNP L7N4Z6
D	-14	HIS	-	EXPRESSION TAG	UNP L7N4Z6
D	-13	HIS	-	EXPRESSION TAG	UNP L7N4Z6
D	-12	HIS	-	EXPRESSION TAG	UNP L7N4Z6
D	-11	HIS	-	EXPRESSION TAG	UNP L7N4Z6
D	-10	HIS	-	EXPRESSION TAG	UNP L7N4Z6
D	-9	SER	-	EXPRESSION TAG	UNP L7N4Z6
D	-8	SER	-	EXPRESSION TAG	UNP L7N4Z6
D	-7	GLY	-	EXPRESSION TAG	UNP L7N4Z6
D	-6	LEU	-	EXPRESSION TAG	UNP L7N4Z6
D	-5	VAL	-	EXPRESSION TAG	UNP L7N4Z6
D	-4	PRO	-	EXPRESSION TAG	UNP L7N4Z6
D	-3	ARG	-	EXPRESSION TAG	UNP L7N4Z6
D	-2	GLY	-	EXPRESSION TAG	UNP L7N4Z6
D	-1	SER	-	EXPRESSION TAG	UNP L7N4Z6
D	0	HIS	-	EXPRESSION TAG	UNP L7N4Z6
D	505	ASP	GLY	ENGINEERED MUTATION	UNP L7N4Z6
E	-19	MET	-	EXPRESSION TAG	UNP L7N4Z6
E	-18	GLY	-	EXPRESSION TAG	UNP L7N4Z6
E	-17	SER	-	EXPRESSION TAG	UNP L7N4Z6
E	-16	SER	-	EXPRESSION TAG	UNP L7N4Z6
E	-15	HIS	-	EXPRESSION TAG	UNP L7N4Z6
E	-14	HIS	-	EXPRESSION TAG	UNP L7N4Z6
E	-13	HIS	-	EXPRESSION TAG	UNP L7N4Z6
E	-12	HIS	-	EXPRESSION TAG	UNP L7N4Z6
E	-11	HIS	-	EXPRESSION TAG	UNP L7N4Z6
E	-10	HIS	-	EXPRESSION TAG	UNP L7N4Z6
E	-9	SER	-	EXPRESSION TAG	UNP L7N4Z6
E	-8	SER	-	EXPRESSION TAG	UNP L7N4Z6
E	-7	GLY	-	EXPRESSION TAG	UNP L7N4Z6
E	-6	LEU	-	EXPRESSION TAG	UNP L7N4Z6
E	-5	VAL	-	EXPRESSION TAG	UNP L7N4Z6
E	-4	PRO	-	EXPRESSION TAG	UNP L7N4Z6
E	-3	ARG	-	EXPRESSION TAG	UNP L7N4Z6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	GLY	-	EXPRESSION TAG	UNP L7N4Z6
E	-1	SER	-	EXPRESSION TAG	UNP L7N4Z6
E	0	HIS	-	EXPRESSION TAG	UNP L7N4Z6
E	505	ASP	GLY	CONFLICT	UNP L7N4Z6
F	-19	MET	-	EXPRESSION TAG	UNP L7N4Z6
F	-18	GLY	-	EXPRESSION TAG	UNP L7N4Z6
F	-17	SER	-	EXPRESSION TAG	UNP L7N4Z6
F	-16	SER	-	EXPRESSION TAG	UNP L7N4Z6
F	-15	HIS	-	EXPRESSION TAG	UNP L7N4Z6
F	-14	HIS	-	EXPRESSION TAG	UNP L7N4Z6
F	-13	HIS	-	EXPRESSION TAG	UNP L7N4Z6
F	-12	HIS	-	EXPRESSION TAG	UNP L7N4Z6
F	-11	HIS	-	EXPRESSION TAG	UNP L7N4Z6
F	-10	HIS	-	EXPRESSION TAG	UNP L7N4Z6
F	-9	SER	-	EXPRESSION TAG	UNP L7N4Z6
F	-8	SER	-	EXPRESSION TAG	UNP L7N4Z6
F	-7	GLY	-	EXPRESSION TAG	UNP L7N4Z6
F	-6	LEU	-	EXPRESSION TAG	UNP L7N4Z6
F	-5	VAL	-	EXPRESSION TAG	UNP L7N4Z6
F	-4	PRO	-	EXPRESSION TAG	UNP L7N4Z6
F	-3	ARG	-	EXPRESSION TAG	UNP L7N4Z6
F	-2	GLY	-	EXPRESSION TAG	UNP L7N4Z6
F	-1	SER	-	EXPRESSION TAG	UNP L7N4Z6
F	0	HIS	-	EXPRESSION TAG	UNP L7N4Z6
F	505	ASP	GLY	ENGINEERED MUTATION	UNP L7N4Z6

- Molecule 2 is COBALAMIN (three-letter code: B12) (formula: $C_{62}H_{89}CoN_{13}O_{14}P$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 91	C 62	Co 1	N 13	O 14	P 1	0	0
2	B	1	Total 91	C 62	Co 1	N 13	O 14	P 1	0	0
2	C	1	Total 91	C 62	Co 1	N 13	O 14	P 1	0	0
2	D	1	Total 91	C 62	Co 1	N 13	O 14	P 1	0	0

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	E	1	Total	C	N	O	P	0	0
			28	11	5	10	2		
3	F	1	Total	C	N	O	P	0	0
			26	10	5	9	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	537	Total	O	0	0
			537	537		
4	B	482	Total	O	0	0
			482	482		
4	C	480	Total	O	0	0
			480	480		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	484	Total 484	O 484	0	0
4	E	316	Total 316	O 316	0	0
4	F	332	Total 332	O 332	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase




- Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase



- Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase





- Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase







- Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase



- Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	164.85Å 164.85Å 260.24Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.05 – 2.38 20.05 – 2.38	Depositor EDS
% Data completeness (in resolution range)	99.7 (20.05-2.38) 99.7 (20.05-2.38)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 2.38Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.157 , 0.205 0.166 , 0.210	Depositor DCC
R_{free} test set	8206 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	27.4	Xtriage
Anisotropy	0.086	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 40.1	EDS
Estimated twinning fraction	0.018 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 163489 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	27892	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CME, B12, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/4253	0.54	0/5800
1	B	0.51	0/4254	0.54	1/5800 (0.0%)
1	C	0.51	0/4268	0.54	0/5821
1	D	0.51	0/4263	0.53	0/5814
1	E	0.46	0/4159	0.51	0/5668
1	F	0.49	0/4189	0.52	2/5711 (0.0%)
All	All	0.50	0/25386	0.53	3/34614 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	373	ARG	NE-CZ-NH1	-5.48	117.56	120.30
1	F	323	GLN	CA-CB-CG	5.32	125.09	113.40
1	F	275	GLN	CA-CB-CG	5.28	125.01	113.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4161	0	4066	22	0
1	B	4163	0	4069	35	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	4176	0	4079	31	0
1	D	4171	0	4070	27	0
1	E	4072	0	3981	33	0
1	F	4100	0	4009	41	0
2	A	91	0	87	5	0
2	B	91	0	87	6	0
2	C	91	0	87	10	0
2	D	91	0	86	10	0
3	E	28	0	12	0	0
3	F	26	0	12	0	0
4	A	537	0	0	5	0
4	B	482	0	0	5	0
4	C	480	0	0	2	0
4	D	484	0	0	8	0
4	E	316	0	0	4	0
4	F	332	0	0	5	0
All	All	27892	0	24645	201	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:46:ILE:HD12	1:B:51:ARG:HH21	1.44	0.82
1:E:275:GLN:OE1	4:E:971:HOH:O	1.99	0.81
1:E:103:ARG:NH2	4:E:957:HOH:O	2.21	0.68
1:F:263:PHE:HB3	1:F:270:PHE:HE1	1.58	0.68
1:D:373:ARG:HH12	2:D:601:B12:H452	1.42	0.67
1:F:323:GLN:HE21	1:F:367:GLY:C	1.98	0.67
1:C:212:LYS:NZ	1:C:213:PRO:O	2.27	0.67
1:D:373:ARG:NH1	2:D:601:B12:H452	1.93	0.66
1:D:212:LYS:HD2	1:D:245:GLY:HA2	1.78	0.66
1:E:212:LYS:NZ	1:E:213:PRO:O	2.29	0.65
1:F:263:PHE:HB3	1:F:270:PHE:CE1	2.31	0.65
1:A:212:LYS:HE2	1:A:243:GLY:O	1.97	0.64
1:D:103:ARG:NH2	4:D:1114:HOH:O	2.30	0.64
2:C:601:B12:H601	2:C:601:B12:H262	1.79	0.63
1:B:389:ALA:O	1:B:391:VAL:N	2.32	0.63
2:A:601:B12:H261	2:A:601:B12:H601	1.80	0.62
1:B:69:ARG:NH2	4:B:1149:HOH:O	2.33	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:481:ASN:HD21	1:E:499:GLY:HA3	1.64	0.61
1:E:277:VAL:O	1:E:281:ILE:HG13	2.00	0.61
1:A:212:LYS:NZ	1:A:213:PRO:O	2.29	0.61
1:C:157:ARG:NH1	1:C:161:GLU:OE1	2.27	0.61
1:E:457:THR:HG22	1:E:481:ASN:HB2	1.83	0.61
2:B:601:B12:H351	2:B:601:B12:H362	1.83	0.61
1:F:263:PHE:CD2	1:F:270:PHE:HD1	2.19	0.60
1:A:212:LYS:HD2	1:A:245:GLY:HA2	1.83	0.60
1:E:509:LYS:NZ	4:E:925:HOH:O	2.34	0.59
1:C:391:VAL:O	4:C:1129:HOH:O	2.16	0.59
1:B:49:ARG:NH1	1:B:51:ARG:HD3	2.18	0.59
1:B:212:LYS:HE2	1:B:243:GLY:O	2.03	0.58
1:C:346:GLU:O	1:C:350:LYS:HG2	2.03	0.58
1:F:323:GLN:HE21	1:F:368:ALA:N	2.00	0.58
1:B:46:ILE:HD12	1:B:51:ARG:NH2	2.16	0.57
2:B:601:B12:H601	2:B:601:B12:H262	1.85	0.57
1:C:169:GLY:HA2	1:F:112:ASP:OD2	2.05	0.57
1:A:527:GLU:OE2	1:B:465:ARG:NH1	2.32	0.57
2:D:601:B12:H601	2:D:601:B12:H261	1.85	0.57
1:A:212:LYS:HD2	1:A:245:GLY:CA	2.34	0.57
2:A:601:B12:H351	2:A:601:B12:H362	1.86	0.57
1:F:323:GLN:NE2	1:F:367:GLY:H	2.02	0.57
1:E:526:LYS:HD2	1:F:496:GLN:NE2	2.20	0.57
1:B:212:LYS:HD2	1:B:245:GLY:CA	2.34	0.57
2:D:601:B12:N45	4:D:931:HOH:O	2.32	0.56
1:A:169:GLY:HA2	1:E:112:ASP:OD2	2.05	0.56
1:C:502:ARG:NH1	4:D:1144:HOH:O	2.33	0.56
1:A:436:TYR:CG	1:A:444:ILE:HG13	2.41	0.55
2:B:601:B12:H552	2:B:601:B12:H531	1.86	0.55
1:E:328:SER:HB3	1:E:456:LEU:HD12	1.87	0.55
1:E:355:ARG:NH2	1:E:363:SER:OG	2.39	0.55
1:B:103:ARG:NH2	4:B:1148:HOH:O	2.39	0.55
1:F:328:SER:HB3	1:F:456:LEU:HD12	1.88	0.54
1:B:49:ARG:HH11	1:B:51:ARG:HD3	1.73	0.54
1:C:328:SER:HB3	1:C:456:LEU:HD12	1.89	0.54
1:B:355:ARG:NE	4:B:1023:HOH:O	2.38	0.54
1:F:212:LYS:HE2	1:F:245:GLY:HA3	1.88	0.54
1:E:459:ALA:HB2	1:E:488:PRO:HG3	1.90	0.54
1:E:212:LYS:HD2	1:E:245:GLY:HA3	1.90	0.54
1:B:355:ARG:NH2	1:B:363:SER:OG	2.41	0.54
1:A:346:GLU:O	1:A:350:LYS:HG2	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:349:ALA:O	1:E:353:GLU:HG3	2.09	0.53
1:C:496:GLN:NE2	1:D:526:LYS:HD2	2.23	0.53
1:B:169:GLY:HA2	1:D:112:ASP:OD2	2.07	0.53
1:C:114:LEU:HD23	1:C:146:ILE:HG13	1.89	0.53
1:F:417:PRO:HD3	1:F:434:HIS:CE1	2.43	0.53
1:C:296:GLY:HA3	1:C:456:LEU:HG	1.91	0.53
1:C:0:HIS:O	4:C:1076:HOH:O	2.19	0.52
1:D:355:ARG:NH2	1:D:363:SER:OG	2.43	0.52
1:E:481:ASN:ND2	1:E:499:GLY:HA3	2.25	0.52
1:F:457:THR:HG22	1:F:481:ASN:HB2	1.91	0.51
1:E:496:GLN:NE2	1:F:526:LYS:HD2	2.26	0.51
2:D:601:B12:H362	2:D:601:B12:H351	1.91	0.51
2:D:601:B12:N33	4:D:994:HOH:O	2.32	0.51
1:B:122:ILE:HG22	1:B:141:ALA:HB1	1.92	0.51
1:C:212:LYS:HD2	1:C:245:GLY:CA	2.41	0.51
1:D:6:GLN:NE2	4:D:969:HOH:O	2.24	0.51
1:F:323:GLN:NE2	1:F:367:GLY:C	2.65	0.51
1:C:112:ASP:OD2	1:F:169:GLY:HA2	2.10	0.50
1:E:375:PHE:CZ	1:E:401:ASP:HB3	2.47	0.50
1:D:212:LYS:HD2	1:D:245:GLY:CA	2.41	0.50
1:B:297:LYS:O	1:B:455:ALA:HA	2.12	0.50
1:A:122:ILE:HG22	1:A:141:ALA:HB1	1.94	0.50
1:B:95:TRP:CE2	1:B:103:ARG:HD2	2.47	0.49
1:B:373:ARG:NH1	2:B:601:B12:O44	2.42	0.49
2:C:601:B12:H531	2:C:601:B12:H552	1.94	0.49
2:C:601:B12:H253	2:C:601:B12:H301	1.60	0.49
1:C:457:THR:OG1	1:C:488:PRO:HB2	2.12	0.49
1:D:309:ASP:HB2	4:D:730:HOH:O	2.13	0.49
1:E:476:ARG:HG3	1:F:523:ARG:NH2	2.28	0.49
2:A:601:B12:H531	2:A:601:B12:H552	1.94	0.49
1:E:346:GLU:O	1:E:350:LYS:HG2	2.12	0.49
1:D:180:ASP:O	1:D:259:ALA:HB2	2.13	0.49
1:F:103:ARG:NH2	4:F:966:HOH:O	2.43	0.48
1:A:373:ARG:HD2	4:A:876:HOH:O	2.13	0.48
1:C:127:MET:HB3	1:C:359:ILE:HD13	1.94	0.48
1:B:253:LEU:HD23	1:B:276:TRP:CD1	2.48	0.48
1:A:132:LYS:HG2	1:A:322:TYR:CE1	2.48	0.48
1:D:401:ASP:HA	1:D:404:GLY:O	2.13	0.48
1:B:401:ASP:HA	1:B:404:GLY:O	2.14	0.47
1:D:132:LYS:HG2	1:D:322:TYR:CE1	2.49	0.47
1:C:297:LYS:O	1:C:455:ALA:HA	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:601:B12:N3B	2:C:601:B12:N21	2.63	0.47
1:D:388:ALA:O	4:D:1172:HOH:O	2.20	0.47
2:C:601:B12:H251	2:C:601:B12:H291	1.78	0.47
1:D:378:ASN:OD1	1:D:428:GLY:HA3	2.15	0.47
1:E:132:LYS:HG2	1:E:322:TYR:CE1	2.50	0.47
1:C:212:LYS:HE2	1:C:243:GLY:O	2.15	0.47
2:A:601:B12:O51	4:A:1080:HOH:O	2.21	0.46
1:F:417:PRO:HB2	1:F:447:VAL:HG11	1.97	0.46
1:D:328:SER:HB3	1:D:456:LEU:HD12	1.98	0.46
1:E:280:ASN:O	1:E:283:ARG:HB3	2.16	0.46
1:E:436:TYR:CG	1:E:444:ILE:HG13	2.51	0.46
1:B:465:ARG:HD3	4:E:958:HOH:O	2.16	0.45
1:F:309:ASP:HB2	4:F:1031:HOH:O	2.16	0.45
1:A:489:THR:HG21	4:A:769:HOH:O	2.17	0.45
1:F:457:THR:OG1	1:F:488:PRO:HB2	2.17	0.45
1:F:373:ARG:HG3	4:F:980:HOH:O	2.16	0.45
1:E:201:ALA:HB3	1:E:202:PRO:HD3	1.98	0.45
1:F:44:HIS:HD1	1:F:241:VAL:HA	1.81	0.45
1:A:297:LYS:O	1:A:455:ALA:HA	2.16	0.45
1:B:164:PRO:HD3	1:B:174:ILE:HG13	1.98	0.45
2:D:601:B12:H481	2:D:601:B12:H473	1.31	0.45
2:C:601:B12:H18	2:C:601:B12:H562	1.84	0.45
2:C:601:B12:H351	2:C:601:B12:H362	1.99	0.44
1:A:112:ASP:OD2	1:E:169:GLY:HA2	2.17	0.44
1:A:526:LYS:HD2	1:B:496:GLN:NE2	2.32	0.44
1:E:127:MET:HB3	1:E:359:ILE:HD13	1.98	0.44
2:C:601:B12:H481	2:C:601:B12:H473	1.18	0.44
1:B:212:LYS:HD2	1:B:245:GLY:HA2	1.99	0.44
1:E:187:THR:HG22	1:E:198:LEU:HD12	1.99	0.44
1:F:132:LYS:HG2	1:F:322:TYR:CE1	2.52	0.44
1:B:444:ILE:HA	1:B:444:ILE:HD13	1.82	0.44
1:B:21:LYS:N	1:B:21:LYS:HD3	2.32	0.44
1:C:55:GLY:HA3	1:C:75:ASN:O	2.18	0.44
1:F:444:ILE:HA	1:F:444:ILE:HD13	1.82	0.44
1:C:180:ASP:O	1:C:259:ALA:HB2	2.18	0.44
2:D:601:B12:H3	2:D:601:B12:H291	1.83	0.43
2:C:601:B12:H203	2:C:601:B12:H301	2.00	0.43
1:A:49:ARG:HB3	1:A:51:ARG:CZ	2.48	0.43
1:C:526:LYS:HD2	1:D:496:GLN:NE2	2.33	0.43
1:A:103:ARG:NH2	4:A:1186:HOH:O	2.49	0.43
1:B:0:HIS:N	4:B:1021:HOH:O	2.50	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:114:LEU:HD23	1:F:146:ILE:HG13	2.00	0.43
1:B:159:ILE:HD13	1:B:517:LEU:HG	1.99	0.43
1:B:457:THR:OG1	1:B:488:PRO:HB2	2.19	0.43
1:D:398:GLU:HB2	1:D:408:ARG:HG3	2.01	0.43
1:F:487:LYS:HE2	1:F:489:THR:O	2.19	0.43
1:C:212:LYS:HD2	1:C:245:GLY:HA3	2.00	0.43
2:A:601:B12:H253	2:A:601:B12:H301	1.57	0.43
1:C:4:ILE:HG13	1:F:157:ARG:CZ	2.48	0.43
1:F:297:LYS:HA	1:F:297:LYS:HD3	1.81	0.43
1:C:157:ARG:CZ	1:F:4:ILE:HG13	2.48	0.42
1:A:201:ALA:HB3	1:A:202:PRO:HD3	2.02	0.42
2:B:601:B12:N29	2:B:601:B12:H251	2.35	0.42
1:A:6:GLN:NE2	4:A:1150:HOH:O	2.27	0.42
1:C:533:THR:HB	1:D:309:ASP:HB3	2.00	0.42
1:D:20:PRO:O	1:D:21:LYS:HG2	2.19	0.42
1:B:229:GLU:OE1	4:B:1163:HOH:O	2.21	0.42
1:C:213:PRO:HG3	1:C:240:LEU:HD11	2.01	0.42
2:D:601:B12:H301	2:D:601:B12:H253	1.65	0.42
1:D:346:GLU:O	1:D:350:LYS:HG2	2.19	0.42
1:B:212:LYS:HD2	1:B:245:GLY:HA3	2.00	0.42
1:E:401:ASP:HA	1:E:404:GLY:O	2.20	0.42
1:F:255:ASP:HA	1:F:256:PRO:HD3	1.86	0.42
1:F:323:GLN:NE2	1:F:367:GLY:CA	2.83	0.42
1:F:489:THR:HA	1:F:490:GLY:HA2	1.63	0.42
1:D:409:PRO:HA	1:D:429:PRO:HB2	2.02	0.42
1:C:401:ASP:HA	1:C:404:GLY:O	2.19	0.42
1:E:187:THR:HB	1:E:195:ALA:HA	2.02	0.42
1:F:512:SER:HB3	4:F:935:HOH:O	2.20	0.42
1:C:413:LEU:HD23	1:C:413:LEU:HA	1.92	0.41
1:F:322:TYR:C	1:F:323:GLN:OE1	2.59	0.41
1:F:436:TYR:CG	1:F:444:ILE:HG13	2.55	0.41
1:D:395:VAL:HG12	1:D:411:VAL:HB	2.01	0.41
1:B:0:HIS:CG	1:B:1:MET:H	2.37	0.41
1:C:254:ALA:HA	1:C:283:ARG:NH1	2.36	0.41
1:B:212:LYS:NZ	1:B:213:PRO:O	2.41	0.41
1:D:150:ARG:HD2	4:D:718:HOH:O	2.20	0.41
1:A:5:THR:HG21	1:E:173:ARG:HD2	2.02	0.41
1:F:180:ASP:O	1:F:259:ALA:HB2	2.21	0.41
1:C:122:ILE:HG22	1:C:141:ALA:HB1	2.02	0.41
1:E:222:TYR:CE2	1:E:226:GLN:NE2	2.87	0.41
1:D:170:GLU:OE2	1:D:526:LYS:HE3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:390:ALA:O	1:E:414:SER:HA	2.21	0.41
1:B:346:GLU:O	1:B:350:LYS:HG2	2.21	0.41
1:F:323:GLN:NE2	1:F:367:GLY:N	2.67	0.41
1:F:456:LEU:HA	1:F:456:LEU:HD23	1.88	0.41
1:E:337:HIS:O	1:E:341:GLN:HG2	2.20	0.41
1:A:401:ASP:HA	1:A:404:GLY:O	2.20	0.41
2:B:601:B12:H301	2:B:601:B12:H253	1.55	0.41
1:E:280:ASN:HB3	1:E:283:ARG:HE	1.85	0.41
1:A:491:ALA:CB	1:A:496:GLN:HB2	2.51	0.41
1:C:95:TRP:CE2	1:C:103:ARG:HD2	2.56	0.41
1:D:255:ASP:HA	1:D:256:PRO:HD3	1.81	0.41
1:F:212:LYS:HD2	1:F:245:GLY:CA	2.52	0.41
1:D:444:ILE:HA	1:D:444:ILE:HD12	1.84	0.41
2:C:601:B12:H601	2:C:601:B12:H252	2.04	0.40
1:F:297:LYS:O	1:F:455:ALA:HA	2.20	0.40
1:C:283:ARG:HD3	1:C:283:ARG:O	2.20	0.40
2:D:601:B12:H543	2:D:601:B12:H531	2.03	0.40
1:B:436:TYR:CG	1:B:444:ILE:HG13	2.56	0.40
1:F:24:GLU:HB3	4:F:883:HOH:O	2.22	0.40
1:B:114:LEU:HD23	1:B:146:ILE:HG13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	539/563 (96%)	524 (97%)	14 (3%)	1 (0%)	52	68
1	B	537/563 (95%)	526 (98%)	10 (2%)	1 (0%)	52	68
1	C	541/563 (96%)	530 (98%)	11 (2%)	0	100	100
1	D	541/563 (96%)	522 (96%)	19 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	523/563 (93%)	510 (98%)	13 (2%)	0	100	100
1	F	530/563 (94%)	514 (97%)	16 (3%)	0	100	100
All	All	3211/3378 (95%)	3126 (97%)	83 (3%)	2 (0%)	56	73

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	480	GLY
1	A	480	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	421/439 (96%)	418 (99%)	3 (1%)	88	95
1	B	422/439 (96%)	416 (99%)	6 (1%)	74	88
1	C	423/439 (96%)	418 (99%)	5 (1%)	78	90
1	D	421/439 (96%)	420 (100%)	1 (0%)	95	99
1	E	410/439 (93%)	406 (99%)	4 (1%)	82	92
1	F	413/439 (94%)	407 (98%)	6 (2%)	72	86
All	All	2510/2634 (95%)	2485 (99%)	25 (1%)	82	92

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	180	ASP
1	A	253	LEU
1	A	287	TYR
1	B	51	ARG
1	B	131	SER
1	B	212	LYS
1	B	323	GLN
1	B	373	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	444	ILE
1	C	283	ARG
1	C	294	THR
1	C	323	GLN
1	C	444	ILE
1	C	453	ARG
1	D	212	LYS
1	E	212	LYS
1	E	241	VAL
1	E	444	ILE
1	E	524	SER
1	F	158	GLN
1	F	287	TYR
1	F	331	SER
1	F	414	SER
1	F	512	SER
1	F	524	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	337	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CME	A	327	1	8,9,10	0.83	0	6,9,11	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CME	B	327	1	8,9,10	0.75	0	6,9,11	0.52	0
1	CME	C	327	1	8,9,10	0.91	0	6,9,11	1.05	0
1	CME	D	327	1	8,9,10	0.88	0	6,9,11	0.54	0
1	CME	E	327	1	8,9,10	0.96	1 (12%)	6,9,11	0.55	0
1	CME	F	327	1	8,9,10	0.88	0	6,9,11	0.93	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CME	A	327	1	-	0/5/8/10	0/0/0/0
1	CME	B	327	1	-	0/5/8/10	0/0/0/0
1	CME	C	327	1	-	0/5/8/10	0/0/0/0
1	CME	D	327	1	-	0/5/8/10	0/0/0/0
1	CME	E	327	1	-	0/5/8/10	0/0/0/0
1	CME	F	327	1	-	0/5/8/10	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	327	CME	CB-SG	-2.06	1.74	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	B12	A	601	-	74,101,101	1.17	5 (6%)	111,166,166	2.39	24 (21%)
2	B12	B	601	-	74,101,101	1.19	5 (6%)	111,166,166	2.30	25 (22%)
2	B12	C	601	-	74,101,101	1.10	5 (6%)	111,166,166	2.20	22 (19%)
2	B12	D	601	-	74,101,101	1.19	7 (9%)	111,166,166	2.63	32 (28%)
3	NAD	E	601	-	23,30,48	1.19	2 (8%)	28,46,73	2.48	3 (10%)
3	NAD	F	601	-	21,28,48	1.11	2 (9%)	20,42,73	2.81	4 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	B12	A	601	-	1/1/36/38	0/51/223/223	0/3/11/11
2	B12	B	601	-	1/1/36/38	0/51/223/223	0/3/11/11
2	B12	C	601	-	1/1/36/38	0/51/223/223	0/3/11/11
2	B12	D	601	-	-	1/51/223/223	0/3/11/11
3	NAD	E	601	-	-	0/15/35/62	0/3/3/5
3	NAD	F	601	-	-	0/9/31/62	0/3/3/5

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	B12	C11-C10	-5.13	1.31	1.41
2	D	601	B12	C11-C10	-5.00	1.32	1.41
2	A	601	B12	C11-C10	-4.86	1.32	1.41
2	C	601	B12	C11-C10	-4.56	1.32	1.41
2	D	601	B12	C8B-N1B	-3.84	1.33	1.38
2	B	601	B12	C2-C3	-3.62	1.52	1.58
2	A	601	B12	C8B-N1B	-3.58	1.34	1.38
2	B	601	B12	C8B-N1B	-3.55	1.34	1.38
2	C	601	B12	C8B-N1B	-3.22	1.34	1.38
2	C	601	B12	C2-C3	-2.84	1.53	1.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	B12	C2-C3	-2.70	1.53	1.58
2	D	601	B12	C2-C3	-2.63	1.53	1.58
2	D	601	B12	C1-C19	-2.59	1.49	1.55
2	D	601	B12	C4B-C9B	-2.30	1.38	1.41
3	F	601	NAD	C2A-N1A	2.06	1.37	1.33
3	E	601	NAD	C2A-N1A	2.32	1.38	1.33
2	D	601	B12	C6B-C5B	2.70	1.48	1.41
2	B	601	B12	C6B-C5B	2.82	1.48	1.41
2	C	601	B12	C6B-C5B	2.89	1.48	1.41
3	F	601	NAD	C2A-N3A	3.01	1.37	1.32
2	A	601	B12	C6B-C5B	3.07	1.49	1.41
3	E	601	NAD	C2A-N3A	3.37	1.38	1.32
2	B	601	B12	C8B-C9B	3.54	1.47	1.40
2	D	601	B12	C8B-C9B	3.66	1.47	1.40
2	C	601	B12	C8B-C9B	3.69	1.47	1.40
2	A	601	B12	C8B-C9B	3.96	1.48	1.40

All (110) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	601	B12	C20-C1-C19	-13.05	96.58	109.38
2	A	601	B12	C20-C1-C19	-12.34	97.28	109.38
2	B	601	B12	C20-C1-C19	-11.78	97.83	109.38
3	E	601	NAD	N3A-C2A-N1A	-11.58	120.02	128.89
3	F	601	NAD	N3A-C2A-N1A	-11.37	120.19	128.89
2	C	601	B12	C20-C1-C19	-9.72	99.85	109.38
2	D	601	B12	C46-C12-C13	-7.38	81.65	112.81
2	C	601	B12	C46-C12-C13	-7.27	82.10	112.81
2	A	601	B12	C46-C12-C13	-7.22	82.31	112.81
2	B	601	B12	C46-C12-C13	-6.83	83.95	112.81
2	C	601	B12	C13-C12-C11	-6.69	91.46	100.76
2	D	601	B12	C13-C12-C11	-6.50	91.72	100.76
2	B	601	B12	C13-C12-C11	-6.41	91.83	100.76
2	A	601	B12	C13-C12-C11	-5.81	92.68	100.76
2	D	601	B12	C55-C17-C18	-5.14	100.66	110.97
2	C	601	B12	C25-C2-C3	-4.26	108.35	115.56
2	A	601	B12	C25-C2-C3	-3.98	108.83	115.56
2	C	601	B12	C47-C12-C13	-3.74	97.02	112.81
2	C	601	B12	C9-C10-C11	-3.56	123.35	132.28
2	B	601	B12	C30-C3-C2	-3.52	112.14	119.11
2	D	601	B12	C47-C12-C13	-3.30	98.87	112.81
2	B	601	B12	C36-C7-C8	-3.24	106.38	112.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	B12	C9-C10-C11	-3.21	124.24	132.28
2	C	601	B12	C30-C3-C2	-3.20	112.77	119.11
2	B	601	B12	C47-C12-C13	-3.19	99.34	112.81
2	D	601	B12	C9-C10-C11	-3.14	124.41	132.28
3	E	601	NAD	C1B-N9A-C4A	-3.07	122.31	126.94
2	A	601	B12	C36-C7-C8	-3.06	106.71	112.24
2	A	601	B12	C47-C12-C13	-3.00	100.12	112.81
2	A	601	B12	C9-C10-C11	-2.89	125.03	132.28
2	D	601	B12	C36-C7-C8	-2.88	107.02	112.24
2	C	601	B12	C3-C4-C5	-2.87	122.19	131.88
2	D	601	B12	C25-C2-C3	-2.84	110.75	115.56
2	D	601	B12	C25-C2-C1	-2.83	109.33	113.79
2	B	601	B12	C25-C2-C1	-2.82	109.33	113.79
2	D	601	B12	C30-C3-C2	-2.78	113.60	119.11
2	B	601	B12	C25-C2-C3	-2.71	110.99	115.56
2	C	601	B12	C2R-C1R-N1B	-2.71	110.16	114.29
2	D	601	B12	C20-C1-N21	-2.70	100.40	108.29
3	F	601	NAD	C1B-N9A-C4A	-2.64	122.95	126.94
2	A	601	B12	C18-C60-C61	-2.61	107.46	113.92
3	F	601	NAD	C4A-C5A-N7A	-2.58	107.11	109.48
2	D	601	B12	C25-C2-C26	-2.57	104.17	109.73
2	A	601	B12	C3-C4-C5	-2.54	123.32	131.88
2	B	601	B12	C18-C60-C61	-2.51	107.71	113.92
2	A	601	B12	C30-C3-C2	-2.50	114.17	119.11
2	A	601	B12	O5-P-O4	-2.46	111.37	118.70
2	C	601	B12	C36-C7-C8	-2.44	107.82	112.24
2	A	601	B12	C25-C2-C26	-2.43	104.49	109.73
2	D	601	B12	C3-C4-C5	-2.37	123.88	131.88
2	A	601	B12	C20-C1-N21	-2.36	101.39	108.29
2	B	601	B12	C3-C4-C5	-2.31	124.07	131.88
3	E	601	NAD	C4A-C5A-N7A	-2.31	107.35	109.48
2	D	601	B12	C55-C56-C57	-2.28	106.46	111.06
2	A	601	B12	C36-C7-C37	-2.19	107.13	110.81
2	A	601	B12	C2R-C1R-N1B	-2.19	110.95	114.29
2	B	601	B12	C54-C17-C18	-2.15	109.44	112.94
2	D	601	B12	C18-C60-C61	-2.14	108.62	113.92
2	B	601	B12	O5-P-O4	-2.13	112.37	118.70
2	D	601	B12	O5-P-O4	-2.12	112.38	118.70
2	B	601	B12	C2P-C1P-N59	-2.10	109.81	112.92
2	C	601	B12	O5-P-O4	-2.09	112.48	118.70
2	D	601	B12	C36-C7-C37	-2.08	107.31	110.81
2	D	601	B12	C13-C14-C15	-2.07	124.90	131.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	B12	C13-C14-C15	-2.07	124.90	131.88
2	C	601	B12	C26-C2-C3	2.00	111.57	107.58
2	B	601	B12	C3R-C2R-C1R	2.01	104.79	99.98
2	B	601	B12	C18-C17-C16	2.02	103.27	100.54
2	A	601	B12	C18-C17-C16	2.04	103.30	100.54
2	B	601	B12	C1-C2-C3	2.05	104.41	101.61
2	A	601	B12	C2-C26-C27	2.12	121.61	115.34
2	C	601	B12	C18-C17-C16	2.15	103.45	100.54
2	D	601	B12	C2-C26-C27	2.20	121.86	115.34
2	D	601	B12	C60-C18-C19	2.31	121.08	114.64
2	D	601	B12	C60-C18-C17	2.33	120.20	115.68
2	C	601	B12	C1-C2-C3	2.36	104.83	101.61
3	F	601	NAD	O4B-C1B-N9A	2.40	113.13	108.10
2	D	601	B12	C53-C15-C16	2.60	122.91	118.25
2	D	601	B12	C56-C55-C17	2.66	121.14	115.57
2	C	601	B12	C53-C15-C16	2.86	123.37	118.25
2	B	601	B12	O2-P-O3	2.93	102.85	100.07
2	C	601	B12	C2-C1-C19	3.14	123.98	118.56
2	B	601	B12	C35-C5-C6	3.58	124.65	118.25
2	B	601	B12	C26-C2-C1	3.59	115.72	110.00
2	A	601	B12	C35-C5-C6	3.66	124.79	118.25
2	C	601	B12	C35-C5-C6	3.67	124.81	118.25
2	D	601	B12	C18-C17-C16	3.79	105.66	100.54
2	D	601	B12	C35-C5-C6	3.80	125.05	118.25
2	B	601	B12	C47-C12-C46	4.52	120.74	109.56
2	C	601	B12	C19-C1-N21	4.61	106.84	102.16
2	A	601	B12	C19-C1-N21	4.73	106.97	102.16
2	D	601	B12	C47-C12-C46	4.83	121.50	109.56
2	C	601	B12	C47-C12-C46	4.98	121.86	109.56
2	A	601	B12	C26-C2-C1	5.00	117.95	110.00
2	A	601	B12	C47-C12-C46	5.04	122.02	109.56
2	D	601	B12	C19-C1-N21	5.04	107.29	102.16
2	B	601	B12	C2-C1-C19	5.05	127.28	118.56
2	D	601	B12	C2-C1-C19	5.18	127.51	118.56
2	B	601	B12	C19-C1-N21	5.31	107.56	102.16
2	D	601	B12	C1-C19-C18	5.60	131.69	121.85
2	C	601	B12	C1-C19-C18	5.69	131.85	121.85
2	D	601	B12	C26-C2-C1	5.86	119.31	110.00
2	A	601	B12	C2-C1-C19	5.90	128.74	118.56
2	A	601	B12	C1-C19-C18	6.19	132.73	121.85
2	B	601	B12	C1-C19-C18	6.27	132.86	121.85
2	D	601	B12	C54-C17-C55	7.11	121.06	109.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	B12	C1-C19-N24	7.53	115.33	106.20
2	D	601	B12	C1-C19-N24	8.16	116.10	106.20
2	A	601	B12	C1-C19-N24	8.20	116.14	106.20
2	C	601	B12	C1-C19-N24	9.07	117.19	106.20

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	601	B12	C19
2	A	601	B12	C19
2	C	601	B12	C19

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	601	B12	C16-C17-C55-C56

There are no ring outliers.

4 monomers are involved in 31 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	B12	5	0
2	B	601	B12	6	0
2	C	601	B12	10	0
2	D	601	B12	10	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	541/563 (96%)	-0.62	1 (0%) 95 96	11, 18, 33, 61	0
1	B	541/563 (96%)	-0.63	2 (0%) 93 94	10, 19, 37, 56	0
1	C	543/563 (96%)	-0.60	2 (0%) 93 94	12, 18, 36, 61	0
1	D	543/563 (96%)	-0.61	1 (0%) 95 96	11, 20, 34, 56	0
1	E	531/563 (94%)	-0.26	20 (3%) 44 49	16, 27, 57, 82	0
1	F	534/563 (94%)	-0.30	19 (3%) 46 51	16, 26, 55, 76	0
All	All	3233/3378 (95%)	-0.50	45 (1%) 78 80	10, 21, 44, 82	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	268	ALA	5.3
1	F	454	TYR	4.6
1	E	274	TRP	4.4
1	E	454	TYR	3.8
1	E	389	ALA	3.7
1	E	390	ALA	3.5
1	F	426	TYR	3.3
1	F	279	THR	3.2
1	F	275	GLN	3.1
1	F	499	GLY	3.1
1	E	276	TRP	3.1
1	E	451	GLY	3.1
1	F	425	GLU	3.0
1	F	451	GLY	2.9
1	C	543	ASP	2.9
1	E	279	THR	2.9
1	F	270	PHE	2.9
1	E	21	LYS	2.7
1	E	542	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	0	HIS	2.6
1	F	272	HIS	2.6
1	F	489	THR	2.5
1	E	416	ASP	2.5
1	E	273	LEU	2.5
1	F	415	ASP	2.5
1	E	272	HIS	2.5
1	E	455	ALA	2.4
1	F	274	TRP	2.4
1	F	452	SER	2.4
1	F	450	THR	2.4
1	F	453	ARG	2.4
1	B	388	ALA	2.3
1	E	387	GLY	2.3
1	F	416	ASP	2.3
1	D	543	ASP	2.2
1	C	542	VAL	2.2
1	E	450	THR	2.2
1	E	491	ALA	2.2
1	E	297	LYS	2.1
1	E	373	ARG	2.1
1	E	280	ASN	2.1
1	F	273	LEU	2.1
1	A	390	ALA	2.1
1	F	276	TRP	2.0
1	F	268	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CME	F	327	10/11	0.93	0.17	-	41,47,53,57	0
1	CME	E	327	10/11	0.93	0.16	-	43,52,58,60	0
1	CME	C	327	10/11	0.98	0.08	-	21,24,27,30	0
1	CME	A	327	10/11	0.99	0.05	-	14,18,20,22	0
1	CME	B	327	10/11	0.98	0.06	-	16,18,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
1	CME	D	327	10/11	0.98	0.08	-	17,20,22,24	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	B12	C	601	91/91	0.88	0.28	3.63	29,48,61,67	0
3	NAD	F	601	26/44	0.89	0.22	1.39	40,48,59,72	0
3	NAD	E	601	28/44	0.86	0.21	0.91	38,47,68,79	0
2	B12	B	601	91/91	0.96	0.14	0.87	14,20,26,37	0
2	B12	D	601	91/91	0.96	0.11	0.27	14,21,31,38	0
2	B12	A	601	91/91	0.96	0.10	0.24	11,17,21,23	0

6.5 Other polymers [i](#)

There are no such residues in this entry.