



Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 04:37 AM BST

PDB ID : 2O3D
Title : Structure of human SF2/ASF RNA recognition motif 2 (RRM2)
Authors : Tintaru, A.M.; Hautbergue, G.M.; Hounslow, A.M.; Lian, L.Y.; Craven, C.J.;
Wilson, S.A.
Deposited on : 2006-12-01

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 89%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	113	<div> <div>43%</div> <div>23%</div> <div>34%</div> </div>

2 Ensemble composition and analysis

This entry contains 20 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:121-A:195 (75)	0.46	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 4, 7, 11, 16, 19
2	5, 10, 15, 17
3	3, 6, 9
4	2, 13, 20
5	8, 14
Single-model clusters	12; 18

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 1796 atoms, of which 889 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Splicing factor, arginine/serine-rich 1.

Mol	Chain	Residues	Atoms						Trace
1	A	113	Total	C	H	N	O	S	0
			1796	550	889	182	171	4	

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	106	MET	-	EXPRESSION TAG	UNP Q07955
A	216	LEU	-	EXPRESSION TAG	UNP Q07955
A	217	GLU	-	EXPRESSION TAG	UNP Q07955
A	218	HIS	-	EXPRESSION TAG	UNP Q07955

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Splicing factor, arginine/serine-rich 1




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1 (medoid)

- Molecule 1: Splicing factor, arginine/serine-rich 1



4.2.2 Score per residue for model 2


- Molecule 1: Splicing factor, arginine/serine-rich 1






4.2.3 Score per residue for model 3

- Molecule 1: Splicing factor, arginine/serine-rich 1




4.2.4 Score per residue for model 4

- Molecule 1: Splicing factor, arginine/serine-rich 1



4.2.5 Score per residue for model 5

- Molecule 1: Splicing factor, arginine/serine-rich 1




4.2.6 Score per residue for model 6

- Molecule 1: Splicing factor, arginine/serine-rich 1


4.2.10 Score per residue for model 10

- Molecule 1: Splicing factor, arginine/serine-rich 1




4.2.11 Score per residue for model 11

- Molecule 1: Splicing factor, arginine/serine-rich 1




4.2.12 Score per residue for model 12


- Molecule 1: Splicing factor, arginine/serine-rich 1



4.2.13 Score per residue for model 13


- Molecule 1: Splicing factor, arginine/serine-rich 1






4.2.14 Score per residue for model 14

- Molecule 1: Splicing factor, arginine/serine-rich 1




4.2.15 Score per residue for model 15

- Molecule 1: Splicing factor, arginine/serine-rich 1




4.2.16 Score per residue for model 16


- Molecule 1: Splicing factor, arginine/serine-rich 1



4.2.17 Score per residue for model 17


- Molecule 1: Splicing factor, arginine/serine-rich 1






4.2.18 Score per residue for model 18

- Molecule 1: Splicing factor, arginine/serine-rich 1




4.2.19 Score per residue for model 19

- Molecule 1: Splicing factor, arginine/serine-rich 1



4.2.20 Score per residue for model 20

- Molecule 1: Splicing factor, arginine/serine-rich 1



5 Refinement protocol and experimental data overview

The models were refined using the following method: *Simulated annealing*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	structure solution	1.1
CNS	refinement	1.1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 7301
Number of chemical shift lists	1
Total number of shifts	1196
Number of shifts mapped to atoms	1196
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	89%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	601	584	582	14±5
All	All	12020	11680	11640	277

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:144:ALA:HB2	1:A:175:LEU:HD12	0.92	1.40	2	7
1:A:144:ALA:HB2	1:A:175:LEU:CD1	0.80	2.07	2	5
1:A:141:MET:SD	1:A:160:VAL:HG11	0.79	2.18	12	6
1:A:147:VAL:HG22	1:A:162:PHE:CE2	0.76	2.16	11	3
1:A:138:LYS:CG	1:A:147:VAL:HG11	0.75	2.12	17	5
1:A:141:MET:SD	1:A:160:VAL:HG21	0.75	2.21	1	2
1:A:123:VAL:HG13	1:A:160:VAL:HG23	0.75	1.58	11	1
1:A:123:VAL:HG12	1:A:194:VAL:HA	0.73	1.60	14	5
1:A:171:ALA:O	1:A:175:LEU:HD12	0.73	1.81	16	1
1:A:172:VAL:HG11	1:A:194:VAL:CG2	0.71	2.15	12	3
1:A:172:VAL:HG23	1:A:173:ARG:HD3	0.70	1.61	1	1
1:A:123:VAL:HG12	1:A:160:VAL:O	0.70	1.85	16	5
1:A:137:LEU:HD22	1:A:152:VAL:CG1	0.69	2.17	4	2
1:A:172:VAL:HG11	1:A:194:VAL:HG23	0.69	1.65	12	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:172:VAL:HG12	1:A:192:VAL:HG12	0.68	1.66	4	6
1:A:128:LEU:CB	1:A:190:ILE:HG22	0.68	2.18	10	1
1:A:138:LYS:HG3	1:A:147:VAL:HG11	0.68	1.65	7	8
1:A:148:CYS:SG	1:A:163:VAL:HG22	0.65	2.32	15	1
1:A:125:VAL:HG13	1:A:128:LEU:HD21	0.64	1.68	19	1
1:A:143:GLU:HB3	1:A:175:LEU:HD22	0.64	1.70	12	2
1:A:141:MET:CE	1:A:160:VAL:HG11	0.64	2.22	18	2
1:A:128:LEU:HD12	1:A:190:ILE:HG21	0.63	1.69	5	1
1:A:168:MET:SD	1:A:194:VAL:HG13	0.63	2.34	12	3
1:A:137:LEU:HD22	1:A:152:VAL:HG12	0.62	1.72	4	2
1:A:156:GLY:O	1:A:157:THR:HG23	0.61	1.96	2	3
1:A:137:LEU:HD22	1:A:152:VAL:HG22	0.61	1.71	11	1
1:A:128:LEU:HB3	1:A:190:ILE:HG22	0.61	1.72	10	1
1:A:175:LEU:HD12	1:A:175:LEU:C	0.60	2.16	9	3
1:A:149:TYR:O	1:A:160:VAL:HG13	0.60	1.97	16	1
1:A:147:VAL:HG22	1:A:162:PHE:CD2	0.59	2.32	19	1
1:A:127:GLY:O	1:A:190:ILE:HG22	0.59	1.98	4	5
1:A:141:MET:HE3	1:A:160:VAL:HG11	0.59	1.74	18	2
1:A:180:PHE:O	1:A:187:THR:HG22	0.58	1.99	9	1
1:A:124:VAL:HG12	1:A:193:LYS:O	0.58	1.99	12	4
1:A:129:PRO:HD3	1:A:188:ALA:HB3	0.57	1.77	15	1
1:A:126:SER:HA	1:A:157:THR:HG22	0.56	1.76	17	2
1:A:163:VAL:O	1:A:163:VAL:HG22	0.55	2.01	19	1
1:A:124:VAL:HG13	1:A:158:GLY:O	0.55	2.02	8	2
1:A:171:ALA:HB1	1:A:175:LEU:HD11	0.55	1.78	16	1
1:A:128:LEU:HD22	1:A:128:LEU:N	0.54	2.17	12	2
1:A:153:TYR:O	1:A:154:ARG:CB	0.54	2.56	14	2
1:A:123:VAL:HG13	1:A:160:VAL:CG2	0.54	2.33	11	1
1:A:175:LEU:HD13	1:A:192:VAL:HG21	0.53	1.80	16	1
1:A:163:VAL:HG22	1:A:163:VAL:O	0.52	2.04	4	1
1:A:171:ALA:O	1:A:175:LEU:O	0.52	2.28	12	2
1:A:194:VAL:HG13	1:A:194:VAL:O	0.52	2.04	16	3
1:A:162:PHE:CD1	1:A:162:PHE:N	0.51	2.77	17	3
1:A:175:LEU:CG	1:A:175:LEU:O	0.51	2.57	8	2
1:A:171:ALA:O	1:A:175:LEU:C	0.51	2.49	8	2
1:A:138:LYS:HG2	1:A:147:VAL:HG11	0.51	1.81	17	2
1:A:176:ASP:OD1	1:A:176:ASP:N	0.51	2.43	8	1
1:A:123:VAL:HG22	1:A:124:VAL:N	0.51	2.21	16	7
1:A:141:MET:HG3	1:A:160:VAL:HG21	0.51	1.82	4	2
1:A:172:VAL:HG11	1:A:194:VAL:HG22	0.50	1.83	13	2
1:A:122:ARG:CZ	1:A:159:VAL:HG11	0.50	2.36	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:147:VAL:HG22	1:A:162:PHE:HD2	0.50	1.67	4	1
1:A:194:VAL:O	1:A:194:VAL:HG13	0.50	2.07	5	3
1:A:128:LEU:HD21	1:A:152:VAL:HG12	0.50	1.83	5	2
1:A:140:HIS:CD2	1:A:180:PHE:CE1	0.49	3.00	12	1
1:A:133:SER:C	1:A:152:VAL:HG21	0.49	2.28	17	1
1:A:169:THR:HG23	1:A:173:ARG:NH1	0.49	2.22	11	1
1:A:151:ASP:HB3	1:A:159:VAL:HG22	0.49	1.84	11	2
1:A:175:LEU:HG	1:A:175:LEU:O	0.49	2.08	8	2
1:A:124:VAL:HG23	1:A:158:GLY:O	0.49	2.08	1	1
1:A:175:LEU:O	1:A:175:LEU:CG	0.49	2.61	9	1
1:A:141:MET:HE3	1:A:162:PHE:CZ	0.48	2.43	5	1
1:A:128:LEU:N	1:A:128:LEU:HD22	0.48	2.24	3	1
1:A:151:ASP:O	1:A:159:VAL:HG22	0.47	2.09	12	1
1:A:168:MET:O	1:A:172:VAL:HG22	0.47	2.09	17	1
1:A:134:TRP:CD2	1:A:135:GLN:N	0.47	2.82	15	12
1:A:181:ARG:HG2	1:A:187:THR:HG23	0.47	1.86	11	1
1:A:178:THR:OG1	1:A:179:LYS:N	0.47	2.47	5	3
1:A:159:VAL:CG2	1:A:160:VAL:N	0.47	2.77	14	2
1:A:134:TRP:HB3	1:A:152:VAL:HG23	0.47	1.86	18	1
1:A:123:VAL:HG22	1:A:160:VAL:O	0.47	2.08	3	2
1:A:132:GLY:O	1:A:152:VAL:HG21	0.47	2.10	20	1
1:A:172:VAL:O	1:A:176:ASP:HB2	0.46	2.09	1	2
1:A:152:VAL:O	1:A:152:VAL:HG23	0.46	2.10	5	3
1:A:123:VAL:HG22	1:A:168:MET:HG3	0.46	1.87	12	1
1:A:169:THR:O	1:A:173:ARG:CG	0.46	2.63	17	1
1:A:169:THR:HG23	1:A:173:ARG:CZ	0.46	2.40	19	1
1:A:171:ALA:O	1:A:175:LEU:HB2	0.46	2.10	17	3
1:A:175:LEU:O	1:A:175:LEU:HD13	0.46	2.11	16	1
1:A:123:VAL:CG2	1:A:124:VAL:N	0.46	2.79	9	7
1:A:175:LEU:HD12	1:A:175:LEU:O	0.46	2.11	8	3
1:A:144:ALA:CB	1:A:162:PHE:CE2	0.46	2.99	12	1
1:A:126:SER:HB2	1:A:157:THR:HG22	0.45	1.87	18	1
1:A:128:LEU:HB2	1:A:190:ILE:HG22	0.45	1.87	15	1
1:A:142:ARG:HA	1:A:147:VAL:HG23	0.45	1.88	3	1
1:A:149:TYR:CD1	1:A:150:ALA:N	0.45	2.84	12	6
1:A:125:VAL:CG2	1:A:160:VAL:HG23	0.45	2.41	3	1
1:A:144:ALA:HB3	1:A:162:PHE:CE2	0.45	2.46	12	1
1:A:126:SER:CB	1:A:157:THR:HG22	0.45	2.42	14	1
1:A:172:VAL:HG21	1:A:194:VAL:HG23	0.45	1.89	4	1
1:A:134:TRP:CE3	1:A:135:GLN:N	0.45	2.85	16	5
1:A:128:LEU:HG	1:A:190:ILE:HG22	0.45	1.88	20	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:170:TYR:CD1	1:A:170:TYR:C	0.45	2.90	9	3
1:A:170:TYR:HA	1:A:173:ARG:CD	0.44	2.42	13	1
1:A:141:MET:CE	1:A:162:PHE:CE1	0.44	3.01	17	1
1:A:175:LEU:O	1:A:175:LEU:CD1	0.43	2.67	16	1
1:A:124:VAL:HG23	1:A:195:ASP:HB2	0.43	1.90	11	1
1:A:163:VAL:O	1:A:164:ARG:HB2	0.43	2.12	19	1
1:A:175:LEU:CD1	1:A:175:LEU:C	0.43	2.86	16	1
1:A:149:TYR:CG	1:A:150:ALA:N	0.43	2.86	12	1
1:A:179:LYS:NZ	1:A:187:THR:HG21	0.43	2.28	17	1
1:A:123:VAL:HG12	1:A:193:LYS:O	0.43	2.14	12	1
1:A:152:VAL:HG23	1:A:152:VAL:O	0.43	2.14	15	2
1:A:147:VAL:HG22	1:A:162:PHE:CE1	0.43	2.48	9	1
1:A:141:MET:HE1	1:A:162:PHE:CE1	0.43	2.49	17	1
1:A:169:THR:O	1:A:172:VAL:CG2	0.43	2.67	9	4
1:A:125:VAL:HG12	1:A:126:SER:N	0.43	2.29	4	3
1:A:143:GLU:CB	1:A:175:LEU:HD22	0.43	2.43	9	2
1:A:122:ARG:NH2	1:A:159:VAL:HG12	0.42	2.29	16	1
1:A:171:ALA:O	1:A:175:LEU:CD1	0.42	2.62	16	1
1:A:125:VAL:CG1	1:A:128:LEU:HD21	0.42	2.43	19	1
1:A:141:MET:CE	1:A:162:PHE:CZ	0.42	3.03	5	1
1:A:153:TYR:O	1:A:154:ARG:HB2	0.42	2.15	14	1
1:A:175:LEU:O	1:A:175:LEU:HG	0.42	2.15	9	1
1:A:126:SER:CA	1:A:157:THR:HG22	0.42	2.44	17	1
1:A:159:VAL:HG22	1:A:160:VAL:N	0.42	2.30	14	2
1:A:124:VAL:HG23	1:A:195:ASP:HA	0.41	1.90	20	1
1:A:162:PHE:N	1:A:162:PHE:CD1	0.41	2.87	18	1
1:A:180:PHE:CG	1:A:181:ARG:N	0.41	2.87	18	2
1:A:168:MET:HE3	1:A:169:THR:N	0.41	2.31	11	1
1:A:127:GLY:C	1:A:190:ILE:HG22	0.41	2.35	5	1
1:A:158:GLY:O	1:A:159:VAL:HG13	0.41	2.16	19	1
1:A:169:THR:CG2	1:A:173:ARG:CZ	0.41	2.99	19	1
1:A:122:ARG:NH1	1:A:159:VAL:CG1	0.41	2.84	18	1
1:A:140:HIS:CD2	1:A:181:ARG:O	0.41	2.74	13	1
1:A:144:ALA:N	1:A:175:LEU:CD2	0.41	2.84	12	1
1:A:122:ARG:NH2	1:A:159:VAL:HG21	0.41	2.30	3	1
1:A:126:SER:HB3	1:A:157:THR:HG22	0.41	1.91	5	1
1:A:134:TRP:CH2	1:A:135:GLN:OE1	0.40	2.74	3	1
1:A:123:VAL:HG11	1:A:162:PHE:CZ	0.40	2.51	4	1
1:A:125:VAL:O	1:A:157:THR:CB	0.40	2.69	19	1
1:A:138:LYS:CG	1:A:147:VAL:CG1	0.40	2.98	19	1
1:A:160:VAL:CG1	1:A:162:PHE:CE2	0.40	3.04	4	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:180:PHE:CD1	1:A:181:ARG:N	0.40	2.89	16	1
1:A:180:PHE:CE1	1:A:181:ARG:O	0.40	2.74	16	1
1:A:125:VAL:HG12	1:A:158:GLY:CA	0.40	2.45	19	1
1:A:141:MET:HB2	1:A:147:VAL:HG21	0.40	1.93	6	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	75/113 (66%)	66±2 (88±3%)	8±2 (10±2%)	1±1 (2±1%)	15	58
All	All	1500/2260 (66%)	1322 (88%)	151 (10%)	27 (2%)	15	58

All 9 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	121	ASN	7
1	A	155	ASP	5
1	A	163	VAL	3
1	A	154	ARG	3
1	A	156	GLY	3
1	A	195	ASP	3
1	A	175	LEU	1
1	A	176	ASP	1
1	A	164	ARG	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	65/98 (66%)	50±3 (77±5%)	15±3 (23±5%)	3	29
All	All	1300/1960 (66%)	997 (77%)	303 (23%)	3	29

All 47 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	187	THR	20
1	A	138	LYS	15
1	A	174	LYS	14
1	A	133	SER	12
1	A	181	ARG	11
1	A	179	LYS	10
1	A	131	SER	10
1	A	164	ARG	10
1	A	193	LYS	10
1	A	143	GLU	9
1	A	191	ARG	9
1	A	178	THR	9
1	A	151	ASP	8
1	A	186	GLU	8
1	A	161	GLU	8
1	A	154	ARG	8
1	A	141	MET	8
1	A	173	ARG	8
1	A	135	GLN	7
1	A	167	ASP	7
1	A	166	GLU	6
1	A	126	SER	6
1	A	162	PHE	6
1	A	165	LYS	6
1	A	122	ARG	6
1	A	183	HIS	6
1	A	148	CYS	5
1	A	142	ARG	5
1	A	184	GLU	5
1	A	140	HIS	5
1	A	182	SER	5
1	A	136	ASP	5
1	A	195	ASP	4
1	A	128	LEU	4
1	A	175	LEU	4
1	A	177	ASN	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	153	TYR	3
1	A	189	TYR	3
1	A	155	ASP	3
1	A	176	ASP	2
1	A	121	ASN	2
1	A	139	ASP	2
1	A	146	ASP	2
1	A	180	PHE	1
1	A	160	VAL	1
1	A	123	VAL	1
1	A	149	TYR	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 89% for the well-defined parts and 79% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 7301

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1196
Number of shifts mapped to atoms	1196
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	109	-0.14 ± 0.10	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	94	-0.04 ± 0.13	None needed (< 0.5 ppm)
$^{13}\text{C}'$	109	0.01 ± 0.16	None needed (< 0.5 ppm)
^{15}N	104	0.71 ± 0.32	Should be applied

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 89%, i.e. 827 atoms were assigned a chemical shift out of a possible 933. 1 out of 14 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	370/371 (100%)	148/148 (100%)	149/150 (99%)	73/73 (100%)
Sidechain	392/484 (81%)	242/282 (86%)	146/173 (84%)	4/29 (14%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	65/78 (83%)	33/40 (82%)	31/33 (94%)	1/5 (20%)
Overall	827/933 (89%)	423/470 (90%)	326/356 (92%)	78/107 (73%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 79%, i.e. 1144 atoms were assigned a chemical shift out of a possible 1452. 1 out of 15 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	530/551 (96%)	208/219 (95%)	218/226 (96%)	104/106 (98%)
Sidechain	533/799 (67%)	335/478 (70%)	194/259 (75%)	4/62 (6%)
Aromatic	81/102 (79%)	41/52 (79%)	39/43 (91%)	1/7 (14%)
Overall	1144/1452 (79%)	584/749 (78%)	451/528 (85%)	109/175 (62%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	191	ARG	NE	119.85	92.63 – 76.73	22.1

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

