



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:53 AM GMT

PDB ID : 2OJW  
Title : Crystal structure of human glutamine synthetase in complex with ADP and phosphate  
Authors : Karlberg, T.; Uppenberg, J.; Arrowsmith, C.; Berglund, H.; Busam, R.D.; Collins, R.; Edwards, A.; Flodin, S.; Flores, A.; Graslund, S.; Hallberg, B.M.; Hammarstrom, M.; Hogbom, M.; Johansson, I.; Kotenyova, T.; Moche, M.; Nilsson, M.E.; Nordlund, P.; Nyman, T.; Ogg, D.; Persson, C.; Sagemark, J.; Stenmark, P.; Sundstrom, M.; Thorsell, A.G.; Van Den Berg, S.; Wallden, K.; Weigelt, J.; Holmberg-Schiavone, L.; Structural Genomics Consortium (SGC)  
Deposited on : 2007-01-15  
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1192 (2.04-2.04)
Clashscore	102246	1269 (2.04-2.04)
Ramachandran outliers	100387	1258 (2.04-2.04)
Sidechain outliers	100360	1258 (2.04-2.04)
RSRZ outliers	91569	1194 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	<div> <div>2%</div> <div>88% 5% • 6%</div> </div>
1	B	384	<div> <div>3%</div> <div>86% 7% • 6%</div> </div>
1	C	384	<div> <div>2%</div> <div>86% 8% • 5%</div> </div>
1	D	384	<div> <div>3%</div> <div>85% 8% • 6%</div> </div>
1	E	384	<div> <div>3%</div> <div>84% 7% • 8%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GOL	C	1506	-	-	-	X

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 15882 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamine synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	360	Total	C	N	O	S	0	1	0
			2855	1795	508	528	24			
1	B	362	Total	C	N	O	S	0	1	0
			2870	1802	513	532	23			
1	C	364	Total	C	N	O	S	0	0	0
			2874	1804	512	535	23			
1	D	362	Total	C	N	O	S	0	0	0
			2863	1798	510	532	23			
1	E	354	Total	C	N	O	S	0	1	0
			2809	1763	504	520	22			

There are 115 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	EXPRESSION TAG	UNP P15104
A	-17	HIS	-	EXPRESSION TAG	UNP P15104
A	-16	HIS	-	EXPRESSION TAG	UNP P15104
A	-15	HIS	-	EXPRESSION TAG	UNP P15104
A	-14	HIS	-	EXPRESSION TAG	UNP P15104
A	-13	HIS	-	EXPRESSION TAG	UNP P15104
A	-12	HIS	-	EXPRESSION TAG	UNP P15104
A	-11	SER	-	EXPRESSION TAG	UNP P15104
A	-10	SER	-	EXPRESSION TAG	UNP P15104
A	-9	GLY	-	EXPRESSION TAG	UNP P15104
A	-8	VAL	-	EXPRESSION TAG	UNP P15104
A	-7	ASP	-	EXPRESSION TAG	UNP P15104
A	-6	LEU	-	EXPRESSION TAG	UNP P15104
A	-5	GLY	-	EXPRESSION TAG	UNP P15104
A	-4	THR	-	EXPRESSION TAG	UNP P15104
A	-3	GLU	-	EXPRESSION TAG	UNP P15104
A	-2	ASN	-	EXPRESSION TAG	UNP P15104
A	-1	LEU	-	EXPRESSION TAG	UNP P15104
A	0	TYR	-	EXPRESSION TAG	UNP P15104

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	PHE	-	EXPRESSION TAG	UNP P15104
A	2	GLN	-	EXPRESSION TAG	UNP P15104
A	3	SER	-	EXPRESSION TAG	UNP P15104
A	4	MET	-	EXPRESSION TAG	UNP P15104
B	-18	MET	-	EXPRESSION TAG	UNP P15104
B	-17	HIS	-	EXPRESSION TAG	UNP P15104
B	-16	HIS	-	EXPRESSION TAG	UNP P15104
B	-15	HIS	-	EXPRESSION TAG	UNP P15104
B	-14	HIS	-	EXPRESSION TAG	UNP P15104
B	-13	HIS	-	EXPRESSION TAG	UNP P15104
B	-12	HIS	-	EXPRESSION TAG	UNP P15104
B	-11	SER	-	EXPRESSION TAG	UNP P15104
B	-10	SER	-	EXPRESSION TAG	UNP P15104
B	-9	GLY	-	EXPRESSION TAG	UNP P15104
B	-8	VAL	-	EXPRESSION TAG	UNP P15104
B	-7	ASP	-	EXPRESSION TAG	UNP P15104
B	-6	LEU	-	EXPRESSION TAG	UNP P15104
B	-5	GLY	-	EXPRESSION TAG	UNP P15104
B	-4	THR	-	EXPRESSION TAG	UNP P15104
B	-3	GLU	-	EXPRESSION TAG	UNP P15104
B	-2	ASN	-	EXPRESSION TAG	UNP P15104
B	-1	LEU	-	EXPRESSION TAG	UNP P15104
B	0	TYR	-	EXPRESSION TAG	UNP P15104
B	1	PHE	-	EXPRESSION TAG	UNP P15104
B	2	GLN	-	EXPRESSION TAG	UNP P15104
B	3	SER	-	EXPRESSION TAG	UNP P15104
B	4	MET	-	EXPRESSION TAG	UNP P15104
C	-18	MET	-	EXPRESSION TAG	UNP P15104
C	-17	HIS	-	EXPRESSION TAG	UNP P15104
C	-16	HIS	-	EXPRESSION TAG	UNP P15104
C	-15	HIS	-	EXPRESSION TAG	UNP P15104
C	-14	HIS	-	EXPRESSION TAG	UNP P15104
C	-13	HIS	-	EXPRESSION TAG	UNP P15104
C	-12	HIS	-	EXPRESSION TAG	UNP P15104
C	-11	SER	-	EXPRESSION TAG	UNP P15104
C	-10	SER	-	EXPRESSION TAG	UNP P15104
C	-9	GLY	-	EXPRESSION TAG	UNP P15104
C	-8	VAL	-	EXPRESSION TAG	UNP P15104
C	-7	ASP	-	EXPRESSION TAG	UNP P15104
C	-6	LEU	-	EXPRESSION TAG	UNP P15104
C	-5	GLY	-	EXPRESSION TAG	UNP P15104
C	-4	THR	-	EXPRESSION TAG	UNP P15104

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	GLU	-	EXPRESSION TAG	UNP P15104
C	-2	ASN	-	EXPRESSION TAG	UNP P15104
C	-1	LEU	-	EXPRESSION TAG	UNP P15104
C	0	TYR	-	EXPRESSION TAG	UNP P15104
C	1	PHE	-	EXPRESSION TAG	UNP P15104
C	2	GLN	-	EXPRESSION TAG	UNP P15104
C	3	SER	-	EXPRESSION TAG	UNP P15104
C	4	MET	-	EXPRESSION TAG	UNP P15104
D	-18	MET	-	EXPRESSION TAG	UNP P15104
D	-17	HIS	-	EXPRESSION TAG	UNP P15104
D	-16	HIS	-	EXPRESSION TAG	UNP P15104
D	-15	HIS	-	EXPRESSION TAG	UNP P15104
D	-14	HIS	-	EXPRESSION TAG	UNP P15104
D	-13	HIS	-	EXPRESSION TAG	UNP P15104
D	-12	HIS	-	EXPRESSION TAG	UNP P15104
D	-11	SER	-	EXPRESSION TAG	UNP P15104
D	-10	SER	-	EXPRESSION TAG	UNP P15104
D	-9	GLY	-	EXPRESSION TAG	UNP P15104
D	-8	VAL	-	EXPRESSION TAG	UNP P15104
D	-7	ASP	-	EXPRESSION TAG	UNP P15104
D	-6	LEU	-	EXPRESSION TAG	UNP P15104
D	-5	GLY	-	EXPRESSION TAG	UNP P15104
D	-4	THR	-	EXPRESSION TAG	UNP P15104
D	-3	GLU	-	EXPRESSION TAG	UNP P15104
D	-2	ASN	-	EXPRESSION TAG	UNP P15104
D	-1	LEU	-	EXPRESSION TAG	UNP P15104
D	0	TYR	-	EXPRESSION TAG	UNP P15104
D	1	PHE	-	EXPRESSION TAG	UNP P15104
D	2	GLN	-	EXPRESSION TAG	UNP P15104
D	3	SER	-	EXPRESSION TAG	UNP P15104
D	4	MET	-	EXPRESSION TAG	UNP P15104
E	-18	MET	-	EXPRESSION TAG	UNP P15104
E	-17	HIS	-	EXPRESSION TAG	UNP P15104
E	-16	HIS	-	EXPRESSION TAG	UNP P15104
E	-15	HIS	-	EXPRESSION TAG	UNP P15104
E	-14	HIS	-	EXPRESSION TAG	UNP P15104
E	-13	HIS	-	EXPRESSION TAG	UNP P15104
E	-12	HIS	-	EXPRESSION TAG	UNP P15104
E	-11	SER	-	EXPRESSION TAG	UNP P15104
E	-10	SER	-	EXPRESSION TAG	UNP P15104
E	-9	GLY	-	EXPRESSION TAG	UNP P15104
E	-8	VAL	-	EXPRESSION TAG	UNP P15104

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-7	ASP	-	EXPRESSION TAG	UNP P15104
E	-6	LEU	-	EXPRESSION TAG	UNP P15104
E	-5	GLY	-	EXPRESSION TAG	UNP P15104
E	-4	THR	-	EXPRESSION TAG	UNP P15104
E	-3	GLU	-	EXPRESSION TAG	UNP P15104
E	-2	ASN	-	EXPRESSION TAG	UNP P15104
E	-1	LEU	-	EXPRESSION TAG	UNP P15104
E	0	TYR	-	EXPRESSION TAG	UNP P15104
E	1	PHE	-	EXPRESSION TAG	UNP P15104
E	2	GLN	-	EXPRESSION TAG	UNP P15104
E	3	SER	-	EXPRESSION TAG	UNP P15104
E	4	MET	-	EXPRESSION TAG	UNP P15104

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	4	Total Mn 4 4	0	0
2	A	4	Total Mn 4 4	0	0
2	D	4	Total Mn 4 4	0	0
2	C	4	Total Mn 4 4	0	0
2	E	4	Total Mn 4 4	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	C	1	Total	O	P	0	0
			5	4	1		
3	D	1	Total	O	P	0	0
			5	4	1		
3	E	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Cl	0	0
			1	1		
4	A	2	Total	Cl	0	0
			2	2		
4	D	1	Total	Cl	0	0
			1	1		
4	C	1	Total	Cl	0	0
			1	1		


- Molecule 5 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
5	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
5	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
5	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
5	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	E	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	292	Total O 292 292	0	0
7	B	286	Total O 286 286	0	0
7	C	275	Total O 275 275	0	0
7	D	273	Total O 273 273	0	0
7	E	264	Total O 264 264	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Glutamine synthetase




#### • Molecule 1: Glutamine synthetase




#### • Molecule 1: Glutamine synthetase





#### • Molecule 1: Glutamine synthetase





● Molecule 1: Glutamine synthetase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	177.60Å 122.60Å 126.60Å 90.00° 130.60° 90.00°	Depositor
Resolution (Å)	39.25 – 2.05 39.25 – 2.05	Depositor EDS
% Data completeness (in resolution range)	100.0 (39.25-2.05) 99.2 (39.25-2.05)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	0.14	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.57 (at 2.05Å)	Xtriage
Refinement program	REFMAC 5.3.0021	Depositor
R, $R_{free}$	0.159 , 0.212 0.165 , 0.213	Depositor DCC
$R_{free}$ test set	6388 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	18.8	Xtriage
Anisotropy	0.544	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 53.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	1 of 127761 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	15882	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, PO4, MN, ADP, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.95	0/2932	0.88	3/3961 (0.1%)
1	B	0.91	0/2947	0.87	5/3981 (0.1%)
1	C	0.91	0/2949	0.94	5/3987 (0.1%)
1	D	0.92	0/2938	0.91	8/3972 (0.2%)
1	E	0.90	0/2885	0.87	6/3900 (0.2%)
All	All	0.92	0/14651	0.89	27/19801 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	4
1	C	1	4
1	D	0	5
1	E	0	3
All	All	1	21

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	262	ARG	NE-CZ-NH2	-13.25	113.67	120.30
1	C	299	ARG	NE-CZ-NH1	11.04	125.82	120.30
1	D	299	ARG	NE-CZ-NH1	10.89	125.75	120.30
1	C	299	ARG	NE-CZ-NH2	-10.42	115.09	120.30
1	C	262	ARG	NE-CZ-NH1	10.04	125.32	120.30
1	D	319	ARG	NE-CZ-NH1	9.61	125.10	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	299	ARG	NE-CZ-NH1	9.22	124.91	120.30
1	E	327	ARG	NE-CZ-NH2	-9.06	115.77	120.30
1	E	299	ARG	NE-CZ-NH1	8.98	124.79	120.30
1	D	319	ARG	NE-CZ-NH2	-8.75	115.92	120.30
1	B	299	ARG	NE-CZ-NH2	-8.30	116.15	120.30
1	D	299	ARG	NE-CZ-NH2	-7.92	116.34	120.30
1	A	299	ARG	NE-CZ-NH1	7.45	124.03	120.30
1	E	299	ARG	NE-CZ-NH2	-6.72	116.94	120.30
1	E	327	ARG	NE-CZ-NH1	6.68	123.64	120.30
1	E	77	MET	CG-SD-CE	6.58	110.73	100.20
1	A	299	ARG	NE-CZ-NH2	-6.46	117.07	120.30
1	B	280	ARG	NE-CZ-NH1	6.37	123.49	120.30
1	D	216	ASP	CB-CG-OD1	6.18	123.86	118.30
1	C	142	THR	OG1-CB-CG2	6.00	123.80	110.00
1	B	144	GLY	N-CA-C	5.92	127.89	113.10
1	D	168	ASP	CB-CG-OD1	5.87	123.58	118.30
1	E	34	ASP	CB-CG-OD1	5.63	123.37	118.30
1	D	92	ASP	CB-CG-OD1	5.41	123.17	118.30
1	D	119	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	A	298	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	B	168	ASP	CB-CG-OD1	5.04	122.83	118.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	C	142	THR	CB

All (21) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	207	GLY	Mainchain,Peptide
1	A	307	SER	Peptide
1	A	92	ASP	Mainchain,Peptide
1	B	143	ASP	Peptide
1	B	207	GLY	Mainchain,Peptide
1	B	300	LEU	Peptide
1	C	207	GLY	Mainchain,Peptide
1	C	92	ASP	Mainchain,Peptide
1	D	207	GLY	Mainchain,Peptide
1	D	306	THR	Peptide
1	D	92	ASP	Mainchain,Peptide
1	E	207	GLY	Mainchain,Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	E	92	ASP	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2855	0	2743	15	1
1	B	2870	0	2760	25	0
1	C	2874	0	2757	25	0
1	D	2863	0	2747	28	0
1	E	2809	0	2705	18	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
2	C	4	0	0	0	0
2	D	4	0	0	0	0
2	E	4	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
3	E	5	0	0	0	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	27	0	12	0	0
5	B	27	0	12	0	0
5	C	27	0	12	0	0
5	D	27	0	12	1	0
5	E	27	0	12	0	0
6	A	6	0	8	0	0
6	B	6	0	8	0	0
6	C	12	0	16	0	0
6	D	6	0	8	0	0
6	E	6	0	8	1	0
7	A	292	0	0	4	0
7	B	286	0	0	4	0
7	C	275	0	0	5	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	273	0	0	5	0
7	E	264	0	0	6	0
All	All	15882	0	13820	110	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:57:LEU:HD11	1:B:84:MET:CE	1.84	1.07
1:B:57:LEU:HD11	1:B:84:MET:HE3	1.06	1.02
1:C:2:GLN:HB3	1:C:235:ILE:HD11	1.42	0.99
1:B:57:LEU:CD1	1:B:84:MET:HE3	1.94	0.98
1:C:4:MET:SD	1:C:142:THR:HG21	2.11	0.89
1:E:126:ASN:ND2	7:E:1660:HOH:O	2.10	0.85
1:C:301:THR:HG21	7:C:1702:HOH:O	1.77	0.83
1:C:110:GLU:OE1	7:C:1729:HOH:O	1.99	0.80
1:B:306:THR:N	7:B:1717:HOH:O	2.16	0.77
1:A:23:GLY:O	7:A:1659:HOH:O	2.04	0.75
1:D:59:GLU:OE2	7:D:1732:HOH:O	2.06	0.74
1:D:138:THR:CG2	1:D:140:MET:CE	2.67	0.73
1:D:138:THR:HG22	1:D:140:MET:HE2	1.72	0.72
1:B:57:LEU:CD1	1:B:84:MET:CE	2.62	0.71
1:D:306:THR:HG23	7:D:1679:HOH:O	1.93	0.69
1:B:126:ASN:OD1	7:B:1771:HOH:O	2.10	0.69
1:D:138:THR:HG22	1:D:140:MET:CE	2.24	0.68
1:C:2:GLN:HB3	1:C:235:ILE:CD1	2.23	0.67
1:C:119:ARG:NE	7:C:1623:HOH:O	2.20	0.67
1:D:105:ASN:OD1	1:D:107:ARG:HB2	1.98	0.65
1:C:2:GLN:CG	1:C:142:THR:HA	2.28	0.63
1:E:127:GLN:OE1	7:E:1583:HOH:O	2.16	0.63
1:A:201:GLN:NE2	7:A:1594:HOH:O	2.31	0.63
1:B:2:GLN:HB3	1:B:235:ILE:HD11	1.81	0.62
1:D:317:ALA:HA	1:D:324:ARG:HD2	1.83	0.61
1:D:299:ARG:HD2	7:D:1682:HOH:O	2.00	0.61
1:A:284:HIS:NE2	1:A:358:THR:HG21	2.16	0.61
1:B:2:GLN:HB3	1:B:235:ILE:CD1	2.30	0.60
1:B:302:GLY:HA2	1:B:306:THR:O	2.02	0.60
1:A:280:ARG:HE	1:A:358:THR:HG22	1.67	0.59
1:B:201:GLN:NE2	7:B:1635:HOH:O	2.36	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:313:SER:O	1:D:322:SER:HB2	2.04	0.58
1:A:299:ARG:HD2	7:A:1693:HOH:O	2.03	0.58
1:A:284:HIS:NE2	1:A:358:THR:CG2	2.66	0.58
1:D:138:THR:CG2	1:D:140:MET:HE1	2.34	0.58
1:D:306:THR:CG2	7:D:1679:HOH:O	2.50	0.57
1:C:4:MET:SD	1:C:142:THR:CG2	2.90	0.57
1:E:280:ARG:HH11	1:E:280:ARG:HG2	1.69	0.56
1:D:138:THR:CG2	1:D:140:MET:HE2	2.32	0.56
1:C:2:GLN:NE2	1:C:142:THR:HG22	2.22	0.54
1:E:235:ILE:HD12	7:E:1732:HOH:O	2.07	0.54
1:B:30:TYR:HA	1:B:97:VAL:HG22	1.88	0.53
1:D:138:THR:HG21	1:D:140:MET:HE1	1.90	0.53
1:D:268:LYS:O	1:D:272:GLU:HG3	2.08	0.53
1:C:2:GLN:CD	1:C:142:THR:HA	2.28	0.53
1:A:165:VAL:O	1:A:169:ARG:HG3	2.09	0.53
7:D:1510:HOH:O	1:E:327:ARG:HD2	2.09	0.52
1:B:97:VAL:HG23	1:B:97:VAL:O	2.11	0.51
1:B:165:VAL:O	1:B:169:ARG:HG3	2.11	0.51
1:D:319:ARG:HG2	1:D:340:ARG:CZ	2.40	0.51
1:C:299:ARG:HD2	7:C:1730:HOH:O	2.10	0.50
1:A:133[A]:MET:CE	1:A:352:THR:CG2	2.89	0.50
1:E:299:ARG:HD2	7:E:1563:HOH:O	2.13	0.49
1:C:143:ASP:OD1	1:C:143:ASP:N	2.42	0.49
1:D:319:ARG:HG2	1:D:340:ARG:NH1	2.27	0.49
1:E:280:ARG:HD3	1:E:358:THR:HG23	1.95	0.48
1:B:308:ASN:OD1	1:B:308:ASN:C	2.52	0.48
1:D:16:VAL:HG12	6:E:1505:GOL:H12	1.95	0.47
1:E:116:THR:HG22	1:E:119:ARG:HH21	1.79	0.47
1:A:280:ARG:HE	1:A:358:THR:CG2	2.27	0.47
1:E:78:TYR:HB2	1:E:102:PHE:HB2	1.97	0.47
1:D:138:THR:HG21	1:D:140:MET:CE	2.42	0.46
1:C:176:VAL:HG21	1:C:202:TRP:CE3	2.51	0.46
1:C:85:PHE:CE2	1:C:220:VAL:HG21	2.51	0.46
1:E:116:THR:HG22	1:E:119:ARG:NH2	2.30	0.46
1:A:133[A]:MET:CE	1:A:352:THR:HG23	2.46	0.45
1:A:250:ALA:HB2	7:A:1763:HOH:O	2.16	0.45
1:B:176:VAL:HG21	1:B:202:TRP:CD2	2.52	0.45
1:C:169:ARG:NE	7:C:1578:HOH:O	2.49	0.45
1:E:176:VAL:HG21	1:E:202:TRP:CD2	2.52	0.45
1:D:306:THR:CG2	1:D:307:SER:H	2.30	0.45
1:E:176:VAL:HG21	1:E:202:TRP:CE3	2.52	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:306:THR:HG23	1:D:307:SER:H	1.82	0.44
1:B:57:LEU:HG	1:B:84:MET:HE1	1.99	0.44
1:E:308:ASN:OD1	1:E:309:ILE:N	2.50	0.44
1:B:10:ASN:HB3	1:B:13:ILE:HD12	2.00	0.44
1:C:199:PRO:O	1:C:200:ALA:HB3	2.16	0.44
1:D:176:VAL:HG21	1:D:202:TRP:CE3	2.52	0.43
1:E:61:ASN:ND2	7:E:1591:HOH:O	2.28	0.43
1:A:284:HIS:NE2	1:A:358:THR:HG23	2.33	0.43
1:D:176:VAL:HG21	1:D:202:TRP:CD2	2.54	0.43
1:C:215:GLY:HA3	1:C:349:PHE:CE1	2.54	0.43
1:C:2:GLN:HG2	1:C:142:THR:HA	2.01	0.43
1:C:258:THR:HG21	1:C:360:LEU:HD21	2.01	0.43
1:E:341:ARG:N	1:E:342:PRO:CD	2.83	0.42
1:C:176:VAL:HG21	1:C:202:TRP:CD2	2.54	0.42
1:B:97:VAL:CG2	1:B:97:VAL:O	2.67	0.42
1:A:93:PRO:O	1:A:95:LYS:HE2	2.20	0.42
1:C:146:PRO:HB2	1:C:149:TRP:CD1	2.54	0.42
1:C:301:THR:HG23	1:C:302:GLY:O	2.19	0.42
1:B:176:VAL:HG21	1:B:202:TRP:CE3	2.54	0.42
1:B:308:ASN:OD1	7:B:1545:HOH:O	2.22	0.42
1:D:196:GLU:HB3	1:D:201:GLN:HE21	1.85	0.42
1:C:2:GLN:CD	1:C:142:THR:HG22	2.41	0.42
1:B:302:GLY:CA	1:B:306:THR:O	2.66	0.42
1:A:10:ASN:HB3	1:A:13:ILE:HD12	2.01	0.42
1:B:301:THR:O	1:B:306:THR:HG22	2.20	0.41
1:B:7:SER:HB3	1:B:233:GLY:HA3	2.02	0.41
1:B:57:LEU:CG	1:B:84:MET:CE	2.98	0.41
1:D:2:GLN:NE2	1:D:233:GLY:O	2.53	0.41
1:D:143:ASP:N	1:D:143:ASP:OD1	2.53	0.41
1:C:7:SER:HB3	1:C:233:GLY:HA3	2.03	0.41
1:D:132:GLY:HA3	5:D:501:ADP:H1'	2.03	0.41
1:D:13:ILE:HD11	1:E:11:LYS:HG3	2.03	0.41
1:D:356:ILE:HD12	1:D:360:LEU:HD12	2.03	0.41
1:A:133[A]:MET:HE3	1:A:352:THR:CG2	2.51	0.41
1:B:4:MET:HB3	1:B:4:MET:HE3	1.98	0.40
1:E:258:THR:OG1	1:E:261:MET:HG3	2.21	0.40
1:C:270:ILE:HG23	1:C:337:PHE:CD2	2.57	0.40
1:E:364:THR:HG22	7:E:1739:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:362:ASN:ND2	1:A:362:ASN:ND2[2_554]	1.92	0.28

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/384 (92%)	346 (98%)	9 (2%)	0	100	100
1	B	357/384 (93%)	344 (96%)	12 (3%)	1 (0%)	46	36
1	C	360/384 (94%)	349 (97%)	11 (3%)	0	100	100
1	D	358/384 (93%)	345 (96%)	13 (4%)	0	100	100
1	E	351/384 (91%)	339 (97%)	12 (3%)	0	100	100
All	All	1781/1920 (93%)	1723 (97%)	57 (3%)	1 (0%)	56	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	144	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/323 (94%)	297 (98%)	5 (2%)	68	65
1	B	304/323 (94%)	295 (97%)	9 (3%)	48	41
1	C	304/323 (94%)	299 (98%)	5 (2%)	70	67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	303/323 (94%)	297 (98%)	6 (2%)	63	58
1	E	298/323 (92%)	290 (97%)	8 (3%)	52	45
All	All	1511/1615 (94%)	1478 (98%)	33 (2%)	60	53

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	LYS
1	A	169	ARG
1	A	180	TYR
1	A	289	ASP
1	A	358	THR
1	B	24	GLU
1	B	106	ARG
1	B	107	ARG
1	B	143	ASP
1	B	169	ARG
1	B	180	TYR
1	B	301	THR
1	B	306	THR
1	B	316	VAL
1	C	2	GLN
1	C	76	ASP
1	C	142	THR
1	C	180	TYR
1	C	289	ASP
1	D	107	ARG
1	D	126	ASN
1	D	180	TYR
1	D	258	THR
1	D	306	THR
1	D	345	ASN
1	E	10	ASN
1	E	68	LEU
1	E	77	MET
1	E	125	SER
1	E	126	ASN
1	E	169	ARG
1	E	180	TYR
1	E	235	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	8	HIS
1	B	282	GLN
1	B	310	ASN
1	D	126	ASN
1	D	201	GLN
1	D	248	ASN
1	D	265	ASN
1	D	345	ASN
1	E	10	ASN
1	E	15	GLN
1	E	127	GLN
1	E	265	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 25 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	GOL	A	1501	-	5,5,5	0.47	0	5,5,5	0.83	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	ADP	A	501	2	22,29,29	1.26	4 (18%)	27,45,45	2.42	8 (29%)
3	PO4	A	502	2	4,4,4	0.83	0	6,6,6	0.30	0
6	GOL	B	1502	-	5,5,5	0.69	0	5,5,5	0.85	0
5	ADP	B	501	2	22,29,29	1.15	2 (9%)	27,45,45	2.15	5 (18%)
3	PO4	B	502	2	4,4,4	0.63	0	6,6,6	0.29	0
6	GOL	C	1503	-	5,5,5	0.63	0	5,5,5	0.70	0
6	GOL	C	1506	-	5,5,5	0.83	0	5,5,5	0.77	0
5	ADP	C	501	2	22,29,29	1.01	2 (9%)	27,45,45	2.31	5 (18%)
3	PO4	C	502	2	4,4,4	0.25	0	6,6,6	0.43	0
6	GOL	D	1504	-	5,5,5	0.45	0	5,5,5	0.95	0
5	ADP	D	501	2	22,29,29	1.16	3 (13%)	27,45,45	2.46	7 (25%)
3	PO4	D	502	2	4,4,4	0.63	0	6,6,6	0.35	0
6	GOL	E	1505	-	5,5,5	0.68	0	5,5,5	0.80	0
5	ADP	E	501	2	22,29,29	1.10	1 (4%)	27,45,45	2.04	5 (18%)
3	PO4	E	502	2	4,4,4	0.59	0	6,6,6	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	1501	-	-	0/4/4/4	0/0/0/0
5	ADP	A	501	2	-	0/12/32/32	0/3/3/3
3	PO4	A	502	2	-	0/0/0/0	0/0/0/0
6	GOL	B	1502	-	-	0/4/4/4	0/0/0/0
5	ADP	B	501	2	-	0/12/32/32	0/3/3/3
3	PO4	B	502	2	-	0/0/0/0	0/0/0/0
6	GOL	C	1503	-	-	0/4/4/4	0/0/0/0
6	GOL	C	1506	-	-	0/4/4/4	0/0/0/0
5	ADP	C	501	2	-	0/12/32/32	0/3/3/3
3	PO4	C	502	2	-	0/0/0/0	0/0/0/0
6	GOL	D	1504	-	-	0/4/4/4	0/0/0/0
5	ADP	D	501	2	-	0/12/32/32	0/3/3/3
3	PO4	D	502	2	-	0/0/0/0	0/0/0/0
6	GOL	E	1505	-	-	0/4/4/4	0/0/0/0
5	ADP	E	501	2	-	0/12/32/32	0/3/3/3
3	PO4	E	502	2	-	0/0/0/0	0/0/0/0

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	501	ADP	PB-O2B	-2.50	1.45	1.54
5	D	501	ADP	C2-N3	2.17	1.36	1.32
5	B	501	ADP	O4'-C1'	2.22	1.44	1.41
5	C	501	ADP	C2-N3	2.33	1.36	1.32
5	A	501	ADP	C2-N3	2.39	1.36	1.32
5	B	501	ADP	C5-C4	2.43	1.46	1.40
5	A	501	ADP	O4'-C1'	2.46	1.44	1.41
5	A	501	ADP	C5-C4	2.58	1.46	1.40
5	C	501	ADP	C5-C4	2.66	1.46	1.40
5	D	501	ADP	O4'-C1'	2.70	1.44	1.41
5	E	501	ADP	C5-C4	2.81	1.46	1.40
5	D	501	ADP	C5-C4	3.39	1.48	1.40

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	501	ADP	N3-C2-N1	-10.22	121.07	128.89
5	A	501	ADP	N3-C2-N1	-9.56	121.58	128.89
5	C	501	ADP	N3-C2-N1	-9.29	121.78	128.89
5	B	501	ADP	N3-C2-N1	-8.83	122.13	128.89
5	E	501	ADP	N3-C2-N1	-8.11	122.69	128.89
5	E	501	ADP	C1'-N9-C4	-4.12	120.72	126.94
5	A	501	ADP	C1'-N9-C4	-3.92	121.02	126.94
5	C	501	ADP	C4-C5-N7	-3.69	106.08	109.48
5	C	501	ADP	C1'-N9-C4	-3.39	121.83	126.94
5	D	501	ADP	C1'-N9-C4	-3.34	121.91	126.94
5	D	501	ADP	C4'-O4'-C1'	-3.19	106.21	109.72
5	B	501	ADP	C1'-N9-C4	-3.18	122.14	126.94
5	D	501	ADP	O3'-C3'-C2'	-2.94	102.25	111.83
5	A	501	ADP	C4'-O4'-C1'	-2.79	106.66	109.72
5	E	501	ADP	C4-C5-N7	-2.30	107.37	109.48
5	A	501	ADP	O3'-C3'-C2'	-2.09	105.02	111.83
5	A	501	ADP	O3B-PB-O2B	2.00	115.01	107.38
5	E	501	ADP	C2-N1-C6	2.01	122.36	118.77
5	D	501	ADP	N6-C6-N1	2.09	123.69	119.20
5	B	501	ADP	N6-C6-N1	2.23	123.99	119.20
5	B	501	ADP	C2-N1-C6	2.32	122.92	118.77
5	D	501	ADP	O3B-PB-O1B	2.35	118.15	110.58
5	D	501	ADP	C2-N1-C6	2.37	123.00	118.77
5	A	501	ADP	N6-C6-N1	2.37	124.29	119.20
5	A	501	ADP	C2-N1-C6	2.52	123.28	118.77
5	A	501	ADP	O2B-PB-O1B	2.65	119.11	110.58
5	C	501	ADP	O2B-PB-O1B	2.66	119.14	110.58

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	501	ADP	O4'-C1'-N9	2.70	113.75	108.10
5	E	501	ADP	O2B-PB-O1B	2.80	119.58	110.58
5	B	501	ADP	O3B-PB-O2B	2.94	118.59	107.38

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	501	ADP	1	0
6	E	1505	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	360/384 (93%)	-0.12	8 (2%) 65 71	4, 12, 26, 33	0
1	B	362/384 (94%)	-0.12	10 (2%) 56 63	5, 12, 27, 37	0
1	C	364/384 (94%)	-0.12	6 (1%) 74 79	5, 12, 27, 33	0
1	D	362/384 (94%)	-0.08	12 (3%) 50 57	5, 13, 25, 32	0
1	E	354/384 (92%)	-0.08	12 (3%) 49 55	6, 13, 24, 31	0
All	All	1802/1920 (93%)	-0.10	48 (2%) 58 64	4, 12, 26, 37	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	306	THR	5.7
1	C	142	THR	4.3
1	E	265	ASN	4.0
1	D	142	THR	3.8
1	A	365	GLY	3.7
1	B	4	MET	3.4
1	A	4	MET	3.3
1	C	306	THR	3.3
1	B	307	SER	3.3
1	D	104	TYR	3.2
1	E	269	TYR	3.2
1	C	0	TYR	3.1
1	D	4	MET	3.1
1	B	301	THR	3.0
1	D	1	PHE	2.9
1	B	8	HIS	2.9
1	D	107	ARG	2.9
1	B	0	TYR	2.8
1	E	119	ARG	2.8
1	E	70	SER	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	306	THR	2.6
1	E	142	THR	2.5
1	A	104	TYR	2.5
1	E	126	ASN	2.5
1	A	223	PHE	2.5
1	D	301	THR	2.5
1	A	225	LEU	2.4
1	D	204	PHE	2.3
1	E	333	LYS	2.3
1	B	1	PHE	2.2
1	D	268	LYS	2.2
1	B	246	ASN	2.2
1	A	301	THR	2.2
1	C	8	HIS	2.2
1	E	8	HIS	2.2
1	C	365	GLY	2.2
1	B	104	TYR	2.2
1	E	266	GLY	2.1
1	D	218	LEU	2.1
1	E	104	TYR	2.1
1	D	225	LEU	2.1
1	B	221	ALA	2.1
1	E	74	ASN	2.1
1	A	73	SER	2.1
1	D	8	HIS	2.0
1	A	307	SER	2.0
1	E	264	GLU	2.0
1	C	1	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	GOL	C	1506	6/6	0.89	0.12	2.36	24,28,29,29	0
6	GOL	B	1502	6/6	0.93	0.10	0.46	14,16,19,19	0
6	GOL	E	1505	6/6	0.95	0.10	0.02	17,20,21,21	0
6	GOL	C	1503	6/6	0.93	0.10	-0.13	14,15,16,17	0
6	GOL	D	1504	6/6	0.94	0.09	-0.31	20,20,21,21	0
6	GOL	A	1501	6/6	0.95	0.09	-0.96	16,18,18,19	0
5	ADP	E	501	27/27	0.98	0.06	-1.43	9,15,17,23	0
2	MN	A	404	1/1	0.99	0.06	-1.44	13,13,13,13	1
5	ADP	D	501	27/27	0.98	0.06	-1.50	2,11,14,14	0
5	ADP	B	501	27/27	0.98	0.06	-1.58	5,12,14,15	0
5	ADP	C	501	27/27	0.99	0.06	-1.94	6,12,14,15	0
5	ADP	A	501	27/27	0.99	0.05	-2.05	4,9,14,15	0
3	PO4	A	502	5/5	0.99	0.06	-2.17	3,6,7,11	0
3	PO4	D	502	5/5	0.99	0.06	-2.25	5,10,13,13	0
3	PO4	E	502	5/5	0.99	0.04	-2.48	9,10,12,13	0
2	MN	E	404	1/1	0.99	0.05	-2.70	17,17,17,17	1
4	CL	B	1401	1/1	1.00	0.07	-2.73	10,10,10,10	0
3	PO4	B	502	5/5	0.99	0.05	-2.98	4,9,11,14	0
4	CL	A	1403	1/1	0.99	0.07	-3.15	9,9,9,9	0
2	MN	E	401	1/1	0.99	0.05	-3.39	11,11,11,11	0
2	MN	B	401	1/1	1.00	0.02	-3.74	9,9,9,9	0
4	CL	D	1404	1/1	0.99	0.04	-3.96	10,10,10,10	0
4	CL	C	1402	1/1	0.99	0.05	-3.97	9,9,9,9	0
3	PO4	C	502	5/5	0.99	0.04	-3.99	4,7,9,11	0
2	MN	D	404	1/1	0.99	0.04	-4.00	11,11,11,11	1
2	MN	D	402	1/1	0.99	0.02	-4.06	11,11,11,11	0
2	MN	D	401	1/1	1.00	0.02	-4.20	8,8,8,8	0
2	MN	C	404	1/1	0.99	0.04	-4.29	10,10,10,10	1
2	MN	A	401	1/1	1.00	0.02	-4.36	7,7,7,7	0
4	CL	A	1405	1/1	1.00	0.04	-4.66	9,9,9,9	0
2	MN	B	404	1/1	0.99	0.03	-5.12	16,16,16,16	1
2	MN	C	401	1/1	1.00	0.02	-7.60	11,11,11,11	0
2	MN	A	403	1/1	1.00	0.01	-	6,6,6,6	0
2	MN	C	403	1/1	1.00	0.02	-	6,6,6,6	0
2	MN	C	402	1/1	0.99	0.03	-	10,10,10,10	0
2	MN	A	402	1/1	1.00	0.02	-	8,8,8,8	0
2	MN	D	403	1/1	0.99	0.03	-	7,7,7,7	0
2	MN	B	402	1/1	1.00	0.02	-	10,10,10,10	0
2	MN	B	403	1/1	1.00	0.02	-	8,8,8,8	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MN	E	403	1/1	1.00	0.02	-	9,9,9,9	0
2	MN	E	402	1/1	0.99	0.03	-	13,13,13,13	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.