



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:20 PM GMT

PDB ID : 4OLH  
Title : Human GKRP Bound to AMG5106 and Sorbitol-6-Phosphate  
Authors : Jordan, S.R.; Chmait, S.  
Deposited on : 2014-01-23  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	638	<div> <div>5%</div> <div> <div></div> <div>73%</div> <div>16%</div> <div>•</div> <div>8%</div> </div> </div>
1	B	638	<div> <div>3%</div> <div> <div></div> <div>77%</div> <div>13%</div> <div>•</div> <div>8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	IOD	A	709	-	-	X	-
4	IOD	A	715	-	-	X	-
4	IOD	B	713	-	-	X	-

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9335 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucokinase Regulatory Protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	585	Total	C	N	O	S	0	0	0
			4521	2882	774	841	24			
1	B	590	Total	C	N	O	S	0	0	0
			4554	2901	781	848	24			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	EXPRESSION TAG	UNP Q14397
A	-10	ALA	-	EXPRESSION TAG	UNP Q14397
A	-9	HIS	-	EXPRESSION TAG	UNP Q14397
A	-8	HIS	-	EXPRESSION TAG	UNP Q14397
A	-7	HIS	-	EXPRESSION TAG	UNP Q14397
A	-6	HIS	-	EXPRESSION TAG	UNP Q14397
A	-5	HIS	-	EXPRESSION TAG	UNP Q14397
A	-4	HIS	-	EXPRESSION TAG	UNP Q14397
A	-3	ASP	-	EXPRESSION TAG	UNP Q14397
A	-2	GLU	-	EXPRESSION TAG	UNP Q14397
A	-1	VAL	-	EXPRESSION TAG	UNP Q14397
A	0	ASP	-	EXPRESSION TAG	UNP Q14397
A	626	GLY	-	EXPRESSION TAG	UNP Q14397
B	-11	MET	-	EXPRESSION TAG	UNP Q14397
B	-10	ALA	-	EXPRESSION TAG	UNP Q14397
B	-9	HIS	-	EXPRESSION TAG	UNP Q14397
B	-8	HIS	-	EXPRESSION TAG	UNP Q14397
B	-7	HIS	-	EXPRESSION TAG	UNP Q14397
B	-6	HIS	-	EXPRESSION TAG	UNP Q14397
B	-5	HIS	-	EXPRESSION TAG	UNP Q14397
B	-4	HIS	-	EXPRESSION TAG	UNP Q14397
B	-3	ASP	-	EXPRESSION TAG	UNP Q14397
B	-2	GLU	-	EXPRESSION TAG	UNP Q14397
B	-1	VAL	-	EXPRESSION TAG	UNP Q14397
B	0	ASP	-	EXPRESSION TAG	UNP Q14397

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	626	GLY	-	EXPRESSION TAG	UNP Q14397

- Molecule 2 is 2-(2-{4-[(6-AMINOPYRIDIN-3-YL)SULFONYL]PIPERAZIN-1-YL}-3,3'-BIPYRIDIN-5-YL)-1,1,1,3,3,3-HEXAFLUOROPROPAN-2-OL (three-letter code: 2TO) (formula: C<sub>22</sub>H<sub>20</sub>F<sub>6</sub>N<sub>6</sub>O<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			38	22	6	6	3	1		
2	B	1	Total	C	F	N	O	S	0	0
			38	22	6	6	3	1		

- Molecule 3 is SUGAR (D-SORBITOL-6-PHOSPHATE) (three-letter code: S6P) (formula: C<sub>6</sub>H<sub>15</sub>O<sub>9</sub>P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			16	6	9	1		
3	B	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 4 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	14	Total	I	0	0
			14	14		
4	A	13	Total	I	0	0
			13	13		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	37	Total 37	O 37	0	0
7	B	67	Total 67	O 67	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Glucokinase Regulatory Protein



#### • Molecule 1: Glucokinase Regulatory Protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	149.34Å 149.34Å 133.14Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.40 – 2.40 39.40 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.40-2.40) 99.9 (39.40-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.54 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, $R_{free}$	0.214 , 0.266 0.218 , 0.267	Depositor DCC
$R_{free}$ test set	3332 reflections (5.33%)	DCC
Wilson B-factor (Å <sup>2</sup> )	50.2	Xtriage
Anisotropy	0.058	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 36.7	EDS
Estimated twinning fraction	0.025 for h,-h-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 65860 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9335	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.29% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, 2TO, IOD, SO4, S6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.69	0/4603	0.84	5/6228 (0.1%)
1	B	0.73	0/4637	0.83	4/6274 (0.1%)
All	All	0.71	0/9240	0.84	9/12502 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	259	ARG	NE-CZ-NH2	-8.70	115.95	120.30
1	B	259	ARG	NE-CZ-NH1	8.22	124.41	120.30
1	A	227	ARG	NE-CZ-NH1	7.91	124.25	120.30
1	A	518	ARG	NE-CZ-NH1	7.89	124.25	120.30
1	A	518	ARG	NE-CZ-NH2	-7.21	116.70	120.30
1	A	273	LEU	CA-CB-CG	6.25	129.68	115.30
1	B	6	ARG	NE-CZ-NH1	5.21	122.90	120.30
1	B	227	ARG	NE-CZ-NH1	5.13	122.87	120.30
1	A	449	LEU	CA-CB-CG	5.10	127.02	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	167	ALA	Peptide
1	B	447	ILE	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4521	0	4618	62	0
1	B	4554	0	4647	56	0
2	A	38	0	20	3	0
2	B	38	0	20	3	0
3	A	16	0	13	1	0
3	B	16	0	13	0	0
4	A	13	0	0	8	0
4	B	14	0	0	4	0
5	B	6	0	8	0	0
6	B	15	0	0	0	0
7	A	37	0	0	2	0
7	B	67	0	0	1	0
All	All	9335	0	9339	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:216:ASN:OD1	1:B:225:THR:HG21	1.81	0.80
1:A:228:GLN:HE22	1:B:228:GLN:HE22	1.29	0.79
1:A:5:LYS:HB3	4:A:709:IOD:I	2.55	0.76
2:B:701:2TO:H12	2:B:701:2TO:C12	2.17	0.74
1:A:315:THR:HG22	1:A:434:GLN:HE22	1.52	0.74
1:B:259:ARG:NH2	1:B:345:ASP:OD1	2.21	0.73
1:B:267:LYS:NZ	1:B:271:GLU:OE1	2.24	0.70
1:B:220:GLU:OE1	1:B:558:SER:OG	2.10	0.69
1:B:469:GLU:HG2	4:B:716:IOD:I	2.64	0.68
1:B:419:VAL:O	1:B:423:VAL:HG12	1.94	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:701:2TO:C7	2:B:701:2TO:H12	2.25	0.66
1:A:25:GLU:OE2	4:A:710:IOD:I	2.84	0.66
1:B:445:LEU:HG	4:B:713:IOD:I	2.67	0.65
1:B:5:LYS:HB2	4:B:710:IOD:I	2.69	0.63
3:A:702:S6P:O1P	7:A:828:HOH:O	2.16	0.63
1:B:389:GLN:HE21	1:B:418:GLU:HG3	1.63	0.63
1:A:348:GLU:OE1	7:A:823:HOH:O	2.16	0.63
1:A:44:ALA:HB1	1:A:48:ASN:HB3	1.83	0.60
1:A:317:MET:HE2	1:A:496:LEU:HD11	1.83	0.60
1:B:286:ALA:HA	1:B:289:GLN:HE21	1.65	0.60
1:B:508:LEU:C	1:B:508:LEU:HD12	2.23	0.59
2:A:701:2TO:C12	2:A:701:2TO:H12	2.33	0.58
1:A:414:ASP:O	1:A:415:ASN:CB	2.52	0.58
1:A:5:LYS:CB	4:A:709:IOD:I	3.23	0.57
1:A:339:GLY:O	1:A:342:ALA:HB3	2.04	0.57
1:B:48:ASN:HD22	1:B:51:ARG:HE	1.53	0.57
1:B:136:TYR:O	1:B:137:LEU:HD23	2.05	0.56
1:A:456:ILE:HD13	1:A:458:SER:HB2	1.87	0.56
1:B:389:GLN:OE1	1:B:421:THR:HG21	2.06	0.56
1:A:146:VAL:HG12	1:A:146:VAL:O	2.05	0.55
4:A:705:IOD:I	4:A:715:IOD:I	3.64	0.55
1:A:451:LYS:N	1:A:452:LEU:HB2	2.23	0.54
1:A:220:GLU:OE1	1:A:558:SER:OG	2.25	0.54
1:A:414:ASP:O	1:A:415:ASN:HB2	2.06	0.54
1:B:503:ASN:H	1:B:503:ASN:HD22	1.54	0.54
1:A:4:THR:HA	4:A:711:IOD:I	2.78	0.54
1:A:214:ALA:O	1:A:227:ARG:HD3	2.08	0.53
1:A:273:LEU:HD23	1:A:273:LEU:C	2.29	0.53
2:A:701:2TO:C7	2:A:701:2TO:H12	2.38	0.53
1:A:140:GLY:O	1:A:149:ARG:NH1	2.42	0.53
1:A:255:SER:HB2	1:A:518:ARG:HH21	1.73	0.52
1:A:146:VAL:O	1:A:347:VAL:HG21	2.10	0.52
1:B:286:ALA:HA	1:B:289:GLN:NE2	2.23	0.52
1:B:246:ASN:HD22	1:B:246:ASN:N	2.07	0.52
1:B:15:GLU:HB2	1:B:18:LYS:HD3	1.92	0.51
1:B:159:GLY:HA2	1:B:186:PHE:CE1	2.45	0.51
1:A:228:GLN:HE22	1:B:228:GLN:NE2	2.04	0.50
1:B:140:GLY:O	1:B:149:ARG:NH2	2.45	0.50
1:A:337:THR:CG2	1:A:479:GLU:HG2	2.41	0.49
1:A:101:LEU:HD11	1:A:135:THR:HG22	1.93	0.49
1:B:72:GLN:HG2	1:B:78:SER:OG	2.11	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:529:GLN:NE2	1:B:533:ARG:HE	2.11	0.49
1:A:332:LEU:HD12	1:A:407:VAL:HB	1.94	0.48
1:A:512:ASN:C	1:A:512:ASN:HD22	2.17	0.48
1:A:246:ASN:H	1:A:246:ASN:HD22	1.61	0.48
1:A:37:LEU:HD22	1:A:55:GLN:HE21	1.78	0.48
1:A:73:ARG:NH2	4:A:715:IOD:I	3.17	0.48
1:B:481:SER:O	1:B:485:VAL:HG23	2.13	0.48
1:A:246:ASN:N	1:A:246:ASN:HD22	2.12	0.48
1:B:448:PRO:HD3	1:B:451:LYS:HB2	1.94	0.47
1:B:437:ALA:CB	1:B:456:ILE:HD11	2.45	0.47
1:A:531:LYS:O	1:A:535:ILE:HG13	2.13	0.47
1:A:447:ILE:HG22	1:A:449:LEU:C	2.35	0.47
1:B:69:SER:O	7:B:849:HOH:O	2.21	0.47
1:A:140:GLY:H	1:A:158:HIS:HE1	1.62	0.47
1:A:361:ARG:HD2	1:A:363:PHE:CZ	2.50	0.46
1:B:412:LEU:HD12	1:B:443:GLN:HB3	1.97	0.46
1:A:519:ALA:HB2	1:A:571:ILE:HD11	1.97	0.46
1:B:447:ILE:O	1:B:448:PRO:C	2.53	0.46
1:B:272:THR:HA	1:B:295:ILE:HG21	1.98	0.46
1:A:328:GLY:O	1:A:329:HIS:CD2	2.69	0.46
1:A:315:THR:CG2	1:A:434:GLN:HE22	2.22	0.46
1:B:447:ILE:HB	1:B:448:PRO:HD2	1.98	0.46
1:A:447:ILE:HG22	1:A:450:LYS:N	2.30	0.46
1:A:245:LEU:HD13	1:A:269:LEU:CD2	2.46	0.45
1:A:159:GLY:HA2	1:A:186:PHE:CE1	2.52	0.45
1:B:448:PRO:HA	1:B:449:LEU:C	2.36	0.45
2:B:701:2TO:C8	2:B:701:2TO:C12	2.91	0.45
1:B:48:ASN:ND2	1:B:51:ARG:HE	2.14	0.45
1:A:315:THR:HG22	1:A:434:GLN:NE2	2.27	0.45
1:B:437:ALA:HB2	1:B:456:ILE:HD11	1.99	0.45
1:A:91:GLN:HG2	1:A:281:VAL:HG13	1.99	0.45
1:B:529:GLN:HE21	1:B:533:ARG:HE	1.65	0.44
1:A:272:THR:HA	1:A:295:ILE:HG21	1.99	0.44
1:B:503:ASN:HD22	1:B:503:ASN:N	2.14	0.44
1:B:337:THR:HG21	1:B:479:GLU:OE1	2.17	0.44
1:A:503:ASN:H	1:A:503:ASN:HD22	1.65	0.44
2:A:701:2TO:C8	2:A:701:2TO:C12	2.95	0.44
1:A:468:TYR:HB2	4:A:703:IOD:I	2.88	0.44
1:B:397:LEU:N	1:B:398:PRO:CD	2.81	0.44
1:B:6:ARG:HD2	1:B:554:ALA:O	2.18	0.44
1:A:491:THR:O	1:A:495:VAL:HG23	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:430:THR:O	1:A:431:ASN:ND2	2.43	0.44
1:B:343:ILE:HA	1:B:362:GLY:HA3	1.99	0.43
1:A:343:ILE:HA	1:A:362:GLY:HA3	2.01	0.43
1:A:332:LEU:HB3	1:A:342:ALA:HB1	2.00	0.43
1:B:447:ILE:HB	1:B:448:PRO:CD	2.49	0.43
1:A:207:GLY:O	1:A:246:ASN:HA	2.19	0.43
1:A:480:LEU:HD21	1:A:484:TRP:CH2	2.54	0.43
1:A:422:ILE:O	1:A:426:VAL:HG23	2.19	0.43
1:B:273:LEU:C	1:B:273:LEU:HD23	2.40	0.43
1:B:458:SER:HB3	4:B:713:IOD:I	2.89	0.42
1:A:506:LEU:HD23	4:A:704:IOD:I	2.89	0.42
1:B:106:GLY:O	1:B:138:ILE:HA	2.18	0.42
1:B:357:PHE:CZ	1:B:383:PRO:CG	3.03	0.42
1:B:124:LEU:HD12	1:B:472:PHE:CD2	2.54	0.42
1:B:225:THR:HB	1:B:228:GLN:HE21	1.84	0.42
1:B:225:THR:HG22	1:B:228:GLN:H	1.84	0.42
1:B:19:TRP:HZ3	1:B:24:TYR:CE1	2.38	0.42
1:A:601:VAL:HG12	1:A:605:LEU:HD23	2.02	0.42
1:B:42:ASP:OD2	1:B:602:ARG:NH2	2.52	0.42
1:B:81:THR:O	1:B:84:VAL:HG12	2.20	0.42
1:A:433:ILE:HD12	1:A:453:PHE:CE1	2.54	0.41
1:A:180:VAL:HG11	1:A:258:SER:HB2	2.01	0.41
1:A:280:THR:HB	1:A:285:ILE:O	2.21	0.41
1:A:393:LEU:O	1:A:397:LEU:HB3	2.20	0.41
1:A:325:GLU:O	1:A:326:LYS:O	2.38	0.41
1:A:529:GLN:HE21	1:A:533:ARG:HE	1.69	0.41
1:A:35:ASN:HD22	1:A:37:LEU:H	1.68	0.41
1:B:401:THR:HG22	1:B:403:ILE:H	1.85	0.41
1:B:571:ILE:HB	1:B:572:PRO:HD3	2.03	0.41
1:B:100:GLY:HA2	1:B:172:ARG:O	2.21	0.40
1:A:445:LEU:HD22	1:A:450:LYS:HE2	2.03	0.40
1:B:220:GLU:CD	1:B:558:SER:OG	2.59	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/638 (91%)	534 (92%)	37 (6%)	8 (1%)	14	19
1	B	584/638 (92%)	569 (97%)	13 (2%)	2 (0%)	46	63
All	All	1163/1276 (91%)	1103 (95%)	50 (4%)	10 (1%)	21	30

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	326	LYS
1	A	337	THR
1	A	415	ASN
1	B	415	ASN
1	B	448	PRO
1	A	456	ILE
1	A	462	PRO
1	A	336	GLN
1	A	447	ILE
1	A	497	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/542 (92%)	454 (91%)	44 (9%)	12	18
1	B	501/542 (92%)	467 (93%)	34 (7%)	20	31
All	All	999/1084 (92%)	921 (92%)	78 (8%)	16	24

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	6	ARG

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	18	LYS
1	A	25	GLU
1	A	35	ASN
1	A	55	GLN
1	A	98	ASP
1	A	131	LYS
1	A	166	VAL
1	A	170	LYS
1	A	172	ARG
1	A	198	THR
1	A	227	ARG
1	A	246	ASN
1	A	255	SER
1	A	273	LEU
1	A	282	ASP
1	A	312	LYS
1	A	316	LEU
1	A	332	LEU
1	A	357	PHE
1	A	361	ARG
1	A	388	SER
1	A	402	GLU
1	A	413	ASP
1	A	415	ASN
1	A	416	LEU
1	A	417	THR
1	A	427	LYS
1	A	431	ASN
1	A	441	VAL
1	A	444	THR
1	A	445	LEU
1	A	455	SER
1	A	458	SER
1	A	463	LEU
1	A	471	ASN
1	A	473	ILE
1	A	503	ASN
1	A	512	ASN
1	A	558	SER
1	A	559	CYS
1	A	603	SER
1	A	605	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	6	ARG
1	B	8	GLN
1	B	39	GLN
1	B	47	GLU
1	B	72	GLN
1	B	95	LYS
1	B	143	ARG
1	B	166	VAL
1	B	171	LYS
1	B	192	ASP
1	B	225	THR
1	B	227	ARG
1	B	234	GLN
1	B	235	LYS
1	B	246	ASN
1	B	255	SER
1	B	304	GLN
1	B	323	SER
1	B	337	THR
1	B	388	SER
1	B	415	ASN
1	B	423	VAL
1	B	434	GLN
1	B	439	SER
1	B	444	THR
1	B	445	LEU
1	B	455	SER
1	B	458	SER
1	B	460	THR
1	B	463	LEU
1	B	471	ASN
1	B	503	ASN
1	B	525	ARG
1	B	558	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	ASN
1	A	55	GLN
1	A	91	GLN
1	A	123	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	158	HIS
1	A	190	GLN
1	A	196	ASN
1	A	246	ASN
1	A	289	GLN
1	A	329	HIS
1	A	415	ASN
1	A	420	GLN
1	A	434	GLN
1	A	471	ASN
1	A	503	ASN
1	A	512	ASN
1	A	529	GLN
1	B	8	GLN
1	B	9	HIS
1	B	39	GLN
1	B	48	ASN
1	B	196	ASN
1	B	197	ASN
1	B	228	GLN
1	B	246	ASN
1	B	289	GLN
1	B	309	GLN
1	B	389	GLN
1	B	415	ASN
1	B	425	GLN
1	B	431	ASN
1	B	471	ASN
1	B	503	ASN
1	B	529	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 35 ligands modelled in this entry, 27 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	2TO	A	701	-	41,41,41	1.38	3 (7%)	58,64,64	2.01	15 (25%)
3	S6P	A	702	-	15,15,15	1.21	2 (13%)	18,21,21	1.42	4 (22%)
2	2TO	B	701	-	41,41,41	1.31	4 (9%)	58,64,64	1.92	11 (18%)
3	S6P	B	702	-	15,15,15	1.42	1 (6%)	18,21,21	1.33	3 (16%)
5	GOL	B	717	-	5,5,5	0.51	0	5,5,5	0.60	0
6	SO4	B	718	-	4,4,4	0.97	0	6,6,6	0.32	0
6	SO4	B	719	-	4,4,4	0.51	0	6,6,6	0.33	0
6	SO4	B	720	-	4,4,4	0.34	0	6,6,6	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2TO	A	701	-	-	0/44/54/54	0/4/4/4
3	S6P	A	702	-	-	0/20/20/20	0/0/0/0
2	2TO	B	701	-	-	0/44/54/54	0/4/4/4
3	S6P	B	702	-	-	0/20/20/20	0/0/0/0
5	GOL	B	717	-	-	0/4/4/4	0/0/0/0
6	SO4	B	718	-	-	0/0/0/0	0/0/0/0
6	SO4	B	719	-	-	0/0/0/0	0/0/0/0
6	SO4	B	720	-	-	0/0/0/0	0/0/0/0

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	2TO	C5-C7	-5.27	1.40	1.49
2	B	701	2TO	C5-C7	-4.05	1.42	1.49
2	A	701	2TO	C9-N3	-2.31	1.45	1.47
2	B	701	2TO	O1-C4	-2.17	1.37	1.42
2	B	701	2TO	C3-C1	2.17	1.41	1.38
3	A	702	S6P	P-O2P	2.51	1.63	1.54
3	A	702	S6P	P-O3P	2.94	1.60	1.51
3	B	702	S6P	P-O2P	3.13	1.66	1.54
2	B	701	2TO	O2-S1	3.32	1.47	1.43
2	A	701	2TO	O3-S1	4.82	1.49	1.43

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	2TO	O3-S1-O2	-5.53	109.92	119.47
2	B	701	2TO	C10-N3-S1	-5.49	106.55	117.12
2	A	701	2TO	C8-C9-N3	-5.13	104.85	109.02
2	B	701	2TO	O3-S1-C16	-4.70	101.90	108.00
2	B	701	2TO	C9-N3-S1	-4.65	108.16	117.12
2	A	701	2TO	C10-N3-S1	-4.47	108.51	117.12
2	A	701	2TO	C9-N3-S1	-4.43	108.59	117.12
2	B	701	2TO	O2-S1-N3	-2.68	104.04	106.69
2	A	701	2TO	F3-C21-C4	-2.65	106.42	111.92
2	A	701	2TO	C5-C6-N1	-2.52	119.07	122.40
3	A	702	S6P	O1-C1-C2	-2.48	105.71	111.10
3	A	702	S6P	O2P-P-O3P	-2.45	102.70	110.58
2	A	701	2TO	C16-C20-N5	-2.27	120.99	123.39
3	B	702	S6P	O2P-P-O6	-2.15	100.37	106.56
2	B	701	2TO	C5-C6-N1	-2.09	119.63	122.40
2	A	701	2TO	C9-N3-C10	-2.08	109.67	112.20
2	A	701	2TO	C2-C5-C6	2.10	118.28	116.17
3	A	702	S6P	O1P-P-O3P	2.23	117.75	110.58
2	B	701	2TO	C5-C6-N2	2.27	125.38	122.40
2	B	701	2TO	C22-C4-C1	2.27	114.47	110.88
3	B	702	S6P	O2P-P-O1P	2.36	116.36	107.38
3	A	702	S6P	O2P-P-O6	2.57	113.95	106.56
3	B	702	S6P	O6-P-O3P	2.68	113.96	107.14
2	A	701	2TO	C11-C10-N3	2.76	111.26	109.02
2	B	701	2TO	C8-N2-C11	2.78	117.43	111.59
2	A	701	2TO	C13-N4-C12	3.12	122.58	116.84
2	A	701	2TO	C5-C6-N2	3.22	126.62	122.40
2	B	701	2TO	C3-N1-C6	3.33	122.09	114.73
2	A	701	2TO	O2-S1-C16	3.55	112.62	108.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	2TO	C3-N1-C6	3.55	122.57	114.73
2	B	701	2TO	C16-S1-N3	3.57	111.72	107.32
2	A	701	2TO	C8-N2-C11	3.84	119.66	111.59
2	B	701	2TO	O3-S1-N3	5.88	112.50	106.69

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	2TO	3	0
3	A	702	S6P	1	0
2	B	701	2TO	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	585/638 (91%)	0.06	30 (5%) 32 32	31, 56, 100, 133	0
1	B	590/638 (92%)	-0.05	20 (3%) 49 49	28, 49, 78, 120	0
All	All	1175/1276 (92%)	0.00	50 (4%) 39 40	28, 52, 91, 133	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	449	LEU	7.7
1	B	1	MET	4.1
1	A	465	PHE	3.8
1	B	66	GLN	3.6
1	B	448	PRO	3.5
1	A	21	LEU	3.3
1	B	2	PRO	3.3
1	A	69	SER	3.2
1	A	448	PRO	3.2
1	B	264	SER	3.2
1	B	260	MET	3.1
1	B	21	LEU	3.1
1	B	180	VAL	3.0
1	A	399	SER	2.9
1	A	394	THR	2.9
1	B	258	SER	2.8
1	A	109	THR	2.8
1	B	257	SER	2.8
1	B	4	THR	2.7
1	B	109	THR	2.7
1	A	400	LEU	2.6
1	A	430	THR	2.6
1	A	451	LYS	2.5
1	A	387	PHE	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	358	ARG	2.5
1	B	259	ARG	2.4
1	B	65	GLY	2.4
1	A	390	GLU	2.4
1	B	454	PRO	2.3
1	B	265	ALA	2.3
1	A	469	GLU	2.3
1	A	466	PHE	2.3
1	B	262	GLY	2.3
1	A	453	PHE	2.2
1	B	254	LEU	2.2
1	A	258	SER	2.2
1	A	385	PHE	2.2
1	A	260	MET	2.2
1	B	133	LEU	2.1
1	A	403	ILE	2.1
1	A	393	LEU	2.1
1	A	262	GLY	2.1
1	A	470	GLY	2.1
1	A	257	SER	2.1
1	A	264	SER	2.1
1	A	1	MET	2.1
1	A	263	GLY	2.1
1	A	363	PHE	2.0
1	B	485	VAL	2.0
1	A	357	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors



of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
5	GOL	B	717	6/6	0.81	0.18	1.54	60,67,76,78	0
3	S6P	B	702	16/16	0.98	0.21	-0.19	27,34,36,37	0
3	S6P	A	702	16/16	0.98	0.18	-0.25	35,44,49,52	0
2	2TO	B	701	38/38	0.97	0.12	-0.58	30,37,43,45	0
2	2TO	A	701	38/38	0.97	0.12	-0.62	36,40,45,47	0
4	IOD	A	708	1/1	0.94	0.13	-0.64	120,120,120,120	1
4	IOD	B	703	1/1	0.96	0.10	-0.70	60,60,60,60	0
4	IOD	B	715	1/1	0.67	0.13	-1.00	110,110,110,110	1
4	IOD	B	710	1/1	0.99	0.12	-1.12	90,90,90,90	1
4	IOD	B	713	1/1	0.96	0.06	-1.65	70,70,70,70	1
4	IOD	A	712	1/1	0.94	0.08	-1.82	78,78,78,78	1
4	IOD	A	703	1/1	0.94	0.07	-2.12	86,86,86,86	0
4	IOD	A	709	1/1	0.97	0.05	-2.48	93,93,93,93	1
4	IOD	A	714	1/1	0.94	0.06	-2.56	75,75,75,75	1
4	IOD	B	704	1/1	1.00	0.04	-3.23	63,63,63,63	0
4	IOD	A	704	1/1	0.99	0.05	-4.01	73,73,73,73	0
4	IOD	B	706	1/1	0.96	0.10	-	56,56,56,56	0
4	IOD	A	711	1/1	0.94	0.05	-	74,74,74,74	1
4	IOD	A	706	1/1	0.95	0.05	-	94,94,94,94	0
4	IOD	B	711	1/1	0.97	0.07	-	96,96,96,96	1
4	IOD	B	714	1/1	0.94	0.08	-	74,74,74,74	1
4	IOD	B	716	1/1	0.95	0.10	-	93,93,93,93	1
4	IOD	A	705	1/1	0.99	0.04	-	66,66,66,66	1
4	IOD	B	712	1/1	0.96	0.06	-	69,69,69,69	1
4	IOD	B	707	1/1	0.97	0.04	-	74,74,74,74	0
4	IOD	A	707	1/1	0.96	0.07	-	67,67,67,67	1
6	SO4	B	720	5/5	0.95	0.14	-	36,43,45,47	5
4	IOD	B	705	1/1	0.98	0.07	-	68,68,68,68	0
4	IOD	A	710	1/1	0.66	0.19	-	116,116,116,116	1
4	IOD	A	713	1/1	0.95	0.07	-	68,68,68,68	1
6	SO4	B	718	5/5	0.78	0.21	-	65,75,84,104	0
4	IOD	B	708	1/1	0.94	0.08	-	86,86,86,86	1
4	IOD	B	709	1/1	0.97	0.05	-	75,75,75,75	1
6	SO4	B	719	5/5	0.95	0.33	-	70,82,88,107	0
4	IOD	A	715	1/1	0.94	0.19	-	92,92,92,92	1

## 6.5 Other polymers

There are no such residues in this entry.