



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:50 PM GMT

PDB ID : 4Q32
Title : Crystal Structure of Inosine 5'-monophosphate Dehydrogenase from Clostridium perfringens Complexed with IMP and C91
Authors : Maltseva, N.; Kim, Y.; Makowska-Grzyska, M.; Mulligan, R.; Gu, M.; Zhang, M.; Mandapati, K.; Gollapalli, D.R.; Gorla, S.K.; Hedstrom, L.; Anderson, W.F.; Joachimiak, A.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2014-04-10
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3004 (2.80-2.76)
Clashscore	102246	3480 (2.80-2.76)
Ramachandran outliers	100387	3423 (2.80-2.76)
Sidechain outliers	100360	3425 (2.80-2.76)
RSRZ outliers	91569	3016 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	363	<div> <div>4%</div> <div>83% 9% 7%</div> </div>
1	B	363	<div> <div>4%</div> <div>81% 12% 6%</div> </div>
1	C	363	<div> <div>%</div> <div>84% 10% 6%</div> </div>
1	D	363	<div> <div>2%</div> <div>83% 10% 7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	C91	A	402	-	-	-	X
3	C91	A	403	-	-	-	X
3	C91	B	501	-	-	-	X
3	C91	D	501	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10326 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Inosine-5'-monophosphate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	337	Total	C	N	O	S	0	0	0
			2476	1553	427	477	19			
1	B	341	Total	C	N	O	S	0	2	0
			2527	1585	440	483	19			
1	C	341	Total	C	N	O	S	0	2	0
			2529	1589	434	487	19			
1	D	339	Total	C	N	O	S	0	2	0
			2505	1572	431	483	19			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	EXPRESSION TAG	UNP Q0TN42
A	-1	ASN	-	EXPRESSION TAG	UNP Q0TN42
A	0	ALA	-	EXPRESSION TAG	UNP Q0TN42
A	89	SER	-	LINKER	UNP Q0TN42
A	90	GLY	-	LINKER	UNP Q0TN42
A	91	GLY	-	LINKER	UNP Q0TN42
B	-2	SER	-	EXPRESSION TAG	UNP Q0TN42
B	-1	ASN	-	EXPRESSION TAG	UNP Q0TN42
B	0	ALA	-	EXPRESSION TAG	UNP Q0TN42
B	89	SER	-	LINKER	UNP Q0TN42
B	90	GLY	-	LINKER	UNP Q0TN42
B	91	GLY	-	LINKER	UNP Q0TN42
C	-2	SER	-	EXPRESSION TAG	UNP Q0TN42
C	-1	ASN	-	EXPRESSION TAG	UNP Q0TN42
C	0	ALA	-	EXPRESSION TAG	UNP Q0TN42
C	89	SER	-	LINKER	UNP Q0TN42
C	90	GLY	-	LINKER	UNP Q0TN42
C	91	GLY	-	LINKER	UNP Q0TN42
D	-2	SER	-	EXPRESSION TAG	UNP Q0TN42
D	-1	ASN	-	EXPRESSION TAG	UNP Q0TN42
D	0	ALA	-	EXPRESSION TAG	UNP Q0TN42

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	89	SER	-	LINKER	UNP Q0TN42
D	90	GLY	-	LINKER	UNP Q0TN42
D	91	GLY	-	LINKER	UNP Q0TN42

- Molecule 2 is INOSINIC ACID (three-letter code: IMP) (formula: $C_{10}H_{13}N_4O_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	C	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	4	8	1		

- Molecule 3 is N-(NAPHTHALEN-2-YL)-2-[2-(PYRIDIN-2-YL)-1H-BENZIMIDAZOL-1-YL]ACETAMIDE (three-letter code: C91) (formula: $C_{24}H_{18}N_4O$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			29	24	4	1		
3	A	1	Total	C	N	O	0	0
			29	24	4	1		
3	B	1	Total	C	N	O	0	0
			29	24	4	1		
3	D	1	Total	C	N	O	0	0
			29	24	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	18	Total	O	0	0
			18	18		
4	B	15	Total	O	0	0
			15	15		
4	C	23	Total	O	0	0
			23	23		
4	D	25	Total	O	0	0
			25	25		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Inosine-5'-monophosphate dehydrogenase




- Molecule 1: Inosine-5'-monophosphate dehydrogenase




- Molecule 1: Inosine-5'-monophosphate dehydrogenase



- Molecule 1: Inosine-5'-monophosphate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	77.61Å 77.61Å 222.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.71 – 2.79 49.23 – 2.79	Depositor EDS
% Data completeness (in resolution range)	99.4 (34.71-2.79) 99.4 (49.23-2.79)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 2.77Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1593)	Depositor
R, R_{free}	0.173 , 0.223 0.186 , 0.228	Depositor DCC
R_{free} test set	1652 reflections (5.35%)	DCC
Wilson B-factor (Å ²)	64.8	Xtriage
Anisotropy	0.192	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 41.9	EDS
Estimated twinning fraction	0.046 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 32546 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10326	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IMP, C91

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.23	0/2508	0.40	0/3385
1	B	0.23	0/2559	0.39	0/3451
1	C	0.23	0/2562	0.40	0/3457
1	D	0.23	0/2537	0.40	0/3425
All	All	0.23	0/10166	0.40	0/13718

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2476	0	2534	19	0
1	B	2527	0	2596	24	0
1	C	2529	0	2586	18	0
1	D	2505	0	2566	23	0
2	A	23	0	11	1	0
2	B	23	0	11	1	0
2	C	23	0	11	0	0
2	D	23	0	11	2	0
3	A	58	0	36	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	29	0	18	0	0
3	D	29	0	18	0	0
4	A	18	0	0	0	0
4	B	15	0	0	0	0
4	C	23	0	0	0	0
4	D	25	0	0	1	0
All	All	10326	0	10398	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:ILE:HG12	1:C:168:CYS:HB3	1.71	0.72
1:D:148:ILE:HG12	1:D:168:CYS:HB3	1.74	0.69
1:B:308:GLY:HA3	1:D:285:VAL:HG21	1.78	0.66
1:A:308:GLY:HA3	1:B:285:VAL:HG21	1.78	0.66
1:D:51[A]:THR:HG21	1:D:259:TYR:HA	1.83	0.60
1:A:285:VAL:HG21	1:C:308:GLY:HA3	1.85	0.58
1:C:111:VAL:HG21	1:C:119:ILE:HD11	1.85	0.57
1:A:205:LEU:HB2	1:A:207:ILE:HG22	1.90	0.54
1:B:237:ILE:HG21	1:B:306:LEU:HD11	1.90	0.53
1:D:81:ARG:HE	1:D:85:ARG:NH2	2.07	0.53
1:D:64:GLU:HG2	1:D:303:ILE:HG13	1.91	0.52
1:C:285:VAL:HG21	1:D:308:GLY:HA3	1.90	0.51
1:A:182:ARG:HD2	1:C:342:SER:HA	1.92	0.51
1:B:174:GLY:HA3	1:B:182:ARG:NE	2.26	0.51
1:B:244:ALA:O	1:B:257:LYS:NZ	2.43	0.51
1:B:45:MET:HG3	1:B:233:MET:HG3	1.92	0.50
1:A:50:ASP:HA	1:A:71:HIS:CD2	2.46	0.50
1:D:179:CYS:SG	2:D:502:IMP:H2	2.52	0.50
1:D:260:ARG:HB3	1:D:290:GLU:HG3	1.93	0.49
1:B:111:VAL:HG21	1:B:119:ILE:HD11	1.94	0.49
1:B:159[A]:ARG:HG3	1:B:205:LEU:HD11	1.95	0.48
1:B:33:GLN:HG3	1:B:35:THR:O	2.14	0.48
1:B:345:HIS:O	1:D:177:SER:HB2	2.14	0.47
1:D:159:ARG:NH1	1:D:163:GLU:OE2	2.47	0.47
1:A:111:VAL:HG21	1:A:119:ILE:HD11	1.96	0.47
1:D:169:VAL:HG13	1:D:207:ILE:HD11	1.96	0.47
1:B:74:MET:O	1:B:107[A]:ARG:NH1	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:ALA:O	1:A:203:LYS:HG2	2.15	0.47
1:B:64:GLU:HG2	1:B:303:ILE:HG13	1.96	0.47
1:B:99:GLY:H	1:B:107[B]:ARG:HH11	1.62	0.46
1:B:342:SER:HA	1:D:182:ARG:HD2	1.98	0.46
1:B:351:LYS:HB2	1:D:290:GLU:HB3	1.96	0.46
1:A:106:GLU:N	1:A:106:GLU:OE1	2.49	0.46
1:A:315:GLY:C	3:A:403:C91:H4	2.36	0.45
1:D:33:GLN:HG3	1:D:35:THR:O	2.16	0.45
1:A:148:ILE:HG12	1:A:168:CYS:HB3	1.97	0.45
1:C:199:ALA:O	1:C:203:LYS:HG2	2.17	0.45
1:D:51[A]:THR:O	1:D:245:PRO:HD2	2.17	0.44
1:C:182:ARG:NH2	1:C:189:VAL:O	2.50	0.44
1:C:159:ARG:HG2	1:C:205:LEU:HD11	2.00	0.44
1:D:196:MET:HG2	1:D:227:ALA:HB1	2.00	0.44
1:A:161:LEU:HA	1:A:161:LEU:HD12	1.81	0.44
1:A:337:ALA:HB1	1:B:12:ASP:HB2	2.00	0.43
1:A:34:LEU:HD11	1:A:210:ILE:HD11	2.00	0.43
1:C:191:GLN:HB3	4:D:625:HOH:O	2.18	0.43
1:D:161:LEU:HD23	1:D:169:VAL:HG12	2.00	0.43
1:C:174:GLY:HA2	1:C:179:CYS:SG	2.58	0.43
1:A:342:SER:HA	1:B:182:ARG:HD2	2.00	0.43
1:B:170:LYS:HG3	1:B:210:ILE:HB	2.01	0.43
1:A:260:ARG:HB3	1:A:290:GLU:HG3	1.99	0.43
1:A:33:GLN:HG3	1:A:35:THR:O	2.19	0.42
1:C:254:ARG:HD2	1:C:254:ARG:HA	1.95	0.42
1:B:148:ILE:HG12	1:B:168:CYS:HB3	2.01	0.42
1:A:34:LEU:HD13	1:A:45:MET:HE3	2.02	0.42
1:B:10:THR:OG1	1:B:11:PHE:N	2.52	0.42
1:B:47:ALA:O	1:B:53:THR:OG1	2.33	0.42
1:C:104:MET:HG3	1:C:105:MET:N	2.34	0.41
1:B:109:ASP:OD1	1:B:142:TYR:OH	2.28	0.41
1:D:64:GLU:HG2	1:D:303:ILE:HG21	2.02	0.41
1:C:50:ASP:HA	1:C:71:HIS:CD2	2.55	0.41
1:B:179:CYS:SG	2:B:500:IMP:H2	2.60	0.41
1:D:212:ASP:OD2	2:D:502:IMP:O2'	2.30	0.41
1:A:174:GLY:HA3	1:A:182:ARG:HE	1.86	0.41
1:C:127:HIS:CE1	1:D:20:LYS:HB2	2.56	0.41
1:C:37:LYS:NZ	1:C:144:GLU:OE1	2.54	0.41
1:D:243:GLU:N	1:D:243:GLU:OE1	2.53	0.41
1:A:179:CYS:SG	2:A:401:IMP:H2	2.61	0.41
1:D:50:ASP:HA	1:D:71:HIS:CD2	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:119:ILE:HD13	1:C:119:ILE:HA	1.84	0.40
1:C:182:ARG:HD2	1:D:342:SER:HA	2.03	0.40
1:B:69:ILE:HD13	1:B:95:GLY:HA3	2.03	0.40
1:C:169:VAL:HG23	1:C:207:ILE:HD11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/363 (92%)	323 (97%)	10 (3%)	0	100	100
1	B	339/363 (93%)	328 (97%)	11 (3%)	0	100	100
1	C	339/363 (93%)	329 (97%)	10 (3%)	0	100	100
1	D	337/363 (93%)	329 (98%)	8 (2%)	0	100	100
All	All	1348/1452 (93%)	1309 (97%)	39 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	260/282 (92%)	252 (97%)	8 (3%)	47	80
1	B	265/282 (94%)	251 (95%)	14 (5%)	28	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	266/282 (94%)	255 (96%)	11 (4%)	37	70
1	D	264/282 (94%)	255 (97%)	9 (3%)	44	77
All	All	1055/1128 (94%)	1013 (96%)	42 (4%)	39	72

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	THR
1	A	73	ASN
1	A	88	ARG
1	A	92	LEU
1	A	104	MET
1	A	119	ILE
1	A	120	VAL
1	A	293	ILE
1	B	33	GLN
1	B	34	LEU
1	B	54	GLU
1	B	75	THR
1	B	77	GLU
1	B	87	LYS
1	B	88	ARG
1	B	107[A]	ARG
1	B	107[B]	ARG
1	B	119	ILE
1	B	152	ILE
1	B	203	LYS
1	B	265	LEU
1	B	332	VAL
1	C	4	ILE
1	C	6	LYS
1	C	73	ASN
1	C	88	ARG
1	C	101	THR
1	C	104	MET
1	C	122	ASP
1	C	171	VAL
1	C	242	GLU
1	C	283	LYS
1	C	284	PHE
1	D	7	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	14	VAL
1	D	23	VAL
1	D	73	ASN
1	D	93	LEU
1	D	104	MET
1	D	121	LEU
1	D	161	LEU
1	D	340	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	33	GLN
1	B	73	ASN
1	B	146	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	IMP	A	401	-	20,25,25	1.22	3 (15%)	22,38,38	2.42	2 (9%)
3	C91	A	402	-	30,33,33	1.67	8 (26%)	38,46,46	1.76	6 (15%)
3	C91	A	403	-	30,33,33	1.62	8 (26%)	38,46,46	1.72	6 (15%)
2	IMP	B	500	-	20,25,25	1.18	3 (15%)	22,38,38	2.47	3 (13%)
3	C91	B	501	-	30,33,33	1.65	8 (26%)	38,46,46	1.65	6 (15%)
2	IMP	C	500	-	20,25,25	1.21	3 (15%)	22,38,38	2.49	3 (13%)
3	C91	D	501	-	30,33,33	1.66	8 (26%)	38,46,46	1.70	6 (15%)
2	IMP	D	502	-	20,25,25	1.17	3 (15%)	22,38,38	2.47	4 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IMP	A	401	-	-	0/6/26/26	0/3/3/3
3	C91	A	402	-	-	0/12/12/12	0/5/5/5
3	C91	A	403	-	-	0/12/12/12	0/5/5/5
2	IMP	B	500	-	-	0/6/26/26	0/3/3/3
3	C91	B	501	-	-	0/12/12/12	0/5/5/5
2	IMP	C	500	-	-	0/6/26/26	0/3/3/3
3	C91	D	501	-	-	0/12/12/12	0/5/5/5
2	IMP	D	502	-	-	0/6/26/26	0/3/3/3

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	403	C91	C16-C18	-2.70	1.36	1.42
3	A	402	C91	C16-C18	-2.70	1.36	1.42
3	D	501	C91	C16-C18	-2.55	1.36	1.42
3	B	501	C91	C16-C18	-2.55	1.36	1.42
3	A	402	C91	C9-C11	2.03	1.45	1.41
3	A	403	C91	C9-C11	2.10	1.45	1.41
3	B	501	C91	C9-C11	2.11	1.45	1.41
2	D	502	IMP	C2-N1	2.12	1.37	1.33
3	D	501	C91	C9-C11	2.14	1.45	1.41
2	B	500	IMP	C2-N1	2.18	1.38	1.33
3	A	403	C91	C3-C1	2.19	1.41	1.36
3	A	403	C91	C28-C16	2.26	1.47	1.41
3	A	402	C91	C28-C16	2.27	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	501	C91	C28-C16	2.28	1.47	1.41
3	D	501	C91	C28-C16	2.30	1.47	1.41
2	A	401	IMP	C2-N1	2.31	1.38	1.33
2	C	500	IMP	C2-N1	2.31	1.38	1.33
3	A	402	C91	C3-C1	2.31	1.42	1.36
3	D	501	C91	C3-C1	2.33	1.42	1.36
3	B	501	C91	C3-C1	2.41	1.42	1.36
2	D	502	IMP	C6-N1	2.63	1.38	1.33
3	A	403	C91	C5-C2	2.69	1.42	1.36
2	B	500	IMP	C6-N1	2.71	1.38	1.33
3	A	403	C91	C37-C6	2.72	1.54	1.48
3	B	501	C91	C5-C2	2.75	1.42	1.36
3	B	501	C91	C26-C25	2.78	1.43	1.36
3	D	501	C91	C5-C2	2.78	1.42	1.36
3	D	501	C91	C26-C25	2.79	1.43	1.36
3	A	402	C91	C5-C2	2.79	1.42	1.36
3	A	402	C91	C26-C25	2.81	1.43	1.36
2	A	401	IMP	C6-N1	2.82	1.38	1.33
2	C	500	IMP	C6-N1	2.84	1.38	1.33
3	A	403	C91	C26-C25	2.84	1.43	1.36
3	A	402	C91	C37-C6	2.91	1.54	1.48
3	D	501	C91	C37-C6	2.95	1.54	1.48
3	B	501	C91	C37-C6	2.97	1.54	1.48
3	A	403	C91	C13-N4	3.19	1.43	1.35
3	B	501	C91	C13-N4	3.27	1.43	1.35
3	D	501	C91	C13-N4	3.30	1.43	1.35
3	A	402	C91	C13-N4	3.38	1.43	1.35
2	B	500	IMP	C2-N3	3.39	1.38	1.32
2	D	502	IMP	C2-N3	3.41	1.38	1.32
2	C	500	IMP	C2-N3	3.50	1.38	1.32
2	A	401	IMP	C2-N3	3.52	1.38	1.32

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	IMP	N3-C2-N1	-10.66	120.73	128.89
2	B	500	IMP	N3-C2-N1	-10.47	120.88	128.89
2	A	401	IMP	N3-C2-N1	-10.40	120.93	128.89
2	D	502	IMP	N3-C2-N1	-10.32	120.99	128.89
3	B	501	C91	N3-C6-N1	-2.57	108.70	115.21
3	A	402	C91	N3-C6-N1	-2.55	108.76	115.21
3	D	501	C91	N3-C6-N1	-2.52	108.83	115.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	403	C91	N3-C6-N1	-2.51	108.86	115.21
2	D	502	IMP	C4-C5-N7	-2.12	107.53	109.48
2	C	500	IMP	C4-C5-N7	-2.01	107.63	109.48
2	A	401	IMP	C2-N1-C6	2.19	119.35	116.04
2	B	500	IMP	O3P-P-O2P	2.28	116.05	107.38
3	A	403	C91	C41-N42-C37	2.32	120.40	117.20
2	D	502	IMP	O3P-P-O2P	2.40	116.53	107.38
2	B	500	IMP	C2-N1-C6	2.49	119.80	116.04
3	A	402	C91	C41-N42-C37	2.49	120.63	117.20
3	D	501	C91	C41-N42-C37	2.51	120.65	117.20
3	B	501	C91	C41-N42-C37	2.54	120.70	117.20
2	D	502	IMP	C2-N1-C6	2.56	119.91	116.04
2	C	500	IMP	C2-N1-C6	2.58	119.94	116.04
3	D	501	C91	C6-N3-C11	2.83	109.40	103.78
3	A	403	C91	C6-N3-C11	2.83	109.40	103.78
3	A	402	C91	C6-N3-C11	2.88	109.49	103.78
3	B	501	C91	C6-N3-C11	2.90	109.53	103.78
3	B	501	C91	C6-C37-N42	3.21	120.79	116.47
3	A	402	C91	C6-C37-N42	3.30	120.92	116.47
3	D	501	C91	C6-C37-N42	3.36	121.00	116.47
3	A	403	C91	C6-C37-N42	3.76	121.53	116.47
3	B	501	C91	C17-C13-N4	4.05	117.57	112.80
3	A	402	C91	C17-C13-N4	4.10	117.63	112.80
3	A	403	C91	C17-C13-N4	4.18	117.72	112.80
3	D	501	C91	C17-C13-N4	4.27	117.83	112.80
3	B	501	C91	C13-C17-N1	6.12	118.63	110.68
3	D	501	C91	C13-C17-N1	6.39	118.98	110.68
3	A	403	C91	C13-C17-N1	6.55	119.18	110.68
3	A	402	C91	C13-C17-N1	7.17	119.99	110.68

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	IMP	1	0
3	A	403	C91	1	0
2	B	500	IMP	1	0
2	D	502	IMP	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	337/363 (92%)	0.27	16 (4%) 35 27	43, 60, 84, 97	8 (2%)
1	B	341/363 (93%)	0.29	15 (4%) 38 30	40, 63, 91, 114	10 (2%)
1	C	341/363 (93%)	0.07	3 (0%) 85 81	41, 57, 84, 106	9 (2%)
1	D	339/363 (93%)	0.16	8 (2%) 62 55	36, 55, 79, 120	12 (3%)
All	All	1358/1452 (93%)	0.20	42 (3%) 52 45	36, 59, 86, 120	39 (2%)

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	145	LEU	4.3
1	A	70	ILE	3.8
1	B	93	LEU	3.7
1	C	283	LYS	3.3
1	A	148	ILE	3.3
1	B	133	GLU	3.3
1	A	34	LEU	3.1
1	D	251	TYR	3.0
1	A	147	VAL	3.0
1	B	98	ILE	2.9
1	C	284	PHE	2.9
1	A	115	LYS	2.9
1	B	119	ILE	2.9
1	A	118	VAL	2.9
1	D	77	GLU	2.8
1	B	121	LEU	2.7
1	D	98	ILE	2.7
1	B	92	LEU	2.7
1	A	96	ALA	2.6
1	A	140	ALA	2.6
1	B	148	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	168	CYS	2.5
1	B	31	LYS	2.5
1	D	119	ILE	2.4
1	D	72	LYS	2.4
1	A	92	LEU	2.3
1	B	307	ILE	2.3
1	B	5	LEU	2.3
1	A	122	ASP	2.3
1	B	251	TYR	2.3
1	D	86	VAL	2.3
1	D	340	ARG	2.3
1	A	119	ILE	2.3
1	B	271	GLY	2.2
1	C	307	ILE	2.2
1	D	346	ASP	2.2
1	A	93	LEU	2.2
1	A	121	LEU	2.2
1	B	70	ILE	2.1
1	B	91	GLY	2.1
1	A	48	SER	2.1
1	A	149	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	C91	A	402	29/29	0.91	0.39	6.32	64,76,93,95	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	C91	D	501	29/29	0.93	0.26	2.99	60,72,85,87	0
3	C91	B	501	29/29	0.92	0.29	2.85	61,76,82,83	0
3	C91	A	403	29/29	0.90	0.34	2.70	75,80,85,86	0
2	IMP	C	500	23/23	0.97	0.17	-0.20	35,41,53,55	0
2	IMP	A	401	23/23	0.96	0.14	-0.97	37,49,57,62	0
2	IMP	D	502	23/23	0.97	0.12	-1.06	36,47,53,56	0
2	IMP	B	500	23/23	0.95	0.15	-1.08	50,56,61,65	0

6.5 Other polymers

There are no such residues in this entry.