



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:55 AM GMT

PDB ID : 3Q8Y  
Title : Crystal structure of Staphylococcus aureus nucleoside diphosphate kinase complexed with ADP and Vanadate  
Authors : Srivastava, S.K.; Rajasree, K.; Gopal, B.  
Deposited on : 2011-01-07  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	157	<div> <div>7%</div> <div> <div></div> <div>75%</div> <div>17%</div> <div>• 5%</div> </div> </div>
1	B	157	<div> <div>4%</div> <div> <div></div> <div>78%</div> <div>16%</div> <div>• 5%</div> </div> </div>
1	C	157	<div> <div>6%</div> <div> <div></div> <div>80%</div> <div>12%</div> <div>• 5%</div> </div> </div>
1	D	157	<div> <div>6%</div> <div> <div></div> <div>78%</div> <div>14%</div> <div>• 5%</div> </div> </div>
1	E	157	<div> <div>5%</div> <div> <div></div> <div>79%</div> <div>15%</div> <div>• 5%</div> </div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	157	
1	G	157	
1	H	157	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ADP	A	158	-	-	-	X
3	VO4	A	159	-	-	X	-
3	VO4	B	159	-	-	X	-
3	VO4	D	159	-	-	X	-
3	VO4	E	159	-	-	X	-
3	VO4	F	158	-	-	X	-
3	VO4	G	159	-	-	X	-
3	VO4	H	159	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9560 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoside diphosphate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	149	Total	C	N	O	S	0	0	0
			1156	728	202	221	5			
1	B	149	Total	C	N	O	S	0	0	0
			1156	728	202	221	5			
1	C	149	Total	C	N	O	S	0	0	0
			1152	726	202	219	5			
1	D	149	Total	C	N	O	S	0	0	0
			1157	729	202	221	5			
1	E	149	Total	C	N	O	S	0	0	0
			1144	721	201	217	5			
1	F	149	Total	C	N	O	S	0	0	0
			1157	729	202	221	5			
1	G	149	Total	C	N	O	S	0	0	0
			1153	727	202	219	5			
1	H	149	Total	C	N	O	S	0	0	0
			1157	729	202	221	5			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	150	LEU	-	EXPRESSION TAG	UNP Q5HJV4
A	151	GLU	-	EXPRESSION TAG	UNP Q5HJV4
A	152	HIS	-	EXPRESSION TAG	UNP Q5HJV4
A	153	HIS	-	EXPRESSION TAG	UNP Q5HJV4
A	154	HIS	-	EXPRESSION TAG	UNP Q5HJV4
A	155	HIS	-	EXPRESSION TAG	UNP Q5HJV4
A	156	HIS	-	EXPRESSION TAG	UNP Q5HJV4
A	157	HIS	-	EXPRESSION TAG	UNP Q5HJV4
B	150	LEU	-	EXPRESSION TAG	UNP Q5HJV4
B	151	GLU	-	EXPRESSION TAG	UNP Q5HJV4
B	152	HIS	-	EXPRESSION TAG	UNP Q5HJV4
B	153	HIS	-	EXPRESSION TAG	UNP Q5HJV4
B	154	HIS	-	EXPRESSION TAG	UNP Q5HJV4

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	155	HIS	-	EXPRESSION TAG	UNP Q5HJV4
B	156	HIS	-	EXPRESSION TAG	UNP Q5HJV4
B	157	HIS	-	EXPRESSION TAG	UNP Q5HJV4
C	150	LEU	-	EXPRESSION TAG	UNP Q5HJV4
C	151	GLU	-	EXPRESSION TAG	UNP Q5HJV4
C	152	HIS	-	EXPRESSION TAG	UNP Q5HJV4
C	153	HIS	-	EXPRESSION TAG	UNP Q5HJV4
C	154	HIS	-	EXPRESSION TAG	UNP Q5HJV4
C	155	HIS	-	EXPRESSION TAG	UNP Q5HJV4
C	156	HIS	-	EXPRESSION TAG	UNP Q5HJV4
C	157	HIS	-	EXPRESSION TAG	UNP Q5HJV4
D	150	LEU	-	EXPRESSION TAG	UNP Q5HJV4
D	151	GLU	-	EXPRESSION TAG	UNP Q5HJV4
D	152	HIS	-	EXPRESSION TAG	UNP Q5HJV4
D	153	HIS	-	EXPRESSION TAG	UNP Q5HJV4
D	154	HIS	-	EXPRESSION TAG	UNP Q5HJV4
D	155	HIS	-	EXPRESSION TAG	UNP Q5HJV4
D	156	HIS	-	EXPRESSION TAG	UNP Q5HJV4
D	157	HIS	-	EXPRESSION TAG	UNP Q5HJV4
E	150	LEU	-	EXPRESSION TAG	UNP Q5HJV4
E	151	GLU	-	EXPRESSION TAG	UNP Q5HJV4
E	152	HIS	-	EXPRESSION TAG	UNP Q5HJV4
E	153	HIS	-	EXPRESSION TAG	UNP Q5HJV4
E	154	HIS	-	EXPRESSION TAG	UNP Q5HJV4
E	155	HIS	-	EXPRESSION TAG	UNP Q5HJV4
E	156	HIS	-	EXPRESSION TAG	UNP Q5HJV4
E	157	HIS	-	EXPRESSION TAG	UNP Q5HJV4
F	150	LEU	-	EXPRESSION TAG	UNP Q5HJV4
F	151	GLU	-	EXPRESSION TAG	UNP Q5HJV4
F	152	HIS	-	EXPRESSION TAG	UNP Q5HJV4
F	153	HIS	-	EXPRESSION TAG	UNP Q5HJV4
F	154	HIS	-	EXPRESSION TAG	UNP Q5HJV4
F	155	HIS	-	EXPRESSION TAG	UNP Q5HJV4
F	156	HIS	-	EXPRESSION TAG	UNP Q5HJV4
F	157	HIS	-	EXPRESSION TAG	UNP Q5HJV4
G	150	LEU	-	EXPRESSION TAG	UNP Q5HJV4
G	151	GLU	-	EXPRESSION TAG	UNP Q5HJV4
G	152	HIS	-	EXPRESSION TAG	UNP Q5HJV4
G	153	HIS	-	EXPRESSION TAG	UNP Q5HJV4
G	154	HIS	-	EXPRESSION TAG	UNP Q5HJV4
G	155	HIS	-	EXPRESSION TAG	UNP Q5HJV4
G	156	HIS	-	EXPRESSION TAG	UNP Q5HJV4

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	157	HIS	-	EXPRESSION TAG	UNP Q5HFV4
H	150	LEU	-	EXPRESSION TAG	UNP Q5HFV4
H	151	GLU	-	EXPRESSION TAG	UNP Q5HFV4
H	152	HIS	-	EXPRESSION TAG	UNP Q5HFV4
H	153	HIS	-	EXPRESSION TAG	UNP Q5HFV4
H	154	HIS	-	EXPRESSION TAG	UNP Q5HFV4
H	155	HIS	-	EXPRESSION TAG	UNP Q5HFV4
H	156	HIS	-	EXPRESSION TAG	UNP Q5HFV4
H	157	HIS	-	EXPRESSION TAG	UNP Q5HFV4

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	H	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is VANADATE ION (three-letter code: VO4) (formula:  $O_4V$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	V	0	0
			5	4	1		
3	B	1	Total	O	V	0	0
			5	4	1		
3	C	1	Total	O	V	0	0
			5	4	1		
3	D	1	Total	O	V	0	0
			5	4	1		
3	E	1	Total	O	V	0	0
			5	4	1		
3	F	1	Total	O	V	0	0
			5	4	1		
3	G	1	Total	O	V	0	0
			5	4	1		
3	H	1	Total	O	V	0	0
			5	4	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	1	Total	Mg	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	16	Total	O	0	0
			16	16		
5	B	22	Total	O	0	0
			22	22		
5	C	12	Total	O	0	0
			12	12		
5	D	10	Total	O	0	0
			10	10		
5	E	12	Total	O	0	0
			12	12		
5	F	12	Total	O	0	0
			12	12		
5	G	15	Total	O	0	0
			15	15		
5	H	23	Total	O	0	0
			23	23		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nucleoside diphosphate kinase




- Molecule 1: Nucleoside diphosphate kinase



- Molecule 1: Nucleoside diphosphate kinase





- Molecule 1: Nucleoside diphosphate kinase



HIS  
HIS  
HIS


- Molecule 1: Nucleoside diphosphate kinase


Chain E: 




HIS  
HIS  
HIS  
HIS  
HIS  
HIS

- Molecule 1: Nucleoside diphosphate kinase

Chain F: 




- Molecule 1: Nucleoside diphosphate kinase

Chain G: 



E149  
LEU  
GLU  
HIS  
HIS  
HIS  
HIS

- Molecule 1: Nucleoside diphosphate kinase

Chain H: 



S122  
A123  
E126  
I127  
M130  
F131  
M132  
E133  
M134  
E135  
I136  
T137  
S138  
Y139  
R143  
D144  
A145  
W146  
L147  
E149  
LEU  
GLU  
HIS  
HIS  
HIS  
HIS  
HIS  
HIS

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.91Å 71.37Å 160.08Å 90.00° 108.04° 90.00°	Depositor
Resolution (Å)	51.67 – 2.70 51.67 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.6 (51.67-2.70) 99.6 (51.67-2.70)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.24 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.251 , 0.271 0.256 , 0.284	Depositor DCC
$R_{free}$ test set	1777 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	59.6	Xtriage
Anisotropy	0.102	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 53.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 35486 reflections	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	9560	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VO4, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.57	0/1179	0.64	0/1595
1	B	0.65	0/1179	0.71	0/1595
1	C	0.57	0/1175	0.66	0/1590
1	D	0.66	0/1180	0.70	1/1597 (0.1%)
1	E	0.58	0/1167	0.63	0/1581
1	F	0.62	0/1180	0.68	0/1597
1	G	0.59	0/1176	0.65	0/1592
1	H	0.47	0/1180	0.60	0/1597
All	All	0.59	0/9416	0.66	1/12744 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	102	ARG	NE-CZ-NH2	5.12	122.86	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1156	0	1140	25	0
1	B	1156	0	1140	20	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1152	0	1136	16	0
1	D	1157	0	1141	15	0
1	E	1144	0	1121	16	0
1	F	1157	0	1141	13	0
1	G	1153	0	1137	22	0
1	H	1157	0	1141	24	0
2	A	27	0	12	6	0
2	B	27	0	12	3	0
2	D	27	0	12	1	0
2	E	27	0	12	3	0
2	G	27	0	12	4	0
2	H	27	0	12	4	0
3	A	5	0	0	4	0
3	B	5	0	0	4	0
3	C	5	0	0	1	0
3	D	5	0	0	5	0
3	E	5	0	0	3	0
3	F	5	0	0	2	0
3	G	5	0	0	3	0
3	H	5	0	0	4	0
4	B	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	H	1	0	0	0	0
5	A	16	0	0	1	0
5	B	22	0	0	2	0
5	C	12	0	0	3	0
5	D	10	0	0	1	0
5	E	12	0	0	3	0
5	F	12	0	0	2	0
5	G	15	0	0	6	0
5	H	23	0	0	7	0
All	All	9560	0	9169	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:76:GLU:HA	5:H:178:HOH:O	1.47	1.12

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60:ASP:HB3	5:B:171:HOH:O	1.52	1.06
1:A:42:MET:HE1	1:B:54:GLY:O	1.58	1.04
1:H:2:GLU:O	5:H:178:HOH:O	1.82	0.97
2:A:158:ADP:H5'2	3:A:159:VO4:O3	1.64	0.97
1:H:43:GLU:O	1:H:47:THR:HG23	1.75	0.86
1:G:60:ASP:OD1	5:G:164:HOH:O	1.94	0.85
1:B:43:GLU:O	1:B:47:THR:HG23	1.75	0.85
1:G:43:GLU:O	1:G:47:THR:HG23	1.78	0.83
1:G:53:GLN:HB3	5:G:171:HOH:O	1.79	0.81
1:G:110:GLY:HA2	2:G:158:ADP:H2'	1.63	0.81
1:A:128:ASN:O	5:A:171:HOH:O	2.01	0.77
1:H:15:ARG:NH1	1:H:105:LEU:O	2.18	0.75
1:G:61:LEU:HG	2:G:158:ADP:H1'	1.70	0.72
1:H:115:HIS:HB2	3:H:159:VO4:O2	1.88	0.72
1:B:115:HIS:CE1	3:B:159:VO4:O2	2.42	0.72
2:E:158:ADP:O2B	3:E:159:VO4:O4	2.08	0.70
1:F:56:PRO:HA	5:F:169:HOH:O	1.90	0.70
1:A:9:LYS:NZ	2:A:158:ADP:O3'	2.25	0.70
1:B:15:ARG:NH1	1:B:105:LEU:O	2.24	0.69
2:H:158:ADP:O2B	3:H:159:VO4:O3	2.11	0.69
1:F:43:GLU:O	1:F:47:THR:HG23	1.95	0.67
1:A:42:MET:HE1	1:B:54:GLY:C	2.15	0.66
1:H:3:ARG:HA	5:H:178:HOH:O	1.96	0.65
1:D:43:GLU:O	1:D:47:THR:HG23	1.97	0.64
1:A:15:ARG:NH1	1:A:105:LEU:O	2.26	0.64
2:B:158:ADP:H4'	2:B:158:ADP:O2B	1.97	0.64
1:F:15:ARG:NH1	1:F:113:ILE:HD11	2.13	0.64
1:D:115:HIS:ND1	3:D:159:VO4:O2	2.31	0.64
1:F:85:ARG:HD2	1:F:118:ASP:HA	1.80	0.63
1:A:43:GLU:O	1:A:47:THR:HG23	1.98	0.63
1:D:85:ARG:HD2	1:D:118:ASP:HA	1.81	0.62
1:F:9:LYS:NZ	3:F:158:VO4:O2	2.21	0.62
1:G:115:HIS:HA	3:G:159:VO4:O1	1.99	0.62
1:H:85:ARG:HD2	1:H:118:ASP:HA	1.82	0.62
1:D:15:ARG:NH1	1:D:105:LEU:O	2.27	0.61
1:C:15:ARG:NH1	1:C:105:LEU:O	2.25	0.61
1:G:85:ARG:HD2	1:G:118:ASP:HA	1.80	0.61
1:A:42:MET:HE3	1:B:56:PRO:HD3	1.82	0.61
2:D:158:ADP:O3'	3:D:159:VO4:O3	2.16	0.60
1:B:52:HIS:NE2	2:B:158:ADP:O2B	2.29	0.60
1:C:85:ARG:HD2	1:C:118:ASP:HA	1.84	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:33:VAL:HG13	1:F:136:ILE:HG23	1.83	0.60
1:E:33:VAL:HG13	1:E:136:ILE:HG23	1.84	0.60
1:E:15:ARG:NH1	1:E:113:ILE:HD11	2.16	0.60
1:F:115:HIS:ND1	3:F:158:VO4:O1	2.34	0.59
1:A:85:ARG:HD2	1:A:118:ASP:HA	1.84	0.59
1:B:15:ARG:HH11	1:B:113:ILE:HD11	1.67	0.59
1:G:15:ARG:HH11	1:G:113:ILE:HD11	1.68	0.58
1:G:15:ARG:NH1	1:G:113:ILE:HD11	2.18	0.58
1:B:15:ARG:NH1	1:B:113:ILE:HD11	2.19	0.58
1:E:58:TYR:HB3	5:E:166:HOH:O	2.03	0.58
2:H:158:ADP:PB	3:H:159:VO4:O3	2.64	0.56
1:B:85:ARG:HD2	1:B:118:ASP:HA	1.87	0.56
1:B:88:ILE:O	1:B:102:ARG:HG3	2.05	0.56
1:F:15:ARG:HH11	1:F:113:ILE:HD11	1.70	0.56
1:E:133:GLU:CB	5:E:171:HOH:O	2.53	0.56
1:E:15:ARG:HH11	1:E:113:ILE:HD11	1.71	0.56
1:E:85:ARG:HD2	1:E:118:ASP:HA	1.87	0.55
1:G:115:HIS:HB2	3:G:159:VO4:O3	2.05	0.55
1:H:76:GLU:HG3	5:H:178:HOH:O	2.06	0.55
1:G:124:GLU:CG	5:G:174:HOH:O	2.54	0.54
1:H:15:ARG:NH1	1:H:113:ILE:HD11	2.23	0.54
1:A:15:ARG:NH1	1:A:113:ILE:HD11	2.23	0.54
1:C:42:MET:HG2	5:C:163:HOH:O	2.09	0.53
1:A:9:LYS:HZ2	2:A:158:ADP:HO3'	1.57	0.52
1:C:15:ARG:NH1	1:C:113:ILE:HD11	2.24	0.52
1:C:98:PRO:O	5:C:162:HOH:O	2.19	0.52
1:A:59:ASN:HB3	1:B:53:GLN:NE2	2.24	0.52
1:E:115:HIS:HA	3:E:159:VO4:O3	2.10	0.52
1:D:15:ARG:NH1	1:D:113:ILE:HD11	2.24	0.52
1:D:15:ARG:HH11	1:D:113:ILE:HD11	1.76	0.51
2:B:158:ADP:H5'2	5:B:181:HOH:O	2.10	0.51
1:E:15:ARG:NH1	1:E:105:LEU:O	2.28	0.51
1:G:124:GLU:HB3	5:G:174:HOH:O	2.09	0.51
1:C:35:GLY:HA2	1:C:72:ALA:O	2.11	0.51
1:H:15:ARG:HH11	1:H:113:ILE:HD11	1.77	0.50
1:A:33:VAL:HG13	1:A:136:ILE:HG23	1.92	0.50
1:C:33:VAL:HG13	1:C:136:ILE:HG23	1.93	0.50
1:A:15:ARG:HH11	1:A:113:ILE:HD11	1.76	0.50
1:C:42:MET:CB	5:C:169:HOH:O	2.59	0.50
1:E:88:ILE:O	1:E:102:ARG:HG3	2.12	0.49
1:E:33:VAL:CG1	1:E:136:ILE:HG23	2.43	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:115:HIS:ND1	3:B:159:VO4:O4	2.41	0.48
1:A:88:ILE:O	1:A:102:ARG:HG3	2.14	0.48
1:H:138:SER:HA	5:H:177:HOH:O	2.14	0.48
1:D:30:LEU:HB3	1:D:75:VAL:HG13	1.96	0.48
1:E:43:GLU:O	1:E:47:THR:HG23	2.15	0.47
1:F:30:LEU:HB3	1:F:75:VAL:HG13	1.96	0.47
1:H:3:ARG:CG	5:H:178:HOH:O	2.62	0.47
1:A:116:GLY:N	3:A:159:VO4:O1	2.47	0.47
1:E:30:LEU:HB3	1:E:75:VAL:HG13	1.97	0.47
1:G:33:VAL:HG13	1:G:136:ILE:HG23	1.97	0.47
2:G:158:ADP:H5'1	3:G:159:VO4:O4	2.14	0.47
1:G:132:ASN:HB2	1:G:134:ASN:ND2	2.30	0.47
1:H:88:ILE:O	1:H:102:ARG:HG3	2.15	0.47
1:H:35:GLY:HA2	1:H:72:ALA:O	2.15	0.47
1:H:33:VAL:HG13	1:H:136:ILE:HG23	1.96	0.47
2:E:158:ADP:H8	2:E:158:ADP:H5'1	1.79	0.46
1:G:15:ARG:NH1	1:G:105:LEU:O	2.34	0.46
1:E:85:ARG:HG2	5:E:164:HOH:O	2.14	0.46
1:B:33:VAL:HG13	1:B:136:ILE:HG23	1.98	0.46
1:G:124:GLU:HG3	5:G:174:HOH:O	2.14	0.45
2:E:158:ADP:O2B	3:E:159:VO4:O2	2.35	0.45
1:A:115:HIS:HB2	3:A:159:VO4:O2	2.17	0.45
1:G:61:LEU:HG	2:G:158:ADP:C1'	2.41	0.45
1:F:33:VAL:CG1	1:F:136:ILE:HG23	2.45	0.45
1:C:15:ARG:HH11	1:C:113:ILE:HD11	1.82	0.45
1:B:35:GLY:HA2	1:B:72:ALA:O	2.16	0.45
1:H:30:LEU:HB3	1:H:75:VAL:HG13	1.97	0.45
1:G:124:GLU:CB	5:G:174:HOH:O	2.66	0.44
1:C:30:LEU:HB3	1:C:75:VAL:HG13	1.99	0.44
1:D:115:HIS:ND1	3:D:159:VO4:O4	2.50	0.44
1:F:88:ILE:O	1:F:102:ARG:HG3	2.17	0.44
1:B:115:HIS:ND1	3:B:159:VO4:O2	2.50	0.44
1:H:132:ASN:HB2	1:H:134:ASN:ND2	2.32	0.44
1:A:35:GLY:HA2	1:A:72:ALA:O	2.17	0.43
1:H:91:THR:HG21	2:H:158:ADP:H5'1	1.99	0.43
1:D:31:LYS:NZ	5:D:165:HOH:O	2.27	0.43
1:C:33:VAL:CG1	1:C:136:ILE:HG23	2.48	0.43
1:A:7:MET:HB3	1:A:115:HIS:HB3	2.00	0.43
1:G:123:ALA:O	1:G:127:ILE:HG13	2.19	0.43
1:D:78:GLU:HB2	1:D:148:TYR:CE1	2.54	0.43
1:D:33:VAL:HG13	1:D:136:ILE:HG23	2.00	0.42

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:78:GLU:HB2	1:C:148:TYR:CE1	2.54	0.42
1:C:6:LEU:HA	1:C:115:HIS:O	2.19	0.42
1:A:30:LEU:HB3	1:A:75:VAL:HG13	2.01	0.42
1:G:35:GLY:HA2	1:G:72:ALA:O	2.18	0.42
1:H:33:VAL:CG1	1:H:136:ILE:HG23	2.49	0.42
1:A:112:ASN:ND2	2:A:158:ADP:O3'	2.52	0.42
1:D:115:HIS:HB2	3:D:159:VO4:O4	2.19	0.42
1:A:41:PRO:HB2	1:A:43:GLU:OE1	2.19	0.42
1:H:6:LEU:HA	1:H:115:HIS:O	2.20	0.42
1:E:35:GLY:HA2	1:E:72:ALA:O	2.20	0.42
1:B:115:HIS:HE1	3:B:159:VO4:O2	1.97	0.41
1:E:97:SER:O	1:E:98:PRO:C	2.58	0.41
1:H:1:MET:HG3	5:H:169:HOH:O	2.19	0.41
1:E:6:LEU:HA	1:E:115:HIS:O	2.19	0.41
1:B:33:VAL:CG1	1:B:136:ILE:HG23	2.50	0.41
1:C:132:ASN:HB2	1:C:134:ASN:ND2	2.35	0.41
1:C:43:GLU:O	1:C:47:THR:HG23	2.20	0.41
1:H:91:THR:HG23	2:H:158:ADP:O1B	2.20	0.41
1:A:62:ILE:HG22	1:B:54:GLY:O	2.20	0.41
1:F:6:LEU:HA	1:F:115:HIS:O	2.20	0.41
1:A:33:VAL:CG1	1:A:136:ILE:HG23	2.51	0.41
1:G:6:LEU:HA	1:G:115:HIS:O	2.20	0.41
1:D:132:ASN:HB2	1:D:134:ASN:ND2	2.35	0.41
1:A:132:ASN:HB2	1:A:134:ASN:ND2	2.36	0.40
1:H:123:ALA:O	1:H:127:ILE:HG13	2.21	0.40
1:D:88:ILE:O	1:D:102:ARG:HG3	2.21	0.40
1:F:52:HIS:NE2	5:F:168:HOH:O	2.37	0.40
1:A:9:LYS:NZ	2:A:158:ADP:HO3'	2.14	0.40
1:H:115:HIS:CG	3:H:159:VO4:O2	2.73	0.40
1:D:49:TYR:OH	3:D:159:VO4:O4	2.31	0.40
1:C:115:HIS:ND1	3:C:158:VO4:O2	2.43	0.40
1:G:30:LEU:HB3	1:G:75:VAL:HG13	2.03	0.40
2:A:158:ADP:O1B	3:A:159:VO4:O4	2.39	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	147/157 (94%)	140 (95%)	7 (5%)	0	100	100
1	B	147/157 (94%)	144 (98%)	3 (2%)	0	100	100
1	C	147/157 (94%)	141 (96%)	6 (4%)	0	100	100
1	D	147/157 (94%)	143 (97%)	4 (3%)	0	100	100
1	E	147/157 (94%)	140 (95%)	7 (5%)	0	100	100
1	F	147/157 (94%)	141 (96%)	6 (4%)	0	100	100
1	G	147/157 (94%)	143 (97%)	4 (3%)	0	100	100
1	H	147/157 (94%)	141 (96%)	6 (4%)	0	100	100
All	All	1176/1256 (94%)	1133 (96%)	43 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	125/135 (93%)	116 (93%)	9 (7%)	18	41
1	B	125/135 (93%)	117 (94%)	8 (6%)	22	47
1	C	124/135 (92%)	118 (95%)	6 (5%)	31	62
1	D	125/135 (93%)	116 (93%)	9 (7%)	18	41
1	E	122/135 (90%)	117 (96%)	5 (4%)	37	69
1	F	125/135 (93%)	118 (94%)	7 (6%)	26	54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	124/135 (92%)	116 (94%)	8 (6%)	21	46
1	H	125/135 (93%)	120 (96%)	5 (4%)	38	69
All	All	995/1080 (92%)	938 (94%)	57 (6%)	25	53

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	VAL
1	A	42	MET
1	A	43	GLU
1	A	47	THR
1	A	55	LYS
1	A	61	LEU
1	A	107	LEU
1	A	124	GLU
1	A	134	ASN
1	B	42	MET
1	B	47	THR
1	B	61	LEU
1	B	63	SER
1	B	107	LEU
1	B	121	GLU
1	B	124	GLU
1	B	134	ASN
1	C	33	VAL
1	C	42	MET
1	C	47	THR
1	C	61	LEU
1	C	107	LEU
1	C	134	ASN
1	D	1	MET
1	D	42	MET
1	D	43	GLU
1	D	47	THR
1	D	55	LYS
1	D	61	LEU
1	D	107	LEU
1	D	121	GLU
1	D	134	ASN
1	E	42	MET
1	E	47	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	61	LEU
1	E	107	LEU
1	E	134	ASN
1	F	33	VAL
1	F	42	MET
1	F	43	GLU
1	F	47	THR
1	F	61	LEU
1	F	107	LEU
1	F	134	ASN
1	G	33	VAL
1	G	42	MET
1	G	47	THR
1	G	61	LEU
1	G	63	SER
1	G	107	LEU
1	G	124	GLU
1	G	134	ASN
1	H	42	MET
1	H	47	THR
1	H	61	LEU
1	H	107	LEU
1	H	134	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	ASN
1	B	39	GLN
1	B	53	GLN
1	C	39	GLN
1	C	134	ASN
1	D	16	ASN
1	D	39	GLN
1	D	134	ASN
1	E	16	ASN
1	E	39	GLN
1	E	134	ASN
1	F	16	ASN
1	F	39	GLN
1	F	134	ASN
1	G	134	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	H	39	GLN
1	H	134	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 18 ligands modelled in this entry, 4 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	ADP	A	158	-	22,29,29	1.07	1 (4%)	27,45,45	2.16	4 (14%)
3	VO4	A	159	1	1,4,4	4.24	1 (100%)	0,6,6	0.00	-
2	ADP	B	158	4	22,29,29	1.16	2 (9%)	27,45,45	1.73	5 (18%)
3	VO4	B	159	1	1,4,4	4.30	1 (100%)	0,6,6	0.00	-
3	VO4	C	158	-	1,4,4	4.40	1 (100%)	0,6,6	0.00	-
2	ADP	D	158	3,4	22,29,29	1.09	2 (9%)	27,45,45	1.86	2 (7%)
3	VO4	D	159	1,2	1,4,4	4.33	1 (100%)	0,6,6	0.00	-
2	ADP	E	158	3,4	22,29,29	1.04	1 (4%)	27,45,45	1.99	4 (14%)
3	VO4	E	159	1,2	1,4,4	4.42	1 (100%)	0,6,6	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	VO4	F	158	-	1,4,4	4.32	1 (100%)	0,6,6	0.00	-
2	ADP	G	158	-	22,29,29	1.08	1 (4%)	27,45,45	2.07	5 (18%)
3	VO4	G	159	1	1,4,4	4.32	1 (100%)	0,6,6	0.00	-
2	ADP	H	158	3,4	22,29,29	1.05	1 (4%)	27,45,45	1.99	4 (14%)
3	VO4	H	159	1,2	1,4,4	4.35	1 (100%)	0,6,6	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	158	-	-	0/12/32/32	0/3/3/3
3	VO4	A	159	1	-	0/0/0/0	0/0/0/0
2	ADP	B	158	4	-	0/12/32/32	0/3/3/3
3	VO4	B	159	1	-	0/0/0/0	0/0/0/0
3	VO4	C	158	-	-	0/0/0/0	0/0/0/0
2	ADP	D	158	3,4	-	0/12/32/32	0/3/3/3
3	VO4	D	159	1,2	-	0/0/0/0	0/0/0/0
2	ADP	E	158	3,4	-	0/12/32/32	0/3/3/3
3	VO4	E	159	1,2	-	0/0/0/0	0/0/0/0
3	VO4	F	158	-	-	0/0/0/0	0/0/0/0
2	ADP	G	158	-	-	0/12/32/32	0/3/3/3
3	VO4	G	159	1	-	0/0/0/0	0/0/0/0
2	ADP	H	158	3,4	-	0/12/32/32	0/3/3/3
3	VO4	H	159	1,2	-	0/0/0/0	0/0/0/0

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	158	ADP	O4'-C1'	2.06	1.43	1.41
2	B	158	ADP	C2-N3	2.09	1.35	1.32
2	G	158	ADP	C5-C4	3.21	1.47	1.40
2	A	158	ADP	C5-C4	3.28	1.47	1.40
2	D	158	ADP	C5-C4	3.28	1.47	1.40
2	H	158	ADP	C5-C4	3.30	1.47	1.40
2	E	158	ADP	C5-C4	3.36	1.48	1.40
2	B	158	ADP	C5-C4	3.51	1.48	1.40
3	A	159	VO4	O1-V	4.24	1.91	1.63
3	B	159	VO4	O1-V	4.30	1.91	1.63
3	F	158	VO4	O1-V	4.32	1.91	1.63

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	159	VO4	O1-V	4.32	1.91	1.63
3	D	159	VO4	O1-V	4.33	1.91	1.63
3	H	159	VO4	O1-V	4.35	1.91	1.63
3	C	158	VO4	O1-V	4.40	1.92	1.63
3	E	159	VO4	O1-V	4.42	1.92	1.63

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	158	ADP	N3-C2-N1	-8.58	122.32	128.89
2	G	158	ADP	N3-C2-N1	-8.38	122.48	128.89
2	H	158	ADP	N3-C2-N1	-8.06	122.72	128.89
2	E	158	ADP	N3-C2-N1	-7.70	123.00	128.89
2	D	158	ADP	N3-C2-N1	-7.26	123.34	128.89
2	B	158	ADP	N3-C2-N1	-7.10	123.46	128.89
2	A	158	ADP	C2'-C1'-N9	-4.24	107.81	114.29
2	D	158	ADP	C4-C5-N7	-3.43	106.33	109.48
2	E	158	ADP	PA-O3A-PB	-3.39	121.31	132.67
2	G	158	ADP	PA-O3A-PB	-3.26	121.74	132.67
2	H	158	ADP	C4-C5-N7	-3.01	106.71	109.48
2	G	158	ADP	C4-C5-N7	-2.93	106.78	109.48
2	E	158	ADP	C4-C5-N7	-2.78	106.93	109.48
2	H	158	ADP	C2'-C1'-N9	-2.61	110.31	114.29
2	E	158	ADP	C2'-C1'-N9	-2.47	110.51	114.29
2	A	158	ADP	C4-C5-N7	-2.45	107.23	109.48
2	B	158	ADP	C4-C5-N7	-2.38	107.29	109.48
2	A	158	ADP	PA-O3A-PB	-2.32	124.90	132.67
2	B	158	ADP	PA-O3A-PB	-2.15	125.47	132.67
2	G	158	ADP	C2-N1-C6	2.02	122.38	118.77
2	B	158	ADP	C2'-C1'-N9	2.06	117.44	114.29
2	G	158	ADP	O3B-PB-O2B	2.06	115.23	107.38
2	B	158	ADP	C2'-C3'-C4'	2.11	106.95	102.61
2	H	158	ADP	C2-N1-C6	2.15	122.61	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

14 monomers are involved in 39 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	158	ADP	6	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	159	VO4	4	0
2	B	158	ADP	3	0
3	B	159	VO4	4	0
3	C	158	VO4	1	0
2	D	158	ADP	1	0
3	D	159	VO4	5	0
2	E	158	ADP	3	0
3	E	159	VO4	3	0
3	F	158	VO4	2	0
2	G	158	ADP	4	0
3	G	159	VO4	3	0
2	H	158	ADP	4	0
3	H	159	VO4	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	149/157 (94%)	0.60	11 (7%) 17 15	45, 63, 91, 107	0
1	B	149/157 (94%)	0.25	6 (4%) 42 41	31, 50, 78, 86	0
1	C	149/157 (94%)	0.36	9 (6%) 25 24	35, 58, 100, 119	0
1	D	149/157 (94%)	0.35	9 (6%) 25 24	35, 55, 94, 109	0
1	E	149/157 (94%)	0.32	8 (5%) 29 28	37, 58, 88, 106	0
1	F	149/157 (94%)	0.39	9 (6%) 25 24	33, 56, 102, 119	0
1	G	149/157 (94%)	0.38	10 (6%) 21 19	37, 58, 90, 108	0
1	H	149/157 (94%)	1.20	38 (25%) 1 1	59, 86, 119, 132	0
All	All	1192/1256 (94%)	0.48	100 (8%) 14 11	31, 61, 103, 132	0

All (100) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	148	TYR	9.0
1	G	56	PRO	8.8
1	H	74	VAL	6.1
1	H	145	ALA	5.4
1	C	58	TYR	5.3
1	B	148	TYR	5.2
1	F	57	PHE	5.2
1	G	55	LYS	4.7
1	G	57	PHE	4.6
1	H	34	GLY	4.1
1	D	55	LYS	4.1
1	E	49	TYR	4.1
1	H	143	ARG	4.1
1	H	88	ILE	4.0
1	E	50	GLY	4.0
1	H	29	GLY	3.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	54	GLY	3.8
1	F	54	GLY	3.7
1	H	126	GLU	3.7
1	H	25	ILE	3.7
1	H	47	THR	3.7
1	H	146	TRP	3.6
1	G	54	GLY	3.5
1	A	49	TYR	3.5
1	G	60	ASP	3.5
1	H	6	LEU	3.4
1	F	56	PRO	3.4
1	C	52	HIS	3.3
1	D	132	ASN	3.3
1	C	53	GLN	3.2
1	H	4	THR	3.2
1	H	122	SER	3.2
1	C	48	HIS	3.2
1	H	118	ASP	3.2
1	H	131	PHE	3.2
1	F	52	HIS	3.2
1	B	149	GLU	3.1
1	E	136	ILE	3.1
1	D	52	HIS	3.1
1	A	91	THR	3.1
1	H	30	LEU	3.1
1	F	85	ARG	2.9
1	H	65	ILE	2.9
1	H	82	ASN	2.9
1	A	122	SER	2.9
1	F	1	MET	2.9
1	D	48	HIS	2.8
1	H	83	VAL	2.8
1	C	148	TYR	2.8
1	D	49	TYR	2.8
1	A	47	THR	2.8
1	G	64	PHE	2.8
1	D	57	PHE	2.8
1	H	135	GLU	2.7
1	E	6	LEU	2.7
1	H	137	THR	2.7
1	B	120	LEU	2.7
1	A	42	MET	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	75	VAL	2.7
1	H	27	ARG	2.6
1	H	127	ILE	2.6
1	E	148	TYR	2.6
1	H	61	LEU	2.6
1	H	73	MET	2.6
1	H	1	MET	2.5
1	H	46	GLU	2.5
1	A	118	ASP	2.5
1	B	1	MET	2.5
1	C	57	PHE	2.5
1	H	147	LEU	2.5
1	A	52	HIS	2.5
1	H	139	TYR	2.5
1	A	41	PRO	2.5
1	H	130	TRP	2.5
1	H	144	ASP	2.4
1	G	52	HIS	2.4
1	H	48	HIS	2.4
1	G	61	LEU	2.3
1	G	58	TYR	2.3
1	A	107	LEU	2.3
1	C	107	LEU	2.3
1	F	55	LYS	2.3
1	C	129	LEU	2.2
1	B	145	ALA	2.2
1	E	1	MET	2.2
1	H	101	ILE	2.2
1	D	58	TYR	2.2
1	A	92	ASN	2.2
1	F	124	GLU	2.2
1	G	122	SER	2.2
1	H	60	ASP	2.2
1	C	49	TYR	2.2
1	D	56	PRO	2.2
1	B	122	SER	2.1
1	H	49	TYR	2.1
1	E	128	ASN	2.1
1	E	131	PHE	2.1
1	H	138	SER	2.0
1	F	48	HIS	2.0
1	A	148	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	ADP	A	158	27/27	0.78	0.41	1.96	133,135,137,137	0
2	ADP	G	158	27/27	0.74	0.40	1.40	100,101,104,104	27
2	ADP	E	158	27/27	0.84	0.24	0.46	110,113,128,129	0
2	ADP	H	158	27/27	0.83	0.27	0.35	125,127,129,129	0
3	VO4	F	158	5/5	0.78	0.25	0.31	114,114,116,116	0
2	ADP	B	158	27/27	0.87	0.24	0.31	84,89,107,107	0
2	ADP	D	158	27/27	0.72	0.22	0.07	159,162,167,167	0
3	VO4	C	158	5/5	0.89	0.17	-0.03	100,100,101,102	0
3	VO4	D	159	5/5	0.88	0.21	-0.26	130,130,131,131	5
3	VO4	A	159	5/5	0.89	0.20	-0.58	94,95,96,97	0
3	VO4	H	159	5/5	0.94	0.17	-0.87	104,105,105,106	5
3	VO4	E	159	5/5	0.97	0.12	-0.88	82,83,83,84	0
3	VO4	G	159	5/5	0.91	0.15	-1.25	86,86,87,88	5
3	VO4	B	159	5/5	0.98	0.09	-1.98	66,67,68,69	0
4	MG	E	160	1/1	0.92	0.13	-	61,61,61,61	0
4	MG	H	160	1/1	0.88	0.09	-	74,74,74,74	0
4	MG	B	160	1/1	0.86	0.08	-	53,53,53,53	0
4	MG	D	160	1/1	0.86	0.13	-	105,105,105,105	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.