



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:22 AM GMT

PDB ID : 2QGA  
Title : Plasmodium vivax adenylosuccinate lyase Pv003765 with AMP bound  
Authors : Lunin, V.V.; Wernimont, A.K.; Lew, J.; Kozieradzki, I.; Bochkarev, A.; Arrowsmith, C.H.; Sundstrom, M.; Weigelt, J.; Edwards, A.E.; Hui, R.; Hills, T.; Altamentova, S.; Structural Genomics Consortium (SGC)  
Deposited on : 2007-06-28  
Resolution : 2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	465	
1	C	465	

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8242 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenylosuccinate lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	454	Total	C	N	O	S	0	4	0
			3676	2348	628	683	17			
1	C	455	Total	C	N	O	S	0	2	0
			3665	2338	627	683	17			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	GLY	-	CLONING ARTIFACT	UNP Q8WSJ9
B	0	SER	-	CLONING ARTIFACT	UNP Q8WSJ9
B	364	LYS	-	SEE REMARK 999	UNP Q8WSJ9
C	-1	GLY	-	CLONING ARTIFACT	UNP Q8WSJ9
C	0	SER	-	CLONING ARTIFACT	UNP Q8WSJ9
C	364	LYS	-	SEE REMARK 999	UNP Q8WSJ9

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula:  $C_{10}H_{14}N_5O_7P$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	C	1	Total 23	C 10	N 5	O 7	P 1	0	0
4	B	1	Total 23	C 10	N 5	O 7	P 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	406	Total 406	O 406	0	0
5	C	427	Total 427	O 427	0	0



- Molecule 1: Adenylosuccinate lyase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	118.25Å 179.54Å 68.58Å 90.00° 99.37° 90.00°	Depositor
Resolution (Å)	33.83 – 2.01 33.83 – 2.01	Depositor EDS
% Data completeness (in resolution range)	99.8 (33.83-2.01) 99.8 (33.83-2.01)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.03 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.175 , 0.210 0.174 , 0.208	Depositor DCC
$R_{free}$ test set	4684 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	27.5	Xtriage
Anisotropy	0.093	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 57.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	2 of 93333 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	8242	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.14% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, CA, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	B	0.80	2/3749 (0.1%)	0.73	1/5069 (0.0%)
1	C	0.80	1/3735 (0.0%)	0.72	1/5051 (0.0%)
All	All	0.80	3/7484 (0.0%)	0.72	2/10120 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	3
All	All	0	4

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	201	CYS	CB-SG	-8.69	1.67	1.82
1	C	201	CYS	CB-SG	-8.66	1.67	1.82
1	B	118	CYS	CB-SG	-5.02	1.73	1.81

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	339	THR	CB-CA-C	-5.74	96.11	111.60
1	B	250	ASP	CB-CG-OD1	5.03	122.83	118.30

There are no chirality outliers.

All (4) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
1	B	332	GLN	Peptide
1	C	1	GLU	Peptide
1	C	103	LYS	Peptide
1	C	332	GLN	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3676	0	3694	22	0
1	C	3665	0	3679	33	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	B	10	0	0	0	0
3	C	10	0	0	0	0
4	B	23	0	12	0	0
4	C	23	0	12	0	0
5	B	406	0	0	4	0
5	C	427	0	0	9	0
All	All	8242	0	7397	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:ASN:HB3	5:B:1298:HOH:O	1.61	0.99
1:B:393:ARG:HH21	1:B:394:HIS:HE1	1.16	0.93
1:C:393:ARG:HH21	1:C:394:HIS:HE1	1.21	0.84
1:C:363:ASN:HB3	5:C:1134:HOH:O	1.84	0.76
1:B:212:ASN:HD22	1:B:212:ASN:H	1.34	0.76
1:C:104:ARG:O	1:C:108:LEU:HD13	1.86	0.76
1:B:393:ARG:HH21	1:B:394:HIS:CE1	2.02	0.73
1:B:210:ASN:HB2	1:B:212:ASN:HD21	1.57	0.69
1:C:212:ASN:H	1:C:212:ASN:HD22	1.41	0.68
1:B:106:ASP:HA	1:B:109:LYS:HE3	1.77	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:299:LYS:HE2	1:C:301:ASN:HD21	1.58	0.66
1:B:393:ARG:NH2	1:B:394:HIS:HE1	1.92	0.65
1:C:210:ASN:HB2	1:C:212:ASN:HD21	1.62	0.63
1:C:53:LYS:HE2	5:C:1298:HOH:O	2.03	0.59
1:C:57:HIS:HB3	1:C:104:ARG:HH21	1.69	0.57
1:C:292:GLY:O	5:C:1313:HOH:O	2.17	0.57
1:C:210:ASN:HB2	1:C:212:ASN:ND2	2.22	0.55
1:C:249:HIS:HE1	1:C:337:ASP:OD2	1.89	0.55
1:B:210:ASN:HB2	1:B:212:ASN:ND2	2.22	0.54
1:C:1:GLU:HG2	1:C:4:LYS:HE3	1.89	0.54
1:B:28:ALA:O	1:B:32:HIS:HD2	1.91	0.54
1:B:299:LYS:HE2	1:B:301:ASN:OD1	2.08	0.54
1:B:214:HIS:HB3	1:B:223:TRP:CE2	2.45	0.53
1:C:57:HIS:O	1:C:60:GLU:HG2	2.11	0.51
1:C:214:HIS:HB3	1:C:223:TRP:CE2	2.46	0.51
1:B:222:ASP:CG	1:B:225:ASN:HD22	2.13	0.51
1:C:254:GLU:HG3	5:C:1321:HOH:O	2.14	0.48
1:C:320:LYS:NZ	5:C:1283:HOH:O	2.47	0.48
1:C:385:GLU:O	1:C:389:ILE:HG12	2.13	0.47
1:C:222:ASP:OD2	1:C:225:ASN:ND2	2.48	0.47
1:C:297:PRO:HD2	5:C:1271:HOH:O	2.14	0.47
1:C:249:HIS:HD2	5:C:977:HOH:O	1.97	0.47
1:C:222:ASP:CG	1:C:225:ASN:ND2	2.68	0.47
1:C:14:LYS:O	1:C:14:LYS:HD3	2.14	0.47
1:B:325:LYS:HE2	5:B:1282:HOH:O	2.14	0.47
1:C:285:LYS:HE3	1:C:366:ASP:HB2	1.97	0.47
1:C:27:HIS:HD2	5:C:1267:HOH:O	1.98	0.46
1:B:367:ILE:HD12	1:B:369:ARG:HG2	1.97	0.46
1:B:212:ASN:HD22	1:B:212:ASN:N	2.08	0.46
1:C:10:ASP:HA	1:C:14:LYS:HE3	1.97	0.45
1:C:28:ALA:O	1:C:32:HIS:HD2	2.00	0.44
1:B:249:HIS:CE1	1:B:341:LEU:HD11	2.52	0.44
1:C:210:ASN:O	1:C:211:PHE:HB2	2.18	0.44
1:B:152:LYS:HD2	1:B:456:GLU:HB2	2.01	0.43
1:B:370:ARG:O	1:B:374:GLU:HG3	2.18	0.43
1:C:70:THR:O	1:C:74:ILE:HG12	2.19	0.43
1:B:96:LYS:HE2	5:B:1289:HOH:O	2.19	0.42
1:C:111:LYS:HE2	5:C:1280:HOH:O	2.18	0.42
1:C:166:ARG:HA	1:C:170:GLN:O	2.19	0.42
1:B:273:ILE:HG21	1:B:305:PHE:CZ	2.55	0.42
1:B:200:VAL:HG13	1:B:251:TYR:CE1	2.55	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:326:LEU:N	1:C:327:PRO:CD	2.84	0.41
1:B:392:LYS:NZ	5:B:1301:HOH:O	2.32	0.41
1:C:425:CYS:HB3	1:C:428:LEU:HD12	2.03	0.40
1:C:293:SER:HB3	1:C:299:LYS:HB3	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	453/465 (97%)	440 (97%)	12 (3%)	1 (0%)	52	48
1	C	453/465 (97%)	440 (97%)	12 (3%)	1 (0%)	52	48
All	All	906/930 (97%)	880 (97%)	24 (3%)	2 (0%)	52	48

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	333	ARG
1	B	333	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	407/416 (98%)	402 (99%)	5 (1%)	78	81
1	C	407/416 (98%)	399 (98%)	8 (2%)	63	65
All	All	814/832 (98%)	801 (98%)	13 (2%)	70	73

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	59	VAL
1	B	125	ASN
1	B	203	LYS
1	B	212	ASN
1	B	333	ARG
1	C	14	LYS
1	C	125	ASN
1	C	144	LEU
1	C	203	LYS
1	C	212	ASN
1	C	285	LYS
1	C	333	ARG
1	C	339	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	32	HIS
1	B	57	HIS
1	B	85	ASN
1	B	189	HIS
1	B	212	ASN
1	B	225	ASN
1	B	279	ASN
1	B	307	ASN
1	B	311	ASN
1	B	394	HIS
1	B	418	GLN
1	C	32	HIS
1	C	86	HIS
1	C	212	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	225	ASN
1	C	249	HIS
1	C	301	ASN
1	C	307	ASN
1	C	311	ASN
1	C	394	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SO4	B	903	-	4,4,4	0.19	0	6,6,6	0.18	0
3	SO4	B	905	-	4,4,4	0.37	0	6,6,6	0.67	0
4	AMP	B	908	-	20,25,25	1.06	1 (5%)	22,38,38	2.26	4 (18%)
3	SO4	C	904	-	4,4,4	0.14	0	6,6,6	0.09	0
3	SO4	C	906	-	4,4,4	0.10	0	6,6,6	0.39	0
4	AMP	C	907	-	20,25,25	1.13	2 (10%)	22,38,38	2.08	4 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	B	903	-	-	0/0/0/0	0/0/0/0
3	SO4	B	905	-	-	0/0/0/0	0/0/0/0
4	AMP	B	908	-	-	0/6/26/26	0/3/3/3
3	SO4	C	904	-	-	0/0/0/0	0/0/0/0
3	SO4	C	906	-	-	0/0/0/0	0/0/0/0
4	AMP	C	907	-	-	0/6/26/26	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	907	AMP	C4-N3	2.63	1.39	1.35
4	B	908	AMP	C5-C4	2.77	1.46	1.40
4	C	907	AMP	C5-C4	2.81	1.46	1.40

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	908	AMP	N3-C2-N1	-8.86	122.11	128.89
4	C	907	AMP	N3-C2-N1	-8.07	122.72	128.89
4	C	907	AMP	C1'-N9-C4	-2.01	123.90	126.94
4	B	908	AMP	O3P-P-O2P	2.01	115.02	107.38
4	B	908	AMP	C2-N1-C6	2.30	122.87	118.77
4	B	908	AMP	N6-C6-N1	2.43	124.42	119.20
4	C	907	AMP	C2-N1-C6	2.52	123.26	118.77
4	C	907	AMP	N6-C6-N1	2.73	125.06	119.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	B	454/465 (97%)	-0.29	8 (1%) 71 72	15, 25, 44, 58	0
1	C	455/465 (97%)	-0.23	14 (3%) 52 53	15, 25, 45, 61	0
All	All	909/930 (97%)	-0.26	22 (2%) 62 63	15, 25, 45, 61	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	286	VAL	6.8
1	C	68	ASN	3.8
1	B	408	ARG	3.7
1	B	103	LYS	3.6
1	C	105	GLU	3.3
1	C	103	LYS	3.1
1	C	408	ARG	2.8
1	C	72	SER	2.7
1	B	82	GLU	2.7
1	C	64	GLN	2.7
1	C	411	VAL	2.6
1	C	431	ASP	2.6
1	C	82	GLU	2.4
1	B	105	GLU	2.4
1	B	220	ASP	2.3
1	B	1[A]	GLU	2.3
1	C	438	GLU	2.2
1	C	1	GLU	2.2
1	C	104	ARG	2.1
1	B	72	SER	2.1
1	B	52	GLU	2.0
1	C	3	LEU	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	SO4	C	904	5/5	0.90	0.19	0.75	93,93,93,94	0
4	AMP	B	908	23/23	0.97	0.08	-0.73	24,26,28,29	0
4	AMP	C	907	23/23	0.98	0.07	-0.97	24,26,28,29	0
3	SO4	B	905	5/5	0.97	0.09	-1.10	33,39,42,43	0
3	SO4	C	906	5/5	0.98	0.08	-1.16	32,36,38,38	0
2	CA	B	901	1/1	0.99	0.06	-	35,35,35,35	1
2	CA	C	902	1/1	0.99	0.16	-	40,40,40,40	1
3	SO4	B	903	5/5	0.93	0.20	-	81,81,81,82	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.