



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 05:26 AM GMT

PDB ID : 2QOG
Title : Crotoxin B, the basic PLA2 from Crotalus durissus terrificus.
Authors : Marchi-Salvador, D.P.; Correa, L.C.; Fontes, M.R.M.
Deposited on : 2007-07-20
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see references ①) were used in the production of this report:

MolProbitiy	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriaage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5929 (2.30-2.26)
Ramachandran outliers	100387	5851 (2.30-2.26)
Sidechain outliers	100360	5850 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.



2 Entry composition [\(i\)](#)

There are 4 unique types of molecules in this entry. The entry contains 4313 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phospholipase A2 CB2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	122	983	619	168	180	16	0	0	0
1	D	122	993	625	172	180	16	0	0	0

- Molecule 2 is a protein called Phospholipase A2 CB1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	122	978	616	170	176	16	0	0	0
2	C	122	978	616	170	176	16	0	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ca		
3	C	1	1	1	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	105	Total	O		
4	B	86	105	105	0	0
4	C	90	Total	O		
4	D	98	86	86	0	0
4			90	90	0	0
4			98	98	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Phospholipase A2 CB2




- Molecule 1: Phospholipase A2 CB2



- Molecule 2: Phospholipase A2 CB1



- Molecule 2: Phospholipase A2 CB1





4 Data and refinement statistics [\(i\)](#)

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.89 Å 81.16 Å 100.04 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.93 – 2.28	Depositor
% Data completeness (in resolution range)	85.6 (28.93-2.28)	Depositor
R_{merge}	0.13	Depositor
R_{sym}	0.13	Depositor
Refinement program	CNS 1.1	Depositor
R , R_{free}	0.228 , 0.260	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4313	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.37	0/1009	0.60	0/1356
1	D	0.41	0/1019	0.67	0/1367
2	B	0.39	0/1004	0.64	0/1346
2	C	0.38	0/1004	0.67	0/1346
All	All	0.39	0/4036	0.65	0/5415

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	983	0	915	45	0
1	D	993	0	937	46	0
2	B	978	0	915	46	0
2	C	978	0	915	43	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	105	0	0	5	0
4	B	86	0	0	1	0
4	C	90	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	98	0	0	4	0
All	All	4313	0	3682	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:72:ILE:CD1	1:D:72:ILE:H	1.70	1.05
2:B:127:ARG:HG3	2:B:128:GLY:H	1.28	0.98
1:D:72:ILE:HD12	1:D:72:ILE:N	1.79	0.94
1:A:59:LYS:H	1:A:59:LYS:HD2	1.29	0.94
2:C:6:ASN:HD22	2:C:18:ALA:HB3	1.42	0.83
1:D:72:ILE:HD12	1:D:72:ILE:H	1.40	0.82
2:B:87:LYS:HD3	1:D:67:ASN:O	1.79	0.82
1:A:132:THR:O	1:A:133:CYS:HB2	1.78	0.81
1:A:20:PRO:HG2	1:A:118:MET:HE3	1.60	0.81
1:A:67:ASN:O	2:C:87:LYS:HG3	1.80	0.80
1:A:20:PRO:HG2	1:A:118:MET:CE	2.10	0.80
2:B:127:ARG:HG3	2:B:128:GLY:N	1.98	0.77
1:D:72:ILE:HD13	1:D:72:ILE:H	1.50	0.76
2:B:87:LYS:CD	1:D:67:ASN:O	2.33	0.76
2:C:2:LEU:HD22	4:C:135:HOH:O	1.86	0.74
2:C:12:GLU:O	2:C:107:ARG:HG3	1.91	0.70
1:A:22:TYR:O	1:A:29:CYS:HB3	1.91	0.70
2:C:22:TYR:O	2:C:29:CYS:HB3	1.93	0.69
2:C:6:ASN:ND2	2:C:18:ALA:HB3	2.09	0.68
2:C:77:LEU:CD2	2:C:82:ILE:HG12	2.26	0.65
2:C:87:LYS:HD3	2:C:93:GLU:OE1	1.98	0.64
2:C:67:ASN:HD21	2:C:70:TRP:HB2	1.61	0.64
1:D:89:THR:HG23	1:D:92:LYS:HE2	1.80	0.64
2:B:77:LEU:CD2	2:B:82:ILE:HG12	2.28	0.63
1:A:89:THR:HG23	1:A:92:LYS:HE2	1.80	0.63
1:D:52:TYR:O	1:D:55:LEU:HB2	1.99	0.62
1:A:89:THR:OG1	1:A:92:LYS:HG3	2.00	0.61
1:D:59:LYS:HD3	1:D:59:LYS:H	1.67	0.60
2:B:37:PRO:HG2	2:B:43:ARG:HH12	1.67	0.60
2:C:67:ASN:ND2	2:C:70:TRP:HB2	2.17	0.60
2:B:37:PRO:HG2	2:B:43:ARG:NH1	2.17	0.59
1:D:38:LYS:NZ	1:D:125:ARG:HB3	2.17	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:127:ARG:CG	2:B:128:GLY:N	2.61	0.58
2:B:34:ARG:HG2	2:B:34:ARG:HH11	1.69	0.57
2:B:13:THR:O	2:B:14:ARG:HB2	2.04	0.57
2:C:38:LYS:NZ	2:C:120:TYR:HE2	2.03	0.57
2:B:89:THR:OG1	2:B:92:GLU:HG3	2.05	0.56
2:B:89:THR:HG23	1:D:1:SER:HB2	1.85	0.56
2:C:13:THR:O	2:C:14:ARG:HB2	2.04	0.56
1:D:120:TYR:OH	1:D:125:ARG:HD2	2.04	0.56
2:B:104:GLU:HG2	4:B:210:HOH:O	2.06	0.56
1:A:59:LYS:H	1:A:59:LYS:CD	2.08	0.56
2:C:38:LYS:NZ	2:C:120:TYR:CE2	2.73	0.56
2:B:92:GLU:OE2	1:D:1:SER:HA	2.06	0.55
2:C:77:LEU:HD22	2:C:82:ILE:HG12	1.88	0.55
2:C:121:PRO:C	2:C:124:SER:H	2.08	0.55
1:D:108:ARG:HD3	4:D:153:HOH:O	2.06	0.55
2:B:121:PRO:HG3	2:B:125:ARG:HD3	1.87	0.55
1:A:11:PHE:HZ	4:A:199:HOH:O	1.91	0.54
2:B:107:ARG:HH21	2:B:108:ARG:HG3	1.71	0.54
1:D:89:THR:OG1	1:D:92:LYS:HG3	2.07	0.54
2:B:75:TYR:CZ	1:D:32:GLY:HA3	2.43	0.54
1:D:120:TYR:CD1	1:D:121:PRO:HD2	2.43	0.54
1:A:121:PRO:HG3	1:A:125:ARG:NH1	2.22	0.54
2:C:38:LYS:HD3	2:C:117:TYR:CE2	2.44	0.53
2:B:67:ASN:HB3	2:B:71:ASP:OD2	2.08	0.53
1:A:13:THR:HG21	1:A:22:TYR:OH	2.09	0.53
2:C:67:ASN:HB3	2:C:71:ASP:CG	2.29	0.53
1:D:22:TYR:O	1:D:29:CYS:HB3	2.09	0.53
2:C:37:PRO:HA	2:C:42:ASP:OD2	2.09	0.53
1:A:1:SER:HA	2:C:92:GLU:OE2	2.08	0.52
2:C:23:ALA:O	2:C:30:GLY:HA2	2.09	0.52
2:C:39:ASP:HB2	4:C:149:HOH:O	2.08	0.52
1:D:125:ARG:HH11	1:D:125:ARG:HG3	1.74	0.52
2:B:34:ARG:HG2	2:B:34:ARG:NH1	2.25	0.52
1:D:8:MET:HG2	1:D:82:ILE:HD13	1.91	0.51
1:A:78:LYS:HG3	1:A:83:THR:HB	1.92	0.51
1:D:90:TRP:CH2	1:D:94:GLN:HG3	2.45	0.51
2:B:104:GLU:N	2:B:104:GLU:OE2	2.44	0.51
1:A:132:THR:O	1:A:133:CYS:CB	2.53	0.51
1:A:37:PRO:HA	1:A:42:ASP:OD2	2.10	0.51
1:A:46:PHE:CZ	1:A:131:GLU:HB3	2.46	0.51
2:B:23:ALA:O	2:B:30:GLY:HA2	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:5:PHE:CZ	2:C:9:ILE:HD11	2.46	0.50
2:C:43:ARG:HB2	2:C:43:ARG:HH11	1.76	0.50
1:D:114:LYS:HB3	1:D:116:GLU:HG2	1.92	0.50
1:D:36:ARG:NH1	1:D:131:GLU:HB2	2.27	0.50
1:D:59:LYS:CD	1:D:59:LYS:H	2.18	0.49
2:B:22:TYR:O	2:B:29:CYS:HB3	2.12	0.49
1:A:23:ALA:O	1:A:30:GLY:HA3	2.12	0.49
2:B:120:TYR:CZ	2:B:125:ARG:NH2	2.80	0.49
1:A:13:THR:HA	1:A:110:LEU:HD11	1.93	0.49
2:B:37:PRO:CG	2:B:43:ARG:HH12	2.26	0.49
1:A:20:PRO:HG2	1:A:118:MET:HE1	1.90	0.48
1:D:13:THR:O	1:D:14:ARG:HB2	2.12	0.48
1:A:9:ILE:HG21	1:A:22:TYR:CD2	2.48	0.48
1:D:36:ARG:HH12	1:D:131:GLU:CG	2.25	0.48
2:C:67:ASN:HB3	2:C:71:ASP:OD2	2.12	0.48
1:A:56:ALA:HA	1:A:67:ASN:ND2	2.28	0.48
2:C:12:GLU:HB3	2:C:107:ARG:HB2	1.96	0.48
2:B:87:LYS:HE2	2:B:93:GLU:OE1	2.14	0.48
2:B:19:ILE:N	2:B:19:ILE:HD12	2.29	0.47
1:A:71:ASP:HB3	1:A:92:LYS:NZ	2.29	0.47
2:C:43:ARG:HD3	4:C:205:HOH:O	2.14	0.47
1:D:12:GLU:HB3	1:D:107:ARG:HB2	1.96	0.47
1:A:108:ARG:HG2	4:A:209:HOH:O	2.15	0.47
2:C:6:ASN:HD22	2:C:18:ALA:CB	2.22	0.47
2:C:102:ALA:O	2:C:106:LEU:HG	2.14	0.47
1:D:55:LEU:HD21	1:D:94:GLN:HB3	1.97	0.47
1:D:38:LYS:HZ1	1:D:125:ARG:HB3	1.79	0.47
1:A:14:ARG:HD2	4:A:212:HOH:O	2.13	0.47
2:C:128:GLY:O	2:C:130:SER:N	2.48	0.46
1:A:7:LYS:HG3	4:A:159:HOH:O	2.15	0.46
2:C:121:PRO:C	2:C:124:SER:N	2.69	0.46
1:D:101:VAL:HG21	4:D:171:HOH:O	2.15	0.46
1:D:90:TRP:CZ2	1:D:94:GLN:HG3	2.51	0.46
2:C:29:CYS:HA	2:C:45:CYS:HB3	1.98	0.45
1:D:59:LYS:HD3	1:D:59:LYS:N	2.30	0.45
1:D:38:LYS:HG3	1:D:120:TYR:CE2	2.51	0.45
1:A:121:PRO:HG3	1:A:125:ARG:HH12	1.81	0.45
2:C:19:ILE:HA	2:C:20:PRO:HA	1.76	0.45
1:A:73:TYR:CG	1:A:96:CYS:HB2	2.51	0.45
1:A:10:LYS:HA	1:A:16:LYS:O	2.16	0.45
2:B:117:TYR:HD2	2:B:120:TYR:CE1	2.35	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:93:GLU:HB3	4:C:220:HOH:O	2.16	0.45
1:D:125:ARG:NH1	1:D:125:ARG:HG3	2.30	0.45
2:B:125:ARG:O	2:B:127:ARG:N	2.48	0.44
1:D:108:ARG:CD	4:D:153:HOH:O	2.65	0.44
1:A:8:MET:HG2	1:A:82:ILE:HD13	1.99	0.44
2:C:117:TYR:HA	2:C:120:TYR:CD1	2.53	0.44
2:B:27:CYS:O	2:B:33:GLY:HA2	2.17	0.44
1:D:36:ARG:NH1	1:D:131:GLU:OE1	2.51	0.43
2:B:79:SER:HB3	2:B:81:TYR:CE2	2.53	0.43
2:B:38:LYS:HE2	2:B:120:TYR:HE2	1.83	0.43
2:B:87:LYS:NZ	2:B:93:GLU:OE1	2.50	0.43
2:B:52:TYR:CD2	2:B:68:THR:HB	2.53	0.43
1:A:114:LYS:HB3	1:A:116:GLU:HG2	1.99	0.43
2:C:20:PRO:HG3	1:D:119:PHE:CD2	2.54	0.43
2:B:68:THR:HA	2:B:95:ILE:HD13	2.01	0.43
1:A:55:LEU:HD21	1:A:94:GLN:HB3	2.01	0.43
1:D:43:ARG:O	1:D:47:VAL:HG23	2.19	0.43
1:A:28:TYR:CD2	1:A:33:GLY:HA3	2.54	0.43
2:B:117:TYR:CD2	2:B:120:TYR:CE1	3.07	0.42
2:C:25:TYR:O	2:C:29:CYS:HB2	2.19	0.42
2:B:19:ILE:CD1	2:B:23:ALA:HB2	2.49	0.42
1:D:38:LYS:HA	1:D:38:LYS:HD3	1.66	0.42
2:B:73:TYR:CG	2:B:96:CYS:HB2	2.55	0.42
2:C:7:LYS:HD2	2:C:75:TYR:OH	2.20	0.42
1:D:36:ARG:HG2	1:D:36:ARG:NH1	2.34	0.42
1:A:69:LYS:HE2	1:A:71:ASP:OD2	2.20	0.42
2:C:125:ARG:H	2:C:125:ARG:HG2	1.64	0.42
1:A:19:VAL:HA	1:A:20:PRO:HA	1.79	0.42
1:D:55:LEU:HD23	1:D:55:LEU:HA	1.69	0.42
2:B:107:ARG:NH2	2:B:108:ARG:HE	2.18	0.42
1:A:120:TYR:OH	1:A:125:ARG:HD2	2.20	0.42
1:A:20:PRO:C	1:A:118:MET:HE3	2.40	0.42
2:B:37:PRO:CG	2:B:43:ARG:NH1	2.82	0.41
2:C:6:ASN:ND2	2:C:18:ALA:CB	2.83	0.41
1:A:67:ASN:O	2:C:87:LYS:HE3	2.20	0.41
2:B:43:ARG:NH2	2:B:131:GLU:OE2	2.52	0.41
1:A:2:LEU:HD13	1:A:31:TRP:CZ3	2.55	0.41
2:B:87:LYS:CG	1:D:67:ASN:O	2.68	0.41
2:B:12:GLU:OE1	2:B:107:ARG:HD3	2.19	0.41
1:A:5:PHE:CE1	1:A:102:ALA:HB3	2.55	0.41
2:C:89:THR:OG1	2:C:92:GLU:HG3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:TRP:CZ3	1:A:94:GLN:HG3	2.56	0.41
1:A:32:GLY:HA3	2:C:75:TYR:CZ	2.56	0.41
1:D:94:GLN:NE2	4:D:195:HOH:O	2.53	0.41
2:B:107:ARG:O	2:B:107:ARG:HG2	2.20	0.41
1:A:90:TRP:CH2	1:A:94:GLN:HG3	2.54	0.41
2:C:43:ARG:HB2	2:C:43:ARG:NH1	2.36	0.41
1:D:104:GLU:O	1:D:107:ARG:HB3	2.21	0.41
2:B:19:ILE:HA	2:B:20:PRO:HA	1.87	0.40
1:A:30:GLY:O	1:A:31:TRP:HB2	2.21	0.40
1:D:19:VAL:HA	1:D:20:PRO:HA	1.89	0.40
2:B:29:CYS:HA	2:B:45:CYS:HB3	2.03	0.40
2:B:78:LYS:HZ2	1:D:130:SER:HB3	1.87	0.40
1:A:124:SER:HB3	4:A:218:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	120/122 (98%)	115 (96%)	5 (4%)	0	100 100
1	D	120/122 (98%)	117 (98%)	3 (2%)	0	100 100
2	B	120/122 (98%)	110 (92%)	10 (8%)	0	100 100
2	C	120/122 (98%)	116 (97%)	3 (2%)	1 (1%)	24 26
All	All	480/488 (98%)	458 (95%)	21 (4%)	1 (0%)	52 63

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	129	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	105/107 (98%)	101 (96%)	4 (4%)	40 53
1	D	107/107 (100%)	100 (94%)	7 (6%)	21 26
2	B	103/105 (98%)	98 (95%)	5 (5%)	31 40
2	C	103/105 (98%)	97 (94%)	6 (6%)	25 31
All	All	418/424 (99%)	396 (95%)	22 (5%)	28 35

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	59	LYS
1	A	78	LYS
1	A	100	ARG
2	B	2	LEU
2	B	20	PRO
2	B	34	ARG
2	B	104	GLU
2	B	120	TYR
2	C	2	LEU
2	C	36	ARG
2	C	78	LYS
2	C	120	TYR
2	C	122	ASP
2	C	124	SER
1	D	14	ARG
1	D	20	PRO
1	D	59	LYS
1	D	71	ASP
1	D	72	ILE
1	D	100	ARG
1	D	125	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	A	94	GLN
2	C	6	ASN
1	D	34	GLN
1	D	94	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [\(i\)](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [\(i\)](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [\(i\)](#)

EDS was not executed - this section will therefore be empty.