



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:01 PM GMT

PDB ID : 4QOL  
Title : Structure of Bacillus pumilus catalase  
Authors : Loewen, P.C.  
Deposited on : 2014-06-20  
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1226 (1.66-1.66)
Clashscore	102246	1323 (1.66-1.66)
Ramachandran outliers	100387	1295 (1.66-1.66)
Sidechain outliers	100360	1295 (1.66-1.66)
RSRZ outliers	91569	1227 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	491	 88% 9% .
1	B	491	 90% 8% ..
1	C	491	 90% 7% .
1	D	491	 89% 9% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Chirality</b>	<b>Geometry</b>	<b>Clashes</b>	<b>Electron density</b>
5	ACT	B	505	-	-	-	X
5	ACT	C	504	-	-	-	X

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 17939 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catalase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	480	Total	C	N	O	S	0	5	0
			3949	2488	692	755	14			
1	B	480	Total	C	N	O	S	0	5	0
			3951	2491	691	754	15			
1	C	480	Total	C	N	O	S	0	6	0
			3962	2498	695	755	14			
1	D	480	Total	C	N	O	S	0	6	0
			3958	2494	692	758	14			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
2	A	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	B	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		


- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Cl	0	0
			1	1		
3	A	2	Total	Cl	0	0
			2	2		
3	D	2	Total	Cl	0	0
			2	2		
3	C	1	Total	Cl	0	0
			1	1		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Na	0	0
			1	1		
4	A	1	Total	Na	0	0
			1	1		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	472	Total O 472 472	0	0
6	B	423	Total O 423 423	0	0
6	C	425	Total O 425 425	0	0
6	D	431	Total O 431 431	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Catalase




- Molecule 1: Catalase




- Molecule 1: Catalase



- Molecule 1: Catalase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	91.65Å 109.19Å 102.83Å 90.00° 91.67° 90.00°	Depositor
Resolution (Å)	102.79 – 1.65 48.22 – 1.65	Depositor EDS
% Data completeness (in resolution range)	96.4 (102.79-1.65) 96.4 (48.22-1.65)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.37 (at 1.65Å)	Xtriage
Refinement program	REFMAC 5.8.0069	Depositor
R, $R_{free}$	0.171 , 0.199 0.181 , 0.207	Depositor DCC
$R_{free}$ test set	11579 reflections (5.21%)	DCC
Wilson B-factor (Å <sup>2</sup> )	16.0	Xtriage
Anisotropy	0.613	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 42.5	EDS
Estimated twinning fraction	0.068 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	0 of 233679 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	17939	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CL, NA, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.92	1/4068 (0.0%)	0.95	15/5516 (0.3%)
1	B	0.92	1/4069 (0.0%)	0.93	6/5516 (0.1%)
1	C	0.94	2/4080 (0.0%)	1.01	17/5531 (0.3%)
1	D	0.90	0/4076	0.92	11/5526 (0.2%)
All	All	0.92	4/16293 (0.0%)	0.95	49/22089 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	329	GLU	CG-CD	6.63	1.61	1.51
1	C	329	GLU	CG-CD	5.97	1.60	1.51
1	B	352	TYR	CD1-CE1	5.93	1.48	1.39
1	C	276	TYR	CE1-CZ	5.25	1.45	1.38

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	225	ARG	NE-CZ-NH1	-14.95	112.83	120.30
1	C	225	ARG	NE-CZ-NH2	13.04	126.82	120.30
1	C	465	ARG	NE-CZ-NH1	10.31	125.45	120.30
1	C	413	ARG	NE-CZ-NH1	-9.94	115.33	120.30
1	D	413	ARG	NE-CZ-NH1	-9.41	115.59	120.30
1	A	465	ARG	NE-CZ-NH1	9.37	124.99	120.30
1	C	50	ARG	NE-CZ-NH1	8.98	124.79	120.30
1	C	50	ARG	NE-CZ-NH2	-8.94	115.83	120.30
1	C	465	ARG	NE-CZ-NH2	-8.63	115.99	120.30
1	A	465	ARG	NE-CZ-NH2	-8.61	116.00	120.30
1	A	50	ARG	NE-CZ-NH2	-8.41	116.09	120.30
1	A	329	GLU	OE1-CD-OE2	-7.88	113.84	123.30
1	A	50	ARG	NE-CZ-NH1	7.83	124.21	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	50	ARG	NE-CZ-NH2	-7.62	116.49	120.30
1	B	50	ARG	NE-CZ-NH1	7.38	123.99	120.30
1	B	413	ARG	NE-CZ-NH1	-7.25	116.67	120.30
1	A	413	ARG	NE-CZ-NH1	-7.17	116.71	120.30
1	C	225	ARG	CG-CD-NE	-7.08	96.92	111.80
1	D	50	ARG	NE-CZ-NH1	6.74	123.67	120.30
1	D	388	ARG	NE-CZ-NH2	-6.31	117.15	120.30
1	B	138	ARG	NE-CZ-NH2	-6.24	117.18	120.30
1	A	203	ARG	NE-CZ-NH2	-6.19	117.20	120.30
1	C	203	ARG	NE-CZ-NH1	6.05	123.32	120.30
1	D	272	ASP	CB-CG-OD2	-6.00	112.90	118.30
1	D	388	ARG	NE-CZ-NH1	5.99	123.30	120.30
1	D	163	ARG	NE-CZ-NH2	5.97	123.28	120.30
1	C	329	GLU	OE1-CD-OE2	-5.80	116.34	123.30
1	B	440	LEU	CA-CB-CG	5.75	128.52	115.30
1	C	388	ARG	NE-CZ-NH2	-5.74	117.43	120.30
1	D	413	ARG	NE-CZ-NH2	5.71	123.15	120.30
1	C	203	ARG	NE-CZ-NH2	-5.70	117.45	120.30
1	C	109	ARG	NE-CZ-NH2	-5.66	117.47	120.30
1	A	138	ARG	NE-CZ-NH2	-5.56	117.52	120.30
1	A	430	ARG	NE-CZ-NH1	5.53	123.06	120.30
1	B	440	LEU	CB-CG-CD2	5.49	120.33	111.00
1	C	94	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	A	302	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	B	109	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	A	329	GLU	CG-CD-OE1	5.37	129.04	118.30
1	A	203	ARG	NE-CZ-NH1	5.34	122.97	120.30
1	D	109	ARG	NE-CZ-NH1	5.34	122.97	120.30
1	A	163	ARG	NE-CZ-NH1	-5.34	117.63	120.30
1	C	297	ARG	NE-CZ-NH1	5.33	122.96	120.30
1	C	163	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	C	138	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	D	138	ARG	NE-CZ-NH2	-5.16	117.72	120.30
1	A	474	LEU	CB-CG-CD2	5.14	119.73	111.00
1	A	410	ARG	NE-CZ-NH2	5.13	122.87	120.30
1	D	297	ARG	NE-CZ-NH1	5.02	122.81	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3949	0	3748	32	1
1	B	3951	0	3756	22	1
1	C	3962	0	3771	21	1
1	D	3958	0	3758	24	2
2	A	86	0	60	5	0
2	B	86	0	60	11	0
2	C	86	0	60	12	0
2	D	86	0	60	12	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	2	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	4	0	3	0	0
5	B	4	0	3	0	0
5	C	4	0	3	0	0
5	D	4	0	3	0	0
6	A	472	0	0	15	0
6	B	423	0	0	6	1
6	C	425	0	0	10	0
6	D	431	0	0	17	0
All	All	17939	0	15285	124	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:388:ARG:HD2	6:B:1010:HOH:O	1.42	1.17
1:D:72[B]:SER:OG	1:D:74:GLU:OE1	1.77	1.01
1:A:329:GLU:HG3	6:D:1001:HOH:O	1.61	0.99
1:C:219:ARG:CD	6:C:727:HOH:O	2.14	0.95
1:B:372[A]:PHE:CE2	6:D:911:HOH:O	2.20	0.92

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:28:HIS:ND1	6:C:840:HOH:O	2.06	0.87
1:A:219:ARG:CD	6:A:869:HOH:O	2.23	0.86
1:D:469:ASP:OD1	6:D:1024:HOH:O	1.94	0.85
1:C:219:ARG:HD3	6:C:727:HOH:O	1.75	0.85
1:A:230:GLU:OE2	6:A:872:HOH:O	2.02	0.78
1:A:452:ASN:HD22	1:A:455:THR:H	1.33	0.77
1:B:452:ASN:HD22	1:B:455:THR:H	1.34	0.75
1:D:231:GLU:OE2	6:D:915:HOH:O	2.04	0.75
1:D:449:LYS:NZ	6:D:834:HOH:O	2.20	0.71
1:D:454:LYS:HE3	6:D:1022:HOH:O	1.90	0.71
1:A:346:HIS:HE1	6:D:911:HOH:O	1.73	0.71
2:C:501[A]:HEM:CMB	2:C:501[A]:HEM:HBB2	2.21	0.71
1:C:29:ARG:HD3	6:C:900:HOH:O	1.91	0.71
1:A:393:PRO:HB2	1:C:9[B]:LEU:HD23	1.74	0.68
1:D:28:HIS:CD2	6:D:995:HOH:O	2.46	0.68
1:A:83:SER:OG	6:A:981:HOH:O	2.11	0.67
2:D:501[A]:HEM:HBB2	2:D:501[A]:HEM:CMB	2.25	0.67
2:C:501[A]:HEM:HMB2	2:C:501[A]:HEM:HBB2	1.77	0.66
1:B:372[A]:PHE:CD2	6:D:911:HOH:O	2.45	0.66
1:A:213:TYR:OH	1:A:329:GLU:OE2	2.13	0.64
1:A:219:ARG:HD2	6:A:869:HOH:O	1.90	0.64
1:C:219:ARG:HD2	6:C:727:HOH:O	1.89	0.64
2:B:502[B]:HEM:CMC	2:B:502[B]:HEM:HBC2	2.28	0.63
1:D:483:ARG:O	1:D:484:SER:CB	2.46	0.63
2:D:501[A]:HEM:HBB2	2:D:501[A]:HEM:HMB2	1.81	0.63
1:A:438:GLN:HG2	6:A:1009:HOH:O	1.99	0.63
6:A:1005:HOH:O	1:D:334:GLN:HG3	1.99	0.62
1:A:45:HIS:HE1	1:C:351:ASN:OD1	1.81	0.62
2:A:501[A]:HEM:HMB2	2:A:501[A]:HEM:HBB2	1.82	0.61
2:A:501[A]:HEM:CMB	2:A:501[A]:HEM:HBB2	2.30	0.61
2:D:502[B]:HEM:HBC2	2:D:502[B]:HEM:CMC	2.31	0.61
1:A:219:ARG:HD3	6:A:869:HOH:O	1.96	0.60
1:A:454:LYS:HE3	6:A:1060:HOH:O	2.01	0.59
1:C:28:HIS:CE1	6:C:840:HOH:O	2.51	0.59
2:C:501[A]:HEM:HBC2	2:C:501[A]:HEM:CMC	2.33	0.58
1:A:219:ARG:HD2	6:A:842:HOH:O	2.02	0.58
1:B:140:ALA:HA	2:B:501[A]:HEM:HBB1	1.84	0.58
1:D:252:GLU:OE1	6:D:678:HOH:O	2.16	0.58
2:A:501[A]:HEM:HBC2	2:A:501[A]:HEM:CMC	2.32	0.58
1:A:286:SER:OG	1:A:288:GLU:HG2	2.04	0.58
2:B:501[A]:HEM:CMC	2:B:501[A]:HEM:HBC2	2.33	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:199:VAL:HG11	2:C:502[B]:HEM:HBB1	1.86	0.57
1:A:212:LYS:HE2	6:A:700:HOH:O	2.04	0.57
1:B:388:ARG:CD	6:B:1010:HOH:O	2.20	0.57
1:B:410:ARG:NH1	6:B:931:HOH:O	2.38	0.56
2:B:501[A]:HEM:HBC2	2:B:501[A]:HEM:HMC2	1.87	0.56
1:A:398:HIS:HB2	6:A:949:HOH:O	2.06	0.55
2:C:501[A]:HEM:HBC2	2:C:501[A]:HEM:HMC2	1.88	0.55
1:B:100:HIS:HE1	6:C:702:HOH:O	1.88	0.55
1:A:334:GLN:HG3	6:D:892:HOH:O	2.06	0.55
2:C:501[A]:HEM:HMB2	2:C:501[A]:HEM:CBB	2.37	0.55
6:B:736:HOH:O	1:C:100:HIS:HE1	1.89	0.55
1:C:212:LYS:HE2	6:C:904:HOH:O	2.05	0.54
1:D:85:GLU:CD	6:D:923:HOH:O	2.46	0.54
6:A:809:HOH:O	1:D:100:HIS:HE1	1.91	0.53
1:B:219:ARG:NH2	1:B:262:TYR:OH	2.43	0.52
1:C:219:ARG:HD2	6:C:1007:HOH:O	2.10	0.51
1:D:219:ARG:HG2	6:D:859:HOH:O	2.08	0.51
1:A:45:HIS:HD2	6:A:688:HOH:O	1.93	0.51
1:D:332:LEU:HD12	2:D:501[A]:HEM:HBB1	1.91	0.51
1:D:483:ARG:O	1:D:484:SER:HB3	2.09	0.51
1:A:219:ARG:HG3	6:A:1045:HOH:O	2.10	0.51
1:B:287:GLU:CD	1:B:292:LEU:HD21	2.32	0.51
1:A:100:HIS:HE1	6:D:676:HOH:O	1.93	0.51
2:C:501[A]:HEM:CMB	2:C:501[A]:HEM:CBB	2.89	0.50
2:A:502[B]:HEM:CMC	2:A:502[B]:HEM:HBC2	2.41	0.50
1:D:230:GLU:H	1:D:230:GLU:CD	2.14	0.50
2:B:501[A]:HEM:HMB2	2:B:501[A]:HEM:HBB2	1.94	0.49
1:B:287:GLU:CG	1:B:292:LEU:HD21	2.42	0.49
1:A:452:ASN:ND2	1:A:455:THR:H	2.07	0.49
2:C:502[B]:HEM:HBB2	2:C:502[B]:HEM:CMB	2.42	0.49
2:B:502[B]:HEM:HMC1	2:B:502[B]:HEM:HBC2	1.94	0.49
2:B:501[A]:HEM:CMB	2:B:501[A]:HEM:HBB2	2.42	0.49
2:D:501[A]:HEM:CMC	2:D:501[A]:HEM:HBC2	2.42	0.49
1:B:452:ASN:HD21	1:B:454:LYS:HB2	1.78	0.48
1:B:336:ARG:HG2	2:B:502[B]:HEM:C2C	2.49	0.48
1:C:199:VAL:HG11	2:C:502[B]:HEM:CBB	2.44	0.48
2:D:501[A]:HEM:CBB	2:D:501[A]:HEM:HMB2	2.44	0.47
1:B:452:ASN:ND2	1:B:455:THR:H	2.06	0.47
2:D:502[B]:HEM:CBC	2:D:502[B]:HEM:CMC	2.90	0.47
1:A:393:PRO:HB2	1:C:9[B]:LEU:CD2	2.44	0.47
1:B:272:ASP:HB2	6:B:915:HOH:O	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:28:HIS:HD2	6:D:995:HOH:O	1.92	0.46
2:D:502[B]:HEM:HMC1	2:D:502[B]:HEM:CBC	2.46	0.46
2:D:501[A]:HEM:CBB	2:D:501[A]:HEM:CMB	2.94	0.46
1:C:336:ARG:HG2	2:C:502[B]:HEM:C2C	2.51	0.46
1:C:240:PHE:C	1:C:241:GLN:HG3	2.22	0.45
2:A:501[A]:HEM:CBC	2:A:501[A]:HEM:CMC	2.95	0.45
1:B:84:GLU:OE1	6:B:996:HOH:O	2.21	0.45
1:D:340:TYR:HB2	1:D:341:PRO:HD3	1.99	0.44
1:A:84:GLU:OE1	6:A:983:HOH:O	2.21	0.44
1:D:57:HIS:HA	1:D:97:THR:O	2.18	0.44
1:A:72:SER:HB3	1:A:84:GLU:HA	2.00	0.44
1:A:57:HIS:HA	1:A:97:THR:O	2.17	0.44
1:B:334:GLN:HG3	6:C:704:HOH:O	2.17	0.44
1:B:156:THR:HG22	1:C:248:TYR:CZ	2.53	0.44
1:C:230:GLU:CD	1:C:230:GLU:H	2.21	0.43
1:A:230:GLU:CD	1:A:230:GLU:H	2.20	0.43
2:B:501[A]:HEM:CBC	2:B:501[A]:HEM:HMC2	2.49	0.43
2:B:502[B]:HEM:HMC1	2:B:502[B]:HEM:CBC	2.50	0.42
1:A:346:HIS:CE1	6:D:911:HOH:O	2.57	0.42
1:C:70:GLU:O	1:C:85:GLU:HG3	2.19	0.42
1:D:321:LEU:HD12	6:D:841:HOH:O	2.18	0.42
2:C:502[B]:HEM:HBC2	2:C:502[B]:HEM:CMC	2.50	0.42
1:A:271:TYR:CD1	1:A:278:PRO:HD2	2.55	0.42
1:D:75:LYS:HG2	1:D:76:HIS:CE1	2.55	0.42
1:C:57:HIS:HA	1:C:97:THR:O	2.19	0.42
1:B:287:GLU:HG2	1:B:292:LEU:HD21	2.02	0.41
1:A:57:HIS:CE1	1:A:98:VAL:HG22	2.56	0.41
2:D:501[A]:HEM:HMC2	2:D:501[A]:HEM:HBC2	2.02	0.41
1:D:134[B]:ILE:H	1:D:134[B]:ILE:HD13	1.84	0.41
1:C:57:HIS:CD2	2:C:501[A]:HEM:C4D	3.09	0.41
1:D:199:VAL:HG11	2:D:502[B]:HEM:CBB	2.50	0.41
1:A:237:ALA:HB2	1:D:237:ALA:HB2	2.03	0.41
2:B:502[B]:HEM:CMC	2:B:502[B]:HEM:CBC	2.96	0.41
1:A:412[A]:VAL:HG13	1:B:403:GLU:OE2	2.21	0.41
1:B:340:TYR:HB2	1:B:341:PRO:HD3	2.02	0.41
1:D:57:HIS:CD2	2:D:501[A]:HEM:C4D	3.09	0.41
1:B:230:GLU:O	1:B:234:GLU:HG3	2.21	0.41

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:273:GLU:OE1	1:C:417:GLU:OE2[1_455]	1.96	0.24
1:D:234:GLU:OE2	6:B:886:HOH:O[2_655]	2.08	0.12
1:A:417:GLU:OE2	1:D:273:GLU:OE1[1_455]	2.16	0.04

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	483/491 (98%)	469 (97%)	14 (3%)	0	100	100
1	B	483/491 (98%)	470 (97%)	13 (3%)	0	100	100
1	C	484/491 (99%)	469 (97%)	15 (3%)	0	100	100
1	D	484/491 (99%)	468 (97%)	15 (3%)	1 (0%)	52	30
All	All	1934/1964 (98%)	1876 (97%)	57 (3%)	1 (0%)	56	33

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	484	SER

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/432 (99%)	416 (98%)	10 (2%)	58	30
1	B	426/432 (99%)	412 (97%)	14 (3%)	45	15

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	427/432 (99%)	418 (98%)	9 (2%)	61	34
1	D	427/432 (99%)	416 (97%)	11 (3%)	54	25
All	All	1706/1728 (99%)	1662 (97%)	44 (3%)	54	25

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	110	ASP
1	A	114	PHE
1	A	120	THR
1	A	241	GLN
1	A	253	LYS
1	A	401	GLU
1	A	409	ASP
1	A	420	ASN
1	A	447	ASP
1	A	474	LEU
1	B	110	ASP
1	B	114	PHE
1	B	120	THR
1	B	219	ARG
1	B	241	GLN
1	B	401	GLU
1	B	409	ASP
1	B	420	ASN
1	B	440	LEU
1	B	447	ASP
1	B	454	LYS
1	B	470	TYR
1	B	474	LEU
1	B	485	TYR
1	C	110	ASP
1	C	114	PHE
1	C	120	THR
1	C	225	ARG
1	C	241	GLN
1	C	401	GLU
1	C	420	ASN
1	C	447	ASP
1	C	485	TYR
1	D	75	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	110	ASP
1	D	114	PHE
1	D	120	THR
1	D	234	GLU
1	D	241	GLN
1	D	409	ASP
1	D	447	ASP
1	D	470	TYR
1	D	474	LEU
1	D	485	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	HIS
1	A	100	HIS
1	A	157	ASN
1	A	226	ASN
1	A	346	HIS
1	A	367	ASN
1	A	420	ASN
1	A	452	ASN
1	B	100	HIS
1	B	157	ASN
1	B	226	ASN
1	B	420	ASN
1	B	452	ASN
1	C	100	HIS
1	C	226	ASN
1	C	420	ASN
1	D	28	HIS
1	D	100	HIS
1	D	226	ASN

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 8 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	A	501[A]	1	30,50,50	2.62	9 (30%)	24,82,82	3.10	17 (70%)
2	HEM	A	502[B]	1	30,50,50	2.57	9 (30%)	24,82,82	2.87	10 (41%)
5	ACT	A	506	-	1,3,3	2.23	1 (100%)	0,3,3	0.00	-
2	HEM	B	501[A]	1,6	30,50,50	2.34	10 (33%)	24,82,82	2.60	11 (45%)
2	HEM	B	502[B]	1,6	30,50,50	2.69	11 (36%)	24,82,82	2.76	10 (41%)
5	ACT	B	505	-	1,3,3	2.56	1 (100%)	0,3,3	0.00	-
2	HEM	C	501[A]	1,6	30,50,50	2.49	11 (36%)	24,82,82	2.50	12 (50%)
2	HEM	C	502[B]	1,6	30,50,50	2.25	9 (30%)	24,82,82	3.21	17 (70%)
5	ACT	C	504	-	1,3,3	2.27	1 (100%)	0,3,3	0.00	-
2	HEM	D	501[A]	1,6	30,50,50	2.38	9 (30%)	24,82,82	2.44	11 (45%)
2	HEM	D	502[B]	1	30,50,50	2.11	8 (26%)	24,82,82	2.51	13 (54%)
5	ACT	D	505	-	1,3,3	1.69	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	501[A]	1	-	0/10/54/54	0/0/8/8
2	HEM	A	502[B]	1	-	0/10/54/54	0/0/8/8
5	ACT	A	506	-	-	0/0/0/0	0/0/0/0
2	HEM	B	501[A]	1,6	-	0/10/54/54	0/0/8/8
2	HEM	B	502[B]	1,6	-	0/10/54/54	0/0/8/8
5	ACT	B	505	-	-	0/0/0/0	0/0/0/0
2	HEM	C	501[A]	1,6	-	0/10/54/54	0/0/8/8
2	HEM	C	502[B]	1,6	-	0/10/54/54	0/0/8/8
5	ACT	C	504	-	-	0/0/0/0	0/0/0/0
2	HEM	D	501[A]	1,6	-	0/10/54/54	0/0/8/8
2	HEM	D	502[B]	1	-	0/10/54/54	0/0/8/8
5	ACT	D	505	-	-	0/0/0/0	0/0/0/0

All (79) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502[B]	HEM	C3B-C4B	-8.52	1.44	1.51
2	A	501[A]	HEM	C2C-C1C	-7.64	1.38	1.52
2	A	502[B]	HEM	C3B-C4B	-7.63	1.45	1.51
2	D	502[B]	HEM	C2D-C3D	-6.89	1.33	1.54
2	C	501[A]	HEM	C2D-C3D	-6.80	1.34	1.54
2	A	501[A]	HEM	C2D-C3D	-6.79	1.34	1.54
2	C	502[B]	HEM	C2C-C1C	-6.75	1.39	1.52
2	A	502[B]	HEM	C2C-C1C	-6.72	1.39	1.52
2	B	502[B]	HEM	C2D-C3D	-6.67	1.34	1.54
2	B	501[A]	HEM	C2D-C3D	-6.62	1.34	1.54
2	D	501[A]	HEM	C2D-C3D	-6.57	1.34	1.54
2	B	501[A]	HEM	C2C-C1C	-6.35	1.40	1.52
2	D	501[A]	HEM	C3B-C4B	-6.34	1.46	1.51
2	B	502[B]	HEM	C2C-C1C	-6.23	1.40	1.52
2	A	502[B]	HEM	C2D-C3D	-6.15	1.36	1.54
2	C	501[A]	HEM	C2C-C1C	-6.12	1.40	1.52
2	C	501[A]	HEM	C3B-C4B	-5.93	1.46	1.51
2	C	502[B]	HEM	C2D-C3D	-5.75	1.37	1.54
2	D	502[B]	HEM	C2C-C1C	-5.68	1.41	1.52
2	D	501[A]	HEM	C2C-C1C	-5.15	1.42	1.52
2	A	501[A]	HEM	C3B-C4B	-4.91	1.47	1.51
2	A	501[A]	HEM	C3C-CAC	-4.52	1.42	1.51
2	A	501[A]	HEM	C3D-C4D	-4.06	1.46	1.51
2	A	502[B]	HEM	C2B-C1B	-3.80	1.39	1.51
2	C	502[B]	HEM	C3B-C4B	-3.50	1.48	1.51
2	B	501[A]	HEM	C3B-C4B	-3.37	1.48	1.51
2	B	501[A]	HEM	C3B-CAB	-3.28	1.45	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502[B]	HEM	C3D-C4D	-3.12	1.47	1.51
2	B	501[A]	HEM	C2B-C1B	-3.02	1.42	1.51
2	C	502[B]	HEM	C3C-CAC	-3.01	1.45	1.51
2	C	501[A]	HEM	C3C-CAC	-2.94	1.45	1.51
2	D	501[A]	HEM	C2B-C1B	-2.90	1.42	1.51
2	D	501[A]	HEM	C3C-CAC	-2.82	1.46	1.51
2	C	501[A]	HEM	C2B-C1B	-2.76	1.42	1.51
2	A	502[B]	HEM	C3C-CAC	-2.68	1.46	1.51
2	B	501[A]	HEM	C3C-CAC	-2.64	1.46	1.51
2	D	501[A]	HEM	C3B-CAB	-2.62	1.46	1.51
2	C	501[A]	HEM	C3B-CAB	-2.60	1.46	1.51
2	B	502[B]	HEM	C3C-CAC	-2.57	1.46	1.51
2	A	501[A]	HEM	C2B-C1B	-2.54	1.43	1.51
2	A	502[B]	HEM	CMB-C2B	-2.49	1.47	1.53
2	C	501[A]	HEM	C3D-C4D	-2.44	1.48	1.51
2	B	502[B]	HEM	C2B-C1B	-2.41	1.44	1.51
2	A	501[A]	HEM	C3B-CAB	-2.39	1.46	1.51
2	B	501[A]	HEM	CAA-C2A	-2.38	1.47	1.52
2	A	502[B]	HEM	C3B-CAB	-2.35	1.46	1.51
2	C	501[A]	HEM	CMD-C2D	-2.32	1.47	1.53
2	D	501[A]	HEM	C3D-C4D	-2.30	1.48	1.51
2	C	502[B]	HEM	C2B-C1B	-2.30	1.44	1.51
2	D	502[B]	HEM	C3C-CAC	-2.26	1.47	1.51
2	D	502[B]	HEM	C2B-C1B	-2.25	1.44	1.51
2	D	502[B]	HEM	CAD-C3D	-2.23	1.49	1.54
2	B	502[B]	HEM	CMB-C2B	-2.20	1.48	1.53
2	C	502[B]	HEM	C2D-C1D	-2.20	1.44	1.51
2	C	501[A]	HEM	CMB-C2B	-2.19	1.48	1.53
2	D	502[B]	HEM	C3B-C4B	-2.08	1.50	1.51
2	B	502[B]	HEM	CAD-C3D	-2.02	1.50	1.54
2	B	501[A]	HEM	FE-NB	2.01	2.08	1.97
2	A	501[A]	HEM	FE-NB	2.04	2.08	1.97
2	A	502[B]	HEM	FE-NB	2.08	2.08	1.97
2	B	502[B]	HEM	CAA-C2A	2.14	1.55	1.52
2	C	502[B]	HEM	FE-NB	2.18	2.09	1.97
2	B	501[A]	HEM	C1C-NC	2.22	1.38	1.36
5	A	506	ACT	CH3-C	2.23	1.51	1.48
2	B	502[B]	HEM	FE-NB	2.25	2.09	1.97
5	C	504	ACT	CH3-C	2.27	1.52	1.48
2	C	502[B]	HEM	C1C-NC	2.33	1.38	1.36
2	A	502[B]	HEM	FE-NC	2.51	2.05	1.95
2	A	501[A]	HEM	FE-NC	2.51	2.05	1.95

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501[A]	HEM	C1C-NC	2.55	1.39	1.36
5	B	505	ACT	CH3-C	2.56	1.52	1.48
2	C	501[A]	HEM	FE-NC	2.57	2.05	1.95
2	D	502[B]	HEM	C1C-NC	2.59	1.39	1.36
2	D	501[A]	HEM	C1C-NC	2.59	1.39	1.36
2	D	501[A]	HEM	FE-NC	2.66	2.06	1.95
2	C	502[B]	HEM	FE-NC	2.67	2.06	1.95
2	D	502[B]	HEM	FE-NC	3.42	2.09	1.95
2	B	502[B]	HEM	FE-NC	3.72	2.10	1.95
2	B	501[A]	HEM	FE-NC	3.85	2.10	1.95

All (101) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	502[B]	HEM	C3C-CAC-CBC	-4.89	116.96	124.46
2	C	502[B]	HEM	CMA-C3A-C4A	-4.79	120.44	128.36
2	A	501[A]	HEM	C3C-CAC-CBC	-4.60	117.39	124.46
2	A	501[A]	HEM	CMA-C3A-C4A	-4.31	121.23	128.36
2	B	501[A]	HEM	C3B-C4B-NB	-4.03	103.92	111.63
2	B	502[B]	HEM	C3C-CAC-CBC	-4.02	118.30	124.46
2	C	502[B]	HEM	C1D-CHD-C4C	-3.89	119.31	125.82
2	A	501[A]	HEM	CBA-CAA-C2A	-3.75	105.80	112.53
2	B	502[B]	HEM	CAA-CBA-CGA	-3.67	106.02	112.75
2	C	501[A]	HEM	C3B-CAB-CBB	-3.50	119.09	124.46
2	A	501[A]	HEM	C3B-CAB-CBB	-3.44	119.18	124.46
2	C	501[A]	HEM	C1D-CHD-C4C	-3.37	120.19	125.82
2	D	501[A]	HEM	C3C-CAC-CBC	-3.33	119.34	124.46
2	D	502[B]	HEM	CAA-CBA-CGA	-3.33	106.64	112.75
2	C	502[B]	HEM	C3C-CAC-CBC	-3.29	119.40	124.46
2	A	501[A]	HEM	C3B-C4B-NB	-3.27	105.37	111.63
2	D	501[A]	HEM	C3B-CAB-CBB	-3.26	119.45	124.46
2	C	502[B]	HEM	C3B-C4B-NB	-3.01	105.87	111.63
2	D	501[A]	HEM	CBA-CAA-C2A	-2.94	107.25	112.53
2	A	502[B]	HEM	CAA-CBA-CGA	-2.94	107.36	112.75
2	D	501[A]	HEM	C3B-C4B-NB	-2.91	106.07	111.63
2	C	501[A]	HEM	C3B-C4B-NB	-2.89	106.09	111.63
2	B	501[A]	HEM	C3B-CAB-CBB	-2.88	120.04	124.46
2	A	502[B]	HEM	C3B-CAB-CBB	-2.85	120.08	124.46
2	C	502[B]	HEM	C3B-CAB-CBB	-2.83	120.12	124.46
2	B	501[A]	HEM	CAA-C2A-C1A	-2.81	123.96	127.01
2	A	502[B]	HEM	CMA-C3A-C4A	-2.80	123.74	128.36
2	D	502[B]	HEM	C3C-CAC-CBC	-2.78	120.20	124.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	502[B]	HEM	CAA-CBA-CGA	-2.77	107.68	112.75
2	D	502[B]	HEM	C3B-C4B-NB	-2.76	106.35	111.63
2	A	501[A]	HEM	C4B-CHC-C1C	-2.75	121.23	125.82
2	C	502[B]	HEM	CBD-CAD-C3D	-2.67	105.78	113.55
2	C	501[A]	HEM	C3C-CAC-CBC	-2.66	120.38	124.46
2	C	502[B]	HEM	CAA-C2A-C3A	-2.66	121.42	129.00
2	D	502[B]	HEM	CMA-C3A-C2A	-2.63	119.73	125.24
2	B	501[A]	HEM	C3C-CAC-CBC	-2.56	120.53	124.46
2	A	501[A]	HEM	CBD-CAD-C3D	-2.54	106.17	113.55
2	A	501[A]	HEM	CAA-C2A-C1A	-2.45	124.35	127.01
2	C	501[A]	HEM	CBA-CAA-C2A	-2.39	108.24	112.53
2	A	501[A]	HEM	CAD-CBD-CGD	-2.17	104.16	113.02
2	D	501[A]	HEM	C4B-CHC-C1C	-2.13	122.26	125.82
2	B	502[B]	HEM	C3B-C4B-NB	-2.09	107.63	111.63
2	A	501[A]	HEM	C1D-CHD-C4C	-2.08	122.34	125.82
2	D	501[A]	HEM	C1D-CHD-C4C	-2.08	122.35	125.82
2	D	502[B]	HEM	C1D-CHD-C4C	-2.01	122.47	125.82
2	D	502[B]	HEM	CHD-C1D-ND	2.02	129.39	124.52
2	C	501[A]	HEM	CAA-CBA-CGA	2.17	116.72	112.75
2	C	502[B]	HEM	CHC-C4B-NB	2.20	129.83	124.52
2	C	502[B]	HEM	CHD-C1D-ND	2.25	129.95	124.52
2	B	501[A]	HEM	CMD-C2D-C3D	2.31	124.57	114.35
2	C	502[B]	HEM	C2D-C3D-C4D	2.32	105.44	101.50
2	A	502[B]	HEM	C2D-C3D-C4D	2.33	105.45	101.50
2	B	502[B]	HEM	CHC-C4B-NB	2.53	130.61	124.52
2	C	501[A]	HEM	CMD-C2D-C3D	2.55	125.64	114.35
2	C	501[A]	HEM	CAD-C3D-C2D	2.56	120.57	113.22
2	B	501[A]	HEM	C2C-C1C-CHC	2.62	127.67	123.68
2	B	502[B]	HEM	CAD-C3D-C4D	2.69	121.95	112.47
2	D	501[A]	HEM	CMB-C2B-C3B	2.75	123.40	116.53
2	B	501[A]	HEM	CMC-C2C-C3C	2.82	123.57	116.53
2	D	502[B]	HEM	CHC-C4B-NB	2.93	131.57	124.52
2	D	501[A]	HEM	CHC-C4B-NB	2.93	131.58	124.52
2	A	501[A]	HEM	CHC-C4B-NB	2.94	131.60	124.52
2	B	501[A]	HEM	CHC-C4B-NB	2.96	131.65	124.52
2	C	501[A]	HEM	CMB-C2B-C3B	3.06	124.17	116.53
2	D	502[B]	HEM	CMD-C2D-C3D	3.07	127.95	114.35
2	C	501[A]	HEM	CHC-C4B-NB	3.10	132.00	124.52
2	B	502[B]	HEM	C2D-C3D-C4D	3.15	106.84	101.50
2	D	502[B]	HEM	C2D-C3D-C4D	3.16	106.86	101.50
2	A	501[A]	HEM	CMA-C3A-C2A	3.18	131.88	125.24
2	A	502[B]	HEM	CMD-C2D-C3D	3.22	128.59	114.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501[A]	HEM	CMD-C2D-C3D	3.28	128.85	114.35
2	D	502[B]	HEM	CMC-C2C-C3C	3.28	124.73	116.53
2	C	502[B]	HEM	CAD-C3D-C4D	3.51	124.86	112.47
2	A	502[B]	HEM	CAD-C3D-C4D	3.52	124.87	112.47
2	B	502[B]	HEM	CMD-C2D-C3D	3.56	130.10	114.35
2	D	502[B]	HEM	CAD-C3D-C4D	3.59	125.12	112.47
2	C	501[A]	HEM	CMC-C2C-C3C	3.70	125.76	116.53
2	C	502[B]	HEM	CMB-C2B-C3B	3.83	126.09	116.53
2	B	501[A]	HEM	CAD-C3D-C2D	4.14	125.11	113.22
2	D	501[A]	HEM	CMC-C2C-C3C	4.14	126.88	116.53
2	A	501[A]	HEM	CAD-C3D-C4D	4.26	127.51	112.47
2	D	502[B]	HEM	CMB-C2B-C3B	4.36	127.41	116.53
2	D	501[A]	HEM	CAD-C3D-C2D	4.36	125.75	113.22
2	C	502[B]	HEM	CMD-C2D-C3D	4.36	133.64	114.35
2	A	501[A]	HEM	CMB-C2B-C3B	4.41	127.54	116.53
2	B	502[B]	HEM	CMC-C2C-C3C	4.64	128.12	116.53
2	D	501[A]	HEM	CAD-C3D-C4D	4.88	129.68	112.47
2	C	502[B]	HEM	CMC-C2C-C3C	5.00	129.00	116.53
2	A	501[A]	HEM	CMC-C2C-C3C	5.10	129.27	116.53
2	D	502[B]	HEM	CAD-C3D-C2D	5.14	127.99	113.22
2	B	501[A]	HEM	CAD-C3D-C4D	5.14	130.61	112.47
2	A	501[A]	HEM	CAD-C3D-C2D	5.19	128.12	113.22
2	B	501[A]	HEM	CMB-C2B-C3B	5.32	129.80	116.53
2	A	502[B]	HEM	CMB-C2B-C3B	5.57	130.44	116.53
2	C	502[B]	HEM	CAA-C2A-C1A	5.60	133.09	127.01
2	A	502[B]	HEM	CAD-C3D-C2D	5.67	129.52	113.22
2	C	502[B]	HEM	CAD-C3D-C2D	5.72	129.66	113.22
2	B	502[B]	HEM	CMB-C2B-C3B	5.83	131.09	116.53
2	A	502[B]	HEM	CMC-C2C-C3C	6.11	131.79	116.53
2	B	502[B]	HEM	CAD-C3D-C2D	6.24	131.16	113.22
2	C	501[A]	HEM	CAD-C3D-C4D	6.62	135.80	112.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 40 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501[A]	HEM	4	0
2	A	502[B]	HEM	1	0
2	B	501[A]	HEM	6	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	502[B]	HEM	5	0
2	C	501[A]	HEM	7	0
2	C	502[B]	HEM	5	0
2	D	501[A]	HEM	8	0
2	D	502[B]	HEM	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	480/491 (97%)	-0.10	4 (0%) 87 88	12, 18, 32, 45	0
1	B	480/491 (97%)	-0.12	4 (0%) 87 88	10, 18, 33, 66	0
1	C	480/491 (97%)	-0.12	6 (1%) 79 82	10, 16, 31, 77	0
1	D	480/491 (97%)	0.01	12 (2%) 61 61	11, 19, 34, 84	0
All	All	1920/1964 (97%)	-0.08	26 (1%) 78 80	10, 18, 33, 84	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	485	TYR	7.9
1	C	485	TYR	7.3
1	C	372[A]	PHE	4.8
1	D	483	ARG	4.8
1	B	485	TYR	4.3
1	B	372[A]	PHE	3.8
1	C	483	ARG	3.8
1	D	484	SER	3.7
1	A	372[A]	PHE	3.7
1	A	485	TYR	3.7
1	D	481	ASP	3.4
1	D	372[A]	PHE	3.2
1	D	482	ILE	3.2
1	D	464	TYR	2.9
1	C	484	SER	2.9
1	D	461	CYS	2.8
1	B	464	TYR	2.7
1	A	484	SER	2.6
1	D	479	GLY	2.6
1	B	484	SER	2.5
1	D	468	GLU	2.4

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	6	HIS	2.4
1	D	480	VAL	2.3
1	A	288	GLU	2.2
1	C	482	ILE	2.2
1	C	6	HIS	2.2

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q < 0.9
5	ACT	B	505	4/4	0.89	0.12	3.96	28,30,30,31	0
5	ACT	C	504	4/4	0.89	0.12	2.95	25,26,26,27	0
3	CL	A	503	1/1	0.99	0.14	1.76	24,24,24,24	0
2	HEM	C	502[B]	43/43	0.97	0.11	0.70	7,8,9,10	43
2	HEM	C	501[A]	43/43	0.97	0.10	0.59	10,12,14,17	43
2	HEM	B	501[A]	43/43	0.96	0.10	0.48	10,13,14,18	43
5	ACT	D	505	4/4	0.94	0.10	0.46	30,34,38,38	0
5	ACT	A	506	4/4	0.92	0.09	0.39	26,27,29,30	0
2	HEM	B	502[B]	43/43	0.96	0.10	0.37	8,11,12,12	43
2	HEM	D	502[B]	43/43	0.97	0.09	0.08	7,9,10,10	43
2	HEM	D	501[A]	43/43	0.97	0.09	-0.05	12,15,17,20	43
2	HEM	A	501[A]	43/43	0.97	0.09	-0.20	10,11,12,14	43
2	HEM	A	502[B]	43/43	0.97	0.09	-0.29	9,10,11,13	43
3	CL	B	503	1/1	0.99	0.06	-1.80	15,15,15,15	0
3	CL	C	503	1/1	1.00	0.06	-1.91	17,17,17,17	0
4	NA	A	505	1/1	0.97	0.05	-2.61	15,15,15,15	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CL	D	504	1/1	1.00	0.05	-2.87	13,13,13,13	0
3	CL	A	504	1/1	0.99	0.04	-3.21	18,18,18,18	0
3	CL	D	503	1/1	0.99	0.09	-4.08	21,21,21,21	0
4	NA	B	504	1/1	0.95	0.04	-	30,30,30,30	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.