



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 08:01 PM GMT

PDB ID : 4QOR
Title : Structure of Bacillus pumilus catalase with chlorophenol bound.
Authors : Loewen, P.C.
Deposited on : 2014-06-20
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	1833 (1.96-1.96)
Clashscore	102246	1953 (1.96-1.96)
Ramachandran outliers	100387	1936 (1.96-1.96)
Sidechain outliers	100360	1936 (1.96-1.96)
RSRZ outliers	91569	1835 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	2CH	D	504	-	-	-	X
4	CL	A	504	-	-	-	X

2 Entry composition (i)


There are 6 unique types of molecules in this entry. The entry contains 17905 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catalase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	480	Total	C 3960	N 2495	O 695	S 755	15	0	7	0
1	B	480	Total	C 3951	N 2491	O 691	S 754	15	0	5	0
1	C	480	Total	C 3965	N 2500	O 695	S 755	15	0	7	0
1	D	480	Total	C 3958	N 2494	O 692	S 758	14	0	6	0

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C 43	Fe 34	N 1	O 4	4	0	1
2	A	1	Total	C 43	Fe 34	N 1	O 4	4	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		

- Molecule 3 is 2-CHLOROPHENOL (three-letter code: 2CH) (formula: C₆H₅ClO).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	O		0	0
			8	6	1	1			
3	B	1	Total	C	Cl	O		0	0
			8	6	1	1			
3	B	1	Total	C	Cl	O		0	0
			8	6	1	1			
3	C	1	Total	C	Cl	O		0	0
			8	6	1	1			
3	D	1	Total	C	Cl	O		0	0
			8	6	1	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	1	Total	C	Cl	O	0	0
			8	6	1	1		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	Cl			0	0
			1	1				
4	A	2	Total	Cl			0	0
			2	2				
4	D	1	Total	Cl			0	0
			1	1				
4	C	2	Total	Cl			0	0
			2	2				

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	Na			0	0
			1	1				
5	A	1	Total	Na			0	0
			1	1				


- Molecule 6 is water.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	444	Total	O			0	0
			444	444				
6	B	409	Total	O			0	0
			409	409				
6	C	411	Total	O			0	0
			411	411				
6	D	407	Total	O			0	0
			407	407				


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Catalase




- Molecule 1: Catalase



- Molecule 1: Catalase



- Molecule 1: Catalase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.66 Å 109.08 Å 103.03 Å 90.00° 91.90° 90.00°	Depositor
Resolution (Å)	102.97 – 1.95 28.65 – 1.95	Depositor EDS
% Data completeness (in resolution range)	93.9 (102.97-1.95) 93.9 (28.65-1.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$< I/\sigma(I) >$ ¹	1.90 (at 1.95 Å)	Xtriage
Refinement program	REFMAC 5.8.0069	Depositor
R , R_{free}	0.182 , 0.220 0.190 , 0.224	Depositor DCC
R_{free} test set	6986 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	20.0	Xtriage
Anisotropy	0.779	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 49.4	EDS
Estimated twinning fraction	0.087 for h,-k,-l	Xtriage
L-test for twinning ²	$< L > = 0.46$, $< L^2 > = 0.29$	Xtriage
Outliers	1 of 138264 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17905	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CL, 2CH, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.76	1/4085 (0.0%)	0.82	7/5538 (0.1%)
1	B	0.77	0/4069	0.81	4/5516 (0.1%)
1	C	0.80	0/4086	0.84	6/5539 (0.1%)
1	D	0.74	0/4076	0.81	6/5526 (0.1%)
All	All	0.77	1/16316 (0.0%)	0.82	23/22119 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	305	GLU	CD-OE1	6.93	1.33	1.25

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	203	ARG	NE-CZ-NH2	-8.02	116.29	120.30
1	B	203	ARG	NE-CZ-NH2	-7.03	116.78	120.30
1	C	413	ARG	NE-CZ-NH1	-7.01	116.80	120.30
1	D	203	ARG	NE-CZ-NH2	-6.76	116.92	120.30
1	B	50	ARG	NE-CZ-NH2	-6.54	117.03	120.30
1	D	203	ARG	NE-CZ-NH1	6.51	123.55	120.30
1	B	50	ARG	NE-CZ-NH1	6.48	123.54	120.30
1	A	203	ARG	NE-CZ-NH1	6.45	123.52	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	203	ARG	NE-CZ-NH1	6.42	123.51	120.30
1	B	203	ARG	NE-CZ-NH1	5.81	123.20	120.30
1	C	203	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	D	413	ARG	NE-CZ-NH1	-5.60	117.50	120.30
1	C	78[A]	ARG	NE-CZ-NH2	-5.49	117.56	120.30
1	C	78[B]	ARG	NE-CZ-NH2	-5.49	117.56	120.30
1	D	388	ARG	NE-CZ-NH2	-5.46	117.57	120.30
1	A	329	GLU	OE1-CD-OE2	-5.36	116.87	123.30
1	D	252	GLU	CA-CB-CG	5.23	124.92	113.40
1	C	50	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	D	50	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	A	461[A]	CYS	CA-CB-SG	-5.18	104.67	114.00
1	A	461[B]	CYS	CA-CB-SG	-5.18	104.67	114.00
1	A	184	ASP	CB-CG-OD1	5.03	122.83	118.30
1	A	473	ARG	NE-CZ-NH1	5.01	122.80	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	484	SER	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3960	0	3766	33	1
1	B	3951	0	3757	25	1
1	C	3965	0	3776	25	1
1	D	3958	0	3758	22	0
2	A	86	0	60	10	0
2	B	86	0	60	12	0
2	C	86	0	60	11	0
2	D	86	0	60	16	0
3	A	8	0	4	1	0
3	B	16	0	8	1	0
3	C	8	0	4	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	16	0	9	0	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
4	C	2	0	0	0	0
4	D	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	444	0	0	7	0
6	B	409	0	0	8	0
6	C	411	0	0	12	0
6	D	407	0	0	14	1
All	All	17905	0	15322	136	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:388:ARG:HD2	6:B:995:HOH:O	1.56	1.06
2:C:501[A]:HEM:HBC2	2:C:501[A]:HEM:CMC	1.90	1.01
2:A:501[A]:HEM:HMB2	2:A:501[A]:HEM:HBB2	1.40	1.01
2:C:501[A]:HEM:HMB2	2:C:501[A]:HEM:HBB2	1.46	0.98
1:D:72[B]:SER:OG	1:D:74:GLU:OE1	1.81	0.97
1:B:401:GLU:OE2	6:B:997:HOH:O	1.80	0.96
2:C:501[A]:HEM:HBC2	2:C:501[A]:HEM:HMC2	1.45	0.95
2:A:501[A]:HEM:CMB	2:A:501[A]:HEM:HBB2	1.94	0.93
2:C:501[A]:HEM:CMB	2:C:501[A]:HEM:HBB2	1.99	0.92
1:C:212:LYS:NZ	6:C:901:HOH:O	2.01	0.88
1:A:401:GLU:OE2	6:A:948:HOH:O	1.91	0.85
1:C:212:LYS:HE2	6:C:900:HOH:O	1.78	0.83
1:A:212:LYS:HE2	6:A:703:HOH:O	1.77	0.83
1:B:410:ARG:NH1	6:B:925:HOH:O	2.07	0.82
1:B:212:LYS:NZ	6:B:899:HOH:O	2.10	0.81
1:B:372[A]:PHE:CE2	6:D:899:HOH:O	2.36	0.78
2:A:501[A]:HEM:HMB2	2:A:501[A]:HEM:CBB	2.14	0.77
2:B:501[A]:HEM:CMC	2:B:501[A]:HEM:HBC2	2.14	0.77
1:B:272:ASP:HB2	6:B:910:HOH:O	1.85	0.77
2:B:501[A]:HEM:HBC2	2:B:501[A]:HEM:HMC2	1.67	0.76
1:C:28:HIS:ND1	6:C:837:HOH:O	2.18	0.76
1:A:219:ARG:HD2	6:A:870:HOH:O	1.87	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:346:HIS:HE1	6:D:899:HOH:O	1.69	0.74
2:C:501[A]:HEM:CBC	2:C:501[A]:HEM:HMC2	2.16	0.74
2:B:501[A]:HEM:HMB2	2:B:501[A]:HEM:HBB2	1.70	0.74
1:B:372[A]:PHE:CD2	6:D:899:HOH:O	2.40	0.73
2:C:501[A]:HEM:HMB2	2:C:501[A]:HEM:CBB	2.19	0.71
2:D:501[A]:HEM:CMC	2:D:501[A]:HEM:HBC2	2.20	0.71
2:D:501[A]:HEM:HBB2	2:D:501[A]:HEM:CMB	2.22	0.69
2:D:501[A]:HEM:HBB2	2:D:501[A]:HEM:HMB2	1.75	0.68
1:D:483:ARG:O	1:D:484:SER:CB	2.41	0.68
1:D:252:GLU:OE1	6:D:675:HOH:O	2.11	0.68
2:D:502[B]:HEM:HBC2	2:D:502[B]:HEM:CMC	2.24	0.67
1:C:219:ARG:HD2	6:C:725:HOH:O	1.95	0.66
1:A:410[A]:ARG:HG3	1:A:412[A]:VAL:HG22	1.78	0.66
2:B:501[A]:HEM:CMB	2:B:501[A]:HEM:HBB2	2.26	0.66
2:A:501[A]:HEM:HBC2	2:A:501[A]:HEM:CMC	2.25	0.65
1:A:461[B]:CYS:SG	1:A:465:ARG:NH2	2.70	0.65
2:A:502[B]:HEM:CMC	2:A:502[B]:HEM:HBC2	2.27	0.65
1:C:212:LYS:CE	6:C:900:HOH:O	2.42	0.65
1:A:45:HIS:HE1	1:C:351:ASN:OD1	1.78	0.65
1:B:140:ALA:HA	2:B:501[A]:HEM:HBB1	1.80	0.64
1:A:329:GLU:HG3	6:D:983:HOH:O	1.96	0.64
1:A:452:ASN:HD22	1:A:455:THR:H	1.47	0.62
2:C:502[B]:HEM:HBC2	2:C:502[B]:HEM:CMC	2.28	0.62
1:A:286:SER:OG	1:A:288:GLU:HG2	2.00	0.61
2:A:501[A]:HEM:HBC2	2:A:501[A]:HEM:HMC2	1.82	0.61
1:C:28:HIS:CE1	6:C:837:HOH:O	2.53	0.61
2:A:502[B]:HEM:HMC1	2:A:502[B]:HEM:HBC2	1.84	0.60
2:D:501[A]:HEM:HMC2	2:D:501[A]:HEM:HBC2	1.85	0.58
2:C:502[B]:HEM:HBC2	2:C:502[B]:HEM:HMC1	1.84	0.58
2:B:502[B]:HEM:CMC	2:B:502[B]:HEM:HBC2	2.31	0.58
2:D:502[B]:HEM:HMC1	2:D:502[B]:HEM:HBC2	1.85	0.57
1:A:452:ASN:HD21	1:A:454:LYS:HB3	1.70	0.57
1:D:454:LYS:HE3	6:D:1004:HOH:O	2.04	0.57
1:B:452:ASN:HD22	1:B:455:THR:H	1.53	0.57
2:B:501[A]:HEM:CBC	2:B:501[A]:HEM:HMC2	2.36	0.56
1:B:100:HIS:HE1	6:C:701:HOH:O	1.89	0.55
1:A:45:HIS:HD2	6:A:690:HOH:O	1.89	0.55
1:D:212:LYS:NZ	6:D:962:HOH:O	2.29	0.55
1:C:461[B]:CYS:SG	1:C:465:ARG:NH2	2.80	0.55
1:D:332:LEU:HD12	2:D:501[A]:HEM:HBB1	1.89	0.54
1:C:121:GLU:HG3	6:C:766:HOH:O	2.07	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:219:ARG:CD	6:C:725:HOH:O	2.54	0.53
1:D:483:ARG:O	1:D:484:SER:HB3	2.07	0.53
1:D:212:LYS:HE2	6:D:710:HOH:O	2.09	0.53
1:A:219:ARG:CD	6:A:870:HOH:O	2.51	0.53
1:D:219:ARG:HG2	6:D:852:HOH:O	2.10	0.52
2:B:502[B]:HEM:HMC1	2:B:502[B]:HEM:HBC2	1.92	0.51
1:A:452:ASN:ND2	1:A:455:THR:H	2.07	0.51
1:B:287:GLU:CD	1:B:292:LEU:HD21	2.32	0.49
2:D:501[A]:HEM:HMC2	2:D:501[A]:HEM:CBC	2.42	0.49
1:B:287:GLU:CG	1:B:292:LEU:HD21	2.44	0.48
1:A:72:SER:CB	1:A:84:GLU:HA	2.44	0.48
1:A:331:LYS:HG2	6:D:883:HOH:O	2.14	0.47
1:C:234:GLU:C	1:C:234:GLU:OE1	2.52	0.47
1:C:134[B]:ILE:HD11	1:C:180:TRP:CD1	2.50	0.47
1:A:412[A]:VAL:HG13	1:B:403:GLU:OE2	2.15	0.47
1:B:452:ASN:ND2	1:B:455:THR:H	2.12	0.46
1:A:213:TYR:OH	1:A:329:GLU:OE2	2.20	0.46
1:A:142:LYS:HD3	1:D:21:GLN:HA	1.98	0.46
1:A:461[B]:CYS:SG	1:A:465:ARG:CZ	3.04	0.45
1:A:410[A]:ARG:HG3	1:A:412[A]:VAL:CG2	2.47	0.45
1:B:287:GLU:HG2	1:B:292:LEU:HD21	1.98	0.45
1:B:332:LEU:HD12	2:B:501[A]:HEM:HBB1	1.99	0.45
1:A:72:SER:HB3	1:A:84:GLU:HA	1.99	0.45
2:C:501[A]:HEM:HMC3	2:C:501[A]:HEM:HBC2	1.91	0.44
1:D:229:MET:CE	6:D:928:HOH:O	2.65	0.44
1:B:21:GLN:HA	1:C:142:LYS:HD3	1.98	0.44
1:A:72:SER:OG	1:A:74:GLU:OE1	2.35	0.44
2:D:502[B]:HEM:HMC1	2:D:502[B]:HEM:CBC	2.47	0.44
1:C:270:ASP:O	1:C:273:GLU:HG2	2.18	0.44
1:C:421:ASP:HA	6:C:927:HOH:O	2.18	0.44
6:B:737:HOH:O	1:C:100:HIS:HE1	1.99	0.43
1:B:420:ASN:ND2	6:B:732:HOH:O	2.45	0.43
1:D:140:ALA:HA	2:D:501[A]:HEM:HBB1	2.00	0.43
1:A:219:ARG:HD2	6:A:844:HOH:O	2.18	0.43
1:B:241:GLN:HG3	1:C:158:ILE:HG12	2.01	0.43
1:D:100:HIS:HE1	6:D:795:HOH:O	2.00	0.43
1:C:219:ARG:HD2	6:C:995:HOH:O	2.18	0.43
1:A:346:HIS:CE1	6:D:899:HOH:O	2.56	0.43
2:C:502[B]:HEM:CMB	2:C:502[B]:HEM:HBB2	2.49	0.43
1:B:336:ARG:HG2	2:B:502[B]:HEM:C2C	2.54	0.43
1:C:57:HIS:HA	1:C:97:THR:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:501[A]:HEM:CBC	2:C:501[A]:HEM:CMC	2.69	0.42
1:B:130:ASN:CG	2:B:502[B]:HEM:HMB2	2.40	0.42
1:C:70:GLU:O	1:C:85:GLU:HG3	2.19	0.42
1:C:461[B]:CYS:SG	1:C:465:ARG:CZ	3.08	0.42
2:A:501[A]:HEM:CBC	2:A:501[A]:HEM:HMC2	2.50	0.42
1:B:143:PHE:HB3	1:B:144:PRO:HD3	2.00	0.42
2:D:501[A]:HEM:HHA	2:D:501[A]:HEM:HBA2	2.02	0.42
1:A:57:HIS:HA	1:A:97:THR:O	2.20	0.42
1:A:70:GLU:O	1:A:85:GLU:HG3	2.20	0.41
1:A:241:GLN:HG3	1:D:158:ILE:HG12	2.02	0.41
1:C:229:MET:CE	6:C:972:HOH:O	2.67	0.41
1:D:57:HIS:CD2	2:D:501[A]:HEM:C4D	3.08	0.41
1:A:130:ASN:CG	2:A:502[B]:HEM:HMB2	2.40	0.41
1:C:253:LYS:HB3	1:C:253:LYS:HE2	1.79	0.41
1:C:143:PHE:HB3	1:C:144:PRO:HD3	2.02	0.41
2:D:501[A]:HEM:CBB	2:D:501[A]:HEM:HMB2	2.49	0.41
1:A:21:GLN:HA	1:D:142:LYS:HD3	2.03	0.41
1:C:181:LEU:HD21	3:C:503:2CH:C1	2.50	0.41
2:D:502[B]:HEM:CMB	2:D:502[B]:HEM:HBB2	2.50	0.41
2:A:502[B]:HEM:HBB2	2:A:502[B]:HEM:CMB	2.51	0.41
1:A:27:GLY:HA3	1:D:408:GLY:HA3	2.02	0.41
1:B:182:PHE:C	1:B:440:LEU:HD23	2.41	0.41
2:B:502[B]:HEM:HMC1	2:B:502[B]:HEM:CBC	2.51	0.41
1:B:181:LEU:HD21	3:B:503:2CH:C1	2.51	0.41
1:A:238:ASN:HB2	6:A:789:HOH:O	2.20	0.41
1:D:70:GLU:O	1:D:85:GLU:HG3	2.20	0.41
1:B:410:ARG:CZ	6:B:925:HOH:O	2.61	0.40
1:D:6:HIS:HA	6:D:784:HOH:O	2.21	0.40
1:D:343:THR:HG21	2:D:501[A]:HEM:HAA2	2.04	0.40
1:D:134[B]:ILE:HD11	1:D:180:TRP:CD1	2.56	0.40
1:D:336:ARG:HG2	2:D:502[B]:HEM:C2C	2.56	0.40
1:A:181:LEU:HD21	3:A:503:2CH:C1	2.52	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:273:GLU:OE1	1:C:417:GLU:OE2[1_455]	2.09	0.11
1:A:273:GLU:OE2	6:D:734:HOH:O[1_455]	2.14	0.06

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	485/491 (99%)	472 (97%)	13 (3%)	0	100 100
1	B	483/491 (98%)	472 (98%)	11 (2%)	0	100 100
1	C	485/491 (99%)	468 (96%)	17 (4%)	0	100 100
1	D	484/491 (99%)	469 (97%)	14 (3%)	1 (0%)	52 43
All	All	1937/1964 (99%)	1881 (97%)	55 (3%)	1 (0%)	56 48

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	484	SER

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	428/432 (99%)	415 (97%)	13 (3%)	48 36
1	B	426/432 (99%)	415 (97%)	11 (3%)	54 43
1	C	428/432 (99%)	418 (98%)	10 (2%)	58 50
1	D	427/432 (99%)	415 (97%)	12 (3%)	51 39
All	All	1709/1728 (99%)	1663 (97%)	46 (3%)	52 41

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	110	ASP
1	A	114	PHE
1	A	120	THR
1	A	241	GLN
1	A	401	GLU
1	A	409	ASP
1	A	410[A]	ARG
1	A	410[B]	ARG
1	A	420	ASN
1	A	447	ASP
1	A	470	TYR
1	A	474	LEU
1	A	485	TYR
1	B	110	ASP
1	B	114	PHE
1	B	241	GLN
1	B	272	ASP
1	B	401	GLU
1	B	420	ASN
1	B	440	LEU
1	B	447	ASP
1	B	470	TYR
1	B	474	LEU
1	B	485	TYR
1	C	72	SER
1	C	110	ASP
1	C	114	PHE
1	C	241	GLN
1	C	401	GLU
1	C	409	ASP
1	C	420	ASN
1	C	447	ASP
1	C	470	TYR
1	C	485	TYR
1	D	75	LYS
1	D	110	ASP
1	D	114	PHE
1	D	120	THR
1	D	234	GLU
1	D	241	GLN
1	D	272	ASP
1	D	401	GLU
1	D	447	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	470	TYR
1	D	474	LEU
1	D	485	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	HIS
1	A	100	HIS
1	A	157	ASN
1	A	226	ASN
1	A	346	HIS
1	A	420	ASN
1	A	452	ASN
1	B	28	HIS
1	B	100	HIS
1	B	157	ASN
1	B	226	ASN
1	B	367	ASN
1	B	420	ASN
1	B	452	ASN
1	C	100	HIS
1	C	226	ASN
1	C	367	ASN
1	C	420	ASN
1	D	100	HIS
1	D	157	ASN
1	D	226	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 22 ligands modelled in this entry, 8 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	501[A]	1	30,50,50	2.49	10 (33%)	24,82,82	2.88	17 (70%)
2	HEM	A	502[B]	1	30,50,50	2.39	8 (26%)	24,82,82	2.97	14 (58%)
3	2CH	A	503	-	8,8,8	3.02	2 (25%)	10,10,10	2.18	5 (50%)
2	HEM	B	501[A]	1,6	30,50,50	2.49	8 (26%)	24,82,82	2.87	12 (50%)
2	HEM	B	502[B]	1,6	30,50,50	2.23	8 (26%)	24,82,82	2.63	12 (50%)
3	2CH	B	503	-	8,8,8	3.39	2 (25%)	10,10,10	2.60	4 (40%)
3	2CH	B	504	-	8,8,8	3.17	1 (12%)	10,10,10	1.05	1 (10%)
2	HEM	C	501[A]	1	30,50,50	2.45	9 (30%)	24,82,82	2.90	13 (54%)
2	HEM	C	502[B]	1	30,50,50	2.29	8 (26%)	24,82,82	2.53	12 (50%)
3	2CH	C	503	-	8,8,8	2.99	2 (25%)	10,10,10	1.19	1 (10%)
2	HEM	D	501[A]	1	30,50,50	2.51	8 (26%)	24,82,82	3.04	14 (58%)
2	HEM	D	502[B]	1	30,50,50	2.30	8 (26%)	24,82,82	2.61	12 (50%)
3	2CH	D	503	-	8,8,8	3.81	2 (25%)	10,10,10	1.73	3 (30%)
3	2CH	D	504	-	8,8,8	3.58	2 (25%)	10,10,10	1.37	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	501[A]	1	-	0/10/54/54	0/0/8/8
2	HEM	A	502[B]	1	-	0/10/54/54	0/0/8/8
3	2CH	A	503	-	-	0/0/0/0	0/1/1/1
2	HEM	B	501[A]	1,6	-	0/10/54/54	0/0/8/8
2	HEM	B	502[B]	1,6	-	0/10/54/54	0/0/8/8
3	2CH	B	503	-	-	0/0/0/0	0/1/1/1
3	2CH	B	504	-	-	0/0/0/0	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	C	501[A]	1	-	0/10/54/54	0/0/8/8
2	HEM	C	502[B]	1	-	0/10/54/54	0/0/8/8
3	2CH	C	503	-	-	0/0/0/0	0/1/1/1
2	HEM	D	501[A]	1	-	0/10/54/54	0/0/8/8
2	HEM	D	502[B]	1	-	0/10/54/54	0/0/8/8
3	2CH	D	503	-	-	0/0/0/0	0/1/1/1
3	2CH	D	504	-	-	0/0/0/0	0/1/1/1

All (78) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501[A]	HEM	C2D-C3D	-7.13	1.33	1.54
2	A	501[A]	HEM	C2C-C1C	-6.98	1.39	1.52
2	C	502[B]	HEM	C2C-C1C	-6.85	1.39	1.52
2	D	501[A]	HEM	C2C-C1C	-6.82	1.39	1.52
2	C	502[B]	HEM	C2D-C3D	-6.73	1.34	1.54
2	C	501[A]	HEM	C2D-C3D	-6.72	1.34	1.54
2	A	501[A]	HEM	C2D-C3D	-6.67	1.34	1.54
2	D	501[A]	HEM	C2D-C3D	-6.58	1.34	1.54
2	D	502[B]	HEM	C2D-C3D	-6.55	1.34	1.54
2	A	502[B]	HEM	C2D-C3D	-6.40	1.35	1.54
2	B	502[B]	HEM	C2C-C1C	-6.32	1.40	1.52
2	C	501[A]	HEM	C2C-C1C	-6.19	1.40	1.52
2	B	501[A]	HEM	C2C-C1C	-6.18	1.40	1.52
2	A	502[B]	HEM	C3B-C4B	-6.17	1.46	1.51
2	B	502[B]	HEM	C2D-C3D	-6.11	1.36	1.54
2	D	501[A]	HEM	C3B-C4B	-5.96	1.46	1.51
2	B	501[A]	HEM	C3B-C4B	-5.73	1.46	1.51
2	C	501[A]	HEM	C3B-C4B	-5.71	1.46	1.51
2	D	502[B]	HEM	C2C-C1C	-5.63	1.41	1.52
2	A	502[B]	HEM	C2C-C1C	-5.61	1.41	1.52
2	D	502[B]	HEM	C3B-C4B	-5.37	1.47	1.51
2	A	501[A]	HEM	C3B-C4B	-4.91	1.47	1.51
2	C	502[B]	HEM	C3B-C4B	-4.42	1.47	1.51
2	B	502[B]	HEM	C3B-C4B	-4.40	1.47	1.51
2	B	501[A]	HEM	C2B-C1B	-3.72	1.39	1.51
2	A	502[B]	HEM	C2B-C1B	-3.61	1.40	1.51
2	A	501[A]	HEM	C3D-C4D	-3.57	1.47	1.51
2	D	501[A]	HEM	C3B-CAB	-3.22	1.45	1.51
2	C	501[A]	HEM	C3D-C4D	-3.12	1.47	1.51
2	A	501[A]	HEM	C3C-CAC	-3.05	1.45	1.51
2	B	502[B]	HEM	C3D-C4D	-3.05	1.47	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501[A]	HEM	C2B-C1B	-3.04	1.41	1.51
2	B	501[A]	HEM	C3B-CAB	-3.00	1.45	1.51
2	A	502[B]	HEM	C3C-CAC	-2.81	1.46	1.51
2	C	501[A]	HEM	C3B-CAB	-2.72	1.46	1.51
2	A	501[A]	HEM	C3B-CAB	-2.68	1.46	1.51
2	D	502[B]	HEM	C3C-CAC	-2.64	1.46	1.51
2	D	501[A]	HEM	C3C-CAC	-2.64	1.46	1.51
2	D	502[B]	HEM	C2B-C1B	-2.63	1.43	1.51
2	C	502[B]	HEM	C2B-C1B	-2.60	1.43	1.51
2	D	501[A]	HEM	C3D-C4D	-2.52	1.48	1.51
2	D	502[B]	HEM	C3B-CAB	-2.52	1.46	1.51
2	B	502[B]	HEM	C3C-CAC	-2.49	1.46	1.51
2	C	502[B]	HEM	C3D-C4D	-2.46	1.48	1.51
2	C	501[A]	HEM	C3C-CAC	-2.45	1.46	1.51
2	C	502[B]	HEM	C3C-CAC	-2.35	1.46	1.51
2	A	502[B]	HEM	C3B-CAB	-2.34	1.46	1.51
2	B	501[A]	HEM	C3D-C4D	-2.31	1.48	1.51
2	B	502[B]	HEM	C2B-C1B	-2.30	1.44	1.51
2	B	501[A]	HEM	C3C-CAC	-2.28	1.47	1.51
2	A	501[A]	HEM	C2B-C1B	-2.21	1.44	1.51
2	D	502[B]	HEM	C3D-C4D	-2.14	1.48	1.51
2	A	501[A]	HEM	CAD-C3D	-2.02	1.50	1.54
2	C	502[B]	HEM	FE-NB	2.06	2.08	1.97
2	A	502[B]	HEM	C4C-NC	2.13	1.38	1.36
2	C	501[A]	HEM	FE-NB	2.17	2.09	1.97
2	B	502[B]	HEM	FE-NB	2.20	2.09	1.97
2	C	502[B]	HEM	FE-NC	2.36	2.05	1.95
2	C	501[A]	HEM	C1C-NC	2.42	1.39	1.36
2	D	501[A]	HEM	FE-NC	2.65	2.06	1.95
2	D	502[B]	HEM	FE-NC	2.66	2.06	1.95
3	A	503	2CH	C6-CL8	2.72	1.80	1.73
2	A	501[A]	HEM	FE-NC	2.87	2.07	1.95
3	D	504	2CH	C6-CL8	2.87	1.80	1.73
2	A	501[A]	HEM	FE-NB	2.92	2.13	1.97
3	C	503	2CH	C6-CL8	2.93	1.80	1.73
2	B	501[A]	HEM	FE-NC	3.02	2.07	1.95
2	A	502[B]	HEM	FE-NC	3.23	2.08	1.95
3	D	503	2CH	C6-CL8	3.35	1.81	1.73
2	C	501[A]	HEM	FE-NC	3.38	2.09	1.95
2	B	502[B]	HEM	FE-NC	3.59	2.09	1.95
3	B	503	2CH	C6-CL8	3.83	1.83	1.73
3	C	503	2CH	C1-C6	7.78	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503	2CH	C1-C6	7.97	1.47	1.39
3	B	503	2CH	C1-C6	8.64	1.47	1.39
3	B	504	2CH	C1-C6	8.76	1.47	1.39
3	D	504	2CH	C1-C6	9.61	1.48	1.39
3	D	503	2CH	C1-C6	9.92	1.49	1.39

All (121) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501[A]	HEM	C3C-CAC-CBC	-5.64	115.80	124.46
2	D	501[A]	HEM	C3C-CAC-CBC	-5.59	115.88	124.46
2	D	501[A]	HEM	C3B-CAB-CBB	-5.53	115.97	124.46
2	A	502[B]	HEM	C3B-CAB-CBB	-5.31	116.31	124.46
2	B	501[A]	HEM	CAA-C2A-C1A	-4.76	121.84	127.01
2	C	501[A]	HEM	C3B-CAB-CBB	-4.74	117.18	124.46
2	A	501[A]	HEM	C3B-CAB-CBB	-4.59	117.42	124.46
2	D	502[B]	HEM	C3C-CAC-CBC	-4.43	117.66	124.46
3	B	503	2CH	C5-C6-C1	-4.37	118.11	120.53
2	C	501[A]	HEM	CBA-CAA-C2A	-4.21	104.97	112.53
2	A	501[A]	HEM	C3C-CAC-CBC	-4.17	118.06	124.46
2	C	501[A]	HEM	C4B-CHC-C1C	-4.08	118.99	125.82
2	B	501[A]	HEM	C3C-CAC-CBC	-3.99	118.34	124.46
2	D	502[B]	HEM	C1D-CHD-C4C	-3.68	119.67	125.82
2	B	501[A]	HEM	C3B-CAB-CBB	-3.63	118.89	124.46
3	D	504	2CH	C5-C6-C1	-3.62	118.53	120.53
2	B	501[A]	HEM	C1D-CHD-C4C	-3.53	119.92	125.82
2	C	502[B]	HEM	CBD-CAD-C3D	-3.52	103.30	113.55
2	B	501[A]	HEM	C3B-C4B-NB	-3.51	104.91	111.63
2	A	501[A]	HEM	CBA-CAA-C2A	-3.38	106.46	112.53
2	D	501[A]	HEM	C3B-C4B-NB	-3.32	105.27	111.63
2	A	502[B]	HEM	CAA-CBA-CGA	-3.31	106.68	112.75
2	A	501[A]	HEM	C1D-CHD-C4C	-3.25	120.40	125.82
2	B	502[B]	HEM	C3C-CAC-CBC	-3.18	119.57	124.46
2	A	502[B]	HEM	C3C-CAC-CBC	-3.14	119.64	124.46
2	C	502[B]	HEM	C4B-CHC-C1C	-3.11	120.63	125.82
2	C	501[A]	HEM	CMA-C3A-C4A	-3.09	123.26	128.36
2	D	501[A]	HEM	C4B-CHC-C1C	-2.94	120.91	125.82
3	A	503	2CH	C3-C2-C1	-2.94	116.27	120.04
2	C	502[B]	HEM	C3C-CAC-CBC	-2.91	120.00	124.46
2	A	501[A]	HEM	C4B-CHC-C1C	-2.85	121.06	125.82
2	D	502[B]	HEM	CMA-C3A-C4A	-2.82	123.70	128.36
2	A	502[B]	HEM	C3B-C4B-NB	-2.78	106.31	111.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501[A]	HEM	C1D-CHD-C4C	-2.77	121.20	125.82
3	B	503	2CH	C3-C2-C1	-2.72	116.55	120.04
2	A	501[A]	HEM	CMA-C3A-C4A	-2.71	123.87	128.36
2	B	502[B]	HEM	C1D-CHD-C4C	-2.54	121.57	125.82
3	A	503	2CH	C1-C6-CL8	-2.48	112.77	119.59
2	A	501[A]	HEM	CBD-CAD-C3D	-2.48	106.34	113.55
2	D	501[A]	HEM	CMA-C3A-C4A	-2.45	124.31	128.36
2	C	502[B]	HEM	C3B-C4B-NB	-2.43	106.98	111.63
2	C	501[A]	HEM	C3B-C4B-NB	-2.39	107.07	111.63
2	B	502[B]	HEM	CMA-C3A-C4A	-2.33	124.51	128.36
2	A	501[A]	HEM	C3B-C4B-NB	-2.27	107.29	111.63
2	B	502[B]	HEM	CBD-CAD-C3D	-2.22	107.08	113.55
2	A	502[B]	HEM	CBD-CAD-C3D	-2.18	107.21	113.55
2	C	502[B]	HEM	C1D-CHD-C4C	-2.17	122.19	125.82
2	A	502[B]	HEM	C4B-CHC-C1C	-2.16	122.20	125.82
2	B	502[B]	HEM	CAA-CBA-CGA	-2.09	108.91	112.75
2	A	502[B]	HEM	CMA-C3A-C4A	-2.07	124.94	128.36
3	D	503	2CH	C1-C6-CL8	-2.06	113.93	119.59
2	D	502[B]	HEM	CBD-CAD-C3D	-2.03	107.63	113.55
2	A	502[B]	HEM	C1D-CHD-C4C	-2.01	122.47	125.82
2	B	501[A]	HEM	CMA-C3A-C4A	-2.00	125.05	128.36
3	C	503	2CH	C2-C1-C6	2.06	120.66	118.57
2	C	502[B]	HEM	CHC-C4B-NB	2.09	129.55	124.52
3	A	503	2CH	C5-C6-C1	2.12	121.71	120.53
3	A	503	2CH	C4-C3-C2	2.18	123.37	120.19
2	A	501[A]	HEM	CHD-C1D-ND	2.20	129.82	124.52
2	D	502[B]	HEM	CHD-C1D-ND	2.28	130.00	124.52
2	D	501[A]	HEM	C2D-C3D-C4D	2.30	105.39	101.50
3	B	504	2CH	C5-C6-C1	2.31	121.81	120.53
2	A	501[A]	HEM	CAA-CBA-CGA	2.34	117.03	112.75
2	C	501[A]	HEM	CMD-C2D-C3D	2.39	124.93	114.35
2	D	501[A]	HEM	CHD-C1D-ND	2.40	130.29	124.52
2	A	501[A]	HEM	CMB-C2B-C3B	2.41	122.54	116.53
2	D	502[B]	HEM	CHC-C4B-NB	2.41	130.33	124.52
2	A	501[A]	HEM	CHC-C4B-NB	2.53	130.61	124.52
2	B	501[A]	HEM	CMD-C2D-C3D	2.57	125.70	114.35
3	D	503	2CH	C5-C6-CL8	2.61	123.79	118.39
2	B	502[B]	HEM	CHC-C4B-NB	2.66	130.94	124.52
2	B	501[A]	HEM	CHC-C4B-NB	2.69	131.00	124.52
2	C	501[A]	HEM	C2D-C3D-C4D	2.72	106.12	101.50
2	C	501[A]	HEM	CMB-C2B-C3B	2.79	123.50	116.53
2	B	502[B]	HEM	C2D-C3D-C4D	2.89	106.40	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501[A]	HEM	CMD-C2D-C3D	2.95	127.38	114.35
2	D	502[B]	HEM	CMD-C2D-C3D	2.95	127.41	114.35
2	A	501[A]	HEM	C2D-C3D-C4D	2.98	106.55	101.50
2	D	502[B]	HEM	C2D-C3D-C4D	3.02	106.62	101.50
2	B	502[B]	HEM	CAD-C3D-C4D	3.02	123.12	112.47
2	A	502[B]	HEM	CHC-C4B-NB	3.12	132.04	124.52
3	D	503	2CH	C5-C6-C1	3.14	122.27	120.53
2	C	502[B]	HEM	C2D-C3D-C4D	3.15	106.84	101.50
2	A	502[B]	HEM	CMD-C2D-C3D	3.20	128.50	114.35
2	C	501[A]	HEM	CHC-C4B-NB	3.24	132.32	124.52
2	C	502[B]	HEM	CMD-C2D-C3D	3.34	129.11	114.35
2	D	501[A]	HEM	CHC-C4B-NB	3.36	132.60	124.52
2	A	501[A]	HEM	CMD-C2D-C3D	3.39	129.36	114.35
3	A	503	2CH	C5-C6-CL8	3.45	125.52	118.39
2	C	501[A]	HEM	CMC-C2C-C3C	3.46	125.16	116.53
2	B	502[B]	HEM	CMD-C2D-C3D	3.78	131.08	114.35
2	C	502[B]	HEM	CMB-C2B-C3B	3.78	125.98	116.53
2	A	502[B]	HEM	CAD-C3D-C4D	3.86	126.07	112.47
2	C	501[A]	HEM	CAD-C3D-C2D	3.95	124.58	113.22
3	B	503	2CH	C2-C1-C6	3.95	122.58	118.57
2	C	502[B]	HEM	CAD-C3D-C4D	3.96	126.45	112.47
3	B	503	2CH	C5-C6-CL8	3.99	126.63	118.39
2	D	501[A]	HEM	CAD-C3D-C4D	4.00	126.58	112.47
2	B	501[A]	HEM	CAD-C3D-C2D	4.01	124.74	113.22
2	D	502[B]	HEM	CMB-C2B-C3B	4.01	126.55	116.53
2	D	501[A]	HEM	CMC-C2C-C3C	4.03	126.60	116.53
2	B	501[A]	HEM	CMC-C2C-C3C	4.07	126.69	116.53
2	D	502[B]	HEM	CAD-C3D-C4D	4.23	127.40	112.47
2	B	502[B]	HEM	CMC-C2C-C3C	4.25	127.13	116.53
2	A	501[A]	HEM	CAD-C3D-C4D	4.29	127.61	112.47
2	A	501[A]	HEM	CAD-C3D-C2D	4.39	125.83	113.22
2	D	502[B]	HEM	CAD-C3D-C2D	4.43	125.97	113.22
2	C	502[B]	HEM	CMC-C2C-C3C	4.46	127.67	116.53
2	C	502[B]	HEM	CAD-C3D-C2D	4.69	126.70	113.22
2	C	501[A]	HEM	CAD-C3D-C4D	4.76	129.26	112.47
2	A	502[B]	HEM	CMC-C2C-C3C	4.77	128.43	116.53
2	D	502[B]	HEM	CMC-C2C-C3C	4.85	128.65	116.53
2	B	501[A]	HEM	CMB-C2B-C3B	4.94	128.86	116.53
2	B	502[B]	HEM	CMB-C2B-C3B	4.94	128.87	116.53
2	A	501[A]	HEM	CMC-C2C-C3C	5.05	129.14	116.53
2	D	501[A]	HEM	CMB-C2B-C3B	5.13	129.33	116.53
2	D	501[A]	HEM	CAD-C3D-C2D	5.15	128.03	113.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501[A]	HEM	CAD-C3D-C4D	5.47	131.76	112.47
2	A	502[B]	HEM	CMB-C2B-C3B	5.58	130.45	116.53
2	A	502[B]	HEM	CAD-C3D-C2D	5.62	129.38	113.22
2	B	502[B]	HEM	CAD-C3D-C2D	5.99	130.43	113.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

11 monomers are involved in 52 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501[A]	HEM	6	0
2	A	502[B]	HEM	4	0
3	A	503	2CH	1	0
2	B	501[A]	HEM	7	0
2	B	502[B]	HEM	5	0
3	B	503	2CH	1	0
2	C	501[A]	HEM	8	0
2	C	502[B]	HEM	3	0
3	C	503	2CH	1	0
2	D	501[A]	HEM	11	0
2	D	502[B]	HEM	5	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	480/491 (97%)	0.37	13 (2%) 58 68	14, 23, 38, 66	0
1	B	480/491 (97%)	0.23	8 (1%) 73 81	12, 21, 37, 52	0
1	C	480/491 (97%)	0.22	11 (2%) 64 73	13, 19, 35, 58	0
1	D	480/491 (97%)	0.35	16 (3%) 50 61	15, 23, 39, 68	0
All	All	1920/1964 (97%)	0.29	48 (2%) 61 71	12, 22, 38, 68	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	485	TYR	6.5
1	C	485	TYR	4.3
1	D	6	HIS	3.8
1	B	6	HIS	3.6
1	D	485	TYR	3.5
1	D	483	ARG	3.5
1	A	288	GLU	3.4
1	D	484	SER	3.3
1	A	484	SER	3.3
1	C	6	HIS	3.3
1	C	391	ASP	3.3
1	D	398	HIS	3.3
1	A	464	TYR	3.2
1	C	28	HIS	3.1
1	D	482	ILE	3.0
1	A	6	HIS	3.0
1	D	481	ASP	3.0
1	C	484	SER	2.9
1	B	485	TYR	2.8
1	C	405	VAL	2.8
1	C	271	TYR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	482	ILE	2.6
1	D	390	ASP	2.6
1	A	468	GLU	2.5
1	B	208	TYR	2.5
1	D	208	TYR	2.5
1	C	372[A]	PHE	2.4
1	D	479	GLY	2.3
1	A	480	VAL	2.3
1	B	409	ASP	2.3
1	B	256	TYR	2.3
1	C	390	ASP	2.3
1	A	398	HIS	2.2
1	A	332	LEU	2.2
1	B	410	ARG	2.2
1	C	398	HIS	2.2
1	A	390	ASP	2.2
1	D	214	VAL	2.2
1	D	468	GLU	2.2
1	C	483	ARG	2.2
1	A	202	PHE	2.1
1	D	75	LYS	2.1
1	D	206	ASN	2.1
1	B	484	SER	2.1
1	A	474	LEU	2.1
1	D	273	GLU	2.1
1	B	398	HIS	2.0
1	D	85	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	CL	A	504	1/1	0.99	0.18	9.76	29,29,29,29	0
3	2CH	D	504	8/8	0.63	0.30	2.31	71,73,75,83	0
3	2CH	A	503	8/8	0.86	0.17	1.69	35,37,38,45	0
3	2CH	D	503	8/8	0.88	0.16	1.69	34,36,36,39	0
3	2CH	C	503	8/8	0.86	0.14	1.16	30,31,36,36	0
3	2CH	B	504	8/8	0.85	0.19	0.98	47,48,55,60	0
2	HEM	B	502[B]	43/43	0.94	0.14	0.88	12,14,15,16	43
2	HEM	B	501[A]	43/43	0.94	0.14	0.71	12,14,15,16	43
3	2CH	B	503	8/8	0.92	0.13	0.44	30,32,33,37	0
2	HEM	A	502[B]	43/43	0.95	0.12	0.17	13,14,15,16	43
2	HEM	A	501[A]	43/43	0.95	0.12	0.07	14,18,19,20	43
2	HEM	D	502[B]	43/43	0.95	0.11	0.05	11,12,13,13	43
2	HEM	C	502[B]	43/43	0.95	0.11	-0.24	11,12,13,14	43
2	HEM	D	501[A]	43/43	0.95	0.11	-0.26	16,19,20,23	43
2	HEM	C	501[A]	43/43	0.95	0.11	-0.28	12,14,15,16	43
4	CL	C	505	1/1	0.99	0.10	-0.81	22,22,22,22	0
4	CL	B	505	1/1	0.99	0.08	-0.85	18,18,18,18	0
4	CL	D	505	1/1	0.99	0.08	-1.07	20,20,20,20	0
4	CL	A	505	1/1	0.99	0.08	-1.41	18,18,18,18	0
4	CL	C	504	1/1	0.99	0.08	-2.86	26,26,26,26	0
5	NA	A	506	1/1	0.99	0.05	-3.05	19,19,19,19	0
5	NA	B	506	1/1	0.94	0.16	-	37,37,37,37	0

6.5 Other polymers (i)

There are no such residues in this entry.