



# Full wwPDB X-ray Structure Validation Report i

Jan 31, 2016 – 09:52 PM GMT

PDB ID : 1R0L  
Title : 1-deoxy-D-xylulose 5-phosphate reductoisomerase from zymomonas mobilis in complex with NADPH  
Authors : Ricagno, S.; Grolle, S.; Bringer-Meyer, S.; Sahm, H.; Lindqvist, Y.; Schneider, G.  
Deposited on : 2003-09-22  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)


There are 3 unique types of molecules in this entry. The entry contains 11652 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 1-deoxy-D-xylulose 5-phosphate reductoisomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	378	2854	1798	496	544	16	0	0	0
1	B	379	2867	1807	499	545	16	0	0	0
1	C	378	2855	1799	495	544	17	0	0	0
1	D	378	2860	1802	498	544	16	0	0	0

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C<sub>21</sub>H<sub>30</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	27	10	5	10	2	0	0
2	B	1	27	10	5	10	2	0	0

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total C N O P 27 10 5 10 2	0	0
2	D	1	Total C N O P 27 10 5 10 2	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	30	Total O 30 30	0	0
3	B	36	Total O 36 36	0	0
3	C	22	Total O 22 22	0	0
3	D	20	Total O 20 20	0	0





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	87.70Å 93.20Å 98.60Å 90.00° 90.50° 90.00°	Depositor
Resolution (Å)	29.63 – 2.70 29.63 – 2.69	Depositor EDS
% Data completeness (in resolution range)	98.9 (29.63-2.70) 98.3 (29.63-2.69)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.39 (at 2.68Å)	Xtriage
Refinement program	CNS 1.1	Depositor
$R$ , $R_{free}$	0.249 , 0.269 0.360 , 0.363	Depositor DCC
$R_{free}$ test set	492 reflections (1.14%)	DCC
Wilson B-factor (Å <sup>2</sup> )	42.4	Xtriage
Anisotropy	0.290	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 40.1	EDS
Estimated twinning fraction	0.000 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$<  L  > = 0.51$ , $< L^2 > = 0.34$	Xtriage
Outliers	3 of 43474 reflections (0.007%)	Xtriage
$F_o, F_c$ correlation	0.82	EDS
Total number of atoms	11652	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 53.88 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.9583e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	A	0.45	0/2901	0.65	0/3933
1	B	0.46	1/2916 (0.0%)	0.73	2/3955 (0.1%)
1	C	0.41	0/2902	0.62	0/3934
1	D	0.41	0/2908	0.64	2/3943 (0.1%)
All	All	0.43	1/11627 (0.0%)	0.66	4/15765 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	199	HIS	C-O	-5.95	1.12	1.23

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	199	HIS	C-N-CD	-17.40	82.32	120.60
1	B	199	HIS	C-N-CA	6.81	150.59	122.00
1	D	40	ARG	NE-CZ-NH1	-5.19	117.70	120.30
1	D	126	GLU	CA-CB-CG	-5.09	102.19	113.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

























*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	D	300/308 (97%)	288 (96%)	12 (4%)	38 69
All	All	1200/1232 (97%)	1148 (96%)	52 (4%)	35 66

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	THR
1	A	61	ASP
1	A	63	SER
1	A	126	GLU
1	A	146	LEU
1	A	165	ARG
1	A	166	ASP
1	A	185	LEU
1	A	194	GLU
1	A	197	VAL
1	A	224	GLU
1	A	248	SER
1	A	260	GLN
1	A	287	LEU
1	A	292	LEU
1	A	293	ARG
1	A	351	GLU
1	A	383	MET
1	B	18	HIS
1	B	53	ASN
1	B	125	LYS
1	B	146	LEU
1	B	150	ASP
1	B	151	SER
1	B	166	ASP
1	B	195	ARG
1	B	234	GLU
1	B	248	SER
1	B	260	GLN
1	B	287	LEU
1	B	293	ARG
1	B	383	MET
1	C	37	THR
1	C	63	SER
1	C	146	LEU
1	C	194	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	207	LYS
1	C	260	GLN
1	C	287	LEU
1	C	383	MET
1	D	37	THR
1	D	40	ARG
1	D	140	ARG
1	D	146	LEU
1	D	166	ASP
1	D	194	GLU
1	D	195	ARG
1	D	234	GLU
1	D	260	GLN
1	D	287	LEU
1	D	293	ARG
1	D	383	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	247	HIS
1	A	260	GLN
1	A	272	HIS
1	A	294	GLN
1	B	53	ASN
1	B	260	GLN
1	B	272	HIS
1	B	294	GLN
1	C	53	ASN
1	C	260	GLN
1	C	272	HIS
1	C	294	GLN
1	D	39	ASN
1	D	53	ASN
1	D	142	HIS
1	D	153	HIS
1	D	260	GLN
1	D	272	HIS







4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	400	NDP	1	0
2	B	401	NDP	3	0
2	C	402	NDP	1	0
2	D	403	NDP	3	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	378/388 (97%)	1.76	132 (34%) 0   0	16, 43, 87, 104	0
1	B	379/388 (97%)	1.12	60 (15%) 3   2	17, 35, 63, 88	0
1	C	378/388 (97%)	1.92	143 (37%) 0   0	22, 44, 69, 94	0
1	D	378/388 (97%)	1.48	91 (24%) 1   1	22, 45, 74, 107	0
All	All	1513/1552 (97%)	1.57	426 (28%) 1   0	16, 41, 75, 107	0

All (426) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	1	MET	10.8
1	C	2	SER	10.5
1	C	68	LEU	9.6
1	C	71	ALA	8.7
1	C	365	LEU	7.9
1	A	68	LEU	7.5
1	A	365	LEU	7.5
1	D	4	PRO	6.7
1	C	65	TYR	6.5
1	C	362	PRO	6.3
1	C	356	HIS	6.1
1	B	200	PRO	6.1
1	A	362	PRO	6.0
1	D	356	HIS	6.0
1	A	356	HIS	5.9
1	C	44	ASP	5.7
1	B	199	HIS	5.6
1	C	45	LEU	5.5
1	C	209	SER	5.5
1	C	386	LEU	5.5
1	A	375	ALA	5.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	76	SER	5.1
1	C	385	SER	4.9
1	C	161	PRO	4.8
1	A	209	SER	4.7
1	B	293	ARG	4.7
1	C	52	THR	4.6
1	C	368	VAL	4.6
1	D	303	GLU	4.6
1	C	143	GLY	4.6
1	A	205	GLY	4.5
1	A	140	ARG	4.4
1	D	355	ASP	4.3
1	D	126	GLU	4.3
1	A	379	ALA	4.3
1	A	64	LEU	4.3
1	A	185	LEU	4.2
1	A	71	ALA	4.2
1	A	73	ALA	4.2
1	C	375	ALA	4.2
1	A	385	SER	4.2
1	C	357	TYR	4.2
1	C	312	MET	4.1
1	C	76	SER	4.1
1	C	374	GLU	4.1
1	B	383	MET	4.1
1	C	78	GLU	4.1
1	C	64	LEU	4.0
1	D	64	LEU	4.0
1	D	373	ASN	4.0
1	D	74	GLY	4.0
1	D	233	LEU	4.0
1	C	41	ASN	4.0
1	C	315	ILE	4.0
1	C	326	ASN	3.9
1	A	364	SER	3.9
1	C	27	ASN	3.9
1	A	368	VAL	3.9
1	C	62	PRO	3.9
1	A	333	VAL	3.9
1	C	3	GLN	3.9
1	C	34	ILE	3.8
1	C	18	HIS	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	126	GLU	3.8
1	A	349	ILE	3.8
1	A	196	ALA	3.8
1	A	117	GLY	3.8
1	B	124	ASN	3.8
1	C	58	VAL	3.8
1	C	287	LEU	3.8
1	A	27	ASN	3.8
1	A	378	GLN	3.8
1	A	190	THR	3.7
1	A	197	VAL	3.7
1	C	371	ILE	3.7
1	A	386	LEU	3.7
1	A	317	SER	3.7
1	A	44	ASP	3.7
1	D	197	VAL	3.6
1	C	8	THR	3.6
1	D	102	ILE	3.6
1	C	369	PHE	3.6
1	D	75	SER	3.6
1	D	383	MET	3.6
1	C	276	TRP	3.6
1	A	52	THR	3.6
1	C	149	VAL	3.6
1	B	384	GLU	3.6
1	B	46	ALA	3.6
1	D	3	GLN	3.6
1	D	386	LEU	3.6
1	C	55	LYS	3.6
1	A	67	ASP	3.5
1	D	384	GLU	3.5
1	A	312	MET	3.5
1	C	208	ILE	3.5
1	D	180	PHE	3.5
1	C	190	THR	3.5
1	C	140	ARG	3.5
1	A	293	ARG	3.5
1	B	164	ASN	3.5
1	C	53	ASN	3.5
1	A	35	ALA	3.5
1	C	24	ILE	3.4
1	C	117	GLY	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	358	THR	3.4
1	D	18	HIS	3.4
1	C	355	ASP	3.4
1	D	63	SER	3.4
1	A	189	ALA	3.4
1	A	371	ILE	3.4
1	C	383	MET	3.4
1	B	163	HIS	3.3
1	D	293	ARG	3.3
1	C	341	ILE	3.3
1	C	67	ASP	3.3
1	B	4	PRO	3.3
1	B	386	LEU	3.3
1	D	359	PRO	3.3
1	B	40	ARG	3.3
1	A	18	HIS	3.3
1	D	199	HIS	3.3
1	C	30	ARG	3.3
1	D	135	MET	3.3
1	C	98	MET	3.3
1	D	377	ILE	3.3
1	B	68	LEU	3.2
1	C	325	MET	3.2
1	B	356	HIS	3.2
1	D	341	ILE	3.2
1	C	378	GLN	3.2
1	A	13	THR	3.2
1	C	297	PHE	3.2
1	A	125	LYS	3.2
1	C	11	GLY	3.2
1	C	316	LYS	3.2
1	A	208	ILE	3.1
1	D	363	SER	3.1
1	C	115	ARG	3.1
1	D	186	ALA	3.1
1	A	12	ALA	3.1
1	A	376	ARG	3.1
1	A	383	MET	3.1
1	A	290	THR	3.1
1	C	29	ASP	3.1
1	C	57	ALA	3.1
1	C	196	ALA	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	112	ALA	3.1
1	A	380	ALA	3.1
1	D	327	ALA	3.1
1	D	332	ALA	3.1
1	A	126	GLU	3.1
1	B	219	GLY	3.1
1	B	385	SER	3.1
1	A	8	THR	3.1
1	A	19	SER	3.1
1	C	49	ALA	3.1
1	D	111	LEU	3.1
1	A	341	ILE	3.1
1	B	15	SER	3.1
1	B	3	GLN	3.1
1	C	96	TRP	3.1
1	C	372	ASP	3.1
1	C	77	VAL	3.0
1	D	73	ALA	3.0
1	C	159	CYS	3.0
1	A	350	VAL	3.0
1	C	51	ARG	3.0
1	D	57	ALA	3.0
1	D	76	SER	3.0
1	C	290	THR	3.0
1	A	325	MET	3.0
1	C	150	ASP	3.0
1	D	124	ASN	3.0
1	A	54	ALA	3.0
1	C	15	SER	3.0
1	A	143	GLY	3.0
1	B	70	GLU	3.0
1	A	357	TYR	2.9
1	C	20	THR	2.9
1	D	381	ALA	2.9
1	C	87	VAL	2.9
1	D	160	PHE	2.9
1	B	162	HIS	2.9
1	B	233	LEU	2.9
1	B	30	ARG	2.9
1	C	54	ALA	2.9
1	D	334	ALA	2.9
1	D	130	SER	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	311	ALA	2.9
1	C	195	ARG	2.9
1	C	75	SER	2.9
1	C	330	GLU	2.9
1	B	42	VAL	2.9
1	C	191	VAL	2.9
1	C	48	ALA	2.9
1	C	80	ALA	2.9
1	A	326	ASN	2.9
1	A	127	SER	2.8
1	A	337	LEU	2.8
1	A	331	ILE	2.8
1	A	322	PRO	2.8
1	B	148	PRO	2.8
1	C	118	LYS	2.8
1	B	102	ILE	2.8
1	C	97	THR	2.8
1	A	75	SER	2.8
1	C	151	SER	2.8
1	C	37	THR	2.8
1	D	291	LYS	2.7
1	A	321	ARG	2.7
1	C	101	ILE	2.7
1	C	240	VAL	2.7
1	C	322	PRO	2.7
1	D	307	ALA	2.7
1	A	318	GLY	2.7
1	A	28	LEU	2.7
1	A	198	GLN	2.7
1	D	385	SER	2.7
1	B	291	LYS	2.7
1	B	135	MET	2.7
1	A	30	ARG	2.7
1	C	119	THR	2.7
1	A	215	MET	2.7
1	C	61	ASP	2.7
1	C	84	ASP	2.7
1	D	319	GLY	2.7
1	D	353	THR	2.7
1	A	373	ASN	2.7
1	C	167	TYR	2.7
1	A	23	LEU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	364	SER	2.7
1	B	111	LEU	2.6
1	A	276	TRP	2.6
1	C	162	HIS	2.6
1	A	37	THR	2.6
1	B	64	LEU	2.6
1	C	23	LEU	2.6
1	B	44	ASP	2.6
1	A	159	CYS	2.6
1	C	333	VAL	2.6
1	A	31	TYR	2.6
1	C	270	ILE	2.6
1	D	357	TYR	2.6
1	A	187	GLU	2.6
1	A	55	LYS	2.6
1	A	369	PHE	2.6
1	B	377	ILE	2.6
1	B	60	ALA	2.6
1	B	186	ALA	2.6
1	D	234	GLU	2.6
1	D	40	ARG	2.6
1	C	184	SER	2.6
1	B	47	ASP	2.6
1	B	363	SER	2.6
1	A	206	ALA	2.5
1	C	12	ALA	2.5
1	C	294	GLN	2.5
1	A	63	SER	2.5
1	A	53	ASN	2.5
1	C	26	ARG	2.5
1	D	69	LYS	2.5
1	C	122	LEU	2.5
1	D	278	LYS	2.5
1	A	184	SER	2.5
1	B	256	SER	2.5
1	C	127	SER	2.5
1	A	74	GLY	2.5
1	A	343	PHE	2.5
1	C	120	VAL	2.5
1	A	119	THR	2.5
1	B	65	TYR	2.5
1	D	51	ARG	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	160	PHE	2.5
1	C	266	MET	2.5
1	C	367	ASP	2.5
1	D	44	ASP	2.5
1	C	382	LEU	2.5
1	C	359	PRO	2.5
1	D	296	ASP	2.4
1	A	36	LEU	2.4
1	A	9	VAL	2.4
1	A	26	ARG	2.4
1	A	354	LEU	2.4
1	C	269	PRO	2.4
1	A	33	VAL	2.4
1	A	149	VAL	2.4
1	A	358	THR	2.4
1	D	338	ASP	2.4
1	D	134	LEU	2.4
1	A	136	ILE	2.4
1	D	323	ALA	2.4
1	D	346	ILE	2.4
1	D	147	LEU	2.4
1	C	379	ALA	2.4
1	C	380	ALA	2.4
1	A	22	ASP	2.4
1	A	109	ALA	2.4
1	C	83	ALA	2.4
1	C	206	ALA	2.4
1	A	195	ARG	2.4
1	A	78	GLU	2.4
1	C	5	ARG	2.4
1	B	303	GLU	2.3
1	B	250	VAL	2.3
1	D	81	ALA	2.3
1	A	110	THR	2.3
1	A	32	GLN	2.3
1	C	124	ASN	2.3
1	B	234	GLU	2.3
1	A	51	ARG	2.3
1	A	101	ILE	2.3
1	B	194	GLU	2.3
1	A	3	GLN	2.3
1	C	259	ALA	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	58	VAL	2.3
1	A	77	VAL	2.3
1	A	193	PRO	2.3
1	C	10	LEU	2.3
1	B	130	SER	2.3
1	B	74	GLY	2.3
1	A	323	ALA	2.3
1	D	50	LYS	2.3
1	A	384	GLU	2.3
1	B	302	TYR	2.3
1	D	226	PHE	2.3
1	C	43	LYS	2.3
1	A	335	ALA	2.3
1	C	123	ALA	2.3
1	D	65	TYR	2.3
1	A	308	LEU	2.3
1	B	122	LEU	2.3
1	C	146	LEU	2.3
1	D	382	LEU	2.3
1	A	219	GLY	2.3
1	A	315	ILE	2.3
1	C	166	ASP	2.2
1	C	226	PHE	2.2
1	A	83	ALA	2.2
1	B	198	GLN	2.2
1	B	358	THR	2.2
1	A	355	ASP	2.2
1	B	367	ASP	2.2
1	A	146	LEU	2.2
1	A	336	PHE	2.2
1	B	369	PHE	2.2
1	C	19	SER	2.2
1	B	7	VAL	2.2
1	D	208	ILE	2.2
1	C	279	ARG	2.2
1	C	33	VAL	2.2
1	C	156	ILE	2.2
1	D	28	LEU	2.2
1	D	150	ASP	2.2
1	C	4	PRO	2.2
1	D	342	GLY	2.2
1	D	55	LYS	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	34	ILE	2.2
1	D	362	PRO	2.2
1	C	128	LEU	2.2
1	D	236	PHE	2.2
1	A	316	LYS	2.2
1	C	32	GLN	2.1
1	C	110	THR	2.2
1	D	24	ILE	2.1
1	D	331	ILE	2.1
1	C	14	GLY	2.1
1	D	175	ALA	2.1
1	A	92	MET	2.1
1	B	324	VAL	2.1
1	C	282	THR	2.1
1	A	151	SER	2.1
1	D	66	ASN	2.1
1	A	65	TYR	2.1
1	A	20	THR	2.1
1	A	45	LEU	2.1
1	D	358	THR	2.1
1	A	186	ALA	2.1
1	B	184	SER	2.1
1	B	292	LEU	2.1
1	A	243	GLN	2.1
1	D	301	ASP	2.1
1	D	258	LEU	2.1
1	A	97	THR	2.1
1	D	215	MET	2.1
1	D	261	ILE	2.1
1	D	193	PRO	2.1
1	B	284	ALA	2.1
1	D	155	ALA	2.1
1	D	207	LYS	2.1
1	A	338	ASP	2.1
1	C	376	ARG	2.1
1	D	259	ALA	2.1
1	D	285	GLU	2.1
1	D	7	VAL	2.1
1	B	188	MET	2.1
1	C	229	PHE	2.1
1	C	283	PRO	2.1
1	D	336	PHE	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	54	ALA	2.1
1	A	62	PRO	2.0
1	D	101	ILE	2.0
1	A	262	GLY	2.0
1	B	83	ALA	2.0
1	A	310	LEU	2.0
1	A	382	LEU	2.0
1	B	317	SER	2.0
1	C	284	ALA	2.0
1	A	129	VAL	2.0
1	A	214	THR	2.0
1	B	190	THR	2.0
1	C	114	ILE	2.0
1	D	195	ARG	2.0
1	A	216	MET	2.0
1	A	11	GLY	2.0
1	A	248	SER	2.0
1	A	307	ALA	2.0
1	C	111	LEU	2.0
1	A	70	GLU	2.0
1	C	145	THR	2.0
1	C	245	VAL	2.0
1	B	160	PHE	2.0
1	C	102	ILE	2.0
1	D	173	ILE	2.0
1	C	293	ARG	2.0
1	D	369	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	NDP	C	402	27/48	0.69	0.33	0.22	74,76,99,101	0
2	NDP	A	400	27/48	0.74	0.27	-0.42	61,63,89,95	0
2	NDP	B	401	27/48	0.81	0.20	-0.60	41,53,88,96	0
2	NDP	D	403	27/48	0.84	0.20	-0.96	51,55,75,78	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.