



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 08:10 PM GMT

PDB ID : 4R1F
Title : Re-refined Human DNA topoisomerase IIa (ATPase and transducer domains) in complex with ADP and SO4
Authors : Stanger, F.V.; Schirmer, T.
Deposited on : 2014-08-05
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org

A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SO4	B	502	-	-	X	-
5	SO4	C	503	-	-	X	-

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 12360 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DNA topoisomerase 2-alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	366	Total	C 2955	N 1890	O 499	S 548	18	0	0
1	B	379	Total	C 3053	N 1952	O 518	S 564	19	0	0
1	C	384	Total	C 3080	N 1970	O 525	S 566	19	0	0
1	D	373	Total	C 3005	N 1922	O 510	S 554	19	0	0

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mg 1	0	0
2	A	1	Total	Mg 1	0	0
2	D	1	Total	Mg 1	0	0
2	C	1	Total	Mg 1	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	27	10	5	10	2	0	0
3	B	1	27	10	5	10	2	0	0
3	C	1	27	10	5	10	2	0	0
3	D	1	27	10	5	10	2	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total O S 5 4 1	0	0
5	C	1	Total O S 5 4 1	0	0
5	D	1	Total O S 5 4 1	0	0



- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	37	Total O 37 37	0	0
6	B	46	Total O 46 46	0	0
6	C	40	Total O 40 40	0	0
6	D	11	Total O 11 11	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA topoisomerase 2-alpha




- Molecule 1: DNA topoisomerase 2-alpha




- Molecule 1: DNA topoisomerase 2-alpha



- Molecule 1: DNA topoisomerase 2-alpha





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.02 Å 90.49 Å 148.29 Å 90.00° 89.97° 90.00°	Depositor
Resolution (Å)	30.00 – 2.51 40.58 – 2.51	Depositor EDS
% Data completeness (in resolution range)	94.9 (30.00-2.51) 94.9 (40.58-2.51)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.80 (at 2.51 Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R , R_{free}	0.208 , 0.243 0.211 , 0.245	Depositor DCC
R_{free} test set	4851 reflections (8.60%)	DCC
Wilson B-factor (Å ²)	56.6	Xtriage
Anisotropy	0.163	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 39.0	EDS
Estimated twinning fraction	0.023 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 63748 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12360	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, SO4, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	0/3013	0.74	3/4061 (0.1%)
1	B	0.66	0/3112	0.72	3/4192 (0.1%)
1	C	0.61	0/3139	0.71	2/4228 (0.0%)
1	D	0.57	0/3063	0.71	2/4125 (0.0%)
All	All	0.62	0/12327	0.72	10/16606 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	172	ILE	CG1-CB-CG2	-6.17	97.82	111.40
1	D	368	ILE	CG1-CB-CG2	-5.87	98.49	111.40
1	A	399	ILE	CG1-CB-CG2	-5.83	98.57	111.40
1	C	374	ASP	CB-CA-C	-5.50	99.40	110.40
1	A	135	MET	CG-SD-CE	5.25	108.60	100.20
1	D	239	MET	CG-SD-CE	5.19	108.50	100.20
1	B	377	THR	N-CA-CB	5.12	120.03	110.30
1	B	32	ARG	NE-CZ-NH1	5.09	122.85	120.30
1	B	376	GLN	N-CA-C	-5.08	97.28	111.00
1	A	381	MET	CG-SD-CE	5.03	108.24	100.20

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	409	GLU	Peptide
1	A	416	LYS	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2955	0	2963	38	0
1	B	3053	0	3081	19	0
1	C	3080	0	3119	30	0
1	D	3005	0	3028	42	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	27	0	12	0	0
3	B	27	0	12	0	0
3	C	27	0	12	2	0
3	D	27	0	12	1	0
4	A	6	0	8	0	0
5	B	5	0	0	2	0
5	C	5	0	0	2	0
5	D	5	0	0	0	0
6	A	37	0	0	0	0
6	B	46	0	0	1	0
6	C	40	0	0	0	0
6	D	11	0	0	0	0
All	All	12360	0	12247	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:336:LYS:HD2	1:A:399:ILE:HG22	1.20	1.11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:336:LYS:CD	1:A:399:ILE:HG22	1.81	1.11
1:A:336:LYS:HD2	1:A:399:ILE:CG2	1.83	1.07
1:A:395:SER:O	1:A:399:ILE:HG13	1.59	1.02
1:D:171:ASN:HB3	1:D:198:MET:HE3	1.48	0.95
1:C:405:CYS:SG	1:C:407:ILE:CD1	2.59	0.90
1:C:405:CYS:SG	1:C:407:ILE:HD13	2.16	0.86
1:A:336:LYS:CD	1:A:399:ILE:CG2	2.49	0.81
1:A:70:ILE:HD13	1:A:273:MET:HB3	1.63	0.81
1:D:70:ILE:HD13	1:D:273:MET:HB3	1.65	0.78
1:A:400:LYS:O	1:A:403:ILE:HG22	1.82	0.77
1:A:306:LYS:O	1:A:306:LYS:HG2	1.83	0.76
1:D:171:ASN:CB	1:D:198:MET:HE3	2.18	0.73
1:B:375:SER:OG	1:B:376:GLN:O	2.05	0.73
1:C:405:CYS:SG	1:C:407:ILE:HD12	2.30	0.72
1:A:336:LYS:CE	1:A:399:ILE:HG22	2.19	0.72
1:C:163:ASN:HB2	5:C:503:SO4:O3	1.93	0.69
1:D:171:ASN:ND2	1:D:198:MET:HE2	2.08	0.68
1:D:107:VAL:HG12	1:D:109:ILE:CD1	2.25	0.66
1:D:353:ALA:O	1:D:356:VAL:HG12	1.96	0.65
3:C:502:ADP:H8	3:C:502:ADP:H5'2	1.61	0.65
1:A:336:LYS:HE3	1:A:337:LEU:HD23	1.78	0.64
1:C:341:VAL:HG11	1:C:351:VAL:HG11	1.78	0.64
1:D:341:VAL:O	1:D:341:VAL:HG12	1.98	0.63
1:C:29:SER:HA	1:C:32:ARG:HG2	1.79	0.63
1:C:289:ILE:CD1	1:C:402:ALA:HA	2.28	0.62
1:A:417:PHE:CD2	1:A:417:PHE:O	2.52	0.62
1:A:306:LYS:O	1:A:306:LYS:CG	2.49	0.61
1:A:409:GLU:C	1:A:411:ILE:H	2.04	0.60
1:A:413:ASN:ND2	1:A:413:ASN:H	1.99	0.60
3:C:502:ADP:C8	3:C:502:ADP:H5'2	2.37	0.60
1:A:414:TRP:O	1:A:417:PHE:HD1	1.84	0.59
1:B:289:ILE:HG22	1:B:398:PHE:CE1	2.38	0.59
1:A:410:SER:HA	1:A:413:ASN:OD1	2.02	0.59
1:B:303:MET:SD	1:B:406:GLY:O	2.61	0.58
3:D:503:ADP:PB	3:D:503:ADP:H5'1	2.44	0.58
1:A:420:GLN:OE1	1:A:420:GLN:N	2.36	0.58
1:D:289:ILE:HG22	1:D:398:PHE:CE1	2.39	0.57
1:D:70:ILE:HD11	1:D:273:MET:CE	2.35	0.56
1:B:372:THR:HG23	1:B:382:THR:OG1	2.06	0.56
1:D:171:ASN:HB3	1:D:198:MET:CE	2.28	0.56
1:C:204:MET:HE2	1:C:206:LEU:CG	2.37	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:372:THR:HG23	1:C:382:THR:OG1	2.06	0.55
1:A:70:ILE:HD11	1:A:273:MET:CE	2.36	0.55
1:D:336:LYS:O	1:D:339:ASP:OD1	2.26	0.54
1:D:171:ASN:ND2	1:D:198:MET:CE	2.71	0.54
1:A:409:GLU:C	1:A:411:ILE:N	2.60	0.54
1:B:407:ILE:HG23	1:B:408:VAL:H	1.73	0.53
1:A:61:MET:SD	1:A:238:LEU:HD21	2.49	0.53
1:C:204:MET:CE	1:C:206:LEU:HD21	2.39	0.53
1:D:376:GLN:OE1	1:D:376:GLN:HA	2.09	0.53
1:A:395:SER:O	1:A:399:ILE:CG1	2.47	0.53
1:A:40:LEU:HD13	1:A:172:ILE:HD12	1.90	0.53
1:C:341:VAL:HG22	1:C:408:VAL:HG13	1.90	0.53
1:C:289:ILE:HG22	1:C:398:PHE:CE2	2.44	0.53
1:C:204:MET:HE2	1:C:206:LEU:HG	1.92	0.52
1:A:168:LYS:O	1:A:172:ILE:HG12	2.10	0.51
1:A:336:LYS:HE3	1:A:337:LEU:CD2	2.40	0.51
1:B:163:ASN:HB2	5:B:502:SO4:S	2.50	0.51
1:D:338:VAL:HG23	1:D:356:VAL:HG11	1.92	0.51
1:B:289:ILE:N	1:B:289:ILE:HD12	2.26	0.51
1:D:40:LEU:HD13	1:D:172:ILE:HD12	1.93	0.50
1:D:70:ILE:HD11	1:D:273:MET:SD	2.51	0.50
1:D:418:LYS:O	1:D:421:VAL:HG12	2.11	0.50
1:D:108:THR:C	1:D:109:ILE:HD12	2.32	0.50
1:D:168:LYS:O	1:D:172:ILE:HG12	2.11	0.50
1:A:40:LEU:CD1	1:A:172:ILE:HD12	2.42	0.49
1:D:171:ASN:CG	1:D:198:MET:HE3	2.32	0.49
1:C:204:MET:HE2	1:C:206:LEU:HD21	1.94	0.49
1:C:187:LYS:HD3	1:C:210:ASN:OD1	2.13	0.48
1:A:70:ILE:HD11	1:A:273:MET:SD	2.54	0.48
1:B:416:LYS:HG3	1:B:417:PHE:N	2.29	0.48
1:D:171:ASN:HD22	1:D:198:MET:HE2	1.79	0.48
1:A:374:ASP:O	1:B:376:GLN:NE2	2.47	0.48
1:B:257:LEU:O	1:B:259:GLY:N	2.47	0.47
1:D:108:THR:HB	1:D:117:SER:OG	2.14	0.47
1:D:334:VAL:HG13	1:D:356:VAL:CG1	2.45	0.47
1:C:314:VAL:HG13	1:C:368:ILE:HG12	1.97	0.47
1:A:314:VAL:HG13	1:A:368:ILE:HG12	1.97	0.47
1:B:413:ASN:HA	1:B:416:LYS:HG2	1.97	0.47
1:D:82:TYR:CE2	1:D:238:LEU:HD22	2.50	0.47
1:D:149:SER:O	1:D:157:LYS:NZ	2.46	0.47
1:A:376:GLN:H	1:A:376:GLN:CD	2.18	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:289:ILE:HD12	1:D:289:ILE:N	2.30	0.46
1:D:40:LEU:CD1	1:D:172:ILE:HD12	2.45	0.46
1:C:289:ILE:HD13	1:C:402:ALA:HA	1.98	0.46
1:A:108:THR:HB	1:A:117:SER:OG	2.15	0.46
1:A:59:GLN:HE21	1:A:61:MET:CE	2.29	0.46
1:A:155:GLU:OE1	1:A:157:LYS:HE3	2.15	0.45
1:B:163:ASN:HB2	5:B:502:SO4:O3	2.16	0.45
1:D:403:ILE:HG13	1:D:404:GLY:N	2.30	0.45
1:C:168:LYS:O	1:C:172:ILE:HD12	2.17	0.45
1:C:108:THR:HB	1:C:117:SER:OG	2.16	0.45
1:A:414:TRP:O	1:A:417:PHE:CD1	2.68	0.45
1:D:152:ASP:O	1:D:155:GLU:HG2	2.16	0.45
1:B:384:GLN:NE2	6:B:614:HOH:O	2.50	0.44
1:D:107:VAL:CG1	1:D:109:ILE:HD11	2.48	0.44
1:D:109:ILE:N	1:D:109:ILE:HD12	2.33	0.44
1:C:204:MET:HE2	1:C:206:LEU:CD2	2.48	0.44
1:C:59:GLN:HE21	1:C:61:MET:HE2	1.83	0.44
1:C:59:GLN:HE21	1:C:61:MET:CE	2.31	0.44
1:D:376:GLN:CA	1:D:376:GLN:OE1	2.65	0.43
1:B:108:THR:HB	1:B:117:SER:OG	2.18	0.43
1:D:59:GLN:HE21	1:D:61:MET:CE	2.31	0.43
1:D:168:LYS:HA	1:D:198:MET:HE1	2.01	0.43
1:C:289:ILE:HD11	1:C:405:CYS:HB3	2.00	0.43
1:D:353:ALA:O	1:D:356:VAL:CG1	2.65	0.43
1:B:289:ILE:N	1:B:289:ILE:CD1	2.82	0.42
1:C:163:ASN:CB	5:C:503:SO4:O3	2.63	0.42
1:D:339:ASP:OD1	1:D:340:VAL:N	2.52	0.42
1:C:204:MET:CE	1:C:206:LEU:HD11	2.50	0.42
1:D:107:VAL:HG12	1:D:109:ILE:HD11	2.01	0.42
1:D:306:LYS:HE2	1:D:309:GLN:OE1	2.20	0.42
1:B:375:SER:C	1:B:376:GLN:O	2.58	0.42
1:C:337:LEU:O	1:C:341:VAL:HG23	2.20	0.42
1:D:333:ILE:O	1:D:337:LEU:HD12	2.19	0.42
1:A:257:LEU:HB3	1:A:262:LEU:HD11	2.02	0.41
1:C:414:TRP:NE1	1:C:418:LYS:HE2	2.35	0.41
1:B:195:MET:CE	1:B:200:ARG:NH1	2.83	0.41
1:C:289:ILE:HD11	1:C:402:ALA:HA	1.99	0.41
1:C:425:LYS:O	1:C:426:LYS:HB2	2.21	0.41
1:B:190:PHE:C	1:B:190:PHE:CD1	2.94	0.41
1:A:336:LYS:NZ	1:A:399:ILE:HG22	2.36	0.41
1:B:195:MET:HE3	1:B:200:ARG:NH1	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:336:LYS:HZ3	1:A:399:ILE:HG22	1.86	0.40
1:D:107:VAL:HG12	1:D:109:ILE:HD12	2.02	0.40
1:C:204:MET:HE1	1:C:206:LEU:HD11	2.03	0.40
1:D:150:ASN:OD1	1:D:157:LYS:HE3	2.20	0.40
1:A:303:MET:CE	1:A:407:ILE:N	2.85	0.40
1:D:334:VAL:HG13	1:D:356:VAL:HG13	2.03	0.40
1:A:70:ILE:H	1:A:70:ILE:HD12	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	358/400 (90%)	335 (94%)	20 (6%)	3 (1%)	24 41
1	B	373/400 (93%)	352 (94%)	17 (5%)	4 (1%)	17 31
1	C	378/400 (94%)	365 (97%)	13 (3%)	0	100 100
1	D	365/400 (91%)	348 (95%)	16 (4%)	1 (0%)	46 68
All	All	1474/1600 (92%)	1400 (95%)	66 (4%)	8 (0%)	34 55

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	416	LYS
1	B	353	ALA
1	B	407	ILE
1	A	410	SER
1	A	417	PHE
1	B	258	ASN
1	D	341	VAL
1	B	404	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	330/358 (92%)	316 (96%)	14 (4%)	36 62
1	B	341/358 (95%)	332 (97%)	9 (3%)	54 81
1	C	343/358 (96%)	339 (99%)	4 (1%)	78 93
1	D	335/358 (94%)	322 (96%)	13 (4%)	39 66
All	All	1349/1432 (94%)	1309 (97%)	40 (3%)	48 76

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	189	MET
1	A	251	LYS
1	A	265	LYS
1	A	268	ARG
1	A	326	VAL
1	A	336	LYS
1	A	337	LEU
1	A	381	MET
1	A	403	ILE
1	A	410	SER
1	A	411	ILE
1	A	413	ASN
1	A	421	VAL
1	B	32	ARG
1	B	189	MET
1	B	203	GLU
1	B	217	ILE
1	B	251	LYS
1	B	336	LYS
1	B	352	LYS
1	B	377	THR
1	B	411	ILE
1	C	146	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	306	LYS
1	C	411	ILE
1	C	416	LYS
1	D	109	ILE
1	D	189	MET
1	D	210	ASN
1	D	229	GLN
1	D	238	LEU
1	D	265	LYS
1	D	268	ARG
1	D	287	LYS
1	D	374	ASP
1	D	397	LYS
1	D	403	ILE
1	D	408	VAL
1	D	415	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	GLN
1	A	413	ASN
1	C	59	GLN
1	C	163	ASN
1	D	59	GLN
1	D	171	ASN
1	D	210	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	ADP	A	502	2	22,29,29	1.32	3 (13%)	27,45,45	2.00	7 (25%)
4	GOL	A	503	-	5,5,5	0.60	0	5,5,5	0.90	0
5	SO4	B	502	-	4,4,4	0.81	0	6,6,6	0.27	0
3	ADP	B	503	2	22,29,29	1.11	1 (4%)	27,45,45	2.46	5 (18%)
3	ADP	C	502	2	22,29,29	1.12	2 (9%)	27,45,45	1.85	5 (18%)
5	SO4	C	503	-	4,4,4	0.39	0	6,6,6	0.35	0
5	SO4	D	502	-	4,4,4	0.45	0	6,6,6	0.39	0
3	ADP	D	503	2	22,29,29	1.19	2 (9%)	27,45,45	2.18	7 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	502	2	-	0/12/32/32	0/3/3/3
4	GOL	A	503	-	-	0/4/4/4	0/0/0/0
5	SO4	B	502	-	-	0/0/0/0	0/0/0/0
3	ADP	B	503	2	-	0/12/32/32	0/3/3/3
3	ADP	C	502	2	-	0/12/32/32	0/3/3/3
5	SO4	C	503	-	-	0/0/0/0	0/0/0/0
5	SO4	D	502	-	-	0/0/0/0	0/0/0/0
3	ADP	D	503	2	-	0/12/32/32	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	502	ADP	O5'-C5'	-2.21	1.35	1.44
3	A	502	ADP	C5-N7	-2.12	1.32	1.39
3	A	502	ADP	C5-C4	2.29	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	ADP	O4'-C1'	2.62	1.44	1.41
3	B	503	ADP	C5-C4	2.85	1.46	1.40
3	D	503	ADP	O4'-C1'	2.91	1.44	1.41
3	D	503	ADP	C5-C4	3.28	1.47	1.40
3	C	502	ADP	C5-C4	3.47	1.48	1.40

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	503	ADP	N3-C2-N1	-9.23	121.83	128.89
3	D	503	ADP	N3-C2-N1	-7.28	123.32	128.89
3	A	502	ADP	N3-C2-N1	-6.52	123.90	128.89
3	C	502	ADP	N3-C2-N1	-5.55	124.64	128.89
3	B	503	ADP	O3A-PA-O5'	-4.20	91.80	102.94
3	D	503	ADP	C5'-C4'-C3'	-3.50	101.31	115.21
3	A	502	ADP	O2A-PA-O5'	-3.10	92.83	108.46
3	C	502	ADP	C5'-C4'-C3'	-3.09	102.93	115.21
3	D	503	ADP	PA-O3A-PB	-3.02	122.54	132.67
3	C	502	ADP	O3A-PA-O5'	-2.92	95.18	102.94
3	B	503	ADP	C1'-N9-C4	-2.51	123.15	126.94
3	D	503	ADP	O2A-PA-O5'	-2.49	95.93	108.46
3	A	502	ADP	C1'-N9-C4	-2.28	123.49	126.94
3	A	502	ADP	O4'-C4'-C5'	-2.23	101.34	109.32
3	D	503	ADP	O4'-C1'-N9	2.01	112.31	108.10
3	A	502	ADP	O4'-C4'-C3'	2.03	109.23	105.15
3	A	502	ADP	O3B-PB-O1B	2.10	117.33	110.58
3	C	502	ADP	O4'-C4'-C3'	2.27	109.71	105.15
3	A	502	ADP	O4'-C1'-N9	2.32	112.95	108.10
3	B	503	ADP	O3B-PB-O2B	2.34	116.28	107.38
3	D	503	ADP	O2A-PA-O3A	2.34	115.71	105.09
3	D	503	ADP	C2-N1-C6	2.38	123.01	118.77
3	C	502	ADP	O2A-PA-O3A	3.06	118.96	105.09
3	B	503	ADP	C2-N1-C6	3.57	125.14	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	502	SO4	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	502	ADP	2	0
5	C	503	SO4	2	0
3	D	503	ADP	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	366/400 (91%)	0.27	21 (5%) 27 31	37, 64, 95, 117	0
1	B	379/400 (94%)	0.19	13 (3%) 49 54	35, 55, 88, 111	0
1	C	384/400 (96%)	-0.01	2 (0%) 91 92	39, 56, 80, 98	0
1	D	373/400 (93%)	0.43	24 (6%) 23 25	47, 71, 100, 117	0
All	All	1502/1600 (93%)	0.22	60 (3%) 42 47	35, 61, 93, 117	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	341	VAL	5.6
1	A	414	TRP	5.3
1	D	155	GLU	4.0
1	B	341	VAL	3.9
1	D	407	ILE	3.8
1	A	210	ASN	3.7
1	A	420	GLN	3.6
1	A	336	LYS	3.5
1	D	209	PHE	3.5
1	D	417	PHE	3.4
1	B	412	LEU	3.4
1	A	212	GLU	3.2
1	A	408	VAL	3.2
1	D	305	GLU	3.1
1	D	32	ARG	3.1
1	D	414	TRP	3.1
1	A	288	VAL	3.0
1	D	210	ASN	3.0
1	D	302	THR	2.9
1	B	339	ASP	2.9
1	D	211	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	408	VAL	2.8
1	B	229	GLN	2.8
1	A	211	GLY	2.7
1	A	374	ASP	2.7
1	D	416	LYS	2.7
1	A	417	PHE	2.7
1	B	420	GLN	2.7
1	A	400	LYS	2.6
1	A	184	ARG	2.6
1	C	131	LYS	2.6
1	A	418	LYS	2.6
1	A	403	ILE	2.6
1	B	336	LYS	2.6
1	C	136	TYR	2.6
1	B	414	TRP	2.5
1	D	33	ILE	2.5
1	D	34	TYR	2.5
1	D	352	LYS	2.4
1	D	355	GLN	2.4
1	A	338	VAL	2.3
1	B	49	THR	2.3
1	A	399	ILE	2.3
1	B	337	LEU	2.3
1	A	422	GLN	2.3
1	D	29	SER	2.3
1	D	212	GLU	2.2
1	D	287	LYS	2.2
1	D	188	LYS	2.2
1	A	265	LYS	2.2
1	A	373	PHE	2.2
1	D	420	GLN	2.1
1	B	411	ILE	2.1
1	B	352	LYS	2.1
1	B	377	THR	2.1
1	B	409	GLU	2.1
1	A	398	PHE	2.1
1	D	101	LYS	2.0
1	A	337	LEU	2.0
1	D	154	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	GOL	A	503	6/6	0.87	0.30	1.88	59,66,71,76	0
2	MG	A	501	1/1	0.98	0.17	1.46	43,43,43,43	0
3	ADP	D	503	27/27	0.98	0.20	0.18	46,60,73,99	0
3	ADP	A	502	27/27	0.98	0.15	0.07	40,49,57,65	0
2	MG	B	501	1/1	0.96	0.20	0.07	40,40,40,40	0
3	ADP	B	503	27/27	0.99	0.18	-0.02	33,39,47,50	0
3	ADP	C	502	27/27	0.98	0.14	-0.42	42,49,55,57	0
5	SO4	B	502	5/5	0.95	0.16	-1.30	67,76,82,92	0
5	SO4	C	503	5/5	0.97	0.11	-1.62	74,81,82,83	0
5	SO4	D	502	5/5	0.96	0.17	-2.28	93,97,112,112	0
2	MG	C	501	1/1	0.98	0.18	-	45,45,45,45	0
2	MG	D	501	1/1	0.97	0.22	-	50,50,50,50	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.