



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:37 PM GMT

PDB ID : 3RG6  
Title : Crystal structure of a chaperone-bound assembly intermediate of form I Rubisco  
Authors : Bracher, A.; Starling-Windhof, A.; Hartl, F.U.; Hayer-Hartl, M.  
Deposited on : 2011-04-07  
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1124 (3.24-3.16)
Clashscore	102246	1024 (3.22-3.18)
Ramachandran outliers	100387	1004 (3.22-3.18)
Sidechain outliers	100360	1003 (3.22-3.18)
RSRZ outliers	91569	1129 (3.24-3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	472	 66% 24% • 6%
1	B	472	 65% 25% • 7%
2	C	155	 14% 63% 11% 12% 2%
2	D	155	 54% 14% • 31%
2	E	155	 12% 66% 7% 15% 2%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	155	<div><div><div>%</div><div><div></div></div><div>59%</div><div>8%</div><div>32%</div></div></div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10078 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribulose biphosphate carboxylase large chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	442	Total	C	N	O	S	0	0	0
			3407	2164	596	629	18			
1	B	438	Total	C	N	O	S	0	0	0
			3356	2131	591	616	18			

- Molecule 2 is a protein called RbcX protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	115	Total	C	N	O	S	0	0	0
			867	551	150	161	5			
2	D	107	Total	C	N	O	S	0	0	0
			801	513	138	148	2			
2	E	114	Total	C	N	O	S	0	0	0
			855	543	149	159	4			
2	F	106	Total	C	N	O	S	0	0	0
			792	508	137	145	2			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-19	MET	-	EXPRESSION TAG	UNP Q44212
C	-18	GLY	-	EXPRESSION TAG	UNP Q44212
C	-17	SER	-	EXPRESSION TAG	UNP Q44212
C	-16	SER	-	EXPRESSION TAG	UNP Q44212
C	-15	HIS	-	EXPRESSION TAG	UNP Q44212
C	-14	HIS	-	EXPRESSION TAG	UNP Q44212
C	-13	HIS	-	EXPRESSION TAG	UNP Q44212
C	-12	HIS	-	EXPRESSION TAG	UNP Q44212
C	-11	HIS	-	EXPRESSION TAG	UNP Q44212
C	-10	HIS	-	EXPRESSION TAG	UNP Q44212
C	-9	SER	-	EXPRESSION TAG	UNP Q44212
C	-8	SER	-	EXPRESSION TAG	UNP Q44212

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-7	GLY	-	EXPRESSION TAG	UNP Q44212
C	-6	LEU	-	EXPRESSION TAG	UNP Q44212
C	-5	VAL	-	EXPRESSION TAG	UNP Q44212
C	-4	PRO	-	EXPRESSION TAG	UNP Q44212
C	-3	ARG	-	EXPRESSION TAG	UNP Q44212
C	-2	GLY	-	EXPRESSION TAG	UNP Q44212
C	-1	SER	-	EXPRESSION TAG	UNP Q44212
C	0	HIS	-	EXPRESSION TAG	UNP Q44212
D	-19	MET	-	EXPRESSION TAG	UNP Q44212
D	-18	GLY	-	EXPRESSION TAG	UNP Q44212
D	-17	SER	-	EXPRESSION TAG	UNP Q44212
D	-16	SER	-	EXPRESSION TAG	UNP Q44212
D	-15	HIS	-	EXPRESSION TAG	UNP Q44212
D	-14	HIS	-	EXPRESSION TAG	UNP Q44212
D	-13	HIS	-	EXPRESSION TAG	UNP Q44212
D	-12	HIS	-	EXPRESSION TAG	UNP Q44212
D	-11	HIS	-	EXPRESSION TAG	UNP Q44212
D	-10	HIS	-	EXPRESSION TAG	UNP Q44212
D	-9	SER	-	EXPRESSION TAG	UNP Q44212
D	-8	SER	-	EXPRESSION TAG	UNP Q44212
D	-7	GLY	-	EXPRESSION TAG	UNP Q44212
D	-6	LEU	-	EXPRESSION TAG	UNP Q44212
D	-5	VAL	-	EXPRESSION TAG	UNP Q44212
D	-4	PRO	-	EXPRESSION TAG	UNP Q44212
D	-3	ARG	-	EXPRESSION TAG	UNP Q44212
D	-2	GLY	-	EXPRESSION TAG	UNP Q44212
D	-1	SER	-	EXPRESSION TAG	UNP Q44212
D	0	HIS	-	EXPRESSION TAG	UNP Q44212
E	-19	MET	-	EXPRESSION TAG	UNP Q44212
E	-18	GLY	-	EXPRESSION TAG	UNP Q44212
E	-17	SER	-	EXPRESSION TAG	UNP Q44212
E	-16	SER	-	EXPRESSION TAG	UNP Q44212
E	-15	HIS	-	EXPRESSION TAG	UNP Q44212
E	-14	HIS	-	EXPRESSION TAG	UNP Q44212
E	-13	HIS	-	EXPRESSION TAG	UNP Q44212
E	-12	HIS	-	EXPRESSION TAG	UNP Q44212
E	-11	HIS	-	EXPRESSION TAG	UNP Q44212
E	-10	HIS	-	EXPRESSION TAG	UNP Q44212
E	-9	SER	-	EXPRESSION TAG	UNP Q44212
E	-8	SER	-	EXPRESSION TAG	UNP Q44212
E	-7	GLY	-	EXPRESSION TAG	UNP Q44212
E	-6	LEU	-	EXPRESSION TAG	UNP Q44212

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-5	VAL	-	EXPRESSION TAG	UNP Q44212
E	-4	PRO	-	EXPRESSION TAG	UNP Q44212
E	-3	ARG	-	EXPRESSION TAG	UNP Q44212
E	-2	GLY	-	EXPRESSION TAG	UNP Q44212
E	-1	SER	-	EXPRESSION TAG	UNP Q44212
E	0	HIS	-	EXPRESSION TAG	UNP Q44212
F	-19	MET	-	EXPRESSION TAG	UNP Q44212
F	-18	GLY	-	EXPRESSION TAG	UNP Q44212
F	-17	SER	-	EXPRESSION TAG	UNP Q44212
F	-16	SER	-	EXPRESSION TAG	UNP Q44212
F	-15	HIS	-	EXPRESSION TAG	UNP Q44212
F	-14	HIS	-	EXPRESSION TAG	UNP Q44212
F	-13	HIS	-	EXPRESSION TAG	UNP Q44212
F	-12	HIS	-	EXPRESSION TAG	UNP Q44212
F	-11	HIS	-	EXPRESSION TAG	UNP Q44212
F	-10	HIS	-	EXPRESSION TAG	UNP Q44212
F	-9	SER	-	EXPRESSION TAG	UNP Q44212
F	-8	SER	-	EXPRESSION TAG	UNP Q44212
F	-7	GLY	-	EXPRESSION TAG	UNP Q44212
F	-6	LEU	-	EXPRESSION TAG	UNP Q44212
F	-5	VAL	-	EXPRESSION TAG	UNP Q44212
F	-4	PRO	-	EXPRESSION TAG	UNP Q44212
F	-3	ARG	-	EXPRESSION TAG	UNP Q44212
F	-2	GLY	-	EXPRESSION TAG	UNP Q44212
F	-1	SER	-	EXPRESSION TAG	UNP Q44212
F	0	HIS	-	EXPRESSION TAG	UNP Q44212


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.




- Molecule 1: Ribulose biphosphate carboxylase large chain



- Molecule 1: Ribulose biphosphate carboxylase large chain



- Molecule 2: RbcX protein





## 4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	244.75Å 244.75Å 99.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 3.20 29.89 – 3.20	Depositor EDS
% Data completeness (in resolution range)	84.5 (30.00-3.20) 84.5 (29.89-3.20)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.34 (at 3.18Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.216 , 0.245 0.217 , 0.247	Depositor DCC
$R_{free}$ test set	2067 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	72.3	Xtriage
Anisotropy	0.005	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 41.5	EDS
Estimated twinning fraction	0.053 for -k,-h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.43$ , $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	0 of 41214 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	10078	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.81% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/3492	0.58	0/4736
1	B	0.40	0/3438	0.58	0/4662
2	C	0.33	0/881	0.48	0/1200
2	D	0.34	0/815	0.50	0/1114
2	E	0.32	0/869	0.45	0/1186
2	F	0.34	0/806	0.50	0/1102
All	All	0.38	0/10301	0.55	0/14000

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3407	0	3251	89	0
1	B	3356	0	3202	77	0
2	C	867	0	838	13	0
2	D	801	0	763	18	0
2	E	855	0	817	8	0
2	F	792	0	757	9	0
All	All	10078	0	9628	192	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:30:LEU:HA	2:F:33:THR:HG22	1.38	1.02
1:A:19:LEU:HD11	1:A:63:TRP:CH2	1.96	1.00
1:A:19:LEU:HD11	1:A:63:TRP:HH2	1.28	0.95
1:B:209:GLN:HE22	1:B:214:ARG:HD3	1.34	0.92
1:A:49:GLU:HG2	2:D:33:THR:HG21	1.55	0.88
1:A:198:LYS:HB3	1:A:236:TYR:CD2	2.12	0.84
1:A:226:GLN:NE2	1:A:233:LYS:H	1.81	0.77
1:A:316:ARG:HG2	1:A:365:TRP:CZ3	2.19	0.77
2:C:14:LEU:HD23	2:D:89:VAL:HG21	1.68	0.76
1:A:198:LYS:HB3	1:A:236:TYR:HD2	1.46	0.76
1:A:169:CYS:HB2	1:A:399:PHE:O	1.89	0.73
1:A:380:HIS:H	1:A:383:HIS:HD2	1.34	0.73
1:A:255:LYS:HE2	1:A:284:ASN:HB3	1.71	0.73
1:B:138:PRO:O	1:B:142:VAL:HG23	1.92	0.69
1:A:270:GLY:HA3	1:B:270:GLY:HA3	1.73	0.69
1:A:19:LEU:CD1	1:A:63:TRP:CH2	2.76	0.68
1:A:294:MET:HG2	1:A:294:MET:O	1.92	0.68
1:B:164:ARG:HB2	1:B:425:VAL:HG21	1.74	0.68
1:A:250:ARG:NH2	1:B:106:GLU:OE2	2.26	0.68
1:A:184:ARG:O	1:A:188:GLU:HG2	1.94	0.67
1:B:219:ALA:HB2	1:B:257:LEU:HD13	1.77	0.67
1:B:49:GLU:OE2	2:F:33:THR:HG21	1.96	0.65
1:B:198:LYS:HB2	1:B:236:TYR:HD2	1.61	0.65
1:B:236:TYR:HB3	1:B:263:MET:HB3	1.77	0.64
1:A:380:HIS:H	1:A:383:HIS:CD2	2.15	0.64
1:A:49:GLU:CG	2:D:33:THR:HG21	2.28	0.64
1:A:174:LYS:HG2	1:A:203:ILE:HD11	1.80	0.63
1:A:174:LYS:HG2	1:A:175:LEU:N	2.13	0.63
1:A:209:GLN:OE1	1:A:214:ARG:HD3	1.98	0.63
1:B:215:PHE:HE2	1:B:254:ALA:HB2	1.65	0.61
1:A:199:ASP:OD1	1:A:235:HIS:HE1	1.83	0.61
1:B:241:ALA:HB1	1:B:242:PRO:HD2	1.83	0.61
1:B:248:MET:HA	1:B:248:MET:CE	2.31	0.60
1:A:208:PHE:O	1:A:209:GLN:HB2	2.01	0.60
1:A:342:PHE:HA	1:A:345:LEU:HB2	1.83	0.60
1:B:184:ARG:O	1:B:188:GLU:HG2	2.00	0.60
1:A:236:TYR:HB3	1:A:263:MET:HB3	1.82	0.60
1:A:169:CYS:HA	1:A:399:PHE:H	1.66	0.60
1:B:316:ARG:HG2	1:B:365:TRP:CZ3	2.37	0.60
2:C:1:MET:HG3	2:C:3:LEU:HD13	1.83	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:143:LYS:HA	1:B:143:LYS:HE2	1.85	0.59
1:A:197:THR:HB	1:A:235:HIS:HD2	1.67	0.59
1:A:164:ARG:HG2	1:A:165:PRO:O	2.02	0.59
1:A:406:HIS:CE1	1:A:408:TRP:HB2	2.39	0.58
2:E:93:ILE:HG23	2:F:74:ARG:HD3	1.86	0.57
1:B:439:GLY:O	1:B:443:ARG:HD3	2.05	0.57
1:B:226:GLN:OE1	1:B:232:ILE:HA	2.05	0.57
1:A:333:GLU:HG2	1:A:334:GLY:N	2.20	0.57
1:A:197:THR:HB	1:A:235:HIS:CD2	2.40	0.56
2:E:14:LEU:HD23	2:F:89:VAL:HG21	1.88	0.56
1:B:289:HIS:HA	1:B:322:HIS:HB2	1.88	0.56
2:E:26:VAL:HG21	2:E:70:ILE:HD11	1.87	0.56
1:A:21:TYR:HH	1:A:60:THR:HG1	1.53	0.56
1:A:174:LYS:HG2	1:A:175:LEU:H	1.71	0.56
1:B:339:THR:HA	1:B:342:PHE:CE2	2.40	0.56
1:A:182:TYR:OH	1:A:199:ASP:HA	2.06	0.55
1:B:194:LEU:HG	1:B:414:ALA:HB1	1.87	0.55
1:A:49:GLU:HG2	2:D:33:THR:CG2	2.33	0.55
1:A:462:ILE:HG12	2:F:46:ALA:HA	1.86	0.55
2:D:71:MET:HA	2:D:74:ARG:HD2	1.87	0.55
1:A:33:LEU:HB3	1:A:100:TYR:HB2	1.87	0.55
1:A:170:THR:HG23	1:A:198:LYS:HG3	1.89	0.55
1:B:118:VAL:HG11	1:B:306:ILE:HD11	1.89	0.55
2:F:20:TYR:OH	2:F:24:ARG:NH1	2.40	0.54
1:A:382:TRP:HE1	1:A:459:TRP:HB2	1.72	0.54
1:A:380:HIS:N	1:A:383:HIS:HD2	2.02	0.54
1:A:19:LEU:CD1	1:A:63:TRP:CZ3	2.91	0.54
1:B:324:HIS:HA	1:B:374:VAL:HB	1.90	0.53
2:D:46:ALA:HA	1:B:462:ILE:HG12	1.89	0.53
1:A:299:ASP:C	1:A:299:ASP:OD1	2.47	0.53
1:A:156:ARG:NH1	1:A:164:ARG:O	2.42	0.53
1:A:152:ILE:HG12	1:A:372:LEU:HG	1.91	0.52
1:B:353:ALA:HA	1:B:359:VAL:HG12	1.90	0.52
1:A:248:MET:CE	1:A:276:THR:HG22	2.39	0.52
1:A:42:GLN:OE1	1:A:43:PRO:HD2	2.10	0.52
1:A:62:THR:O	1:A:63:TRP:HB2	2.08	0.52
1:A:198:LYS:CB	1:A:236:TYR:HD2	2.20	0.52
2:F:30:LEU:HA	2:F:33:THR:CG2	2.26	0.52
1:B:198:LYS:HB2	1:B:236:TYR:CD2	2.44	0.52
1:B:215:PHE:CE2	1:B:254:ALA:HB2	2.43	0.52
1:B:433:ASP:O	1:B:437:GLU:HB2	2.10	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:180:LYS:HD2	1:B:217:PHE:CE1	2.45	0.51
1:A:194:LEU:HG	1:A:414:ALA:HB1	1.91	0.51
1:B:33:LEU:HB3	1:B:100:TYR:HB2	1.91	0.51
1:B:131:ARG:HA	1:B:305:GLY:O	2.11	0.51
1:B:37:PHE:HB3	1:B:130:LEU:HD11	1.93	0.51
2:C:26:VAL:HG21	2:C:70:ILE:HD11	1.93	0.51
2:F:20:TYR:HD1	2:F:49:VAL:HG11	1.75	0.50
2:D:27:LEU:HD21	2:D:42:HIS:HD2	1.75	0.50
1:B:148:PRO:HD2	1:B:369:PRO:HD2	1.93	0.50
1:A:53:ALA:HB2	2:D:33:THR:HG23	1.92	0.50
1:B:384:MET:O	1:B:388:VAL:HG23	2.12	0.50
1:B:275:THR:O	1:B:279:LYS:HG2	2.12	0.50
1:A:316:ARG:NH1	1:A:369:PRO:O	2.44	0.50
1:B:248:MET:O	1:B:252:GLU:HG2	2.12	0.50
1:B:170:THR:HG23	1:B:198:LYS:HG2	1.93	0.50
1:B:263:MET:HA	1:B:289:HIS:O	2.12	0.49
2:E:26:VAL:O	2:E:30:LEU:HB2	2.12	0.49
1:B:226:GLN:HG3	1:B:231:GLU:O	2.12	0.49
1:A:138:PRO:O	1:A:142:VAL:HG23	2.12	0.49
1:A:333:GLU:HB2	2:E:5:GLN:NE2	2.28	0.49
2:D:49:VAL:HB	1:B:464:PHE:HD1	1.76	0.48
2:D:74:ARG:HG2	2:D:75:GLU:N	2.28	0.48
1:B:21:TYR:CE1	1:B:56:ALA:HA	2.47	0.48
1:B:134:ASP:OD2	1:B:135:ILE:N	2.46	0.48
2:C:81:ILE:HD13	2:D:6:ILE:HG22	1.95	0.48
1:A:374:VAL:HG22	1:A:396:VAL:HB	1.95	0.48
1:A:339:THR:HA	1:A:342:PHE:CE2	2.49	0.48
1:B:169:CYS:HA	1:B:399:PHE:H	1.79	0.48
2:C:97:ASN:ND2	2:D:71:MET:O	2.47	0.47
2:D:35:PRO:HB2	2:D:36:PRO:HD3	1.96	0.47
1:A:333:GLU:HB2	2:E:5:GLN:CD	2.34	0.47
1:A:174:LYS:CG	1:A:175:LEU:H	2.25	0.47
1:B:209:GLN:NE2	1:B:214:ARG:HD3	2.17	0.47
1:B:131:ARG:NH2	1:B:301:GLN:O	2.47	0.47
1:B:38:ARG:O	1:B:38:ARG:HG3	2.15	0.47
1:B:342:PHE:HA	1:B:345:LEU:HB2	1.97	0.47
1:A:21:TYR:OH	1:A:60:THR:OG1	2.27	0.46
1:B:203:ILE:O	1:B:203:ILE:CG2	2.63	0.46
1:B:164:ARG:HG2	1:B:165:PRO:O	2.16	0.46
1:A:159:LEU:HB3	1:A:161:LYS:HD3	1.97	0.46
1:A:61:GLY:O	1:A:63:TRP:HD1	1.99	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:LEU:HD23	1:A:320:GLY:HA2	1.98	0.46
1:A:292:ARG:HD3	1:A:295:HIS:CD2	2.51	0.46
1:A:19:LEU:HA	1:A:19:LEU:HD12	1.78	0.45
1:A:406:HIS:HE1	1:A:408:TRP:HB2	1.81	0.45
1:B:406:HIS:HA	1:B:407:PRO:HD2	1.78	0.45
2:C:100:LYS:NZ	2:D:57:GLU:HG3	2.31	0.45
1:A:57:GLU:HG3	1:A:124:PHE:CZ	2.51	0.45
2:C:26:VAL:O	2:C:30:LEU:HB2	2.17	0.45
1:B:159:LEU:HB3	1:B:161:LYS:HD3	1.99	0.45
1:A:265:ASP:OD1	1:A:291:HIS:HB3	2.17	0.45
2:C:100:LYS:HZ3	2:D:57:GLU:HG3	1.83	0.44
2:C:85:LEU:HB2	2:C:86:PRO:HD3	1.99	0.44
1:A:275:THR:O	1:A:279:LYS:HG2	2.16	0.44
1:B:274:ASN:O	1:B:275:THR:C	2.55	0.44
1:B:248:MET:HE2	1:B:248:MET:HA	2.00	0.44
1:A:149:PRO:HD3	1:A:320:GLY:H	1.82	0.44
1:A:131:ARG:HA	1:A:305:GLY:O	2.18	0.44
1:A:236:TYR:CB	1:A:263:MET:HB3	2.47	0.44
1:A:316:ARG:HD3	1:A:371:VAL:HG23	2.00	0.44
1:B:156:ARG:NH1	1:B:164:ARG:O	2.49	0.44
1:B:406:HIS:CE1	1:B:408:TRP:HB2	2.52	0.44
1:B:417:ASN:N	1:B:417:ASN:HD22	2.15	0.44
1:A:272:THR:HA	1:B:242:PRO:O	2.18	0.43
1:A:196:PHE:HA	1:A:234:GLY:O	2.18	0.43
1:B:340:LEU:HD21	1:B:390:ILE:HG23	1.99	0.43
1:A:241:ALA:HB1	1:A:242:PRO:HD2	1.98	0.43
1:A:180:LYS:HD3	1:A:217:PHE:CE1	2.54	0.43
1:B:169:CYS:HB2	1:B:399:PHE:O	2.19	0.43
1:A:167:LEU:HG	1:A:421:LEU:HD22	2.00	0.43
2:E:85:LEU:HB2	2:E:86:PRO:HD3	2.00	0.43
1:A:206:GLN:HB3	1:A:207:PRO:HD2	2.01	0.43
1:B:292:ARG:HD3	1:B:295:HIS:CD2	2.53	0.43
2:C:69:ARG:O	2:C:73:VAL:HG23	2.19	0.42
1:A:129:SER:HB2	1:A:303:ASN:O	2.19	0.42
1:B:147:GLY:HA2	1:B:316:ARG:O	2.19	0.42
1:B:37:PHE:CD1	1:B:130:LEU:HD11	2.54	0.42
1:A:328:VAL:O	1:A:328:VAL:HG12	2.20	0.42
2:C:100:LYS:NZ	2:D:53:GLU:O	2.53	0.42
1:A:75:ASP:HA	1:A:78:LYS:HG2	2.02	0.42
1:B:380:HIS:H	1:B:383:HIS:HD2	1.67	0.42
1:B:290:ILE:HG21	1:B:315:LEU:HG	2.01	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:PRO:HD2	1:B:104:LEU:HG	2.01	0.42
1:A:465:GLU:HA	2:E:50:GLN:HE22	1.84	0.42
1:A:248:MET:HE2	1:A:276:THR:HG22	2.02	0.41
1:A:197:THR:O	1:A:235:HIS:HA	2.20	0.41
1:A:156:ARG:NH2	1:A:394:ASP:OD1	2.54	0.41
1:A:174:LYS:CG	1:A:203:ILE:HD11	2.48	0.41
1:A:174:LYS:HE3	1:A:174:LYS:HB3	1.70	0.41
1:A:164:ARG:HB2	1:A:425:VAL:HG21	2.02	0.41
2:D:30:LEU:HB3	2:D:38:ALA:HB2	2.03	0.41
1:B:147:GLY:O	1:B:319:GLY:HA2	2.20	0.41
1:B:104:LEU:HB2	1:B:105:PHE:CE2	2.56	0.41
1:B:127:ILE:HG22	1:B:129:SER:H	1.86	0.41
1:B:22:TYR:HB2	1:B:52:ALA:HB2	2.03	0.41
1:A:107:GLU:C	1:A:109:SER:H	2.24	0.41
1:A:164:ARG:HH21	1:A:418:ARG:CZ	2.33	0.41
2:C:82:ALA:HA	2:C:85:LEU:HD12	2.03	0.41
1:B:380:HIS:N	1:B:383:HIS:HD2	2.18	0.41
1:B:351:ILE:O	1:B:362:THR:HA	2.21	0.41
1:B:206:GLN:HB3	1:B:207:PRO:HD2	2.03	0.41
2:C:97:ASN:HB3	2:C:101:ARG:HH12	1.86	0.41
1:B:148:PRO:HA	1:B:320:GLY:H	1.86	0.41
2:F:30:LEU:CA	2:F:33:THR:HG22	2.28	0.40
1:B:128:ARG:HB3	1:B:128:ARG:HH11	1.85	0.40
2:D:71:MET:HA	2:D:74:ARG:CD	2.51	0.40
1:B:468:THR:O	1:B:469:MET:HB2	2.21	0.40
1:A:219:ALA:HB2	1:A:257:LEU:HD13	2.04	0.40
1:B:316:ARG:HG2	1:B:365:TRP:CH2	2.56	0.40
1:B:380:HIS:H	1:B:383:HIS:CD2	2.39	0.40
1:B:42:GLN:OE1	1:B:43:PRO:HD2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/472 (92%)	404 (93%)	26 (6%)	6 (1%)	14	57
1	B	430/472 (91%)	389 (90%)	36 (8%)	5 (1%)	16	60
2	C	113/155 (73%)	108 (96%)	5 (4%)	0	100	100
2	D	105/155 (68%)	98 (93%)	4 (4%)	3 (3%)	6	36
2	E	112/155 (72%)	109 (97%)	3 (3%)	0	100	100
2	F	104/155 (67%)	101 (97%)	3 (3%)	0	100	100
All	All	1300/1564 (83%)	1209 (93%)	77 (6%)	14 (1%)	17	62

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	75	ASP
1	A	174	LYS
1	A	209	GLN
1	A	333	GLU
1	B	152	ILE
1	A	74	MET
2	D	49	VAL
1	B	209	GLN
1	B	377	GLY
1	B	174	LYS
2	D	2	ASN
2	D	50	GLN
1	B	119	GLY
1	A	152	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	344/383 (90%)	310 (90%)	34 (10%)	10	38
1	B	337/383 (88%)	305 (90%)	32 (10%)	11	40
2	C	86/137 (63%)	84 (98%)	2 (2%)	58	87

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	76/137 (56%)	68 (90%)	8 (10%)	8	35
2	E	84/137 (61%)	82 (98%)	2 (2%)	57	86
2	F	75/137 (55%)	68 (91%)	7 (9%)	11	41
All	All	1002/1314 (76%)	917 (92%)	85 (8%)	13	47

All (85) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	THR
1	A	27	THR
1	A	38	ARG
1	A	75	ASP
1	A	78	LYS
1	A	91	GLU
1	A	93	SER
1	A	104	LEU
1	A	110	VAL
1	A	129	SER
1	A	131	ARG
1	A	143	LYS
1	A	164	ARG
1	A	169	CYS
1	A	175	LEU
1	A	191	ARG
1	A	197	THR
1	A	198	LYS
1	A	200	ASP
1	A	210	ARG
1	A	238	ASN
1	A	255	LYS
1	A	279	LYS
1	A	282	ARG
1	A	292	ARG
1	A	327	THR
1	A	329	VAL
1	A	340	LEU
1	A	347	ARG
1	A	381	VAL
1	A	443	ARG
1	A	449	SER
1	A	451	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	457	ASP
2	C	53	GLU
2	C	60	PHE
2	D	5	GLN
2	D	14	LEU
2	D	15	GLN
2	D	49	VAL
2	D	60	PHE
2	D	69	ARG
2	D	72	THR
2	D	74	ARG
1	B	20	THR
1	B	38	ARG
1	B	75	ASP
1	B	78	LYS
1	B	91	GLU
1	B	93	SER
1	B	110	VAL
1	B	128	ARG
1	B	131	ARG
1	B	139	VAL
1	B	161	LYS
1	B	164	ARG
1	B	169	CYS
1	B	175	LEU
1	B	191	ARG
1	B	198	LYS
1	B	202	ASN
1	B	203	ILE
1	B	209	GLN
1	B	210	ARG
1	B	216	LEU
1	B	279	LYS
1	B	282	ARG
1	B	292	ARG
1	B	327	THR
1	B	328	VAL
1	B	347	ARG
1	B	361	PHE
1	B	418	ARG
1	B	443	ARG
1	B	449	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	451	GLU
2	E	2	ASN
2	E	60	PHE
2	F	27	LEU
2	F	32	GLU
2	F	60	PHE
2	F	65	ASP
2	F	66	LEU
2	F	69	ARG
2	F	74	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	ASN
1	A	204	ASN
1	A	226	GLN
1	A	235	HIS
1	A	238	ASN
1	A	274	ASN
1	A	291	HIS
1	A	350	HIS
1	A	380	HIS
1	A	383	HIS
1	A	398	GLN
1	A	417	ASN
2	C	76	HIS
2	C	104	HIS
2	D	42	HIS
2	D	50	GLN
1	B	209	GLN
1	B	238	ASN
1	B	274	ASN
1	B	350	HIS
1	B	380	HIS
1	B	383	HIS
1	B	398	GLN
1	B	417	ASN
2	E	2	ASN
2	E	50	GLN
2	E	104	HIS
2	F	15	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	442/472 (93%)	-0.03	1 (0%) 95 94	36, 61, 94, 148	0
1	B	438/472 (92%)	-0.01	0 100 100	36, 60, 94, 148	0
2	C	115/155 (74%)	0.86	21 (18%) 2 1	121, 162, 220, 229	2 (1%)
2	D	107/155 (69%)	0.11	1 (0%) 85 78	87, 112, 202, 252	2 (1%)
2	E	114/155 (73%)	0.88	18 (15%) 3 2	117, 161, 226, 236	2 (1%)
2	F	106/155 (68%)	0.09	2 (1%) 70 55	81, 104, 194, 249	2 (1%)
All	All	1322/1564 (84%)	0.15	43 (3%) 50 35	36, 75, 192, 252	8 (0%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	65	ASP	5.9
2	E	62	GLU	4.9
2	D	1	MET	4.3
2	E	68	LEU	4.2
2	C	45	SER	4.1
2	C	55	TYR	4.0
2	E	56	ILE	3.9
2	E	41	LEU	3.8
2	E	55	TYR	3.6
2	C	115	HIS	3.6
2	E	37	LEU	3.4
2	C	25	THR	3.4
2	E	64	PRO	3.3
2	C	1	MET	3.2
2	C	27	LEU	3.2
2	C	23	LEU	3.0
2	C	66	LEU	3.0
2	C	41	LEU	3.0
2	E	65	ASP	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	C	37	LEU	2.9
2	C	111	VAL	2.9
2	E	79	GLU	2.8
2	C	29	GLN	2.8
2	C	74	ARG	2.8
2	E	66	LEU	2.8
2	E	60	PHE	2.7
2	C	114	SER	2.6
1	A	176	GLY	2.6
2	F	1	MET	2.6
2	E	49	VAL	2.5
2	F	105	LEU	2.4
2	E	69	ARG	2.4
2	E	59	LEU	2.4
2	E	21	GLN	2.3
2	E	74	ARG	2.3
2	C	84	PHE	2.2
2	C	30	LEU	2.2
2	C	59	LEU	2.1
2	C	78	ALA	2.1
2	C	36	PRO	2.1
2	E	27	LEU	2.1
2	E	78	ALA	2.1
2	C	33	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.