



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:07 PM GMT

PDB ID : 1S4E
Title : Pyrococcus furiosus galactokinase in complex with galactose, ADP and magnesium
Authors : Hartley, A.; Glynn, S.E.; Barynin, V.; Baker, P.J.; Sedelnikova, S.E.; Verhees, C.; de Geus, D.; van der Oost, J.; Timson, D.J.; Reece, R.J.; Rice, D.W.
Deposited on : 2004-01-16
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1451 (2.90-2.90)
Clashscore	102246	1668 (2.90-2.90)
Ramachandran outliers	100387	1630 (2.90-2.90)
Sidechain outliers	100360	1632 (2.90-2.90)
RSRZ outliers	91569	1456 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	352	<div> <div>2%</div> <div>74%</div> <div>20%</div> <div>• •</div> </div>
1	B	352	<div> <div>5%</div> <div>69%</div> <div>16%</div> <div>• 12%</div> </div>
1	C	352	<div> <div>4%</div> <div>79%</div> <div>15%</div> <div>• •</div> </div>
1	D	352	<div> <div>3%</div> <div>77%</div> <div>19%</div> <div>• •</div> </div>
1	E	352	<div> <div>4%</div> <div>80%</div> <div>16%</div> <div>• •</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	352	
1	G	352	
1	H	352	
1	I	352	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GLA	A	500	-	-	-	X
2	GLA	B	1500	-	-	-	X
2	GLA	D	3500	-	-	-	X
2	GLA	E	4500	X	-	-	X
2	GLA	F	5500	-	-	-	X
2	GLA	I	8500	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 22711 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Galactokinase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	337	Total	C	N	O	S	Se	0	0	0
			2554	1660	410	479	2	3			
1	B	310	Total	C	N	O	S	Se	0	0	0
			2266	1463	368	430	2	3			
1	C	337	Total	C	N	O	S	Se	0	0	0
			2419	1564	396	454	2	3			
1	D	349	Total	C	N	O	S	Se	0	0	0
			2643	1715	420	503	2	3			
1	E	346	Total	C	N	O	S	Se	0	0	0
			2616	1703	414	494	2	3			
1	F	351	Total	C	N	O	S	Se	0	0	0
			2722	1769	433	515	2	3			
1	G	255	Total	C	N	O	S	Se	0	0	0
			1811	1157	303	346	2	3			
1	H	347	Total	C	N	O	S	Se	0	0	0
			2652	1728	422	497	2	3			
1	I	351	Total	C	N	O	S	Se	0	0	0
			2668	1741	416	506	2	3			

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
A	27	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
A	29	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
A	293	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
B	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
B	27	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
B	29	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
B	293	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
C	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
C	27	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
C	29	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	293	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
D	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
D	27	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
D	29	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
D	293	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
E	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
E	27	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
E	29	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
E	293	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
F	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
F	27	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
F	29	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
F	293	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
G	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
G	27	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
G	29	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
G	293	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
H	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
H	27	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
H	29	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
H	293	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
I	1	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
I	27	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
I	29	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6
I	293	MSE	MET	MODIFIED RESIDUE	UNP Q9HHB6

- Molecule 2 is SUGAR (ALPHA D-GALACTOSE) (three-letter code: GLA) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 12 6 6	0	0
2	B	1	Total C O 12 6 6	0	0
2	C	1	Total C O 12 6 6	0	0
2	D	1	Total C O 12 6 6	0	0
2	E	1	Total C O 12 6 6	0	0
2	F	1	Total C O 12 6 6	0	0
2	G	1	Total C O 12 6 6	0	0
2	H	1	Total C O 12 6 6	0	0
2	I	1	Total C O 12 6 6	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	G	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0
3	E	1	Total Mg 1 1	0	0
3	H	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	I	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	A	1	Total Mg 1 1	0	0
3	F	1	Total Mg 1 1	0	0

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
4	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
4	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
4	D	1	Total 27	C 10	N 5	O 10	P 2	0	0
4	E	1	Total 27	C 10	N 5	O 10	P 2	0	0
4	F	1	Total 27	C 10	N 5	O 10	P 2	0	0
4	G	1	Total 27	C 10	N 5	O 10	P 2	0	0
4	H	1	Total 27	C 10	N 5	O 10	P 2	0	0
4	I	1	Total 27	C 10	N 5	O 10	P 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Galactokinase



• Molecule 1: Galactokinase





• Molecule 1: Galactokinase







• Molecule 1: Galactokinase




• Molecule 1: Galactokinase



• Molecule 1: Galactokinase



• Molecule 1: Galactokinase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	211.97Å 355.67Å 165.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.90 10.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (10.00-2.90) 100.0 (10.00-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.47 (at 2.89Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.230 , 0.270 0.259 , 0.288	Depositor DCC
R_{free} test set	6821 reflections (5.35%)	DCC
Wilson B-factor (Å ²)	61.5	Xtriage
Anisotropy	0.045	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.9	EDS
Estimated twinning fraction	0.000 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.007 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 134320 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	22711	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GLA, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	0/2599	0.89	7/3513 (0.2%)
1	B	0.67	1/2301 (0.0%)	0.86	9/3116 (0.3%)
1	C	0.53	0/2457	0.76	5/3336 (0.1%)
1	D	0.60	0/2694	0.85	11/3659 (0.3%)
1	E	0.55	0/2665	0.82	10/3616 (0.3%)
1	F	0.80	1/2774 (0.0%)	1.00	16/3752 (0.4%)
1	G	0.54	0/1828	0.78	9/2464 (0.4%)
1	H	0.78	0/2701	0.96	15/3656 (0.4%)
1	I	0.88	2/2720 (0.1%)	1.03	21/3689 (0.6%)
All	All	0.69	4/22739 (0.0%)	0.89	103/30801 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	1
1	I	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	97	ASP	CB-CG	-8.05	1.34	1.51
1	I	221	GLU	CG-CD	5.92	1.60	1.51
1	B	92	GLY	CA-C	5.67	1.60	1.51
1	I	2	SER	CA-CB	5.14	1.60	1.52

All (103) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	97	ASP	CB-CG-OD1	-11.48	107.97	118.30
1	I	316	ASP	CB-CG-OD2	9.94	127.24	118.30
1	F	97	ASP	CB-CG-OD2	9.76	127.08	118.30
1	A	193	ARG	NE-CZ-NH1	8.95	124.77	120.30
1	A	273	ASP	CB-CG-OD2	8.75	126.18	118.30
1	I	318	ASP	CB-CG-OD2	8.67	126.11	118.30
1	I	350	VAL	CB-CA-C	-8.60	95.05	111.40
1	B	151	ASP	CB-CG-OD2	7.74	125.27	118.30
1	F	316	ASP	CB-CG-OD2	7.74	125.27	118.30
1	I	226	ASP	CB-CG-OD2	7.48	125.04	118.30
1	F	273	ASP	CB-CG-OD2	7.47	125.02	118.30
1	I	97	ASP	CB-CG-OD2	7.44	125.00	118.30
1	B	286	ASP	CB-CG-OD2	7.39	124.95	118.30
1	B	127	ASP	CB-CG-OD2	7.34	124.90	118.30
1	H	273	ASP	CB-CG-OD2	7.27	124.84	118.30
1	H	20	ASP	CB-CG-OD2	7.17	124.75	118.30
1	F	151	ASP	CB-CG-OD2	7.15	124.73	118.30
1	I	97	ASP	CB-CG-OD1	-7.13	111.88	118.30
1	H	11	ARG	NE-CZ-NH1	6.98	123.79	120.30
1	B	226	ASP	CB-CG-OD2	6.80	124.42	118.30
1	B	161	ASP	CB-CG-OD2	6.66	124.29	118.30
1	D	151	ASP	CB-CG-OD2	6.63	124.27	118.30
1	I	129	LEU	CB-CG-CD2	-6.63	99.73	111.00
1	F	253	ASP	CB-CG-OD2	6.54	124.19	118.30
1	A	32	ASP	CB-CG-OD2	6.47	124.13	118.30
1	I	143	VAL	C-N-CA	-6.45	108.75	122.30
1	E	348	ASP	CB-CG-OD2	6.45	124.10	118.30
1	I	221	GLU	OE1-CD-OE2	-6.43	115.58	123.30
1	F	43	ASP	CB-CG-OD2	6.38	124.05	118.30
1	E	151	ASP	CB-CG-OD2	6.34	124.01	118.30
1	G	226	ASP	CB-CG-OD2	6.31	123.98	118.30
1	I	181	ASP	CB-CG-OD2	6.26	123.93	118.30
1	G	20	ASP	CB-CG-OD2	6.18	123.86	118.30
1	F	348	ASP	CB-CG-OD1	6.17	123.85	118.30
1	E	71	ASP	CB-CG-OD2	6.12	123.81	118.30
1	E	273	ASP	CB-CG-OD2	6.06	123.76	118.30
1	H	127	ASP	CB-CG-OD2	6.04	123.74	118.30
1	F	160	LYS	C-N-CA	-6.03	106.62	121.70
1	C	20	ASP	CB-CG-OD2	6.02	123.72	118.30
1	D	161	ASP	CB-CG-OD2	5.99	123.69	118.30
1	F	161	ASP	CB-CG-OD2	5.97	123.68	118.30
1	E	20	ASP	CB-CG-OD2	5.93	123.64	118.30
1	G	259	ASP	CB-CG-OD2	5.92	123.63	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	350	VAL	CB-CA-C	-5.92	100.16	111.40
1	D	20	ASP	CB-CG-OD2	5.89	123.60	118.30
1	H	325	ASP	CB-CG-OD2	5.86	123.58	118.30
1	G	32	ASP	CB-CG-OD2	5.84	123.56	118.30
1	F	185	LEU	CA-CB-CG	5.75	128.53	115.30
1	B	348	ASP	CB-CG-OD2	5.73	123.46	118.30
1	D	273	ASP	CB-CG-OD2	5.70	123.43	118.30
1	H	223	THR	N-CA-CB	-5.65	99.56	110.30
1	E	226	ASP	CB-CG-OD2	5.65	123.38	118.30
1	G	286	ASP	CB-CG-OD2	5.64	123.38	118.30
1	G	127	ASP	CB-CG-OD2	5.64	123.37	118.30
1	E	318	ASP	CB-CG-OD2	5.63	123.36	118.30
1	G	151	ASP	CB-CG-OD2	5.61	123.35	118.30
1	A	20	ASP	CB-CG-OD2	5.57	123.31	118.30
1	H	32	ASP	CB-CG-OD2	5.56	123.31	118.30
1	G	273	ASP	CB-CG-OD2	5.55	123.30	118.30
1	E	161	ASP	CB-CG-OD2	5.53	123.28	118.30
1	D	127	ASP	CB-CG-OD2	5.53	123.28	118.30
1	A	151	ASP	CB-CG-OD2	5.51	123.26	118.30
1	I	143	VAL	CA-C-N	5.50	127.21	116.20
1	H	151	ASP	CB-CG-OD2	5.48	123.23	118.30
1	I	71	ASP	CB-CG-OD2	5.46	123.22	118.30
1	D	286	ASP	CB-CG-OD2	5.43	123.18	118.30
1	C	71	ASP	CB-CG-OD2	5.42	123.18	118.30
1	D	129	LEU	CA-CB-CG	5.34	127.57	115.30
1	I	11	ARG	NE-CZ-NH1	5.33	122.97	120.30
1	I	60	LEU	CB-CG-CD2	-5.30	101.99	111.00
1	I	43	ASP	CB-CG-OD2	5.29	123.06	118.30
1	F	167	ASP	CB-CG-OD1	5.29	123.06	118.30
1	D	253	ASP	CB-CG-OD2	5.27	123.04	118.30
1	D	316	ASP	CB-CG-OD2	5.26	123.03	118.30
1	E	127	ASP	CB-CG-OD2	5.26	123.03	118.30
1	F	32	ASP	CB-CG-OD2	5.24	123.01	118.30
1	B	279	ARG	NE-CZ-NH1	5.23	122.91	120.30
1	H	11	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	A	181	ASP	CB-CG-OD1	5.20	122.98	118.30
1	I	273	ASP	CB-CG-OD2	5.19	122.97	118.30
1	I	20	ASP	CB-CG-OD2	5.18	122.97	118.30
1	F	61	ASP	CB-CG-OD1	5.18	122.96	118.30
1	H	161	ASP	CB-CG-OD2	5.17	122.95	118.30
1	H	71	ASP	CB-CG-OD2	5.15	122.94	118.30
1	D	181	ASP	CB-CG-OD2	5.14	122.93	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	259	ASP	CB-CG-OD2	5.14	122.92	118.30
1	A	316	ASP	CB-CG-OD2	5.13	122.92	118.30
1	I	166	LEU	CA-CB-CG	5.13	127.10	115.30
1	B	259	ASP	CB-CG-OD2	5.13	122.92	118.30
1	G	253	ASP	CB-CG-OD2	5.12	122.91	118.30
1	I	90	LEU	CA-CB-CG	5.11	127.06	115.30
1	C	273	ASP	CB-CG-OD2	5.09	122.88	118.30
1	F	11	ARG	NE-CZ-NH1	5.07	122.84	120.30
1	H	244	GLU	CA-CB-CG	-5.07	102.26	113.40
1	D	61	ASP	CB-CG-OD2	5.05	122.85	118.30
1	H	195	LEU	CA-CB-CG	5.05	126.92	115.30
1	H	253	ASP	CB-CG-OD2	5.04	122.84	118.30
1	E	350	VAL	CB-CA-C	-5.04	101.83	111.40
1	H	279	ARG	NE-CZ-NH1	5.03	122.82	120.30
1	I	151	ASP	CB-CG-OD2	5.03	122.83	118.30
1	C	32	ASP	CB-CG-OD2	5.02	122.82	118.30
1	I	143	VAL	O-C-N	-5.01	114.69	123.20
1	B	235	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	221	GLU	Peptide
1	I	221	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2554	0	2465	37	0
1	B	2266	0	2131	35	0
1	C	2419	0	2187	26	0
1	D	2643	0	2524	33	0
1	E	2616	0	2499	28	0
1	F	2722	0	2687	51	0
1	G	1811	0	1608	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	2652	0	2592	38	0
1	I	2668	0	2578	44	0
2	A	12	0	12	0	0
2	B	12	0	12	0	0
2	C	12	0	12	0	0
2	D	12	0	12	1	0
2	E	12	0	12	1	0
2	F	12	0	12	1	0
2	G	12	0	12	0	0
2	H	12	0	12	0	0
2	I	12	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
4	A	27	0	12	0	0
4	B	27	0	12	1	0
4	C	27	0	12	1	0
4	D	27	0	12	0	0
4	E	27	0	12	0	0
4	F	27	0	12	0	0
4	G	27	0	12	1	0
4	H	27	0	12	0	0
4	I	27	0	12	1	0
All	All	22711	0	21487	305	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (305) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:19:THR:HG21	1:F:25:TYR:O	1.56	1.04
1:A:19:THR:HG21	1:A:25:TYR:O	1.59	1.02
1:C:19:THR:HG21	1:C:25:TYR:O	1.66	0.95
1:B:172:GLN:HA	1:B:172:GLN:NE2	1.82	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:244:GLU:HG2	1:F:247:ARG:NH1	1.83	0.92
1:F:146:PRO:O	1:F:147:CYS:HB3	1.65	0.92
1:C:26:VAL:HG13	1:C:28:PRO:HD3	1.56	0.88
1:I:19:THR:HG21	1:I:25:TYR:O	1.73	0.87
1:I:244:GLU:HG3	1:I:247:ARG:NH1	1.90	0.86
1:E:19:THR:HG21	1:E:25:TYR:O	1.78	0.83
1:H:244:GLU:HG2	1:H:247:ARG:NH1	1.92	0.83
1:H:19:THR:HG21	1:H:25:TYR:O	1.79	0.81
1:B:19:THR:HG21	1:B:25:TYR:O	1.81	0.80
1:G:244:GLU:HG2	1:G:247:ARG:NH1	1.95	0.80
1:B:26:VAL:HG13	1:B:28:PRO:HD3	1.65	0.78
1:H:223:THR:HG22	1:H:226:ASP:H	1.47	0.77
1:B:223:THR:HG22	1:B:226:ASP:H	1.49	0.77
1:B:240:TYR:CZ	1:B:244:GLU:HG3	2.18	0.77
1:I:27:MSE:HE1	1:I:255:LEU:HD12	1.65	0.77
1:E:108:ALA:O	1:E:112:VAL:HG13	1.85	0.76
1:H:291:LYS:HE3	1:H:330:GLU:OE2	1.85	0.76
1:G:19:THR:HG21	1:G:25:TYR:O	1.86	0.76
1:E:26:VAL:HG13	1:E:28:PRO:HD3	1.68	0.76
1:I:160:LYS:O	1:I:346:PRO:O	2.06	0.74
1:A:26:VAL:HG13	1:A:28:PRO:HD3	1.68	0.74
1:F:146:PRO:O	1:F:147:CYS:CB	2.36	0.74
1:F:244:GLU:HG2	1:F:247:ARG:HH11	1.53	0.73
1:H:26:VAL:HG13	1:H:28:PRO:HD3	1.72	0.71
1:D:19:THR:HG21	1:D:25:TYR:O	1.90	0.71
1:F:191:VAL:HG21	1:F:284:GLU:HG3	1.72	0.71
1:I:27:MSE:HE3	1:I:163:VAL:HG21	1.72	0.71
1:A:160:LYS:O	1:A:346:PRO:O	2.07	0.70
1:H:244:GLU:CG	1:H:247:ARG:NH1	2.56	0.69
1:B:244:GLU:HG2	1:B:247:ARG:NH1	2.08	0.69
1:I:26:VAL:HG13	1:I:28:PRO:HD3	1.76	0.68
1:B:240:TYR:OH	1:B:244:GLU:HG3	1.94	0.68
1:E:146:PRO:O	1:E:147:CYS:HB3	1.94	0.68
1:A:27:MSE:CE	1:A:163:VAL:HG21	2.25	0.67
1:F:315:VAL:HG22	1:F:323:ILE:HD13	1.77	0.67
1:I:244:GLU:HG3	1:I:247:ARG:HH11	1.60	0.66
1:F:216:LYS:NZ	1:F:221:GLU:HB3	2.11	0.66
1:G:26:VAL:HG12	1:G:166:LEU:HB3	1.79	0.64
1:D:26:VAL:HG13	1:D:28:PRO:HD3	1.79	0.64
1:A:108:ALA:O	1:A:112:VAL:HG13	1.97	0.64
1:I:328:LEU:HD22	1:I:332:LEU:HD22	1.79	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:244:GLU:CG	1:G:247:ARG:NH1	2.61	0.63
1:A:328:LEU:HD22	1:A:332:LEU:HD22	1.81	0.62
1:H:139:GLU:O	1:H:143:VAL:O	2.18	0.62
1:B:172:GLN:HA	1:B:172:GLN:HE21	1.62	0.62
1:H:153:PHE:HE2	1:H:164:ILE:HG21	1.64	0.62
1:A:240:TYR:CZ	1:A:244:GLU:HG3	2.35	0.61
1:I:11:ARG:HD2	1:I:11:ARG:C	2.20	0.61
1:D:27:MSE:HE2	1:D:163:VAL:HG21	1.81	0.61
1:H:244:GLU:HG2	1:H:247:ARG:HH11	1.63	0.61
1:B:35:THR:HB	1:B:109:SER:OG	2.01	0.60
1:A:27:MSE:HE3	1:A:163:VAL:HG21	1.84	0.60
1:F:23:TYR:HB3	1:F:169:GLN:HB2	1.82	0.60
1:B:27:MSE:HE3	1:B:163:VAL:HG21	1.84	0.59
1:D:191:VAL:HG21	1:D:284:GLU:HG3	1.83	0.59
1:D:302:LEU:HD12	1:D:302:LEU:C	2.22	0.59
1:I:62:ASN:C	1:I:62:ASN:HD22	2.06	0.59
1:D:108:ALA:O	1:D:112:VAL:HG13	2.03	0.59
1:B:80:LEU:HD12	1:B:118:LEU:HD13	1.82	0.59
1:A:27:MSE:HE3	1:A:163:VAL:CG2	2.32	0.59
1:F:83:GLU:HG3	1:F:134:LEU:HD21	1.84	0.59
1:H:83:GLU:HG3	1:H:134:LEU:HD21	1.84	0.59
1:F:29:MSE:HE3	1:F:31:ILE:HG22	1.85	0.58
1:C:240:TYR:CZ	1:C:244:GLU:HG3	2.38	0.58
1:B:26:VAL:HG12	1:B:166:LEU:HB3	1.84	0.58
1:I:318:ASP:OD2	1:I:318:ASP:N	2.34	0.58
1:D:193:ARG:HG2	1:D:307:PHE:O	2.02	0.58
1:B:191:VAL:HG21	1:B:284:GLU:HG3	1.86	0.58
1:F:302:LEU:HD12	1:F:302:LEU:C	2.24	0.58
1:H:146:PRO:O	1:H:147:CYS:HB3	2.03	0.58
1:I:2:SER:HB3	1:I:40:GLU:HB2	1.86	0.57
1:G:227:LEU:O	1:G:235:ARG:HG3	2.04	0.57
1:A:205:ARG:CZ	1:C:172:GLN:HB2	2.35	0.57
1:D:26:VAL:HG12	1:D:166:LEU:HB3	1.86	0.57
1:E:191:VAL:HG21	1:E:284:GLU:HG3	1.86	0.57
1:I:244:GLU:CG	1:I:247:ARG:HH11	2.19	0.56
1:A:244:GLU:HG2	1:A:247:ARG:HH12	1.70	0.56
1:E:146:PRO:O	1:E:147:CYS:CB	2.53	0.56
1:F:27:MSE:HE1	1:F:255:LEU:HD12	1.86	0.56
1:C:19:THR:CG2	1:C:25:TYR:O	2.47	0.56
1:A:77:LEU:HD11	1:A:118:LEU:HD11	1.88	0.55
1:I:107:SER:OG	4:I:8400:ADP:O2A	2.24	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:244:GLU:HG3	1:I:247:ARG:HH12	1.71	0.55
1:D:222:VAL:HG21	1:D:238:PHE:CE2	2.41	0.55
1:B:244:GLU:HG2	1:B:247:ARG:HH12	1.72	0.54
1:H:108:ALA:O	1:H:112:VAL:HG13	2.06	0.54
1:G:27:MSE:HE3	1:G:163:VAL:HG21	1.89	0.54
1:E:302:LEU:C	1:E:302:LEU:HD12	2.28	0.54
1:F:28:PRO:HG3	1:F:150:LEU:HD23	1.89	0.54
1:I:244:GLU:CG	1:I:247:ARG:NH1	2.69	0.54
1:A:153:PHE:HE2	1:A:164:ILE:HG21	1.72	0.54
1:H:191:VAL:HG21	1:H:284:GLU:HG3	1.90	0.53
1:F:27:MSE:CE	1:F:163:VAL:HG21	2.39	0.53
1:A:244:GLU:HG2	1:A:247:ARG:NH1	2.24	0.53
1:D:17:GLU:OE1	2:D:3500:GLA:O6	2.25	0.53
1:C:83:GLU:HG3	1:C:134:LEU:HD21	1.89	0.53
1:C:108:ALA:O	1:C:112:VAL:HG13	2.09	0.53
1:F:16:GLY:HA2	1:F:244:GLU:OE2	2.08	0.53
1:A:76:VAL:O	1:A:79:VAL:HG12	2.09	0.53
1:F:31:ILE:HD12	1:F:33:LEU:HD12	1.91	0.53
1:E:120:GLN:OE1	1:E:352:VAL:HG21	2.08	0.53
1:E:145:VAL:HG12	1:E:146:PRO:O	2.09	0.52
1:G:222:VAL:HG21	1:G:238:PHE:CE2	2.44	0.52
1:H:26:VAL:HG12	1:H:166:LEU:HB3	1.91	0.52
1:F:2:SER:HB2	1:F:40:GLU:HA	1.90	0.52
1:H:27:MSE:CE	1:H:163:VAL:HG21	2.40	0.52
1:E:26:VAL:HG12	1:E:166:LEU:HB3	1.90	0.52
1:F:28:PRO:HB3	1:F:150:LEU:HD21	1.90	0.52
1:H:293:MSE:SE	1:H:299:GLY:HA2	2.59	0.52
1:B:301:ARG:HG2	1:B:302:LEU:O	2.09	0.52
1:I:108:ALA:O	1:I:112:VAL:HG13	2.09	0.52
1:A:27:MSE:HE1	1:A:163:VAL:HG21	1.91	0.51
1:H:328:LEU:HD22	1:H:332:LEU:HD22	1.92	0.51
1:B:113:GLY:O	1:B:117:VAL:HG23	2.11	0.51
1:G:98:LEU:HD12	1:G:99:PRO:HD2	1.93	0.51
1:H:124:LEU:HB3	1:H:126:ILE:HG13	1.92	0.51
1:F:216:LYS:HZ3	1:F:221:GLU:HB3	1.75	0.51
1:I:56:LYS:HG3	1:I:69:TRP:CZ2	2.46	0.51
1:A:19:THR:CG2	1:A:25:TYR:O	2.46	0.51
1:I:17:GLU:N	1:I:244:GLU:OE2	2.42	0.51
1:I:27:MSE:CE	1:I:163:VAL:HG21	2.39	0.51
1:H:143:VAL:HG12	1:H:145:VAL:HG23	1.92	0.51
1:A:240:TYR:OH	1:A:244:GLU:HG3	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:90:LEU:HD12	1:F:90:LEU:N	2.27	0.50
1:F:139:GLU:O	1:F:143:VAL:O	2.29	0.50
1:C:102:ALA:O	4:C:2400:ADP:O2B	2.29	0.50
1:C:28:PRO:HB2	1:C:154:ALA:HB2	1.92	0.50
1:G:222:VAL:HG21	1:G:238:PHE:HE2	1.77	0.50
1:B:11:ARG:C	1:B:11:ARG:HD2	2.32	0.50
1:F:102:ALA:HB1	1:F:188:TYR:CD1	2.46	0.50
1:F:108:ALA:O	1:F:112:VAL:HG13	2.11	0.50
1:A:347:SER:OG	1:A:348:ASP:N	2.45	0.49
1:H:291:LYS:HE3	1:H:330:GLU:CD	2.33	0.49
1:F:244:GLU:CG	1:F:247:ARG:NH1	2.67	0.49
1:C:46:GLN:O	1:C:91:LYS:HA	2.13	0.49
1:C:45:VAL:HG21	1:C:58:PHE:CE1	2.47	0.49
1:I:16:GLY:CA	1:I:244:GLU:OE2	2.61	0.49
1:F:16:GLY:CA	1:F:244:GLU:OE2	2.61	0.49
1:H:213:ILE:CG1	1:I:129:LEU:HD21	2.43	0.48
1:D:274:LEU:HD22	1:D:280:VAL:CG2	2.42	0.48
1:F:216:LYS:HZ2	1:F:221:GLU:HB3	1.78	0.48
1:E:27:MSE:HA	1:E:164:ILE:O	2.13	0.48
1:I:16:GLY:N	1:I:244:GLU:OE2	2.46	0.48
1:A:116:GLU:OE1	1:A:119:ASN:ND2	2.36	0.48
1:I:46:GLN:HG3	1:I:57:THR:HG22	1.95	0.48
1:B:27:MSE:HA	1:B:164:ILE:O	2.14	0.48
1:I:23:TYR:HB3	1:I:169:GLN:HB2	1.95	0.48
1:F:271:HIS:HB2	1:F:301:ARG:HA	1.96	0.48
1:G:223:THR:HG22	1:G:226:ASP:OD2	2.13	0.47
1:B:172:GLN:HE21	1:B:172:GLN:CA	2.21	0.47
1:D:45:VAL:HG13	1:D:90:LEU:CD1	2.44	0.47
1:I:83:GLU:CG	1:I:134:LEU:HD21	2.44	0.47
1:E:301:ARG:HG2	1:E:302:LEU:O	2.14	0.47
1:I:83:GLU:HG3	1:I:134:LEU:HD21	1.97	0.47
1:E:227:LEU:O	1:E:235:ARG:HG3	2.15	0.47
1:E:28:PRO:HB3	1:E:150:LEU:HD21	1.97	0.47
1:F:328:LEU:HD22	1:F:332:LEU:HD22	1.97	0.47
1:C:139:GLU:O	1:C:143:VAL:O	2.33	0.47
1:B:116:GLU:OE2	1:B:131:LYS:NZ	2.46	0.47
1:I:102:ALA:HB1	1:I:188:TYR:CD1	2.49	0.47
1:H:166:LEU:HD13	1:H:168:THR:HG22	1.97	0.46
1:H:213:ILE:HG21	1:H:213:ILE:HD13	1.53	0.46
1:B:94:ILE:O	1:B:95:THR:HG23	2.15	0.46
1:G:28:PRO:HD2	1:G:164:ILE:O	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:29:MSE:HB3	1:E:163:VAL:HG12	1.97	0.46
1:F:150:LEU:CD2	1:F:150:LEU:C	2.84	0.46
1:B:222:VAL:HG21	1:B:238:PHE:CE2	2.51	0.46
1:B:136:LYS:HE2	1:B:147:CYS:O	2.15	0.46
1:E:244:GLU:OE1	1:E:247:ARG:NH1	2.49	0.46
1:B:107:SER:HB3	4:B:1400:ADP:O2A	2.14	0.46
1:F:315:VAL:HG22	1:F:323:ILE:CD1	2.45	0.46
1:D:27:MSE:CE	1:D:163:VAL:HG21	2.46	0.46
1:F:274:LEU:HD13	1:F:302:LEU:HD11	1.98	0.46
1:H:45:VAL:O	1:H:57:THR:HA	2.16	0.46
1:I:129:LEU:HD23	1:I:130:LYS:N	2.31	0.46
1:B:166:LEU:HD13	1:B:168:THR:HG22	1.97	0.46
1:A:295:LEU:HD21	1:F:322:THR:HG22	1.96	0.46
1:C:45:VAL:HG21	1:C:58:PHE:CZ	2.50	0.46
1:I:129:LEU:C	1:I:129:LEU:HD23	2.35	0.46
1:D:160:LYS:O	1:D:346:PRO:O	2.34	0.46
1:H:247:ARG:NH2	1:H:273:ASP:OD2	2.49	0.46
1:B:247:ARG:NH2	1:B:273:ASP:OD2	2.48	0.46
1:F:323:ILE:HG22	1:F:327:ILE:HD12	1.97	0.45
1:E:240:TYR:CZ	1:E:244:GLU:HG3	2.51	0.45
1:H:205:ARG:NH2	1:I:172:GLN:CB	2.79	0.45
1:A:77:LEU:CD1	1:A:118:LEU:HD11	2.46	0.45
1:F:45:VAL:O	1:F:57:THR:HA	2.16	0.45
1:A:315:VAL:HG22	1:A:323:ILE:HD13	1.97	0.45
1:H:27:MSE:HE1	1:H:255:LEU:HD12	1.98	0.45
1:E:244:GLU:HG2	1:E:247:ARG:HH12	1.80	0.45
1:I:26:VAL:HG12	1:I:166:LEU:HB3	1.99	0.45
1:A:287:PHE:CE1	1:A:334:LYS:HD2	2.51	0.45
1:C:23:TYR:HB3	1:C:169:GLN:HB2	1.99	0.45
1:E:206:ILE:HG23	1:E:234:HIS:CD2	2.52	0.45
1:E:216:LYS:HD3	1:E:221:GLU:HB2	1.98	0.45
1:H:302:LEU:HD12	1:H:302:LEU:C	2.38	0.44
1:C:85:TYR:OH	1:C:130:LYS:NZ	2.50	0.44
1:B:27:MSE:HG3	1:B:165:PHE:HA	1.99	0.44
1:F:150:LEU:HD22	1:F:150:LEU:C	2.38	0.44
1:B:11:ARG:CD	1:B:11:ARG:C	2.86	0.44
1:A:166:LEU:HD13	1:A:168:THR:HG22	1.98	0.44
1:F:274:LEU:CD1	1:F:302:LEU:HD11	2.47	0.44
1:G:23:TYR:HA	1:G:168:THR:OG1	2.18	0.44
1:F:240:TYR:CZ	1:F:244:GLU:HG3	2.53	0.44
1:D:184:VAL:HB	1:D:344:VAL:HG12	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:27:MSE:CE	1:I:255:LEU:HD12	2.42	0.44
1:H:27:MSE:HE3	1:H:163:VAL:CG2	2.47	0.44
1:C:187:PHE:HB2	1:C:288:PHE:CE1	2.53	0.44
1:D:244:GLU:CG	1:D:247:ARG:HH11	2.31	0.43
1:H:204:LYS:NZ	1:H:208:GLU:OE2	2.45	0.43
4:G:6400:ADP:H5'1	4:G:6400:ADP:H8	1.83	0.43
1:D:244:GLU:HG3	1:D:247:ARG:NH1	2.32	0.43
1:F:318:ASP:N	1:F:318:ASP:OD2	2.51	0.43
1:F:2:SER:HB2	1:F:3:LYS:H	1.59	0.43
1:I:37:ILE:HD13	1:I:114:ILE:HD13	1.99	0.43
1:E:274:LEU:HD22	1:E:280:VAL:CG2	2.49	0.43
1:A:301:ARG:HG2	1:A:302:LEU:O	2.18	0.43
1:D:27:MSE:HE3	1:D:176:ILE:HD12	2.00	0.43
1:D:302:LEU:HD12	1:D:303:THR:N	2.34	0.43
1:E:90:LEU:HD23	1:E:117:VAL:HG11	2.00	0.43
1:A:28:PRO:HB2	1:A:154:ALA:HB2	2.00	0.43
1:D:166:LEU:HD13	1:D:168:THR:HG22	2.01	0.43
1:I:291:LYS:NZ	1:I:294:GLU:OE1	2.38	0.43
1:I:271:HIS:HB2	1:I:301:ARG:HG3	2.01	0.43
1:G:244:GLU:CG	1:G:247:ARG:HH12	2.32	0.42
1:G:27:MSE:HE3	1:G:163:VAL:CG2	2.49	0.42
1:D:288:PHE:CD1	1:D:327:ILE:HG21	2.53	0.42
1:B:141:GLU:O	1:B:143:VAL:N	2.52	0.42
1:F:247:ARG:NH2	1:F:273:ASP:OD2	2.52	0.42
1:C:26:VAL:CG1	1:C:28:PRO:HD3	2.39	0.42
1:H:214:LEU:HD13	1:H:226:ASP:HB3	2.01	0.42
1:I:15:ILE:HA	1:I:15:ILE:HD12	1.89	0.42
1:I:315:VAL:HG22	1:I:323:ILE:HD13	2.00	0.42
1:I:120:GLN:OE1	1:I:352:VAL:HG23	2.18	0.42
1:D:2:SER:OG	1:D:3:LYS:N	2.51	0.42
1:H:20:ASP:OD1	1:H:150:LEU:HB2	2.19	0.42
1:F:45:VAL:HG22	1:F:90:LEU:HD12	2.01	0.42
1:E:29:MSE:HE2	1:E:31:ILE:HG22	2.01	0.42
1:A:279:ARG:HG2	1:A:279:ARG:HH11	1.83	0.42
1:F:160:LYS:O	1:F:346:PRO:O	2.37	0.42
1:C:23:TYR:HA	1:C:168:THR:OG1	2.20	0.42
1:A:52:PHE:HB3	1:A:54:GLU:OE1	2.19	0.42
1:F:222:VAL:HG21	1:F:238:PHE:HE2	1.85	0.42
1:E:293:MSE:SE	1:E:299:GLY:HA2	2.70	0.42
1:C:223:THR:HG22	1:C:224:GLU:H	1.84	0.42
1:F:27:MSE:HA	1:F:164:ILE:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:111:GLU:OE2	1:D:139:GLU:HB2	2.20	0.42
1:D:98:LEU:HA	1:D:99:PRO:HD3	1.92	0.42
1:B:188:TYR:CE2	1:B:190:GLY:HA2	2.55	0.42
1:H:34:TYR:H	1:H:97:ASP:HB2	1.84	0.42
1:D:153:PHE:HE2	1:D:164:ILE:HG21	1.84	0.42
1:C:166:LEU:HD13	1:C:168:THR:HG22	2.01	0.42
1:A:34:TYR:H	1:A:97:ASP:HB2	1.84	0.42
1:I:79:VAL:HG21	1:I:137:LYS:HB3	2.02	0.42
1:I:290:LYS:O	1:I:294:GLU:HG3	2.20	0.42
1:D:223:THR:HG22	1:D:224:GLU:N	2.35	0.42
1:D:23:TYR:HA	1:D:168:THR:OG1	2.20	0.41
1:B:14:LEU:HD23	1:B:27:MSE:HE2	2.02	0.41
1:A:146:PRO:O	1:A:147:CYS:HB3	2.19	0.41
1:C:282:CYS:O	1:C:284:GLU:N	2.53	0.41
1:B:240:TYR:C	1:B:240:TYR:CD2	2.93	0.41
1:D:159:LYS:O	1:D:160:LYS:C	2.58	0.41
1:F:17:GLU:OE1	2:F:5500:GLA:O6	2.27	0.41
1:I:116:GLU:O	1:I:120:GLN:HG3	2.20	0.41
1:A:66:GLU:OE2	1:A:74:LYS:NZ	2.53	0.41
1:H:240:TYR:C	1:H:240:TYR:CD2	2.94	0.41
1:G:280:VAL:HG12	1:G:307:PHE:CE1	2.55	0.41
1:C:185:LEU:O	1:C:312:ILE:HA	2.19	0.41
1:F:191:VAL:HG21	1:F:284:GLU:CG	2.46	0.41
1:D:133:LEU:HD23	1:D:149:ILE:HD13	2.03	0.41
1:E:255:LEU:HA	1:E:255:LEU:HD23	1.90	0.41
1:B:14:LEU:HD23	1:B:27:MSE:CE	2.50	0.41
1:I:14:LEU:HD23	1:I:27:MSE:HE2	2.03	0.41
1:F:295:LEU:HD12	1:F:327:ILE:HG13	2.03	0.41
1:B:255:LEU:HD23	1:B:255:LEU:HA	1.87	0.41
1:F:166:LEU:HD13	1:F:168:THR:HG22	2.01	0.41
1:A:27:MSE:HB3	1:A:27:MSE:HE2	1.83	0.41
1:D:28:PRO:HB2	1:D:154:ALA:HB2	2.03	0.41
1:I:62:ASN:ND2	1:I:64:THR:HB	2.35	0.41
1:B:102:ALA:HA	1:B:188:TYR:CE1	2.56	0.41
1:D:76:VAL:O	1:D:79:VAL:HG12	2.21	0.41
1:A:280:VAL:HG12	1:A:307:PHE:CZ	2.56	0.41
1:C:159:LYS:HB3	1:C:162:ASN:HB2	2.03	0.41
1:C:34:TYR:H	1:C:97:ASP:HB2	1.86	0.41
1:H:28:PRO:HD2	1:H:164:ILE:O	2.21	0.41
1:H:147:CYS:SG	1:H:147:CYS:O	2.78	0.41
1:H:90:LEU:HD23	1:H:117:VAL:HG11	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:28:PRO:HB3	1:E:150:LEU:CD2	2.50	0.40
1:G:27:MSE:CE	1:G:163:VAL:HG21	2.51	0.40
1:H:184:VAL:HB	1:H:344:VAL:HG12	2.02	0.40
1:D:193:ARG:HB2	1:D:194:GLU:OE1	2.22	0.40
1:A:187:PHE:HB2	1:A:288:PHE:CE1	2.56	0.40
1:C:255:LEU:HD23	1:C:255:LEU:HA	1.95	0.40
1:F:70:ILE:HA	1:F:70:ILE:HD12	1.89	0.40
1:F:251:VAL:HG23	1:F:266:ILE:HG21	2.03	0.40
1:D:27:MSE:HA	1:D:164:ILE:O	2.21	0.40
1:C:244:GLU:O	1:C:248:VAL:HG23	2.21	0.40
1:E:48:TYR:OH	1:E:53:ASN:OD1	2.33	0.40
1:E:147:CYS:HB2	2:E:4500:GLA:O2	2.22	0.40
1:A:124:LEU:HD13	1:A:126:ILE:HD11	2.03	0.40
1:A:222:VAL:HG21	1:A:238:PHE:CE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/352 (93%)	311 (95%)	14 (4%)	1 (0%)	46	79
1	B	300/352 (85%)	282 (94%)	16 (5%)	2 (1%)	26	63
1	C	317/352 (90%)	292 (92%)	22 (7%)	3 (1%)	21	57
1	D	345/352 (98%)	336 (97%)	8 (2%)	1 (0%)	46	79
1	E	338/352 (96%)	316 (94%)	21 (6%)	1 (0%)	46	79
1	F	349/352 (99%)	329 (94%)	18 (5%)	2 (1%)	30	67
1	G	225/352 (64%)	210 (93%)	13 (6%)	2 (1%)	21	57
1	H	341/352 (97%)	328 (96%)	12 (4%)	1 (0%)	46	79
1	I	349/352 (99%)	332 (95%)	17 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	2890/3168 (91%)	2736 (95%)	141 (5%)	13 (0%)	39 74

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	85	TYR
1	D	194	GLU
1	E	147	CYS
1	F	147	CYS
1	B	160	LYS
1	C	160	LYS
1	C	196	ALA
1	C	338	LYS
1	G	337	TRP
1	H	147	CYS
1	F	195	LEU
1	G	301	ARG
1	A	147	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	251/293 (86%)	229 (91%)	22 (9%)	12 35
1	B	210/293 (72%)	187 (89%)	23 (11%)	8 23
1	C	212/293 (72%)	193 (91%)	19 (9%)	12 34
1	D	260/293 (89%)	231 (89%)	29 (11%)	7 22
1	E	254/293 (87%)	230 (91%)	24 (9%)	11 32
1	F	278/293 (95%)	247 (89%)	31 (11%)	7 22
1	G	157/293 (54%)	140 (89%)	17 (11%)	8 24
1	H	264/293 (90%)	236 (89%)	28 (11%)	8 25
1	I	262/293 (89%)	227 (87%)	35 (13%)	5 13

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	2148/2637 (82%)	1920 (89%)	228 (11%)	8 25

All (228) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ARG
1	A	12	VAL
1	A	19	THR
1	A	26	VAL
1	A	54	GLU
1	A	56	LYS
1	A	87	ILE
1	A	90	LEU
1	A	107	SER
1	A	127	ASP
1	A	149	ILE
1	A	150	LEU
1	A	166	LEU
1	A	185	LEU
1	A	216	LYS
1	A	255	LEU
1	A	268	THR
1	A	278	TYR
1	A	328	LEU
1	A	332	LEU
1	A	344	VAL
1	A	350	VAL
1	B	11	ARG
1	B	19	THR
1	B	26	VAL
1	B	35	THR
1	B	73	VAL
1	B	79	VAL
1	B	94	ILE
1	B	95	THR
1	B	97	ASP
1	B	150	LEU
1	B	166	LEU
1	B	172	GLN
1	B	185	LEU
1	B	193	ARG
1	B	198	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	223	THR
1	B	235	ARG
1	B	261	GLU
1	B	267	LEU
1	B	278	TYR
1	B	279	ARG
1	B	328	LEU
1	B	344	VAL
1	C	11	ARG
1	C	19	THR
1	C	26	VAL
1	C	77	LEU
1	C	90	LEU
1	C	106	SER
1	C	147	CYS
1	C	149	ILE
1	C	150	LEU
1	C	166	LEU
1	C	183	SER
1	C	223	THR
1	C	224	GLU
1	C	252	ARG
1	C	255	LEU
1	C	278	TYR
1	C	322	THR
1	C	344	VAL
1	C	350	VAL
1	D	11	ARG
1	D	19	THR
1	D	26	VAL
1	D	53	ASN
1	D	64	THR
1	D	77	LEU
1	D	90	LEU
1	D	112	VAL
1	D	120	GLN
1	D	129	LEU
1	D	150	LEU
1	D	166	LEU
1	D	185	LEU
1	D	193	ARG
1	D	197	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	218	SER
1	D	235	ARG
1	D	244	GLU
1	D	255	LEU
1	D	278	TYR
1	D	279	ARG
1	D	284	GLU
1	D	291	LYS
1	D	302	LEU
1	D	315	VAL
1	D	328	LEU
1	D	332	LEU
1	D	344	VAL
1	D	350	VAL
1	E	7	LYS
1	E	11	ARG
1	E	12	VAL
1	E	19	THR
1	E	26	VAL
1	E	27	MSE
1	E	43	ASP
1	E	62	ASN
1	E	79	VAL
1	E	86	LYS
1	E	90	LEU
1	E	97	ASP
1	E	127	ASP
1	E	150	LEU
1	E	166	LEU
1	E	218	SER
1	E	223	THR
1	E	255	LEU
1	E	278	TYR
1	E	315	VAL
1	E	325	ASP
1	E	328	LEU
1	E	347	SER
1	E	350	VAL
1	F	2	SER
1	F	11	ARG
1	F	12	VAL
1	F	19	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	43	ASP
1	F	68	SER
1	F	79	VAL
1	F	90	LEU
1	F	97	ASP
1	F	107	SER
1	F	120	GLN
1	F	127	ASP
1	F	129	LEU
1	F	130	LYS
1	F	150	LEU
1	F	166	LEU
1	F	185	LEU
1	F	197	SER
1	F	198	SER
1	F	244	GLU
1	F	255	LEU
1	F	291	LYS
1	F	315	VAL
1	F	317	LYS
1	F	318	ASP
1	F	328	LEU
1	F	332	LEU
1	F	344	VAL
1	F	347	SER
1	F	350	VAL
1	F	352	VAL
1	G	11	ARG
1	G	12	VAL
1	G	19	THR
1	G	26	VAL
1	G	27	MSE
1	G	29	MSE
1	G	107	SER
1	G	150	LEU
1	G	151	ASP
1	G	166	LEU
1	G	197	SER
1	G	217	GLU
1	G	244	GLU
1	G	278	TYR
1	G	303	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	344	VAL
1	G	347	SER
1	H	3	LYS
1	H	11	ARG
1	H	19	THR
1	H	26	VAL
1	H	54	GLU
1	H	90	LEU
1	H	129	LEU
1	H	150	LEU
1	H	166	LEU
1	H	197	SER
1	H	198	SER
1	H	205	ARG
1	H	213	ILE
1	H	216	LYS
1	H	223	THR
1	H	225	LYS
1	H	238	PHE
1	H	244	GLU
1	H	252	ARG
1	H	255	LEU
1	H	265	LYS
1	H	278	TYR
1	H	291	LYS
1	H	315	VAL
1	H	328	LEU
1	H	332	LEU
1	H	344	VAL
1	H	347	SER
1	I	11	ARG
1	I	12	VAL
1	I	19	THR
1	I	26	VAL
1	I	27	MSE
1	I	43	ASP
1	I	62	ASN
1	I	64	THR
1	I	65	LYS
1	I	79	VAL
1	I	90	LEU
1	I	97	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	107	SER
1	I	129	LEU
1	I	130	LYS
1	I	149	ILE
1	I	150	LEU
1	I	166	LEU
1	I	174	GLU
1	I	185	LEU
1	I	216	LYS
1	I	223	THR
1	I	244	GLU
1	I	255	LEU
1	I	284	GLU
1	I	291	LYS
1	I	315	VAL
1	I	318	ASP
1	I	328	LEU
1	I	332	LEU
1	I	341	TYR
1	I	344	VAL
1	I	347	SER
1	I	350	VAL
1	I	352	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	162	ASN
1	B	172	GLN
1	C	53	ASN
1	C	162	ASN
1	E	62	ASN
1	F	51	HIS
1	F	62	ASN
1	F	162	ASN
1	I	51	HIS
1	I	62	ASN
1	I	123	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 27 ligands modelled in this entry, 9 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	ADP	A	400	3	22,29,29	1.29	2 (9%)	27,45,45	2.65	5 (18%)
2	GLA	A	500	-	12,12,12	0.40	0	17,17,17	1.11	2 (11%)
4	ADP	B	1400	3	22,29,29	1.41	2 (9%)	27,45,45	2.33	4 (14%)
2	GLA	B	1500	1	12,12,12	0.54	0	17,17,17	2.08	5 (29%)
4	ADP	C	2400	3	22,29,29	1.29	2 (9%)	27,45,45	2.77	4 (14%)
2	GLA	C	2500	-	12,12,12	0.83	1 (8%)	17,17,17	2.93	4 (23%)
4	ADP	D	3400	3	22,29,29	1.32	2 (9%)	27,45,45	2.71	5 (18%)
2	GLA	D	3500	-	12,12,12	0.60	0	17,17,17	1.29	2 (11%)
4	ADP	E	4400	3	22,29,29	1.05	2 (9%)	27,45,45	2.66	5 (18%)
2	GLA	E	4500	-	12,12,12	0.72	0	17,17,17	2.74	10 (58%)
4	ADP	F	5400	3	22,29,29	1.30	3 (13%)	27,45,45	2.59	7 (25%)
2	GLA	F	5500	-	12,12,12	1.02	1 (8%)	17,17,17	1.53	3 (17%)
4	ADP	G	6400	3	22,29,29	1.69	3 (13%)	27,45,45	2.61	6 (22%)
2	GLA	G	6500	-	12,12,12	0.76	0	17,17,17	2.12	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ADP	H	7400	3	22,29,29	1.33	2 (9%)	27,45,45	2.91	5 (18%)
2	GLA	H	7500	-	12,12,12	0.64	0	17,17,17	2.46	6 (35%)
4	ADP	I	8400	3	22,29,29	1.37	2 (9%)	27,45,45	2.99	10 (37%)
2	GLA	I	8500	-	12,12,12	0.77	0	17,17,17	1.29	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ADP	A	400	3	-	0/12/32/32	0/3/3/3
2	GLA	A	500	-	-	0/2/22/22	0/1/1/1
4	ADP	B	1400	3	-	0/12/32/32	0/3/3/3
2	GLA	B	1500	1	-	0/2/22/22	0/1/1/1
4	ADP	C	2400	3	-	0/12/32/32	0/3/3/3
2	GLA	C	2500	-	-	0/2/22/22	0/1/1/1
4	ADP	D	3400	3	-	0/12/32/32	0/3/3/3
2	GLA	D	3500	-	-	0/2/22/22	0/1/1/1
4	ADP	E	4400	3	-	0/12/32/32	0/3/3/3
2	GLA	E	4500	-	1/1/5/5	0/2/22/22	0/1/1/1
4	ADP	F	5400	3	-	0/12/32/32	0/3/3/3
2	GLA	F	5500	-	-	0/2/22/22	0/1/1/1
4	ADP	G	6400	3	-	0/12/32/32	0/3/3/3
2	GLA	G	6500	-	-	0/2/22/22	0/1/1/1
4	ADP	H	7400	3	-	0/12/32/32	0/3/3/3
2	GLA	H	7500	-	-	0/2/22/22	0/1/1/1
4	ADP	I	8400	3	-	0/12/32/32	0/3/3/3
2	GLA	I	8500	-	-	0/2/22/22	0/1/1/1

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	8400	ADP	O4'-C4'	-2.75	1.38	1.45
4	F	5400	ADP	O4'-C1'	-2.15	1.38	1.41
2	F	5500	GLA	O5-C1	2.05	1.46	1.43
2	C	2500	GLA	C4-C5	2.09	1.57	1.53
4	F	5400	ADP	C2-N1	2.10	1.37	1.33
4	E	4400	ADP	C2-N1	2.45	1.38	1.33
4	H	7400	ADP	C2-N1	2.55	1.38	1.33
4	F	5400	ADP	C2-N3	2.75	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	2400	ADP	C2-N1	3.03	1.39	1.33
4	A	400	ADP	C2-N1	3.08	1.39	1.33
4	D	3400	ADP	C2-N1	3.11	1.39	1.33
4	E	4400	ADP	C2-N3	3.14	1.37	1.32
4	B	1400	ADP	C2-N1	3.36	1.40	1.33
4	G	6400	ADP	C2-N1	3.48	1.40	1.33
4	I	8400	ADP	C2-N3	3.54	1.38	1.32
4	G	6400	ADP	O4'-C1'	3.71	1.45	1.41
4	D	3400	ADP	C2-N3	3.93	1.39	1.32
4	C	2400	ADP	C2-N3	3.99	1.39	1.32
4	A	400	ADP	C2-N3	4.06	1.39	1.32
4	B	1400	ADP	C2-N3	4.30	1.39	1.32
4	H	7400	ADP	C2-N3	4.31	1.39	1.32
4	G	6400	ADP	C2-N3	4.96	1.41	1.32

All (89) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	7400	ADP	N3-C2-N1	-12.59	119.26	128.89
4	I	8400	ADP	N3-C2-N1	-12.16	119.58	128.89
4	C	2400	ADP	N3-C2-N1	-11.80	119.86	128.89
4	A	400	ADP	N3-C2-N1	-11.66	119.97	128.89
4	G	6400	ADP	N3-C2-N1	-11.12	120.38	128.89
4	E	4400	ADP	N3-C2-N1	-10.95	120.51	128.89
4	F	5400	ADP	N3-C2-N1	-10.90	120.55	128.89
4	D	3400	ADP	N3-C2-N1	-10.53	120.83	128.89
4	B	1400	ADP	N3-C2-N1	-9.42	121.69	128.89
4	H	7400	ADP	C2'-C1'-N9	-5.53	105.84	114.29
4	B	1400	ADP	PA-O3A-PB	-5.23	115.13	132.67
2	C	2500	GLA	C1-C2-C3	-5.21	102.68	110.43
4	C	2400	ADP	PA-O3A-PB	-5.13	115.45	132.67
4	D	3400	ADP	PA-O3A-PB	-5.08	115.65	132.67
4	D	3400	ADP	C2'-C1'-N9	-4.81	106.94	114.29
2	E	4500	GLA	C1-O5-C5	-4.52	105.11	113.47
4	E	4400	ADP	PA-O3A-PB	-4.37	118.03	132.67
2	H	7500	GLA	C1-C2-C3	-4.32	104.00	110.43
2	E	4500	GLA	C1-C2-C3	-4.21	104.17	110.43
2	H	7500	GLA	C1-O5-C5	-4.11	105.87	113.47
4	G	6400	ADP	PA-O3A-PB	-4.06	119.06	132.67
4	I	8400	ADP	C2'-C1'-N9	-4.00	108.17	114.29
4	A	400	ADP	PA-O3A-PB	-3.92	119.53	132.67
4	E	4400	ADP	C2'-C1'-N9	-3.71	108.62	114.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	3400	ADP	C1'-N9-C4	-3.60	121.51	126.94
2	D	3500	GLA	O2-C2-C1	-3.33	102.48	109.82
4	F	5400	ADP	C2'-C1'-N9	-3.22	109.37	114.29
4	C	2400	ADP	O5'-C5'-C4'	-3.08	97.75	109.12
4	E	4400	ADP	O3B-PB-O1B	-2.96	101.05	110.58
4	I	8400	ADP	C4-C5-N7	-2.91	106.80	109.48
4	G	6400	ADP	C2'-C1'-N9	-2.89	109.88	114.29
4	I	8400	ADP	C1'-N9-C4	-2.84	122.66	126.94
4	F	5400	ADP	O5'-C5'-C4'	-2.75	98.97	109.12
2	A	500	GLA	C3-C4-C5	-2.68	105.53	110.20
2	B	1500	GLA	C1-O5-C5	-2.65	108.58	113.47
4	I	8400	ADP	O5'-PA-O1A	-2.34	100.52	109.62
4	H	7400	ADP	PA-O3A-PB	-2.28	125.02	132.67
4	H	7400	ADP	C4-C5-N7	-2.18	107.47	109.48
4	A	400	ADP	C1'-N9-C4	-2.18	123.66	126.94
2	G	6500	GLA	C1-C2-C3	-2.17	107.19	110.43
2	I	8500	GLA	O1-C1-C2	-2.15	103.44	109.21
4	F	5400	ADP	C1'-N9-C4	-2.14	123.71	126.94
4	G	6400	ADP	O2B-PB-O1B	-2.13	103.71	110.58
4	F	5400	ADP	PA-O3A-PB	-2.11	125.60	132.67
4	I	8400	ADP	PA-O3A-PB	-2.10	125.64	132.67
2	F	5500	GLA	C6-C5-C4	-2.03	108.01	113.02
4	A	400	ADP	O5'-C5'-C4'	-2.01	101.70	109.12
4	H	7400	ADP	O2B-PB-O3A	2.01	114.22	105.09
2	A	500	GLA	O4-C4-C3	2.02	114.89	110.34
4	F	5400	ADP	O3A-PA-O5'	2.05	108.36	102.94
4	I	8400	ADP	O4'-C1'-N9	2.09	112.48	108.10
2	E	4500	GLA	C3-C4-C5	2.11	113.88	110.20
2	H	7500	GLA	O1-C1-C2	2.17	115.01	109.21
4	B	1400	ADP	C2'-C1'-N9	2.18	117.63	114.29
4	I	8400	ADP	O2A-PA-O5'	2.21	119.62	108.46
2	D	3500	GLA	O2-C2-C3	2.23	115.36	110.34
2	C	2500	GLA	O5-C5-C4	2.26	113.93	109.68
4	I	8400	ADP	C4'-O4'-C1'	2.27	112.21	109.72
2	B	1500	GLA	O5-C5-C6	2.30	112.16	106.36
4	E	4400	ADP	O2B-PB-O1B	2.35	118.15	110.58
4	A	400	ADP	O2B-PB-O3A	2.36	115.81	105.09
2	E	4500	GLA	O4-C4-C3	2.38	115.70	110.34
2	H	7500	GLA	O2-C2-C3	2.40	115.73	110.34
4	G	6400	ADP	O3B-PB-O2B	2.41	116.57	107.38
2	E	4500	GLA	O2-C2-C3	2.42	115.79	110.34
2	C	2500	GLA	C3-C4-C5	2.50	114.56	110.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1400	ADP	O2B-PB-O3A	2.50	116.45	105.09
2	G	6500	GLA	O4-C4-C3	2.53	116.04	110.34
4	D	3400	ADP	O2B-PB-O3A	2.53	116.58	105.09
2	I	8500	GLA	O5-C1-C2	2.54	113.84	109.80
2	B	1500	GLA	O1-C1-C2	2.67	116.37	109.21
2	E	4500	GLA	O3-C3-C4	2.79	116.62	110.34
2	E	4500	GLA	O5-C5-C4	2.84	115.01	109.68
4	C	2400	ADP	O3A-PA-O5'	2.94	110.75	102.94
4	F	5400	ADP	O2B-PB-O1B	2.95	120.08	110.58
2	F	5500	GLA	O4-C4-C3	2.98	117.04	110.34
4	G	6400	ADP	O4'-C1'-N9	3.10	114.59	108.10
4	I	8400	ADP	O2B-PB-O1B	3.16	120.76	110.58
2	F	5500	GLA	C1-O5-C5	3.29	119.55	113.47
2	B	1500	GLA	O1-C1-O5	3.64	120.21	110.25
2	E	4500	GLA	O1-C1-O5	4.05	121.32	110.25
2	E	4500	GLA	O5-C1-C2	4.09	116.31	109.80
2	H	7500	GLA	O5-C1-C2	4.09	116.33	109.80
2	E	4500	GLA	O1-C1-C2	4.17	120.39	109.21
2	G	6500	GLA	O1-C1-C2	4.69	121.78	109.21
2	G	6500	GLA	O1-C1-O5	4.77	123.30	110.25
2	H	7500	GLA	O1-C1-O5	5.03	124.00	110.25
2	B	1500	GLA	O5-C1-C2	5.34	118.31	109.80
2	C	2500	GLA	O5-C1-C2	10.02	125.78	109.80

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	E	4500	GLA	C1

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1400	ADP	1	0
4	C	2400	ADP	1	0
2	D	3500	GLA	1	0
2	E	4500	GLA	1	0
2	F	5500	GLA	1	0
4	G	6400	ADP	1	0
4	I	8400	ADP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	334/352 (94%)	-0.31	8 (2%) 62 57	33, 54, 108, 137	0
1	B	307/352 (87%)	0.01	18 (5%) 26 19	31, 78, 137, 173	0
1	C	334/352 (94%)	0.02	14 (4%) 40 33	50, 78, 126, 151	0
1	D	346/352 (98%)	-0.17	11 (3%) 51 43	46, 65, 93, 105	0
1	E	343/352 (97%)	0.07	15 (4%) 38 32	47, 66, 95, 108	0
1	F	348/352 (98%)	-0.32	1 (0%) 94 94	26, 42, 55, 70	0
1	G	252/352 (71%)	1.49	84 (33%) 0 0	45, 94, 148, 201	0
1	H	344/352 (97%)	-0.06	8 (2%) 64 59	24, 46, 73, 103	0
1	I	348/352 (98%)	-0.39	4 (1%) 82 80	23, 36, 56, 69	0
All	All	2956/3168 (93%)	-0.01	163 (5%) 29 22	23, 58, 116, 201	0

All (163) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	105	SER	5.9
1	G	336	SER	5.2
1	G	162	ASN	5.1
1	G	294	GLU	5.1
1	G	211	LEU	4.6
1	G	84	GLY	4.5
1	C	318	ASP	4.5
1	G	316	ASP	4.4
1	B	144	GLY	4.3
1	G	127	ASP	4.3
1	B	194	GLU	4.2
1	G	72	TYR	4.1
1	G	177	PRO	4.0
1	A	49	SER	3.9
1	G	333	ALA	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	336	SER	3.9
1	G	218	SER	3.8
1	G	147	CYS	3.8
1	G	253	ASP	3.7
1	G	318	ASP	3.7
1	G	227	LEU	3.6
1	A	67	GLY	3.6
1	G	234	HIS	3.6
1	G	326	ALA	3.6
1	D	296	GLY	3.6
1	G	83	GLU	3.6
1	B	106	SER	3.6
1	G	85	TYR	3.5
1	B	123	ASN	3.5
1	G	179	PRO	3.5
1	G	258	GLY	3.5
1	G	173	TYR	3.5
1	C	123	ASN	3.4
1	D	2	SER	3.4
1	H	53	ASN	3.4
1	G	210	SER	3.4
1	E	322	THR	3.4
1	E	258	GLY	3.3
1	C	333	ALA	3.3
1	G	230	LEU	3.3
1	G	347	SER	3.3
1	D	325	ASP	3.3
1	G	299	GLY	3.3
1	G	198	SER	3.3
1	G	106	SER	3.2
1	G	261	GLU	3.2
1	G	325	ASP	3.2
1	G	128	PRO	3.2
1	G	335	PHE	3.2
1	G	334	LYS	3.1
1	G	343	VAL	3.1
1	G	324	GLY	3.1
1	G	231	PRO	3.0
1	G	322	THR	3.0
1	E	62	ASN	3.0
1	B	326	ALA	3.0
1	E	352	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	297	ALA	3.0
1	G	257	GLU	3.0
1	B	125	ASN	3.0
1	G	268	THR	3.0
1	G	75	GLY	3.0
1	E	336	SER	2.9
1	I	352	VAL	2.9
1	G	79	VAL	2.9
1	I	336	SER	2.9
1	E	333	ALA	2.9
1	H	2	SER	2.9
1	E	53	ASN	2.9
1	D	84	GLY	2.8
1	G	320	ALA	2.8
1	I	2	SER	2.8
1	D	67	GLY	2.8
1	G	32	ASP	2.8
1	G	184	VAL	2.8
1	C	322	THR	2.7
1	C	253	ASP	2.7
1	D	53	ASN	2.7
1	B	95	THR	2.7
1	G	259	ASP	2.7
1	G	97	ASP	2.7
1	G	209	GLU	2.6
1	D	64	THR	2.6
1	H	123	ASN	2.6
1	E	325	ASP	2.6
1	D	318	ASP	2.6
1	G	327	ILE	2.6
1	B	172	GLN	2.6
1	G	201	ALA	2.6
1	G	262	LYS	2.5
1	A	61	ASP	2.5
1	B	81	ILE	2.5
1	B	294	GLU	2.5
1	C	67	GLY	2.5
1	C	332	LEU	2.5
1	C	298	TYR	2.5
1	G	81	ILE	2.5
1	G	300	ALA	2.5
1	G	298	TYR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	197	SER	2.4
1	G	232	PRO	2.4
1	E	318	ASP	2.4
1	G	142	PHE	2.4
1	F	125	ASN	2.4
1	A	53	ASN	2.4
1	A	140	ASN	2.4
1	G	34	TYR	2.4
1	H	318	ASP	2.4
1	B	261	GLU	2.4
1	C	325	ASP	2.3
1	H	84	GLY	2.3
1	G	206	ILE	2.3
1	G	178	PHE	2.3
1	G	155	VAL	2.3
1	G	296	GLY	2.3
1	D	61	ASP	2.3
1	D	258	GLY	2.3
1	C	212	ARG	2.3
1	A	93	LYS	2.3
1	G	163	VAL	2.3
1	I	194	GLU	2.3
1	G	323	ILE	2.3
1	H	62	ASN	2.3
1	B	161	ASP	2.2
1	G	317	LYS	2.3
1	B	333	ALA	2.2
1	E	223	THR	2.2
1	G	228	GLY	2.2
1	G	330	GLU	2.2
1	G	19	THR	2.2
1	H	325	ASP	2.2
1	B	347	SER	2.2
1	B	84	GLY	2.2
1	G	208	GLU	2.2
1	D	294	GLU	2.2
1	B	47	LEU	2.2
1	G	107	SER	2.2
1	G	207	ALA	2.2
1	G	295	LEU	2.2
1	H	82	GLN	2.2
1	E	253	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	81	ILE	2.1
1	E	67	GLY	2.1
1	G	78	TRP	2.1
1	G	250	GLU	2.1
1	A	84	GLY	2.1
1	G	212	ARG	2.1
1	G	272	TRP	2.1
1	E	61	ASP	2.1
1	B	94	ILE	2.1
1	G	164	ILE	2.1
1	G	140	ASN	2.1
1	G	344	VAL	2.1
1	G	215	GLY	2.0
1	G	254	ALA	2.0
1	C	62	ASN	2.0
1	E	82	GLN	2.0
1	G	337	TRP	2.0
1	B	83	GLU	2.0
1	G	203	ARG	2.0
1	C	326	ALA	2.0
1	E	101	GLY	2.0
1	G	269	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	GLA	F	5500	12/12	0.79	0.26	5.30	51,54,56,56	0
2	GLA	A	500	12/12	0.91	0.18	3.82	42,46,49,50	0
2	GLA	D	3500	12/12	0.91	0.20	2.73	43,49,51,52	0
2	GLA	I	8500	12/12	0.92	0.18	2.22	33,34,36,37	0
2	GLA	B	1500	12/12	0.90	0.20	2.15	53,56,57,58	0
2	GLA	E	4500	12/12	0.88	0.22	2.04	52,55,55,55	0
2	GLA	G	6500	12/12	0.82	0.34	1.28	54,59,61,62	0
2	GLA	H	7500	12/12	0.91	0.19	1.22	36,39,41,42	0
4	ADP	B	1400	27/27	0.91	0.29	0.43	63,68,70,70	0
4	ADP	I	8400	27/27	0.96	0.13	-0.05	31,37,39,42	0
4	ADP	H	7400	27/27	0.95	0.16	-0.32	40,50,53,54	0
4	ADP	A	400	27/27	0.94	0.17	-0.36	50,54,58,59	0
4	ADP	C	2400	27/27	0.95	0.19	-0.36	58,60,61,63	0
4	ADP	D	3400	27/27	0.95	0.16	-0.40	48,50,53,54	0
4	ADP	F	5400	27/27	0.97	0.12	-0.70	30,38,44,44	0
4	ADP	E	4400	27/27	0.95	0.14	-0.84	48,49,55,56	0
2	GLA	C	2500	12/12	0.96	0.11	-1.44	45,49,50,51	0
3	MG	F	5600	1/1	0.82	0.18	-	32,32,32,32	0
3	MG	D	3600	1/1	0.79	0.16	-	44,44,44,44	0
3	MG	I	8600	1/1	0.70	0.25	-	35,35,35,35	0
3	MG	B	1600	1/1	0.79	0.34	-	55,55,55,55	0
4	ADP	G	6400	27/27	0.73	0.45	-	67,71,73,76	0
3	MG	G	6600	1/1	0.22	0.38	-	60,60,60,60	0
3	MG	A	600	1/1	0.69	0.24	-	46,46,46,46	0
3	MG	H	7600	1/1	0.65	0.34	-	44,44,44,44	0
3	MG	C	2600	1/1	0.84	0.17	-	51,51,51,51	0
3	MG	E	4600	1/1	0.81	0.21	-	47,47,47,47	0

6.5 Other polymers [i](#)

There are no such residues in this entry.