



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:02 PM GMT

PDB ID : 3SQO  
Title : PCSK9 J16 Fab complex  
Authors : Strop, P.  
Deposited on : 2011-07-05  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	540	<div> <div>8%</div> <div>69%</div> <div>19%</div> <div>•</div> <div>9%</div> </div>
2	H	219	<div> <div>11%</div> <div>76%</div> <div>18%</div> <div>•</div> <div>•</div> </div>
3	L	214	<div> <div>4%</div> <div>79%</div> <div>18%</div> <div>•</div> </div>
4	P	122	<div> <div>%</div> <div>61%</div> <div>12%</div> <div>•</div> <div>25%</div> </div>

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7658 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proprotein convertase subtilisin/kexin type 9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	491	Total	C	N	O	S	0	0	0
			3629	2238	668	691	32			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	474	ILE	VAL	CONFLICT	UNP Q8NBP7
A	670	GLU	GLY	CONFLICT	UNP Q8NBP7

- Molecule 2 is a protein called J16 Heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	211	Total	C	N	O	S	0	0	0
			1608	1012	270	318	8			

- Molecule 3 is a protein called J16 Light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	213	Total	C	N	O	S	0	0	0
			1647	1032	280	330	5			

- Molecule 4 is a protein called PCSK9 prodomain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	P	92	Total	C	N	O	S	0	1	0
			742	475	134	131	2			

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	23	Total	O	0	0
			23	23		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	H	2	Total 2	O 2	0	0
5	L	4	Total 4	O 4	0	0
5	P	3	Total 3	O 3	0	0





● Molecule 4: PCSK9 prodomain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	81.92Å 70.98Å 109.16Å 90.00° 95.90° 90.00°	Depositor
Resolution (Å)	30.00 – 2.70 29.71 – 2.70	Depositor EDS
% Data completeness (in resolution range)	96.5 (30.00-2.70) 96.5 (29.71-2.70)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.77 (at 2.68Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.223 , 0.283 0.227 , 0.283	Depositor DCC
$R_{free}$ test set	1721 reflections (5.45%)	DCC
Wilson B-factor (Å <sup>2</sup> )	47.1	Xtriage
Anisotropy	0.298	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 37.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 33325 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	7658	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.19% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.43	0/3696	0.59	0/5019
2	H	0.36	0/1646	0.53	0/2240
3	L	0.43	0/1683	0.58	0/2282
4	P	0.51	0/766	0.58	0/1034
All	All	0.43	0/7791	0.57	0/10575

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3629	0	3539	87	0
2	H	1608	0	1564	29	0
3	L	1647	0	1606	28	0
4	P	742	0	751	13	0
5	A	23	0	0	3	0
5	H	2	0	0	0	0
5	L	4	0	0	0	0
5	P	3	0	0	4	0
All	All	7658	0	7460	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.



All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:531:GLN:O	1:A:532:ALA:HB2	1.58	1.00
1:A:471:ALA:HB3	1:A:512:HIS:HA	1.50	0.93
4:P:64:PHE:CD1	4:P:131:LEU:HD21	2.07	0.89
3:L:120:PRO:HD3	3:L:132:VAL:HG12	1.51	0.89
1:A:531:GLN:CA	1:A:531:GLN:OE1	2.30	0.78
1:A:531:GLN:O	1:A:532:ALA:CB	2.29	0.75
1:A:531:GLN:HA	1:A:531:GLN:OE1	1.87	0.74
1:A:203:THR:OG1	1:A:250:LEU:HD23	1.88	0.74
1:A:555:GLN:HE21	1:A:555:GLN:HA	1.54	0.73
1:A:531:GLN:N	1:A:531:GLN:CD	2.36	0.71
1:A:471:ALA:HB2	1:A:513:ASN:HB2	1.73	0.71
4:P:64:PHE:CE1	4:P:131:LEU:HD21	2.26	0.70
4:P:69[A]:LYS:NZ	5:P:7:HOH:O	2.24	0.70
1:A:617:ALA:HB3	1:A:618:PRO:HD3	1.76	0.67
3:L:40:PRO:HG2	3:L:165:GLU:HG2	1.76	0.67
2:H:111:VAL:HG23	2:H:111:VAL:O	1.95	0.67
1:A:336:VAL:HG21	1:A:392:VAL:HG21	1.78	0.66
1:A:395:ILE:HG23	1:A:444:LEU:HD23	1.78	0.66
3:L:175:LEU:C	3:L:175:LEU:HD12	2.16	0.65
1:A:544:ALA:HB2	1:A:592:ARG:CZ	2.27	0.65
2:H:83:ARG:O	2:H:111:VAL:HG21	1.97	0.64
1:A:531:GLN:OE1	1:A:531:GLN:N	2.29	0.64
4:P:131:LEU:HD22	5:P:26:HOH:O	1.97	0.64
2:H:94:ARG:O	2:H:100(A):SER:HA	1.97	0.64
1:A:399:MET:HE1	1:A:415:LEU:CD1	2.30	0.62
1:A:503:GLN:HE21	1:A:508:VAL:HG21	1.65	0.62
1:A:550:VAL:HG22	1:A:596:ILE:HG23	1.82	0.62
1:A:503:GLN:NE2	1:A:508:VAL:HG21	2.17	0.60
1:A:344:GLN:NE2	1:A:425:ASN:HB3	2.16	0.60
2:H:139:THR:N	2:H:190:SER:HG	2.00	0.60
3:L:4:MET:HE3	3:L:23:CYS:SG	2.43	0.59
1:A:184:LEU:HD13	1:A:286:LEU:HD23	1.83	0.59
1:A:468:THR:HG22	5:A:32:HOH:O	2.02	0.58
1:A:312:VAL:HG11	1:A:392:VAL:CG2	2.33	0.58
3:L:29:ILE:HB	3:L:92:TYR:HB2	1.84	0.58
2:H:35:HIS:NE2	2:H:50:GLU:OE2	2.37	0.58
4:P:131:LEU:HB2	5:P:26:HOH:O	2.02	0.58
1:A:185:LEU:HD11	1:A:271:ILE:HD11	1.85	0.57
3:L:131:SER:HB3	3:L:180:THR:HG23	1.85	0.57
1:A:399:MET:HE1	1:A:415:LEU:HD13	1.86	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:61:GLU:HB2	3:L:95:TRP:CH2	2.40	0.57
4:P:98:LEU:HB2	4:P:137:LEU:HD11	1.87	0.56
2:H:209:THR:CG2	2:H:211:VAL:HG23	2.36	0.56
1:A:513:ASN:HD22	1:A:520:VAL:HG13	1.71	0.55
1:A:539:ALA:HB2	1:A:550:VAL:HG13	1.88	0.55
1:A:484:LEU:HD22	1:A:601:CYS:SG	2.47	0.55
1:A:548:THR:HG22	1:A:596:ILE:HG22	1.90	0.54
4:P:79:VAL:HG22	4:P:123:LEU:HD13	1.89	0.54
1:A:312:VAL:HG11	1:A:392:VAL:HG23	1.90	0.53
2:H:98:LEU:HD22	3:L:49:TYR:CD1	2.43	0.53
1:A:302:GLN:HE22	1:A:306:ARG:CZ	2.21	0.53
1:A:507:LEU:HD21	1:A:536:VAL:HG23	1.90	0.53
1:A:603:ALA:HB1	1:A:606:LEU:HG	1.91	0.53
1:A:181:GLU:HG3	1:A:280:VAL:HG21	1.91	0.53
1:A:273:LYS:O	1:A:277:VAL:HG23	2.08	0.52
1:A:488:SER:HA	1:A:523:ILE:HD12	1.90	0.52
2:H:159:ASN:HB2	2:H:162:ALA:HB3	1.90	0.52
2:H:2:VAL:HG22	2:H:102:LEU:HD22	1.92	0.52
3:L:164:THR:HG23	3:L:165:GLU:O	2.10	0.51
2:H:111:VAL:O	2:H:111:VAL:CG2	2.58	0.51
3:L:149:LYS:HB2	3:L:193:ALA:HB3	1.93	0.51
2:H:61:GLU:OE2	3:L:95:TRP:CZ2	2.64	0.51
1:A:253:LEU:HD13	4:P:151:ALA:HB2	1.92	0.50
2:H:11:VAL:CG2	2:H:151:PRO:HG3	2.42	0.50
1:A:632:LEU:HD13	1:A:676:ALA:HB1	1.93	0.50
1:A:474:ILE:HD11	1:A:510:ARG:HH11	1.76	0.50
1:A:530:PRO:O	1:A:531:GLN:O	2.30	0.50
3:L:29:ILE:HB	3:L:92:TYR:CB	2.40	0.50
1:A:318:PHE:HA	1:A:351:LEU:HD22	1.93	0.50
1:A:339:THR:HG21	1:A:424:ILE:CD1	2.41	0.50
1:A:200:VAL:HG22	1:A:247:MET:HB2	1.94	0.50
1:A:302:GLN:NE2	1:A:306:ARG:CZ	2.75	0.49
1:A:559:LEU:CD1	1:A:598:ALA:HB1	2.42	0.49
2:H:182:LEU:C	2:H:182:LEU:HD12	2.33	0.49
1:A:336:VAL:HG21	1:A:392:VAL:CG2	2.42	0.49
1:A:424:ILE:HD11	1:A:441:VAL:CG2	2.42	0.49
3:L:179:LEU:HD12	3:L:180:THR:N	2.27	0.49
4:P:108:LEU:HD13	4:P:109:THR:N	2.28	0.49
3:L:35:TRP:CE2	3:L:73:PHE:HB2	2.48	0.49
4:P:101:GLN:HE21	4:P:133:LEU:HD11	1.78	0.48
2:H:87:THR:OG1	2:H:111:VAL:HG22	2.13	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:471:ALA:HB3	1:A:512:HIS:CA	2.34	0.48
1:A:180:VAL:HG22	1:A:282:PRO:HG2	1.95	0.48
1:A:568:VAL:O	1:A:568:VAL:HG23	2.13	0.48
1:A:554:GLN:HB2	1:A:557:HIS:CG	2.48	0.48
1:A:339:THR:HG23	1:A:362:PHE:HB3	1.94	0.47
2:H:167:VAL:CG1	2:H:168:HIS:N	2.78	0.47
2:H:4:LEU:HD21	2:H:34:MET:HE1	1.97	0.47
3:L:50:SER:O	3:L:51:ALA:HB3	2.14	0.47
2:H:4:LEU:CD2	2:H:34:MET:HE1	2.45	0.47
1:A:554:GLN:HE21	1:A:554:GLN:HA	1.80	0.47
1:A:313:THR:HB	1:A:333:VAL:HG11	1.96	0.46
3:L:154:LEU:O	3:L:154:LEU:HD12	2.15	0.46
2:H:2:VAL:HG22	2:H:102:LEU:CD2	2.45	0.46
1:A:253:LEU:HD22	1:A:257:GLY:O	2.16	0.46
4:P:64:PHE:CG	4:P:131:LEU:HD21	2.51	0.45
2:H:167:VAL:HG12	2:H:168:HIS:N	2.31	0.45
3:L:154:LEU:C	3:L:154:LEU:HD12	2.37	0.45
1:A:617:ALA:HB3	1:A:618:PRO:CD	2.45	0.45
2:H:61:GLU:OE2	3:L:95:TRP:HZ2	2.00	0.45
2:H:101:ASP:HB3	3:L:46:LEU:HD23	1.99	0.45
1:A:309:VAL:O	1:A:311:LEU:HD12	2.17	0.45
1:A:641:THR:HG21	1:A:644:VAL:CG1	2.47	0.45
1:A:471:ALA:HB2	1:A:513:ASN:N	2.31	0.45
3:L:11:LEU:CD2	3:L:19:VAL:HG13	2.47	0.45
2:H:11:VAL:HG22	2:H:151:PRO:HG3	1.99	0.44
1:A:205:PHE:CE1	1:A:266:ILE:HG22	2.52	0.44
2:H:205:LYS:N	2:H:206:PRO:CD	2.80	0.44
1:A:496:ARG:HD2	5:A:27:HOH:O	2.16	0.44
1:A:548:THR:HG22	1:A:596:ILE:CG2	2.48	0.44
3:L:29:ILE:O	3:L:29:ILE:CG1	2.65	0.44
1:A:641:THR:HG22	1:A:642:SER:H	1.84	0.43
1:A:182:VAL:HG22	1:A:284:VAL:HB	1.99	0.43
2:H:7:SER:HB3	2:H:21:SER:HB3	2.00	0.43
1:A:153:SER:N	3:L:56:THR:HG1	2.16	0.43
1:A:471:ALA:HA	5:A:32:HOH:O	2.18	0.43
1:A:468:THR:HG23	1:A:470:MET:H	1.84	0.42
1:A:532:ALA:O	1:A:533:ASN:C	2.57	0.42
1:A:250:LEU:HD11	1:A:271:ILE:CG1	2.50	0.42
3:L:120:PRO:HB2	3:L:125:LEU:HD11	2.01	0.42
2:H:63:PHE:O	2:H:67:VAL:HG12	2.19	0.42
1:A:344:GLN:HE22	1:A:425:ASN:HB3	1.83	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:104:LEU:HA	3:L:104:LEU:HD23	1.94	0.42
1:A:613:HIS:CE1	1:A:615:ILE:HD11	2.55	0.42
1:A:615:ILE:HG21	1:A:619:GLN:HG3	2.02	0.42
1:A:203:THR:O	1:A:204:ASP:HB2	2.20	0.42
3:L:106:ILE:HG21	3:L:171:SER:OG	2.20	0.42
1:A:361:LEU:N	1:A:361:LEU:HD12	2.35	0.42
1:A:196:ILE:HD12	1:A:200:VAL:HG21	2.02	0.41
3:L:11:LEU:HD21	3:L:19:VAL:HG13	2.02	0.41
3:L:37:GLN:HB2	3:L:47:LEU:HD11	2.03	0.41
3:L:61:ARG:CZ	3:L:79:GLN:HG3	2.49	0.41
1:A:530:PRO:HD2	1:A:531:GLN:NE2	2.34	0.41
1:A:531:GLN:H	1:A:531:GLN:CD	2.22	0.41
1:A:484:LEU:HD13	1:A:560:THR:HG21	2.02	0.41
2:H:147:LYS:HG2	2:H:148:ASP:CG	2.40	0.41
2:H:75:THR:OG1	2:H:77:THR:HG22	2.21	0.41
1:A:386:SER:OG	4:P:152:GLN:C	2.59	0.41
1:A:533:ASN:N	1:A:533:ASN:OD1	2.54	0.41
1:A:507:LEU:CD2	1:A:536:VAL:HG23	2.51	0.41
1:A:632:LEU:CD1	1:A:676:ALA:HB1	2.50	0.41
2:H:34:MET:HG3	2:H:78:VAL:HG21	2.03	0.41
1:A:186:ASP:OD2	1:A:288:PRO:HG2	2.20	0.41
1:A:298:ASN:ND2	1:A:326:SER:OG	2.53	0.41
1:A:465:SER:HB3	1:A:473:ALA:HB2	2.02	0.41
4:P:128:GLY:HA2	5:P:26:HOH:O	2.20	0.40
1:A:539:ALA:CB	1:A:550:VAL:HG13	2.50	0.40
1:A:590:GLY:HA3	1:A:596:ILE:HD12	2.04	0.40
1:A:641:THR:HG21	1:A:644:VAL:CG2	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	479/540 (89%)	447 (93%)	25 (5%)	7 (2%)	13	32
2	H	205/219 (94%)	186 (91%)	16 (8%)	3 (2%)	13	32
3	L	211/214 (99%)	201 (95%)	10 (5%)	0	100	100
4	P	91/122 (75%)	86 (94%)	4 (4%)	1 (1%)	17	42
All	All	986/1095 (90%)	920 (93%)	55 (6%)	11 (1%)	17	42

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	447	SER
1	A	531	GLN
2	H	100	ALA
1	A	533	ASN
1	A	544	ALA
4	P	84	GLU
1	A	616	PRO
2	H	148	ASP
2	H	43	GLN
1	A	280	VAL
1	A	617	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	389/431 (90%)	360 (92%)	29 (8%)	17	38
2	H	182/190 (96%)	171 (94%)	11 (6%)	24	50
3	L	186/187 (100%)	172 (92%)	14 (8%)	17	38
4	P	80/103 (78%)	76 (95%)	4 (5%)	30	60
All	All	837/911 (92%)	779 (93%)	58 (7%)	19	43

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	160	ARG
1	A	178	SER
1	A	199	ARG
1	A	203	THR
1	A	222	LYS
1	A	298	ASN
1	A	302	GLN
1	A	319	ARG
1	A	348	LEU
1	A	361	LEU
1	A	372	SER
1	A	376	SER
1	A	401	SER
1	A	408	LEU
1	A	413	GLN
1	A	415	LEU
1	A	480	ASP
1	A	484	LEU
1	A	498	GLU
1	A	531	GLN
1	A	533	ASN
1	A	546	MET
1	A	550	VAL
1	A	554	GLN
1	A	555	GLN
1	A	591	HIS
1	A	620	GLU
1	A	641	THR
1	A	643	HIS
2	H	1	GLN
2	H	22	CYS
2	H	94	ARG
2	H	96	ARG
2	H	98	LEU
2	H	128	LEU
2	H	139	THR
2	H	148	ASP
2	H	174	LEU
2	H	205	LYS
2	H	212	ASP
3	L	20	THR
3	L	29	ILE
3	L	42	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	L	52	SER
3	L	70	ASP
3	L	79	GLN
3	L	100	GLN
3	L	109	THR
3	L	125	LEU
3	L	135	LEU
3	L	137	ASN
3	L	164	THR
3	L	175	LEU
3	L	201	LEU
4	P	85	GLU
4	P	90	GLN
4	P	108	LEU
4	P	133	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	190	GLN
1	A	219	GLN
1	A	298	ASN
1	A	302	GLN
1	A	344	GLN
1	A	413	GLN
1	A	513	ASN
1	A	554	GLN
1	A	555	GLN
1	A	587	GLN
1	A	652	ASN
2	H	204	HIS
3	L	79	GLN
3	L	100	GLN
3	L	160	GLN
4	P	65	HIS
4	P	101	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	491/540 (90%)	0.35	42 (8%) 13 10	23, 46, 89, 132	0
2	H	211/219 (96%)	0.60	24 (11%) 7 5	40, 72, 104, 153	0
3	L	213/214 (99%)	0.14	8 (3%) 44 44	35, 57, 91, 118	0
4	P	92/122 (75%)	-0.14	1 (1%) 82 83	26, 39, 51, 61	0
All	All	1007/1095 (91%)	0.31	75 (7%) 17 15	23, 53, 95, 153	0

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	194	GLY	14.1
1	A	448	THR	9.6
2	H	195	THR	7.7
2	H	131	SER	6.9
1	A	571	LEU	6.0
1	A	168	ALA	6.0
1	A	545	SER	5.8
1	A	450	GLY	5.5
1	A	220	ALA	5.4
1	A	546	MET	5.4
3	L	214	SER	5.3
1	A	570	ASP	4.9
2	H	193	PHE	4.9
1	A	572	GLY	4.7
1	A	167	ARG	4.6
1	A	165	ARG	4.6
2	H	1	GLN	4.5
2	H	53	PHE	4.4
1	A	166	TYR	4.3
1	A	618	PRO	4.1
2	H	192	ASN	3.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	H	191	SER	3.8
2	H	54	GLY	3.5
2	H	132	SER	3.3
1	A	569	GLU	3.3
1	A	515	PHE	3.1
2	H	217	ARG	3.1
2	H	43	GLN	3.0
1	A	604	PRO	3.0
1	A	153	SER	3.0
1	A	447	SER	3.0
1	A	547	GLY	2.9
1	A	219	GLN	2.8
2	H	190	SER	2.8
1	A	453	TRP	2.8
2	H	27	TYR	2.8
1	A	643	HIS	2.8
3	L	94	LEU	2.7
1	A	641	THR	2.7
1	A	472	THR	2.6
1	A	628	GLU	2.5
1	A	211	GLU	2.5
1	A	642	SER	2.3
2	H	165	SER	2.3
3	L	161	GLU	2.3
1	A	670	GLU	2.3
1	A	531	GLN	2.3
2	H	75	THR	2.3
2	H	130	PRO	2.2
3	L	132	VAL	2.2
1	A	617	ALA	2.2
1	A	615	ILE	2.2
3	L	184	ALA	2.2
4	P	104	ARG	2.2
1	A	616	PRO	2.2
2	H	64	LYS	2.2
1	A	449	HIS	2.1
3	L	189	HIS	2.1
2	H	100	ALA	2.1
2	H	71	ARG	2.1
1	A	672	VAL	2.1
2	H	216	GLU	2.1
1	A	591	HIS	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	L	128	GLY	2.1
2	H	211	VAL	2.1
3	L	202	SER	2.1
1	A	555	GLN	2.1
1	A	640	GLY	2.1
1	A	221	SER	2.0
2	H	25	SER	2.0
1	A	533	ASN	2.0
1	A	154	ILE	2.0
1	A	471	ALA	2.0
1	A	350	THR	2.0
2	H	144	CYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.