



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 05:09 PM BST

PDB ID : 1T1H
Title : NMR solution structure of the U box domain from AtPUB14, an armadillo repeat containing protein from Arabidopsis thaliana
Authors : Andersen, P.; Kragelund, B.B.; Olsen, A.N.; Larsen, F.H.; Chua, N.-H.; Poulsen, F.M.; Skriver, K.
Deposited on : 2004-04-16

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 82%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	78	

2 Ensemble composition and analysis

This entry contains 20 models. Model 10 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:252-A:321 (70)	0.40	10

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters. No single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 18, 19, 20
2	14, 16, 17

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 1225 atoms, of which 610 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called armadillo repeat containing protein.


Mol	Chain	Residues	Atoms						Trace
1	A	78	Total	C	H	N	O	S	0
			1225	393	610	100	118	4	

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	244	GLY	-	CLONING ARTIFACT	UNP Q8VZ40
A	245	SER	-	CLONING ARTIFACT	UNP Q8VZ40
A	246	PRO	-	CLONING ARTIFACT	UNP Q8VZ40
A	247	GLU	-	CLONING ARTIFACT	UNP Q8VZ40
A	248	PHE	-	CLONING ARTIFACT	UNP Q8VZ40


4.2.3 Score per residue for model 3

- Molecule 1: armadillo repeat containing protein




4.2.4 Score per residue for model 4

- Molecule 1: armadillo repeat containing protein




4.2.5 Score per residue for model 5

- Molecule 1: armadillo repeat containing protein



4.2.6 Score per residue for model 6


- Molecule 1: armadillo repeat containing protein



4.2.7 Score per residue for model 7


- Molecule 1: armadillo repeat containing protein






4.2.8 Score per residue for model 8

- Molecule 1: armadillo repeat containing protein




4.2.9 Score per residue for model 9

- Molecule 1: armadillo repeat containing protein




4.2.10 Score per residue for model 10 (medoid)

- Molecule 1: armadillo repeat containing protein




4.2.11 Score per residue for model 11

- Molecule 1: armadillo repeat containing protein




4.2.12 Score per residue for model 12

- Molecule 1: armadillo repeat containing protein




4.2.13 Score per residue for model 13

- Molecule 1: armadillo repeat containing protein




4.2.14 Score per residue for model 14

- Molecule 1: armadillo repeat containing protein




4.2.15 Score per residue for model 15

- Molecule 1: armadillo repeat containing protein




4.2.16 Score per residue for model 16

- Molecule 1: armadillo repeat containing protein




4.2.17 Score per residue for model 17

- Molecule 1: armadillo repeat containing protein




4.2.18 Score per residue for model 18

- Molecule 1: armadillo repeat containing protein




4.2.19 Score per residue for model 19

- Molecule 1: armadillo repeat containing protein



4.2.20 Score per residue for model 20

- Molecule 1: armadillo repeat containing protein



5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics, simulated annealing*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with favorable non-bond energy, structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	
X-PLOR	structure solution	V3.840
CNS	refinement	1.1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 6265
Number of chemical shift lists	1
Total number of shifts	817
Number of shifts mapped to atoms	817
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	82%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	550	556	556	20±5
All	All	11000	11120	11120	404

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:260:LEU:HB2	1:A:320:ILE:HG21	0.81	1.50	12	1
1:A:261:MET:HB3	1:A:274:GLU:HB2	0.81	1.51	9	9
1:A:256:ILE:HG21	1:A:277:SER:HB3	0.74	1.57	13	6
1:A:261:MET:HG2	1:A:274:GLU:HB2	0.73	1.57	12	4
1:A:310:LEU:O	1:A:313:LEU:HG	0.72	1.84	13	14
1:A:267:VAL:HG22	1:A:271:GLN:HE21	0.71	1.45	11	1
1:A:287:LYS:HD3	1:A:287:LYS:H	0.69	1.46	2	2
1:A:271:GLN:HE22	1:A:278:ILE:HG12	0.68	1.47	13	3
1:A:254:CYS:HB2	1:A:261:MET:SD	0.67	2.30	18	4
1:A:271:GLN:HE22	1:A:278:ILE:HD13	0.66	1.50	6	1
1:A:271:GLN:HB2	1:A:273:TYR:CE2	0.65	2.27	9	3
1:A:262:LYS:NZ	1:A:321:GLU:HB3	0.65	2.07	20	2
1:A:256:ILE:HD13	1:A:281:TRP:HZ3	0.65	1.52	8	3
1:A:253:ARG:HD3	1:A:258:LEU:HG	0.65	1.69	15	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:260:LEU:HD22	1:A:315:CYS:HB3	0.64	1.70	1	1
1:A:260:LEU:O	1:A:311:ILE:HB	0.64	1.93	12	1
1:A:266:ILE:HA	1:A:271:GLN:O	0.61	1.94	16	14
1:A:289:CYS:HB2	1:A:294:GLU:OE1	0.61	1.95	18	1
1:A:260:LEU:HD21	1:A:314:TRP:HB3	0.61	1.72	8	2
1:A:260:LEU:HG	1:A:315:CYS:SG	0.61	2.36	20	1
1:A:281:TRP:CH2	1:A:290:PRO:HD3	0.60	2.31	18	3
1:A:262:LYS:HE2	1:A:315:CYS:SG	0.60	2.36	10	2
1:A:258:LEU:HD22	1:A:320:ILE:HD11	0.59	1.74	19	4
1:A:259:GLU:O	1:A:321:GLU:HB2	0.59	1.98	20	2
1:A:260:LEU:HB3	1:A:320:ILE:HG21	0.59	1.74	14	6
1:A:254:CYS:HB2	1:A:261:MET:HB3	0.59	1.73	8	1
1:A:269:THR:HG21	1:A:289:CYS:SG	0.59	2.38	13	2
1:A:274:GLU:O	1:A:278:ILE:HG22	0.59	1.98	16	20
1:A:260:LEU:HD12	1:A:315:CYS:HB3	0.59	1.74	6	1
1:A:272:THR:HG21	1:A:304:ASN:HD22	0.59	1.58	7	2
1:A:261:MET:SD	1:A:273:TYR:HA	0.58	2.38	6	9
1:A:289:CYS:SG	1:A:291:LYS:HE3	0.58	2.38	16	1
1:A:262:LYS:N	1:A:262:LYS:HD2	0.58	2.14	11	1
1:A:252:PHE:HD2	1:A:310:LEU:HB3	0.57	1.60	2	1
1:A:266:ILE:HG13	1:A:272:THR:HG23	0.56	1.77	14	6
1:A:304:ASN:OD1	1:A:306:VAL:HG12	0.56	2.01	6	7
1:A:268:SER:HB2	1:A:298:HIS:HB2	0.55	1.78	16	1
1:A:264:PRO:HB2	1:A:272:THR:HG22	0.55	1.79	12	11
1:A:258:LEU:HG	1:A:320:ILE:HD11	0.55	1.79	11	2
1:A:287:LYS:O	1:A:295:THR:HA	0.54	2.02	20	2
1:A:256:ILE:HD12	1:A:281:TRP:HZ3	0.54	1.62	4	1
1:A:271:GLN:HG3	1:A:273:TYR:CE2	0.54	2.38	12	1
1:A:254:CYS:SG	1:A:256:ILE:HG12	0.54	2.42	4	1
1:A:266:ILE:HB	1:A:304:ASN:HB2	0.54	1.79	2	6
1:A:271:GLN:NE2	1:A:278:ILE:HG12	0.54	2.17	8	4
1:A:289:CYS:HB2	1:A:294:GLU:H	0.54	1.63	7	1
1:A:310:LEU:O	1:A:313:LEU:HB3	0.53	2.03	8	1
1:A:261:MET:HG3	1:A:311:ILE:HG21	0.53	1.79	1	1
1:A:275:ARG:HG3	1:A:279:GLN:OE1	0.53	2.03	5	1
1:A:260:LEU:HD22	1:A:315:CYS:SG	0.53	2.44	7	1
1:A:261:MET:SD	1:A:264:PRO:HB3	0.53	2.44	8	1
1:A:307:LEU:O	1:A:311:ILE:HG12	0.52	2.03	11	13
1:A:271:GLN:HG3	1:A:273:TYR:CD2	0.52	2.39	2	3
1:A:254:CYS:HB2	1:A:261:MET:HG3	0.52	1.81	2	2
1:A:259:GLU:O	1:A:321:GLU:HA	0.52	2.04	1	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:258:LEU:HG	1:A:258:LEU:O	0.52	2.04	13	1
1:A:295:THR:HG22	1:A:297:LEU:H	0.52	1.64	2	2
1:A:260:LEU:O	1:A:262:LYS:HE3	0.52	2.05	6	1
1:A:260:LEU:HD13	1:A:320:ILE:HD13	0.51	1.82	17	1
1:A:289:CYS:SG	1:A:294:GLU:HB2	0.51	2.45	4	1
1:A:266:ILE:HG22	1:A:302:THR:O	0.51	2.04	13	4
1:A:279:GLN:O	1:A:283:ASP:HB2	0.51	2.06	9	1
1:A:289:CYS:SG	1:A:296:LEU:HD21	0.51	2.46	8	4
1:A:269:THR:OG1	1:A:296:LEU:HA	0.51	2.05	11	2
1:A:282:LEU:HA	1:A:286:HIS:O	0.51	2.06	7	2
1:A:262:LYS:HE3	1:A:262:LYS:N	0.51	2.20	13	1
1:A:252:PHE:HB2	1:A:311:ILE:HG22	0.50	1.83	16	2
1:A:254:CYS:HB3	1:A:256:ILE:HG12	0.50	1.84	1	1
1:A:268:SER:O	1:A:269:THR:HB	0.50	2.05	2	6
1:A:266:ILE:HG13	1:A:272:THR:OG1	0.50	2.06	7	5
1:A:254:CYS:HB2	1:A:261:MET:CB	0.50	2.36	8	1
1:A:307:LEU:HD23	1:A:307:LEU:H	0.50	1.66	12	1
1:A:254:CYS:SG	1:A:259:GLU:HG2	0.49	2.47	10	2
1:A:262:LYS:HE3	1:A:262:LYS:H	0.49	1.67	13	1
1:A:289:CYS:O	1:A:293:GLN:HA	0.49	2.06	10	3
1:A:258:LEU:CD2	1:A:320:ILE:HD11	0.49	2.38	3	1
1:A:271:GLN:HB2	1:A:289:CYS:SG	0.49	2.48	12	1
1:A:260:LEU:HD23	1:A:315:CYS:HB3	0.49	1.84	8	1
1:A:253:ARG:HD2	1:A:258:LEU:HG	0.49	1.84	8	2
1:A:255:PRO:HD3	1:A:273:TYR:CE1	0.49	2.43	9	1
1:A:315:CYS:HA	1:A:320:ILE:HG22	0.48	1.85	2	4
1:A:273:TYR:OH	1:A:291:LYS:HD2	0.48	2.08	6	2
1:A:304:ASN:OD1	1:A:306:VAL:HG22	0.48	2.08	12	1
1:A:267:VAL:HG12	1:A:268:SER:H	0.48	1.68	7	6
1:A:258:LEU:O	1:A:258:LEU:HG	0.48	2.08	11	2
1:A:271:GLN:OE1	1:A:278:ILE:HD13	0.48	2.09	10	1
1:A:276:SER:O	1:A:280:LYS:HD2	0.48	2.09	16	1
1:A:261:MET:O	1:A:262:LYS:HE3	0.47	2.09	16	1
1:A:320:ILE:HG23	1:A:321:GLU:N	0.47	2.24	14	2
1:A:272:THR:HB	1:A:307:LEU:HD22	0.47	1.87	11	2
1:A:306:VAL:O	1:A:310:LEU:HD23	0.47	2.09	16	2
1:A:261:MET:CE	1:A:307:LEU:HD21	0.47	2.40	6	3
1:A:253:ARG:C	1:A:253:ARG:HD2	0.47	2.30	14	2
1:A:260:LEU:HB2	1:A:320:ILE:HG23	0.46	1.86	17	1
1:A:252:PHE:HA	1:A:311:ILE:HG22	0.46	1.87	1	1
1:A:252:PHE:CE1	1:A:310:LEU:HB3	0.46	2.46	10	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:291:LYS:HE3	1:A:294:GLU:OE2	0.46	2.11	17	1
1:A:260:LEU:HB2	1:A:320:ILE:HG12	0.46	1.86	8	1
1:A:259:GLU:HA	1:A:321:GLU:HA	0.46	1.88	16	1
1:A:267:VAL:HG22	1:A:268:SER:H	0.46	1.70	10	1
1:A:262:LYS:N	1:A:262:LYS:HE3	0.46	2.26	14	1
1:A:304:ASN:HD21	1:A:306:VAL:HG12	0.46	1.70	14	1
1:A:254:CYS:SG	1:A:260:LEU:N	0.46	2.88	10	1
1:A:262:LYS:HE2	1:A:274:GLU:OE1	0.46	2.11	8	1
1:A:294:GLU:CD	1:A:294:GLU:H	0.45	2.14	18	1
1:A:267:VAL:HG22	1:A:271:GLN:NE2	0.45	2.22	11	1
1:A:258:LEU:HD23	1:A:320:ILE:HD11	0.45	1.87	17	1
1:A:271:GLN:HB3	1:A:289:CYS:SG	0.45	2.51	20	1
1:A:320:ILE:O	1:A:321:GLU:HB2	0.45	2.11	3	2
1:A:268:SER:O	1:A:269:THR:CB	0.45	2.65	2	9
1:A:264:PRO:HB2	1:A:272:THR:CG2	0.45	2.42	17	1
1:A:265:VAL:HG21	1:A:301:LEU:HD23	0.45	1.88	6	3
1:A:253:ARG:HA	1:A:260:LEU:HD22	0.45	1.87	6	2
1:A:260:LEU:O	1:A:262:LYS:HE2	0.45	2.11	19	1
1:A:258:LEU:HD12	1:A:320:ILE:HD11	0.45	1.87	13	1
1:A:262:LYS:O	1:A:308:LYS:HE3	0.45	2.11	2	1
1:A:262:LYS:O	1:A:308:LYS:HG3	0.44	2.12	1	1
1:A:262:LYS:HD2	1:A:274:GLU:OE1	0.44	2.12	6	1
1:A:260:LEU:HB3	1:A:315:CYS:HB2	0.44	1.88	12	1
1:A:266:ILE:CG2	1:A:302:THR:HB	0.44	2.42	8	4
1:A:260:LEU:HD13	1:A:320:ILE:HG21	0.44	1.88	19	2
1:A:260:LEU:CD1	1:A:314:TRP:HB3	0.44	2.42	12	1
1:A:260:LEU:HG	1:A:314:TRP:HB3	0.44	1.89	12	1
1:A:276:SER:O	1:A:280:LYS:HB3	0.44	2.13	11	1
1:A:266:ILE:HD12	1:A:304:ASN:HD22	0.44	1.72	8	1
1:A:252:PHE:HB2	1:A:311:ILE:CG2	0.44	2.43	2	1
1:A:267:VAL:HG12	1:A:271:GLN:HB3	0.44	1.90	10	1
1:A:261:MET:CB	1:A:274:GLU:HB2	0.44	2.41	15	2
1:A:262:LYS:HZ3	1:A:321:GLU:HB3	0.43	1.72	20	1
1:A:288:THR:HB	1:A:293:GLN:NE2	0.43	2.28	5	2
1:A:261:MET:O	1:A:311:ILE:HD12	0.43	2.13	3	3
1:A:264:PRO:HD3	1:A:311:ILE:HD11	0.43	1.90	4	1
1:A:267:VAL:CG1	1:A:301:LEU:HD13	0.43	2.43	8	1
1:A:304:ASN:ND2	1:A:306:VAL:HG12	0.43	2.28	4	1
1:A:314:TRP:HZ3	1:A:320:ILE:HD13	0.43	1.73	5	1
1:A:287:LYS:H	1:A:287:LYS:CD	0.43	2.24	2	1
1:A:273:TYR:HB2	1:A:278:ILE:HB	0.43	1.91	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:289:CYS:HB3	1:A:291:LYS:HE3	0.43	1.91	7	1
1:A:288:THR:HG22	1:A:293:GLN:HA	0.43	1.91	3	1
1:A:261:MET:HA	1:A:274:GLU:OE1	0.43	2.13	8	1
1:A:301:LEU:HD22	1:A:301:LEU:N	0.43	2.28	8	1
1:A:252:PHE:O	1:A:260:LEU:HD13	0.43	2.13	20	1
1:A:264:PRO:HA	1:A:274:GLU:HA	0.43	1.90	8	1
1:A:253:ARG:HA	1:A:260:LEU:HD12	0.43	1.91	8	1
1:A:287:LYS:N	1:A:287:LYS:HD3	0.42	2.28	1	1
1:A:261:MET:HB3	1:A:274:GLU:CA	0.42	2.45	20	1
1:A:297:LEU:O	1:A:298:HIS:HB2	0.42	2.14	14	1
1:A:265:VAL:CG2	1:A:301:LEU:HD23	0.42	2.44	16	1
1:A:253:ARG:HA	1:A:260:LEU:CD2	0.42	2.44	6	1
1:A:279:GLN:HA	1:A:282:LEU:HB2	0.42	1.90	7	1
1:A:310:LEU:HD13	1:A:313:LEU:HD21	0.42	1.90	16	1
1:A:260:LEU:CB	1:A:320:ILE:HG21	0.42	2.44	9	3
1:A:266:ILE:HG22	1:A:302:THR:HB	0.42	1.90	7	3
1:A:266:ILE:HD12	1:A:304:ASN:ND2	0.42	2.30	8	2
1:A:264:PRO:HG3	1:A:307:LEU:HB3	0.42	1.91	17	2
1:A:261:MET:HG2	1:A:274:GLU:CB	0.42	2.40	5	1
1:A:308:LYS:HA	1:A:311:ILE:CG1	0.42	2.44	11	1
1:A:306:VAL:O	1:A:310:LEU:HG	0.42	2.15	18	1
1:A:266:ILE:HB	1:A:304:ASN:CB	0.42	2.45	2	1
1:A:271:GLN:HE22	1:A:278:ILE:CG1	0.41	2.28	14	1
1:A:266:ILE:HG12	1:A:271:GLN:O	0.41	2.14	14	1
1:A:260:LEU:HD23	1:A:320:ILE:HD13	0.41	1.90	12	1
1:A:256:ILE:HB	1:A:259:GLU:OE2	0.41	2.15	4	1
1:A:267:VAL:HG12	1:A:268:SER:N	0.41	2.30	7	5
1:A:254:CYS:HB3	1:A:259:GLU:OE1	0.41	2.16	13	1
1:A:272:THR:HG21	1:A:307:LEU:HD21	0.41	1.92	12	1
1:A:267:VAL:HG22	1:A:271:GLN:CG	0.41	2.45	19	1
1:A:281:TRP:CH2	1:A:290:PRO:HB3	0.41	2.50	15	1
1:A:267:VAL:HG22	1:A:301:LEU:HD12	0.41	1.92	20	1
1:A:253:ARG:HG2	1:A:258:LEU:CD1	0.41	2.45	11	1
1:A:315:CYS:CB	1:A:320:ILE:HG22	0.41	2.46	3	1
1:A:289:CYS:SG	1:A:291:LYS:HE2	0.41	2.55	8	1
1:A:264:PRO:CG	1:A:307:LEU:HB3	0.41	2.46	15	1
1:A:267:VAL:HG22	1:A:271:GLN:HG2	0.41	1.92	14	1
1:A:315:CYS:HA	1:A:318:ASN:O	0.41	2.16	3	1
1:A:261:MET:O	1:A:311:ILE:HB	0.41	2.16	11	1
1:A:254:CYS:SG	1:A:259:GLU:OE2	0.41	2.77	11	1
1:A:289:CYS:HB3	1:A:294:GLU:OE1	0.40	2.16	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:281:TRP:CD1	1:A:281:TRP:C	0.40	2.94	10	1
1:A:267:VAL:HG21	1:A:296:LEU:HD13	0.40	1.93	8	1
1:A:252:PHE:CE1	1:A:314:TRP:HB2	0.40	2.52	4	1
1:A:265:VAL:O	1:A:272:THR:HA	0.40	2.16	13	1
1:A:313:LEU:HD12	1:A:314:TRP:N	0.40	2.30	2	1
1:A:253:ARG:O	1:A:253:ARG:HD2	0.40	2.17	14	1
1:A:260:LEU:HD22	1:A:320:ILE:HG21	0.40	1.94	16	1
1:A:313:LEU:HD23	1:A:313:LEU:C	0.40	2.36	8	1
1:A:273:TYR:OH	1:A:291:LYS:HD3	0.40	2.17	3	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	69/78 (88%)	58±2 (83±2%)	9±1 (13±2%)	2±1 (3±2%)	8	39
All	All	1380/1560 (88%)	1151 (83%)	183 (13%)	46 (3%)	8	39

All 10 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	295	THR	10
1	A	260	LEU	9
1	A	261	MET	7
1	A	297	LEU	6
1	A	269	THR	4
1	A	298	HIS	4
1	A	320	ILE	2
1	A	319	GLY	2
1	A	255	PRO	1
1	A	285	GLY	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	63/70 (90%)	55±2 (87±3%)	8±2 (13±3%)	10	52
All	All	1260/1400 (90%)	1101 (87%)	159 (13%)	10	52

All 30 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	281	TRP	20
1	A	262	LYS	16
1	A	258	LEU	11
1	A	266	ILE	10
1	A	260	LEU	9
1	A	293	GLN	9
1	A	280	LYS	7
1	A	272	THR	7
1	A	261	MET	7
1	A	291	LYS	6
1	A	259	GLU	6
1	A	253	ARG	5
1	A	313	LEU	5
1	A	289	CYS	5
1	A	308	LYS	4
1	A	287	LYS	4
1	A	283	ASP	4
1	A	297	LEU	3
1	A	252	PHE	3
1	A	257	SER	3
1	A	271	GLN	3
1	A	292	SER	2
1	A	288	THR	2
1	A	274	GLU	2
1	A	267	VAL	1
1	A	268	SER	1
1	A	321	GLU	1
1	A	275	ARG	1
1	A	276	SER	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	277	SER	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 82% for the well-defined parts and 79% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 6265

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	817
Number of shifts mapped to atoms	817
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	73	-0.13 ± 0.50	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	69	0.35 ± 0.24	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	—
^{15}N	59	0.28 ± 0.54	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 82%, i.e. 705 atoms were assigned a chemical shift out of a possible 858. 0 out of 12 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	257/342 (75%)	130/136 (96%)	68/140 (49%)	59/66 (89%)
Sidechain	397/453 (88%)	247/267 (93%)	147/170 (86%)	3/16 (19%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	51/63 (81%)	26/33 (79%)	24/26 (92%)	1/4 (25%)
Overall	705/858 (82%)	403/436 (92%)	239/336 (71%)	63/86 (73%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 79%, i.e. 756 atoms were assigned a chemical shift out of a possible 952. 0 out of 12 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	267/378 (71%)	135/150 (90%)	73/156 (47%)	59/72 (82%)
Sidechain	421/494 (85%)	263/293 (90%)	155/185 (84%)	3/16 (19%)
Aromatic	68/80 (85%)	35/42 (83%)	32/34 (94%)	1/4 (25%)
Overall	756/952 (79%)	433/485 (89%)	260/375 (69%)	63/92 (68%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	290	PRO	HG2	0.10	3.48 – 0.38	-5.9

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

