



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 01:11 PM GMT

PDB ID : 3T6E
Title : Crystal Structure of the Reaction Centre from Blastochloris viridis strain DSM 133 (ATCC 19567) substrain-94
Authors : Roszak, A.W.; Gardiner, A.T.; Isaacs, N.W.; Cogdell, R.J.
Deposited on : 2011-07-28
Resolution : 1.92 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | Similar resolution (#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|---|
| R_{free} | 91344 | 5832 (1.94-1.90) |
| Clashscore | 102246 | 6540 (1.94-1.90) |
| Ramachandran outliers | 100387 | 6464 (1.94-1.90) |
| Sidechain outliers | 100360 | 6465 (1.94-1.90) |
| RSRZ outliers | 91569 | 5846 (1.94-1.90) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 1 | C | 356 | <div> <div>8%</div> <div>86%</div> <div>8%</div> <div>6%</div> </div> |
| 2 | H | 258 | <div> <div>13%</div> <div>91%</div> <div>9%</div> <div>•</div> </div> |
| 3 | L | 273 | <div> <div>7%</div> <div>92%</div> <div>7%</div> <div>•</div> </div> |
| 4 | M | 323 | <div> <div>17%</div> <div>93%</div> <div>7%</div> </div> |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|--------|-----------|----------|---------|------------------|
| 10 | GOL | C | 350 | - | - | - | X |
| 10 | GOL | C | 351 | - | - | - | X |
| 10 | GOL | C | 352 | - | - | - | X |
| 10 | GOL | C | 353[B] | - | - | - | X |
| 10 | GOL | C | 359 | - | - | X | X |
| 10 | GOL | C | 360 | - | - | - | X |
| 10 | GOL | H | 272 | - | - | - | X |
| 10 | GOL | H | 274 | - | - | - | X |
| 10 | GOL | H | 276 | - | - | - | X |
| 10 | GOL | L | 277 | - | - | - | X |
| 10 | GOL | L | 278 | - | - | - | X |
| 10 | GOL | L | 279 | - | - | X | X |
| 10 | GOL | L | 280 | - | - | - | X |
| 10 | GOL | M | 335 | - | - | - | X |
| 13 | UQ9 | L | 502 | - | - | X | X |
| 13 | UQ9 | L | 503 | - | - | - | X |
| 16 | NS5 | M | 600 | - | - | - | X |
| 6 | LDA | C | 712 | - | - | - | X |
| 6 | LDA | C | 722 | - | - | - | X |
| 6 | LDA | H | 701 | - | - | - | X |
| 6 | LDA | H | 707 | - | - | - | X |
| 6 | LDA | L | 709 | - | - | - | X |
| 6 | LDA | L | 720 | - | - | - | X |
| 6 | LDA | M | 702 | - | - | X | X |
| 6 | LDA | M | 706 | - | - | - | X |
| 6 | LDA | M | 715 | - | - | - | X |
| 7 | DGA | C | 730 | - | - | - | X |
| 7 | DGA | H | 733 | - | - | - | X |
| 7 | DGA | L | 731 | - | - | - | X |
| 7 | DGA | M | 732 | - | - | X | - |
| 8 | SO4 | C | 337 | - | - | X | - |
| 8 | SO4 | C | 338 | - | - | X | - |
| 8 | SO4 | C | 342 | - | - | X | X |
| 8 | SO4 | C | 344 | - | - | X | - |
| 8 | SO4 | C | 345 | - | - | - | X |
| 8 | SO4 | H | 261 | - | - | X | - |
| 8 | SO4 | H | 262[A] | - | - | - | X |
| 8 | SO4 | H | 262[B] | - | - | - | X |
| 8 | SO4 | H | 264 | - | - | - | X |
| 8 | SO4 | M | 329 | - | - | X | - |
| 9 | HTO | C | 348 | - | - | X | X |
| 9 | HTO | H | 266 | - | - | - | X |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|-----|-----------|----------|---------|------------------|
| 9 | HTO | H | 268 | - | - | - | X |
| 9 | HTO | L | 274 | - | - | - | X |
| 9 | HTO | M | 332 | - | - | - | X |

2 Entry composition

There are 17 unique types of molecules in this entry. The entry contains 12066 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosynthetic reaction center cytochrome c subunit.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 1 | C | 334 | Total | C | N | O | S | 0 | 4 | 0 |
| | | | 2651 | 1667 | 480 | 486 | 18 | | | |

- Molecule 2 is a protein called Reaction center protein H chain.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|---------|-------|
| 2 | H | 258 | Total | C | N | O | S | 45 | 4 | 0 |
| | | | 2034 | 1298 | 349 | 384 | 3 | | | |


- Molecule 3 is a protein called Reaction center protein L chain.


| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 3 | L | 273 | Total | C | N | O | S | 0 | 5 | 0 |
| | | | 2207 | 1482 | 354 | 361 | 10 | | | |

- Molecule 4 is a protein called Reaction center protein M chain.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|---------|-------|
| 4 | M | 323 | Total | C | N | O | S | 0 | 4 | 0 |
| | | | 2591 | 1725 | 425 | 429 | 12 | | | |


- Molecule 5 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



- LDA
- 
- ORTEP diagram of the chemical structure of LDA (Lithium Diisobutyrate). The structure shows a central Lithium (Li) atom coordinated by two carboxylate groups. The lithium atom is bonded to two oxygen atoms (O1 and O2) and two nitrogen atoms (N1 and N2). The nitrogen atoms are part of two isobutyrate groups, each consisting of a central carbon atom (C1 and C2) bonded to two methyl groups (C3 and C4, C5 and C6) and a carboxylate group (C7 and C8, C9 and C10). The lithium atom is also bonded to two additional oxygen atoms (O3 and O4) which are part of the carboxylate groups. The structure is shown in a perspective view with thermal ellipsoids at the 50% probability level.


| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|---|---------|---------|
| 6 | C | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | C | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | H | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | H | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | H | 1 | Total | C | N | O | 0 | 0 |
| | | | 13 | 11 | 1 | 1 | | |
| 6 | H | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | H | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | L | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | L | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | L | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | L | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | M | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | M | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | M | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | M | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |
| 6 | M | 1 | Total | C | N | O | 0 | 0 |
| | | | 16 | 14 | 1 | 1 | | |

- Molecule 7 is DIACYL GLYCEROL (three-letter code: DGA) (formula: C₃₉H₇₆O₅).



| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|---------|---------|
| 7 | C | 1 | Total | C | O | 0 | 0 |
| | | | 37 | 33 | 4 | | |
| 7 | H | 1 | Total | C | O | 0 | 0 |
| | | | 31 | 26 | 5 | | |
| 7 | L | 1 | Total | C | O | 0 | 0 |
| | | | 33 | 28 | 5 | | |
| 7 | M | 1 | Total | C | O | 0 | 0 |
| | | | 34 | 29 | 5 | | |

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|---------------------|---------|---------|
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | C | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | H | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | H | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | H | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | H | 1 | Total O S 10 8 2 | 0 | 1 |
| 8 | H | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | H | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | H | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | M | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | M | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | M | 1 | Total O S 5 4 1 | 0 | 0 |
| 8 | M | 1 | Total O S 5 4 1 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|---|---|---------|---------|
| 8 | M | 1 | Total | O | S | 0 | 0 |
| | | | 5 | 4 | 1 | | |
| 8 | M | 1 | Total | O | S | 0 | 0 |
| | | | 5 | 4 | 1 | | |
| 8 | M | 1 | Total | O | S | 0 | 0 |
| | | | 5 | 4 | 1 | | |
| 8 | M | 1 | Total | O | S | 0 | 0 |
| | | | 5 | 4 | 1 | | |

- Molecule 9 is HEPTANE-1,2,3-TRIOL (three-letter code: HTO) (formula: C₇H₁₆O₃).




| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|---|---|---------|---------|
| 9 | C | 1 | Total | C | O | 0 | 0 |
| | | | 10 | 7 | 3 | | |
| 9 | C | 1 | Total | C | O | 0 | 0 |
| | | | 10 | 7 | 3 | | |
| 9 | H | 1 | Total | C | O | 0 | 0 |
| | | | 10 | 7 | 3 | | |
| 9 | H | 1 | Total | C | O | 0 | 0 |
| | | | 10 | 7 | 3 | | |
| 9 | H | 1 | Total | C | O | 0 | 0 |
| | | | 10 | 7 | 3 | | |
| 9 | L | 1 | Total | C | O | 0 | 0 |
| | | | 10 | 7 | 3 | | |
| 9 | L | 1 | Total | C | O | 0 | 0 |
| | | | 10 | 7 | 3 | | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|---|---|---------|---------|
| 9 | M | 1 | Total | C | O | 0 | 0 |
| | | | 10 | 7 | 3 | | |

- Molecule 10 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|---|---|---------|---------|
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 1 |
| | | | 12 | 6 | 6 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |

Continued on next page...

Continued from previous page...


| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|---|---|---------|---------|
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | C | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | H | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | H | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | H | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | H | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | H | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | H | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | H | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | H | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | H | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | L | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | L | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | L | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | L | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|---|---|---------|---------|
| 10 | L | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | L | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | L | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | M | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | M | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | M | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | M | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | M | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |
| 10 | M | 1 | Total | C | O | 0 | 0 |
| | | | 6 | 3 | 3 | | |

- Molecule 11 is BACTERIOCHLOROPHYLL B (three-letter code: BCB) (formula: C₅₅H₇₂MgN₄O₆).




| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|----|---|---|---------|---------|
| 11 | L | 1 | Total | C | Mg | N | O | 0 | 0 |
| | | | 66 | 55 | 1 | 4 | 6 | | |

Continued on next page...

Continued from previous page...


| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|----|---|---|---------|---------|
| 11 | L | 1 | Total | C | Mg | N | O | 0 | 0 |
| | | | 66 | 55 | 1 | 4 | 6 | | |
| 11 | M | 1 | Total | C | Mg | N | O | 0 | 0 |
| | | | 66 | 55 | 1 | 4 | 6 | | |
| 11 | M | 1 | Total | C | Mg | N | O | 0 | 0 |
| | | | 66 | 55 | 1 | 4 | 6 | | |

- Molecule 12 is BACTERIOPHEOPHYTIN B (three-letter code: BPB) (formula: $C_{55}H_{74}N_4O_6$).




| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|---|---------|---------|
| 12 | L | 1 | Total | C | N | O | 0 | 0 |
| | | | 65 | 55 | 4 | 6 | | |
| 12 | M | 1 | Total | C | N | O | 0 | 0 |
| | | | 65 | 55 | 4 | 6 | | |

- Molecule 13 is UBIQUINONE-9 (three-letter code: UQ9) (formula: $C_{54}H_{82}O_4$).



| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|---------|---------|
| 13 | L | 1 | Total | C | O | 0 | 0 |
| | | | 58 | 54 | 4 | | |
| 13 | L | 1 | Total | C | O | 0 | 0 |
| | | | 19 | 15 | 4 | | |

- Molecule 14 is MENAQUINONE-9 (three-letter code: MQ9) (formula: $C_{56}H_{80}O_2$).




| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|---------|---------|
| 14 | M | 1 | Total | C | O | 0 | 0 |
| | | | 58 | 56 | 2 | | |

- Molecule 15 is FE (II) ION (three-letter code: FE2) (formula: Fe).

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---------|---------|
| 15 | M | 1 | Total | Fe | 0 | 0 |
| | | | 1 | 1 | | |

- Molecule 16 is 15-CIS-1,2-DIHYDRONEUROSPORENE (three-letter code: NS5) (formula: C₄₀H₆₀).



| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---------|---------|
| 16 | M | 1 | Total | C | 0 | 0 |
| | | | 40 | 40 | | |


- Molecule 17 is water.

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------|-----|---------|---------|
| 17 | C | 441 | Total | O | 0 | 0 |
| | | | 441 | 441 | | |
| 17 | H | 233 | Total | O | 0 | 0 |
| | | | 233 | 233 | | |
| 17 | L | 125 | Total | O | 0 | 0 |
| | | | 125 | 125 | | |
| 17 | M | 175 | Total | O | 0 | 0 |
| | | | 175 | 175 | | |


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosynthetic reaction center cytochrome c subunit




- Molecule 2: Reaction center protein H chain




- Molecule 3: Reaction center protein L chain



- Molecule 4: Reaction center protein M chain





4 Data and refinement statistics

| Property | Value | Source |
|---|---|------------------|
| Space group | P 43 21 2 | Depositor |
| Cell constants a, b, c, α , β , γ | 221.58Å 221.58Å 113.42Å 90.00° 90.00° 90.00° | Depositor |
| Resolution (Å) | 43.46 – 1.92 43.46 – 1.92 | Depositor EDS |
| % Data completeness (in resolution range) | 99.4 (43.46-1.92) 99.4 (43.46-1.92) | Depositor EDS |
| R_{merge} | 0.12 | Depositor |
| R_{sym} | 0.12 | Depositor |
| $\langle I/\sigma(I) \rangle$ ¹ | 2.14 (at 1.92Å) | Xtriage |
| Refinement program | REFMAC 5.6.0101 | Depositor |
| R, R_{free} | 0.155 , 0.178 0.170 , 0.192 | Depositor DCC |
| R_{free} test set | 10655 reflections (5.30%) | DCC |
| Wilson B-factor (Å ²) | 40.2 | Xtriage |
| Anisotropy | 0.042 | Xtriage |
| Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²) | 0.32 , 79.8 | EDS |
| Estimated twinning fraction | No twinning to report. | Xtriage |
| L-test for twinning ² | $\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$ | Xtriage |
| Outliers | 0 of 212134 reflections | Xtriage |
| F_o, F_c correlation | 0.97 | EDS |
| Total number of atoms | 12066 | wwPDB-VP |
| Average B, all atoms (Å ²) | 55.0 | wwPDB-VP |

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, LDA, BPB, HTO, CSO, BCB, UQ9, DGA, FE2, SO4, HEC, MQ9, FME, NS5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------------|-------------|----------------|
| | | RMSZ | $\# Z > 5$ | RMSZ | $\# Z > 5$ |
| 1 | C | 0.90 | 1/2718 (0.0%) | 0.78 | 1/3702 (0.0%) |
| 2 | H | 0.85 | 0/2064 | 0.81 | 2/2820 (0.1%) |
| 3 | L | 0.90 | 0/2298 | 0.77 | 3/3135 (0.1%) |
| 4 | M | 0.86 | 0/2689 | 0.75 | 1/3676 (0.0%) |
| All | All | 0.88 | 1/9769 (0.0%) | 0.77 | 7/13333 (0.1%) |

All (1) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|--------|------|-------------|----------|
| 1 | C | 201 | VAL | CB-CG2 | 5.07 | 1.63 | 1.52 |

The worst 5 of 7 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-----------|-------|-------------|----------|
| 3 | L | 160 | PHE | CB-CG-CD1 | 5.77 | 124.84 | 120.80 |
| 4 | M | 251 | ARG | NE-CZ-NH1 | 5.75 | 123.17 | 120.30 |
| 2 | H | 181 | ARG | NE-CZ-NH1 | 5.62 | 123.11 | 120.30 |
| 1 | C | 264 | ARG | NE-CZ-NH2 | -5.61 | 117.50 | 120.30 |
| 2 | H | 80 | ARG | NE-CZ-NH1 | 5.25 | 122.93 | 120.30 |

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | C | 2651 | 0 | 2624 | 21 | 0 |
| 2 | H | 2034 | 0 | 2011 | 18 | 0 |
| 3 | L | 2207 | 0 | 2134 | 22 | 0 |
| 4 | M | 2591 | 0 | 2478 | 32 | 0 |
| 5 | C | 184 | 0 | 108 | 2 | 0 |
| 6 | C | 32 | 0 | 62 | 5 | 0 |
| 6 | H | 77 | 0 | 146 | 25 | 0 |
| 6 | L | 64 | 0 | 124 | 10 | 0 |
| 6 | M | 80 | 0 | 155 | 22 | 0 |
| 7 | C | 37 | 0 | 58 | 1 | 0 |
| 7 | H | 31 | 0 | 44 | 6 | 0 |
| 7 | L | 33 | 0 | 48 | 7 | 0 |
| 7 | M | 34 | 0 | 50 | 23 | 0 |
| 8 | C | 55 | 0 | 0 | 9 | 0 |
| 8 | H | 40 | 0 | 0 | 8 | 0 |
| 8 | M | 40 | 0 | 0 | 2 | 0 |
| 9 | C | 20 | 0 | 32 | 13 | 0 |
| 9 | H | 30 | 0 | 48 | 3 | 0 |
| 9 | L | 20 | 0 | 32 | 0 | 0 |
| 9 | M | 10 | 0 | 16 | 0 | 0 |
| 10 | C | 102 | 0 | 136 | 15 | 0 |
| 10 | H | 66 | 0 | 88 | 4 | 0 |
| 10 | L | 42 | 0 | 56 | 7 | 0 |
| 10 | M | 42 | 0 | 56 | 5 | 0 |
| 11 | L | 132 | 0 | 144 | 7 | 0 |
| 11 | M | 132 | 0 | 144 | 12 | 0 |
| 12 | L | 65 | 0 | 74 | 2 | 0 |
| 12 | M | 65 | 0 | 74 | 3 | 0 |
| 13 | L | 77 | 0 | 99 | 37 | 0 |
| 14 | M | 58 | 0 | 80 | 0 | 0 |
| 15 | M | 1 | 0 | 0 | 0 | 0 |
| 16 | M | 40 | 0 | 60 | 2 | 0 |
| 17 | C | 441 | 0 | 0 | 3 | 0 |
| 17 | H | 233 | 0 | 0 | 3 | 0 |
| 17 | L | 125 | 0 | 0 | 1 | 0 |
| 17 | M | 175 | 0 | 0 | 3 | 0 |
| All | All | 12066 | 0 | 11181 | 219 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 219 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|------------------|--------------------------|-------------------|
| 4:M:71[B]:PHE:CD2 | 7:M:732:DGA:HA72 | 1.43 | 1.50 |
| 6:H:718:LDA:H31 | 6:H:718:LDA:CM1 | 1.39 | 1.38 |
| 4:M:71[B]:PHE:CE2 | 7:M:732:DGA:HA52 | 1.61 | 1.35 |
| 6:H:718:LDA:C3 | 6:H:718:LDA:HM13 | 1.49 | 1.27 |
| 6:M:706:LDA:HM13 | 8:M:329:SO4:O4 | 1.10 | 1.27 |

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|---------|----------|-------------|-----|
| 1 | C | 336/356 (94%) | 326 (97%) | 10 (3%) | 0 | 100 | 100 |
| 2 | H | 259/258 (100%) | 249 (96%) | 7 (3%) | 3 (1%) | 16 | 5 |
| 3 | L | 276/273 (101%) | 272 (99%) | 4 (1%) | 0 | 100 | 100 |
| 4 | M | 324/323 (100%) | 318 (98%) | 5 (2%) | 1 (0%) | 46 | 34 |
| All | All | 1195/1210 (99%) | 1165 (98%) | 26 (2%) | 4 (0%) | 46 | 34 |

All (4) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | H | 50 | VAL |
| 4 | M | 193 | ASN |
| 2 | H | 51 | LYS |
| 2 | H | 48 | GLY |

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|-------------|----|
| 1 | C | 285/297 (96%) | 282 (99%) | 3 (1%) | 80 | 78 |
| 2 | H | 210/212 (99%) | 204 (97%) | 6 (3%) | 50 | 39 |
| 3 | L | 223/218 (102%) | 217 (97%) | 6 (3%) | 52 | 42 |
| 4 | M | 252/248 (102%) | 246 (98%) | 6 (2%) | 57 | 48 |
| All | All | 970/975 (100%) | 949 (98%) | 21 (2%) | 60 | 52 |

5 of 21 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | L | 2 | LEU |
| 3 | L | 48 | LEU |
| 4 | M | 181 | ILE |
| 2 | H | 236 | ASP |
| 4 | M | 194 | PHE |

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | H | 178 | HIS |
| 3 | L | 239 | ASN |
| 2 | H | 220 | ASN |
| 1 | C | 302 | GLN |
| 3 | L | 183 | ASN |

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | $\# Z > 2$ | Counts | RMSZ | $\# Z > 2$ |
| 2 | FME | H | 1[A] | 2 | 8,9,10 | 0.74 | 0 | 6,9,11 | 2.61 | 2 (33%) |
| 2 | FME | H | 1[B] | 2 | 8,9,10 | 0.82 | 0 | 6,9,11 | 3.05 | 3 (50%) |
| 4 | CSO | M | 160 | 4 | 3,6,7 | 0.58 | 0 | 1,6,8 | 2.98 | 1 (100%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|----------|---------|
| 2 | FME | H | 1[A] | 2 | - | 0/6/9/11 | 0/0/0/0 |
| 2 | FME | H | 1[B] | 2 | - | 0/6/9/11 | 0/0/0/0 |
| 4 | CSO | M | 160 | 4 | - | 0/1/5/7 | 0/0/0/0 |

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|---------|-------|-------------|----------|
| 2 | H | 1[B] | FME | CA-N-CN | -6.06 | 113.50 | 122.82 |
| 2 | H | 1[A] | FME | CA-N-CN | -5.04 | 115.06 | 122.82 |
| 2 | H | 1[A] | FME | O1-CN-N | -3.28 | 120.03 | 124.76 |
| 2 | H | 1[B] | FME | O1-CN-N | -3.18 | 120.18 | 124.76 |
| 4 | M | 160 | CSO | O-C-CA | -2.98 | 117.72 | 125.49 |

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 2 | H | 1[A] | FME | 1 | 0 |
| 2 | H | 1[B] | FME | 1 | 0 |

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 113 ligands modelled in this entry, 1 is monoatomic - leaving 112 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|--------|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | $\# Z > 2$ | Counts | RMSZ | $\# Z > 2$ |
| 8 | SO4 | C | 337 | - | 4,4,4 | 0.29 | 0 | 6,6,6 | 0.10 | 0 |
| 8 | SO4 | C | 338 | - | 4,4,4 | 0.28 | 0 | 6,6,6 | 0.24 | 0 |
| 8 | SO4 | C | 339 | - | 4,4,4 | 0.44 | 0 | 6,6,6 | 0.18 | 0 |
| 8 | SO4 | C | 340 | - | 4,4,4 | 0.31 | 0 | 6,6,6 | 0.28 | 0 |
| 8 | SO4 | C | 341 | - | 4,4,4 | 0.33 | 0 | 6,6,6 | 0.20 | 0 |
| 8 | SO4 | C | 342 | - | 4,4,4 | 1.07 | 0 | 6,6,6 | 0.30 | 0 |
| 8 | SO4 | C | 343 | - | 4,4,4 | 0.27 | 0 | 6,6,6 | 0.39 | 0 |
| 8 | SO4 | C | 344 | - | 4,4,4 | 1.10 | 0 | 6,6,6 | 0.20 | 0 |
| 8 | SO4 | C | 345 | - | 4,4,4 | 0.77 | 0 | 6,6,6 | 0.40 | 0 |
| 8 | SO4 | C | 346 | - | 4,4,4 | 0.50 | 0 | 6,6,6 | 0.23 | 0 |
| 8 | SO4 | C | 347 | - | 4,4,4 | 0.36 | 0 | 6,6,6 | 0.13 | 0 |
| 9 | HTO | C | 348 | - | 9,9,9 | 0.40 | 0 | 8,10,10 | 1.34 | 1 (12%) |
| 9 | HTO | C | 349 | - | 9,9,9 | 0.56 | 0 | 8,10,10 | 0.91 | 0 |
| 10 | GOL | C | 350 | - | 5,5,5 | 1.01 | 0 | 5,5,5 | 1.15 | 1 (20%) |
| 10 | GOL | C | 351 | - | 5,5,5 | 0.60 | 0 | 5,5,5 | 1.19 | 0 |
| 10 | GOL | C | 352 | - | 5,5,5 | 0.35 | 0 | 5,5,5 | 0.50 | 0 |
| 10 | GOL | C | 353[A] | - | 5,5,5 | 0.51 | 0 | 5,5,5 | 0.71 | 0 |
| 10 | GOL | C | 353[B] | - | 5,5,5 | 0.48 | 0 | 5,5,5 | 0.38 | 0 |
| 10 | GOL | C | 354 | - | 5,5,5 | 0.68 | 0 | 5,5,5 | 0.57 | 0 |
| 10 | GOL | C | 355 | - | 5,5,5 | 0.25 | 0 | 5,5,5 | 0.38 | 0 |
| 10 | GOL | C | 356 | - | 5,5,5 | 0.91 | 0 | 5,5,5 | 1.53 | 1 (20%) |
| 10 | GOL | C | 357 | - | 5,5,5 | 0.54 | 0 | 5,5,5 | 0.36 | 0 |
| 10 | GOL | C | 358 | - | 5,5,5 | 0.49 | 0 | 5,5,5 | 0.55 | 0 |
| 10 | GOL | C | 359 | - | 5,5,5 | 0.40 | 0 | 5,5,5 | 0.32 | 0 |
| 10 | GOL | C | 360 | - | 5,5,5 | 0.26 | 0 | 5,5,5 | 0.27 | 0 |
| 10 | GOL | C | 361 | - | 5,5,5 | 0.23 | 0 | 5,5,5 | 0.33 | 0 |
| 10 | GOL | C | 362 | - | 5,5,5 | 0.24 | 0 | 5,5,5 | 0.49 | 0 |
| 10 | GOL | C | 363 | - | 5,5,5 | 0.28 | 0 | 5,5,5 | 0.53 | 0 |
| 10 | GOL | C | 364 | - | 5,5,5 | 0.76 | 0 | 5,5,5 | 2.18 | 2 (40%) |
| 10 | GOL | C | 365 | - | 5,5,5 | 0.21 | 0 | 5,5,5 | 0.47 | 0 |
| 5 | HEC | C | 401 | 1 | 24,50,50 | 1.09 | 1 (4%) | 19,82,82 | 2.79 | 5 (26%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|--------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 5 | HEC | C | 402 | 1 | 24,50,50 | 1.22 | 3 (12%) | 19,82,82 | 2.39 | 3 (15%) |
| 5 | HEC | C | 403 | 1 | 24,50,50 | 0.99 | 1 (4%) | 19,82,82 | 2.11 | 2 (10%) |
| 5 | HEC | C | 404[A] | - | 24,50,50 | 1.05 | 0 | 19,82,82 | 2.29 | 6 (31%) |
| 5 | HEC | C | 404[B] | - | 24,50,50 | 1.00 | 0 | 19,82,82 | 2.23 | 6 (31%) |
| 6 | LDA | C | 712 | - | 15,15,15 | 4.09 | 1 (6%) | 16,17,17 | 0.79 | 1 (6%) |
| 6 | LDA | C | 722 | - | 15,15,15 | 3.70 | 2 (13%) | 16,17,17 | 0.61 | 0 |
| 7 | DGA | C | 730 | 1 | 36,36,43 | 0.80 | 2 (5%) | 38,38,45 | 1.42 | 3 (7%) |
| 8 | SO4 | H | 259 | - | 4,4,4 | 0.26 | 0 | 6,6,6 | 0.16 | 0 |
| 8 | SO4 | H | 260 | - | 4,4,4 | 0.28 | 0 | 6,6,6 | 0.20 | 0 |
| 8 | SO4 | H | 261 | - | 4,4,4 | 0.97 | 0 | 6,6,6 | 1.01 | 0 |
| 8 | SO4 | H | 262[A] | - | 4,4,4 | 0.90 | 0 | 6,6,6 | 0.33 | 0 |
| 8 | SO4 | H | 262[B] | - | 4,4,4 | 0.78 | 0 | 6,6,6 | 0.53 | 0 |
| 8 | SO4 | H | 263 | - | 4,4,4 | 0.59 | 0 | 6,6,6 | 0.54 | 0 |
| 8 | SO4 | H | 264 | - | 4,4,4 | 0.52 | 0 | 6,6,6 | 0.41 | 0 |
| 8 | SO4 | H | 265 | - | 4,4,4 | 0.35 | 0 | 6,6,6 | 0.12 | 0 |
| 9 | HTO | H | 266 | - | 9,9,9 | 0.36 | 0 | 8,10,10 | 1.13 | 1 (12%) |
| 9 | HTO | H | 267 | - | 9,9,9 | 0.51 | 0 | 8,10,10 | 0.97 | 0 |
| 9 | HTO | H | 268 | - | 9,9,9 | 0.32 | 0 | 8,10,10 | 1.79 | 1 (12%) |
| 10 | GOL | H | 269 | - | 5,5,5 | 0.19 | 0 | 5,5,5 | 0.61 | 0 |
| 10 | GOL | H | 270 | - | 5,5,5 | 0.29 | 0 | 5,5,5 | 0.60 | 0 |
| 10 | GOL | H | 271 | - | 5,5,5 | 0.58 | 0 | 5,5,5 | 1.18 | 0 |
| 10 | GOL | H | 272 | - | 5,5,5 | 0.25 | 0 | 5,5,5 | 0.62 | 0 |
| 10 | GOL | H | 273 | - | 5,5,5 | 0.27 | 0 | 5,5,5 | 0.65 | 0 |
| 10 | GOL | H | 274 | - | 5,5,5 | 0.20 | 0 | 5,5,5 | 0.37 | 0 |
| 10 | GOL | H | 275 | - | 5,5,5 | 0.31 | 0 | 5,5,5 | 0.34 | 0 |
| 10 | GOL | H | 276 | - | 5,5,5 | 0.18 | 0 | 5,5,5 | 0.42 | 0 |
| 10 | GOL | H | 277 | - | 5,5,5 | 0.29 | 0 | 5,5,5 | 0.35 | 0 |
| 10 | GOL | H | 278 | - | 5,5,5 | 0.17 | 0 | 5,5,5 | 0.65 | 0 |
| 10 | GOL | H | 279 | - | 5,5,5 | 0.23 | 0 | 5,5,5 | 0.49 | 0 |
| 6 | LDA | H | 701 | - | 15,15,15 | 2.50 | 1 (6%) | 16,17,17 | 1.25 | 1 (6%) |
| 6 | LDA | H | 707 | - | 15,15,15 | 3.68 | 2 (13%) | 16,17,17 | 0.76 | 0 |
| 6 | LDA | H | 718 | - | 12,12,15 | 4.47 | 2 (16%) | 13,14,17 | 1.01 | 1 (7%) |
| 6 | LDA | H | 719 | - | 15,15,15 | 3.82 | 2 (13%) | 16,17,17 | 0.69 | 0 |
| 6 | LDA | H | 721 | - | 15,15,15 | 3.39 | 2 (13%) | 16,17,17 | 1.17 | 1 (6%) |
| 7 | DGA | H | 733 | - | 30,30,43 | 0.63 | 1 (3%) | 32,32,45 | 1.87 | 7 (21%) |
| 9 | HTO | L | 274 | - | 9,9,9 | 0.65 | 0 | 8,10,10 | 1.31 | 2 (25%) |
| 9 | HTO | L | 275 | - | 9,9,9 | 0.85 | 0 | 8,10,10 | 3.34 | 3 (37%) |
| 10 | GOL | L | 276 | - | 5,5,5 | 0.39 | 0 | 5,5,5 | 0.47 | 0 |
| 10 | GOL | L | 277 | - | 5,5,5 | 0.35 | 0 | 5,5,5 | 1.02 | 0 |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 10 | GOL | L | 278 | - | 5,5,5 | 0.95 | 0 | 5,5,5 | 1.33 | 1 (20%) |
| 10 | GOL | L | 279 | - | 5,5,5 | 0.76 | 0 | 5,5,5 | 1.05 | 0 |
| 10 | GOL | L | 280 | - | 5,5,5 | 0.27 | 0 | 5,5,5 | 0.13 | 0 |
| 10 | GOL | L | 281 | - | 5,5,5 | 0.26 | 0 | 5,5,5 | 0.29 | 0 |
| 10 | GOL | L | 282 | - | 5,5,5 | 0.35 | 0 | 5,5,5 | 0.24 | 0 |
| 11 | BCB | L | 400 | 3 | 56,74,74 | 1.40 | 5 (8%) | 57,115,115 | 1.82 | 13 (22%) |
| 11 | BCB | L | 401 | 3 | 56,74,74 | 1.34 | 4 (7%) | 57,115,115 | 1.67 | 12 (21%) |
| 12 | BPB | L | 402 | - | 63,70,70 | 0.84 | 0 | 63,101,101 | 1.20 | 7 (11%) |
| 13 | UQ9 | L | 502 | - | 58,58,58 | 2.44 | 21 (36%) | 70,73,73 | 1.51 | 15 (21%) |
| 13 | UQ9 | L | 503 | - | 19,19,58 | 2.29 | 5 (26%) | 23,26,73 | 1.66 | 6 (26%) |
| 6 | LDA | L | 703 | - | 15,15,15 | 3.97 | 2 (13%) | 16,17,17 | 0.63 | 0 |
| 6 | LDA | L | 708 | - | 15,15,15 | 2.89 | 1 (6%) | 16,17,17 | 0.85 | 0 |
| 6 | LDA | L | 709 | - | 15,15,15 | 3.74 | 1 (6%) | 16,17,17 | 0.48 | 0 |
| 6 | LDA | L | 720 | - | 15,15,15 | 3.59 | 2 (13%) | 16,17,17 | 1.12 | 1 (6%) |
| 7 | DGA | L | 731 | - | 32,32,43 | 0.66 | 0 | 34,34,45 | 1.63 | 6 (17%) |
| 8 | SO4 | M | 324 | - | 4,4,4 | 0.95 | 0 | 6,6,6 | 0.86 | 0 |
| 8 | SO4 | M | 325 | - | 4,4,4 | 0.34 | 0 | 6,6,6 | 0.18 | 0 |
| 8 | SO4 | M | 326 | - | 4,4,4 | 0.24 | 0 | 6,6,6 | 0.34 | 0 |
| 8 | SO4 | M | 327 | - | 4,4,4 | 0.34 | 0 | 6,6,6 | 0.14 | 0 |
| 8 | SO4 | M | 328 | - | 4,4,4 | 0.40 | 0 | 6,6,6 | 0.48 | 0 |
| 8 | SO4 | M | 329 | - | 4,4,4 | 0.37 | 0 | 6,6,6 | 0.31 | 0 |
| 8 | SO4 | M | 330 | - | 4,4,4 | 0.43 | 0 | 6,6,6 | 0.62 | 0 |
| 8 | SO4 | M | 331 | - | 4,4,4 | 0.39 | 0 | 6,6,6 | 0.84 | 0 |
| 9 | HTO | M | 332 | - | 9,9,9 | 0.52 | 0 | 8,10,10 | 3.55 | 4 (50%) |
| 10 | GOL | M | 333 | - | 5,5,5 | 0.26 | 0 | 5,5,5 | 0.30 | 0 |
| 10 | GOL | M | 334 | - | 5,5,5 | 0.35 | 0 | 5,5,5 | 1.10 | 0 |
| 10 | GOL | M | 335 | - | 5,5,5 | 0.59 | 0 | 5,5,5 | 1.76 | 2 (40%) |
| 10 | GOL | M | 336 | - | 5,5,5 | 0.20 | 0 | 5,5,5 | 0.61 | 0 |
| 10 | GOL | M | 337 | - | 5,5,5 | 0.25 | 0 | 5,5,5 | 0.38 | 0 |
| 10 | GOL | M | 338 | - | 5,5,5 | 0.39 | 0 | 5,5,5 | 1.43 | 1 (20%) |
| 10 | GOL | M | 339 | - | 5,5,5 | 0.32 | 0 | 5,5,5 | 0.47 | 0 |
| 11 | BCB | M | 400 | 4 | 56,74,74 | 1.37 | 4 (7%) | 57,115,115 | 1.58 | 10 (17%) |
| 11 | BCB | M | 401 | 4 | 56,74,74 | 1.09 | 4 (7%) | 57,115,115 | 2.08 | 13 (22%) |
| 12 | BPB | M | 402 | - | 63,70,70 | 1.15 | 4 (6%) | 63,101,101 | 1.22 | 8 (12%) |
| 14 | MQ9 | M | 501 | - | 59,59,59 | 2.29 | 28 (47%) | 74,75,75 | 1.37 | 11 (14%) |
| 16 | NS5 | M | 600 | - | 39,39,39 | 2.16 | 18 (46%) | 44,46,46 | 2.14 | 14 (31%) |
| 6 | LDA | M | 702 | - | 15,15,15 | 3.74 | 3 (20%) | 16,17,17 | 1.43 | 3 (18%) |
| 6 | LDA | M | 704 | - | 15,15,15 | 3.73 | 1 (6%) | 16,17,17 | 0.61 | 0 |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 6 | LDA | M | 705 | - | 15,15,15 | 3.27 | 2 (13%) | 16,17,17 | 0.70 | 0 |
| 6 | LDA | M | 706 | - | 15,15,15 | 3.83 | 1 (6%) | 16,17,17 | 0.66 | 0 |
| 6 | LDA | M | 715 | - | 15,15,15 | 3.65 | 1 (6%) | 16,17,17 | 0.48 | 0 |
| 7 | DGA | M | 732 | - | 33,33,43 | 0.64 | 0 | 35,35,45 | 1.58 | 4 (11%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|--------|------|---------|------------|---------|
| 8 | SO4 | C | 337 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 338 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 339 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 340 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 341 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 342 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 343 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 344 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 345 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 346 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | C | 347 | - | - | 0/0/0/0 | 0/0/0/0 |
| 9 | HTO | C | 348 | - | - | 0/10/10/10 | 0/0/0/0 |
| 9 | HTO | C | 349 | - | - | 0/10/10/10 | 0/0/0/0 |
| 10 | GOL | C | 350 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 351 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 352 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 353[A] | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 353[B] | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 354 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 355 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 356 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 357 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 358 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 359 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 360 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 361 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 362 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 363 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 364 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | C | 365 | - | - | 0/4/4/4 | 0/0/0/0 |
| 5 | HEC | C | 401 | 1 | - | 0/6/54/54 | 0/0/8/8 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|--------|------|---------|------------|---------|
| 5 | HEC | C | 402 | 1 | - | 0/6/54/54 | 0/0/8/8 |
| 5 | HEC | C | 403 | 1 | - | 0/6/54/54 | 0/0/8/8 |
| 5 | HEC | C | 404[A] | - | - | 0/6/54/54 | 0/0/8/8 |
| 5 | HEC | C | 404[B] | - | - | 0/6/54/54 | 0/0/8/8 |
| 6 | LDA | C | 712 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | C | 722 | - | - | 0/13/13/13 | 0/0/0/0 |
| 7 | DGA | C | 730 | 1 | - | 0/37/37/45 | 0/0/0/0 |
| 8 | SO4 | H | 259 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | H | 260 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | H | 261 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | H | 262[A] | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | H | 262[B] | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | H | 263 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | H | 264 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | H | 265 | - | - | 0/0/0/0 | 0/0/0/0 |
| 9 | HTO | H | 266 | - | - | 0/10/10/10 | 0/0/0/0 |
| 9 | HTO | H | 267 | - | - | 0/10/10/10 | 0/0/0/0 |
| 9 | HTO | H | 268 | - | - | 0/10/10/10 | 0/0/0/0 |
| 10 | GOL | H | 269 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 270 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 271 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 272 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 273 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 274 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 275 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 276 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 277 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 278 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | H | 279 | - | - | 0/4/4/4 | 0/0/0/0 |
| 6 | LDA | H | 701 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | H | 707 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | H | 718 | - | - | 0/10/10/13 | 0/0/0/0 |
| 6 | LDA | H | 719 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | H | 721 | - | - | 0/13/13/13 | 0/0/0/0 |
| 7 | DGA | H | 733 | - | - | 0/32/32/45 | 0/0/0/0 |
| 9 | HTO | L | 274 | - | - | 0/10/10/10 | 0/0/0/0 |
| 9 | HTO | L | 275 | - | - | 0/10/10/10 | 0/0/0/0 |
| 10 | GOL | L | 276 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | L | 277 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | L | 278 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | L | 279 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | L | 280 | - | - | 0/4/4/4 | 0/0/0/0 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|--------------|---------|
| 10 | GOL | L | 281 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | L | 282 | - | - | 0/4/4/4 | 0/0/0/0 |
| 11 | BCB | L | 400 | 3 | - | 0/37/137/137 | 0/0/9/9 |
| 11 | BCB | L | 401 | 3 | - | 0/37/137/137 | 0/0/9/9 |
| 12 | BPB | L | 402 | - | - | 0/46/105/105 | 0/1/6/6 |
| 13 | UQ9 | L | 502 | - | - | 0/57/81/81 | 0/1/1/1 |
| 13 | UQ9 | L | 503 | - | - | 0/11/35/81 | 0/1/1/1 |
| 6 | LDA | L | 703 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | L | 708 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | L | 709 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | L | 720 | - | - | 0/13/13/13 | 0/0/0/0 |
| 7 | DGA | L | 731 | - | - | 0/34/34/45 | 0/0/0/0 |
| 8 | SO4 | M | 324 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | M | 325 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | M | 326 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | M | 327 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | M | 328 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | M | 329 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | M | 330 | - | - | 0/0/0/0 | 0/0/0/0 |
| 8 | SO4 | M | 331 | - | - | 0/0/0/0 | 0/0/0/0 |
| 9 | HTO | M | 332 | - | - | 0/10/10/10 | 0/0/0/0 |
| 10 | GOL | M | 333 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | M | 334 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | M | 335 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | M | 336 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | M | 337 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | M | 338 | - | - | 0/4/4/4 | 0/0/0/0 |
| 10 | GOL | M | 339 | - | - | 0/4/4/4 | 0/0/0/0 |
| 11 | BCB | M | 400 | 4 | - | 0/37/137/137 | 0/0/9/9 |
| 11 | BCB | M | 401 | 4 | - | 0/37/137/137 | 0/0/9/9 |
| 12 | BPB | M | 402 | - | - | 0/46/105/105 | 0/1/6/6 |
| 14 | MQ9 | M | 501 | - | - | 0/53/73/73 | 0/2/2/2 |
| 16 | NS5 | M | 600 | - | - | 0/43/43/43 | 0/0/0/0 |
| 6 | LDA | M | 702 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | M | 704 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | M | 705 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | M | 706 | - | - | 0/13/13/13 | 0/0/0/0 |
| 6 | LDA | M | 715 | - | - | 0/13/13/13 | 0/0/0/0 |
| 7 | DGA | M | 732 | - | - | 2/35/35/45 | 0/0/0/0 |

The worst 5 of 127 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|--------|-------------|----------|
| 6 | C | 712 | LDA | O1-N1 | -15.72 | 1.24 | 1.39 |
| 6 | H | 718 | LDA | O1-N1 | -15.23 | 1.25 | 1.39 |
| 6 | L | 703 | LDA | O1-N1 | -15.01 | 1.25 | 1.39 |
| 6 | M | 706 | LDA | O1-N1 | -14.63 | 1.25 | 1.39 |
| 6 | H | 719 | LDA | O1-N1 | -14.47 | 1.25 | 1.39 |

The worst 5 of 179 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|-------|-------------|----------|
| 5 | C | 401 | HEC | CBB-CAB-C3B | -8.67 | 108.08 | 127.35 |
| 5 | C | 403 | HEC | CBB-CAB-C3B | -7.49 | 110.70 | 127.35 |
| 9 | L | 275 | HTO | O2-C2-C3 | -7.00 | 95.50 | 109.79 |
| 5 | C | 402 | HEC | CBB-CAB-C3B | -6.83 | 112.18 | 127.35 |
| 16 | M | 600 | NS5 | C19-C20-C21 | -6.14 | 118.32 | 127.20 |

There are no chirality outliers.

All (2) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-----------------|
| 7 | M | 732 | DGA | CG2-OG2-CB1-OB1 |
| 7 | M | 732 | DGA | CG2-OG2-CB1-CB2 |

There are no ring outliers.

56 monomers are involved in 199 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|--------|------|---------|--------------|
| 8 | C | 337 | SO4 | 3 | 0 |
| 8 | C | 338 | SO4 | 3 | 0 |
| 8 | C | 342 | SO4 | 3 | 0 |
| 8 | C | 344 | SO4 | 2 | 0 |
| 8 | C | 346 | SO4 | 1 | 0 |
| 9 | C | 348 | HTO | 9 | 0 |
| 9 | C | 349 | HTO | 4 | 0 |
| 10 | C | 352 | GOL | 2 | 0 |
| 10 | C | 353[B] | GOL | 1 | 0 |
| 10 | C | 354 | GOL | 1 | 0 |
| 10 | C | 358 | GOL | 1 | 0 |
| 10 | C | 359 | GOL | 9 | 0 |
| 10 | C | 361 | GOL | 1 | 0 |
| 5 | C | 403 | HEC | 2 | 0 |
| 6 | C | 712 | LDA | 3 | 0 |
| 6 | C | 722 | LDA | 5 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|--------|------|---------|--------------|
| 7 | C | 730 | DGA | 1 | 0 |
| 8 | H | 261 | SO4 | 6 | 0 |
| 8 | H | 262[A] | SO4 | 1 | 0 |
| 8 | H | 262[B] | SO4 | 1 | 0 |
| 8 | H | 264 | SO4 | 1 | 0 |
| 9 | H | 267 | HTO | 1 | 0 |
| 9 | H | 268 | HTO | 2 | 0 |
| 10 | H | 270 | GOL | 1 | 0 |
| 10 | H | 273 | GOL | 1 | 0 |
| 10 | H | 274 | GOL | 2 | 0 |
| 6 | H | 701 | LDA | 4 | 0 |
| 6 | H | 707 | LDA | 6 | 0 |
| 6 | H | 718 | LDA | 8 | 0 |
| 6 | H | 719 | LDA | 2 | 0 |
| 6 | H | 721 | LDA | 5 | 0 |
| 7 | H | 733 | DGA | 6 | 0 |
| 10 | L | 276 | GOL | 3 | 0 |
| 10 | L | 278 | GOL | 1 | 0 |
| 10 | L | 279 | GOL | 5 | 0 |
| 11 | L | 400 | BCB | 3 | 0 |
| 11 | L | 401 | BCB | 4 | 0 |
| 12 | L | 402 | BPB | 2 | 0 |
| 13 | L | 502 | UQ9 | 31 | 0 |
| 13 | L | 503 | UQ9 | 6 | 0 |
| 6 | L | 703 | LDA | 5 | 0 |
| 6 | L | 720 | LDA | 5 | 0 |
| 7 | L | 731 | DGA | 7 | 0 |
| 8 | M | 329 | SO4 | 2 | 0 |
| 10 | M | 333 | GOL | 1 | 0 |
| 10 | M | 335 | GOL | 2 | 0 |
| 10 | M | 337 | GOL | 2 | 0 |
| 11 | M | 400 | BCB | 9 | 0 |
| 11 | M | 401 | BCB | 3 | 0 |
| 12 | M | 402 | BPB | 3 | 0 |
| 16 | M | 600 | NS5 | 2 | 0 |
| 6 | M | 702 | LDA | 11 | 0 |
| 6 | M | 704 | LDA | 7 | 0 |
| 6 | M | 706 | LDA | 3 | 0 |
| 6 | M | 715 | LDA | 1 | 0 |
| 7 | M | 732 | DGA | 23 | 0 |

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

| Mol | Chain | Analysed | <RSRZ> | #RSRZ>2 | OWAB(Å ²) | Q<0.9 |
|-----|-------|-----------------|--------|---------------|-----------------------|--------|
| 1 | C | 334/356 (93%) | 0.34 | 27 (8%) 15 17 | 38, 49, 70, 123 | 0 |
| 2 | H | 249/258 (96%) | 0.47 | 34 (13%) 4 4 | 42, 58, 85, 120 | 1 (0%) |
| 3 | L | 273/273 (100%) | 0.32 | 18 (6%) 22 24 | 37, 47, 62, 88 | 0 |
| 4 | M | 322/323 (99%) | 0.57 | 54 (16%) 2 2 | 38, 49, 70, 91 | 0 |
| All | All | 1178/1210 (97%) | 0.43 | 133 (11%) 7 8 | 37, 50, 73, 123 | 1 (0%) |

The worst 5 of 133 RSRZ outliers are listed below:

| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 1 | C | 333 | ALA | 8.3 |
| 1 | C | 334 | ALA | 8.1 |
| 4 | M | 37 | TRP | 7.9 |
| 3 | L | 51 | TYR | 6.0 |
| 2 | H | 7 | ALA | 5.9 |

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | LLDF | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|------|-------|------|------|------|----------------------------|-------|
| 2 | FME | H | 1[B] | 10/11 | 0.93 | 0.13 | - | 49,52,54,64 | 10 |
| 2 | FME | H | 1[A] | 10/11 | 0.93 | 0.13 | - | 50,54,59,61 | 10 |
| 4 | CSO | M | 160 | 7/8 | 0.90 | 0.13 | - | 46,49,73,77 | 0 |

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | LLDF | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|--------|-------|------|------|-------|----------------------------|-------|
| 13 | UQ9 | L | 502 | 58/58 | 0.52 | 1.40 | 28.43 | 38,58,69,73 | 58 |
| 10 | GOL | M | 335 | 6/6 | 0.77 | 0.46 | 21.81 | 50,57,62,64 | 6 |
| 9 | HTO | M | 332 | 10/10 | 0.89 | 0.85 | 21.69 | 52,59,68,70 | 10 |
| 6 | LDA | M | 706 | 16/16 | 0.49 | 0.53 | 20.94 | 61,65,73,73 | 16 |
| 6 | LDA | H | 707 | 16/16 | 0.67 | 0.45 | 19.63 | 53,67,77,85 | 16 |
| 8 | SO4 | H | 262[A] | 5/5 | 0.92 | 0.20 | 14.66 | 55,56,67,71 | 5 |
| 10 | GOL | L | 280 | 6/6 | 0.87 | 0.34 | 13.11 | 60,65,70,74 | 6 |
| 10 | GOL | L | 279 | 6/6 | 0.86 | 0.39 | 12.01 | 48,50,60,61 | 6 |
| 6 | LDA | M | 702 | 16/16 | 0.53 | 0.79 | 11.79 | 52,56,62,65 | 16 |
| 9 | HTO | C | 348 | 10/10 | 0.57 | 0.61 | 11.53 | 52,62,68,74 | 10 |
| 8 | SO4 | C | 345 | 5/5 | 0.70 | 0.37 | 10.92 | 71,79,83,86 | 5 |
| 10 | GOL | H | 272 | 6/6 | 0.71 | 0.40 | 10.42 | 66,72,75,76 | 6 |
| 10 | GOL | C | 359 | 6/6 | 0.82 | 0.73 | 9.81 | 47,54,60,68 | 6 |
| 10 | GOL | C | 353[B] | 6/6 | 0.74 | 0.33 | 9.18 | 42,56,71,73 | 6 |
| 8 | SO4 | H | 264 | 5/5 | 0.52 | 0.35 | 9.15 | 63,65,67,73 | 5 |
| 7 | DGA | L | 731 | 33/44 | 0.42 | 0.33 | 9.03 | 47,69,78,82 | 33 |
| 9 | HTO | H | 268 | 10/10 | 0.69 | 0.41 | 8.67 | 71,76,80,80 | 10 |
| 16 | NS5 | M | 600 | 40/40 | 0.76 | 0.24 | 8.31 | 53,76,118,126 | 0 |
| 13 | UQ9 | L | 503 | 19/58 | 0.48 | 0.38 | 8.13 | 49,70,84,86 | 19 |
| 7 | DGA | H | 733 | 31/44 | 0.74 | 0.32 | 7.63 | 45,62,78,79 | 31 |
| 6 | LDA | C | 722 | 16/16 | 0.74 | 0.39 | 6.47 | 54,61,65,65 | 16 |
| 6 | LDA | L | 720 | 16/16 | 0.48 | 0.41 | 6.29 | 58,70,76,78 | 16 |
| 6 | LDA | L | 709 | 16/16 | 0.45 | 0.36 | 5.96 | 49,67,91,92 | 16 |
| 10 | GOL | L | 277 | 6/6 | 0.92 | 0.41 | 5.73 | 55,61,63,65 | 6 |
| 8 | SO4 | C | 342 | 5/5 | 0.92 | 0.23 | 5.61 | 47,56,60,62 | 5 |
| 6 | LDA | C | 712 | 16/16 | 0.60 | 0.31 | 5.35 | 56,62,74,74 | 16 |
| 10 | GOL | H | 274 | 6/6 | 0.88 | 0.32 | 5.27 | 59,71,78,81 | 6 |
| 10 | GOL | C | 351 | 6/6 | 0.83 | 0.29 | 4.85 | 51,58,65,67 | 6 |
| 9 | HTO | L | 274 | 10/10 | 0.82 | 0.28 | 4.35 | 58,67,76,80 | 10 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | LLDF | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|--------|-------|-------|------|-------|----------------------------|-------|
| 10 | GOL | C | 350 | 6/6 | 0.93 | 0.38 | 4.26 | 49,56,58,60 | 0 |
| 7 | DGA | C | 730 | 37/44 | 0.64 | 0.31 | 4.16 | 58,76,94,99 | 37 |
| 10 | GOL | C | 352 | 6/6 | 0.91 | 0.21 | 4.11 | 37,56,61,61 | 6 |
| 8 | SO4 | H | 262[B] | 5/5 | 0.92 | 0.20 | 4.00 | 58,63,71,72 | 5 |
| 9 | HTO | H | 266 | 10/10 | 0.83 | 0.19 | 3.45 | 60,68,76,78 | 0 |
| 10 | GOL | C | 360 | 6/6 | 0.72 | 0.26 | 3.43 | 71,73,75,78 | 6 |
| 6 | LDA | M | 715 | 16/16 | -0.06 | 0.47 | 3.15 | 63,77,84,85 | 16 |
| 6 | LDA | H | 701 | 16/16 | 0.86 | 0.25 | 2.75 | 47,57,69,70 | 0 |
| 10 | GOL | L | 278 | 6/6 | 0.89 | 0.27 | 2.19 | 46,54,56,58 | 6 |
| 10 | GOL | H | 276 | 6/6 | 0.75 | 0.20 | 2.00 | 71,79,85,85 | 6 |
| 9 | HTO | H | 267 | 10/10 | 0.72 | 0.26 | 1.77 | 74,77,89,91 | 10 |
| 6 | LDA | M | 704 | 16/16 | 0.56 | 0.39 | 1.76 | 64,67,86,88 | 16 |
| 6 | LDA | H | 719 | 16/16 | 0.84 | 0.20 | 1.62 | 55,61,81,83 | 16 |
| 7 | DGA | M | 732 | 34/44 | 0.59 | 0.27 | 1.40 | 58,72,80,84 | 34 |
| 6 | LDA | L | 708 | 16/16 | 0.84 | 0.18 | 1.35 | 47,58,66,76 | 0 |
| 6 | LDA | M | 705 | 16/16 | 0.72 | 0.21 | 1.35 | 63,70,77,78 | 16 |
| 10 | GOL | C | 354 | 6/6 | 0.74 | 0.21 | 1.29 | 57,68,78,86 | 6 |
| 9 | HTO | L | 275 | 10/10 | 0.86 | 0.23 | 1.01 | 64,69,72,74 | 10 |
| 9 | HTO | C | 349 | 10/10 | 0.72 | 0.22 | 0.96 | 59,68,74,75 | 10 |
| 8 | SO4 | H | 261 | 5/5 | 0.88 | 0.21 | 0.81 | 46,55,72,75 | 5 |
| 11 | BCB | L | 400 | 66/66 | 0.96 | 0.18 | 0.80 | 34,39,49,57 | 0 |
| 11 | BCB | M | 400 | 66/66 | 0.95 | 0.15 | 0.76 | 37,46,109,115 | 0 |
| 10 | GOL | C | 362 | 6/6 | 0.78 | 0.22 | 0.75 | 70,75,75,75 | 6 |
| 11 | BCB | M | 401 | 66/66 | 0.95 | 0.17 | 0.71 | 33,39,62,67 | 0 |
| 12 | BPB | L | 402 | 65/65 | 0.96 | 0.15 | 0.69 | 37,41,51,53 | 0 |
| 14 | MQ9 | M | 501 | 58/58 | 0.86 | 0.20 | 0.69 | 38,46,92,98 | 0 |
| 10 | GOL | C | 356 | 6/6 | 0.93 | 0.26 | 0.67 | 60,69,74,75 | 0 |
| 10 | GOL | H | 275 | 6/6 | 0.91 | 0.18 | 0.45 | 51,66,74,75 | 6 |
| 8 | SO4 | M | 325 | 5/5 | 0.99 | 0.18 | 0.23 | 69,70,77,82 | 0 |
| 11 | BCB | L | 401 | 66/66 | 0.96 | 0.17 | 0.16 | 35,39,69,79 | 0 |
| 6 | LDA | H | 721 | 16/16 | 0.95 | 0.13 | 0.07 | 53,63,80,87 | 16 |
| 10 | GOL | L | 276 | 6/6 | 0.92 | 0.14 | -0.05 | 55,56,58,60 | 0 |
| 5 | HEC | C | 402 | 43/43 | 0.96 | 0.10 | -0.11 | 41,46,55,61 | 0 |
| 5 | HEC | C | 404[A] | 43/43 | 0.97 | 0.12 | -0.13 | 38,41,49,51 | 12 |
| 5 | HEC | C | 404[B] | 43/43 | 0.97 | 0.12 | -0.13 | 38,41,46,49 | 12 |
| 12 | BPB | M | 402 | 65/65 | 0.96 | 0.11 | -0.25 | 39,46,101,105 | 0 |
| 5 | HEC | C | 403 | 43/43 | 0.97 | 0.15 | -0.31 | 36,40,43,49 | 0 |
| 5 | HEC | C | 401 | 43/43 | 0.97 | 0.09 | -0.47 | 46,52,61,67 | 0 |
| 8 | SO4 | H | 259 | 5/5 | 0.98 | 0.08 | -0.95 | 64,65,69,71 | 5 |
| 15 | FE2 | M | 500 | 1/1 | 0.99 | 0.12 | -1.26 | 42,42,42,42 | 0 |
| 8 | SO4 | C | 338 | 5/5 | 0.88 | 0.17 | - | 66,66,73,74 | 5 |
| 8 | SO4 | C | 343 | 5/5 | 0.92 | 0.20 | - | 66,66,70,74 | 5 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | LLDF | B-factors(\AA^2) | Q<0.9 |
|-----|------|-------|--------|-------|------|------|------|-----------------------------|-------|
| 10 | GOL | C | 364 | 6/6 | 0.89 | 0.17 | - | 53,55,61,62 | 6 |
| 10 | GOL | H | 277 | 6/6 | 0.58 | 0.35 | - | 65,69,71,72 | 6 |
| 10 | GOL | M | 334 | 6/6 | 0.79 | 0.53 | - | 63,65,67,68 | 6 |
| 8 | SO4 | C | 346 | 5/5 | 0.73 | 0.32 | - | 73,73,82,82 | 5 |
| 10 | GOL | L | 281 | 6/6 | 0.85 | 0.22 | - | 60,62,66,67 | 6 |
| 8 | SO4 | M | 330 | 5/5 | 0.75 | 0.67 | - | 58,64,67,70 | 5 |
| 8 | SO4 | M | 331 | 5/5 | 0.94 | 0.27 | - | 75,77,81,85 | 5 |
| 8 | SO4 | H | 260 | 5/5 | 0.94 | 0.13 | - | 82,82,83,88 | 5 |
| 8 | SO4 | C | 341 | 5/5 | 0.94 | 0.24 | - | 62,70,77,79 | 5 |
| 10 | GOL | M | 333 | 6/6 | 0.36 | 0.30 | - | 70,70,73,78 | 6 |
| 6 | LDA | L | 703 | 16/16 | 0.75 | 0.68 | - | 56,61,69,72 | 16 |
| 8 | SO4 | M | 328 | 5/5 | 0.96 | 0.19 | - | 59,65,67,71 | 5 |
| 8 | SO4 | M | 324 | 5/5 | 1.00 | 0.11 | - | 54,54,60,71 | 0 |
| 10 | GOL | L | 282 | 6/6 | 0.88 | 0.20 | - | 60,67,75,75 | 6 |
| 8 | SO4 | C | 339 | 5/5 | 0.95 | 0.15 | - | 62,67,67,69 | 5 |
| 8 | SO4 | M | 329 | 5/5 | 0.93 | 0.15 | - | 62,73,75,76 | 5 |
| 10 | GOL | C | 365 | 6/6 | 0.76 | 0.27 | - | 59,60,61,65 | 6 |
| 10 | GOL | H | 273 | 6/6 | 0.70 | 0.32 | - | 71,75,79,80 | 6 |
| 8 | SO4 | C | 347 | 5/5 | 0.81 | 0.15 | - | 71,73,76,77 | 5 |
| 10 | GOL | C | 355 | 6/6 | 0.82 | 0.21 | - | 67,70,71,71 | 6 |
| 10 | GOL | H | 279 | 6/6 | 0.59 | 0.25 | - | 80,86,88,91 | 6 |
| 6 | LDA | H | 718 | 13/16 | 0.69 | 0.27 | - | 55,61,79,84 | 13 |
| 10 | GOL | H | 269 | 6/6 | 0.82 | 0.20 | - | 68,76,79,83 | 6 |
| 8 | SO4 | M | 327 | 5/5 | 0.71 | 0.26 | - | 79,82,83,86 | 5 |
| 10 | GOL | C | 363 | 6/6 | 0.80 | 0.30 | - | 72,75,78,78 | 6 |
| 8 | SO4 | C | 344 | 5/5 | 0.92 | 0.22 | - | 61,69,77,79 | 5 |
| 10 | GOL | M | 336 | 6/6 | 0.81 | 0.18 | - | 81,82,84,87 | 6 |
| 10 | GOL | M | 337 | 6/6 | 0.67 | 0.29 | - | 56,64,66,69 | 6 |
| 10 | GOL | H | 270 | 6/6 | 0.67 | 0.32 | - | 63,69,69,71 | 6 |
| 10 | GOL | C | 357 | 6/6 | 0.85 | 0.15 | - | 69,69,76,78 | 6 |
| 10 | GOL | M | 338 | 6/6 | 0.70 | 0.26 | - | 67,71,72,73 | 6 |
| 8 | SO4 | H | 265 | 5/5 | 0.71 | 0.39 | - | 71,74,75,76 | 5 |
| 10 | GOL | M | 339 | 6/6 | 0.84 | 0.21 | - | 37,53,62,67 | 6 |
| 8 | SO4 | C | 340 | 5/5 | 0.79 | 0.17 | - | 72,73,77,79 | 5 |
| 8 | SO4 | H | 263 | 5/5 | 0.99 | 0.15 | - | 47,50,52,52 | 5 |
| 10 | GOL | H | 278 | 6/6 | 0.88 | 0.16 | - | 75,77,78,79 | 6 |
| 10 | GOL | H | 271 | 6/6 | 0.86 | 0.28 | - | 54,63,65,75 | 6 |
| 10 | GOL | C | 361 | 6/6 | 0.78 | 0.46 | - | 66,71,76,80 | 6 |
| 8 | SO4 | C | 337 | 5/5 | 0.92 | 0.16 | - | 70,73,78,84 | 5 |
| 8 | SO4 | M | 326 | 5/5 | 0.98 | 0.24 | - | 57,65,67,67 | 5 |
| 10 | GOL | C | 358 | 6/6 | 0.90 | 0.14 | - | 48,64,67,68 | 6 |
| 10 | GOL | C | 353[A] | 6/6 | 0.74 | 0.33 | - | 44,55,59,61 | 6 |

6.5 Other polymers [i](#)

There are no such residues in this entry.