



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:12 PM GMT

PDB ID : 3T9Q  
Title : Structure of the Phosphatase Domain of the Cell Fate Determinant SpoIIE from *Bacillus subtilis* (Mn presoaked)  
Authors : Levnikov, V.M.; Blagova, E.V.; Wilkinson, A.J.  
Deposited on : 2011-08-03  
Resolution : 2.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3340 (2.80-2.72)
Clashscore	102246	3829 (2.80-2.72)
Ramachandran outliers	100387	3767 (2.80-2.72)
Sidechain outliers	100360	3770 (2.80-2.72)
RSRZ outliers	91569	3352 (2.80-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	242	<div> <div>10%</div> <div> <div></div> <div>50%</div> <div>29%</div> <div>9%</div> <div>11%</div> </div> </div>
1	B	242	<div> <div>9%</div> <div> <div></div> <div>47%</div> <div>35%</div> <div>12%</div> <div>6%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GL0	A	5	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3460 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Stage II sporulation protein E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	216	Total	C	N	O	S	0	0	0
			1666	1043	284	328	11			
1	B	227	Total	C	N	O	S	0	0	0
			1745	1097	296	341	11			


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	586	GLY	-	EXPRESSION TAG	UNP P37475
A	587	PRO	-	EXPRESSION TAG	UNP P37475
A	588	ALA	-	EXPRESSION TAG	UNP P37475
A	589	MET	-	EXPRESSION TAG	UNP P37475
B	586	GLY	-	EXPRESSION TAG	UNP P37475
B	587	PRO	-	EXPRESSION TAG	UNP P37475
B	588	ALA	-	EXPRESSION TAG	UNP P37475
B	589	MET	-	EXPRESSION TAG	UNP P37475

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mn	0	0
			1	1		
2	A	1	Total	Mn	0	0
			1	1		

- Molecule 3 is SUGAR (BETA-D-GULOPYRANOSE) (three-letter code: GL0) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	6	6		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	21	Total	O	0	0
			21	21		
4	B	14	Total	O	0	0
			14	14		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Stage II sporulation protein E



#### • Molecule 1: Stage II sporulation protein E



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.01Å 86.01Å 322.47Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.58 – 2.76 43.58 – 2.76	Depositor EDS
% Data completeness (in resolution range)	100.0 (43.58-2.76) 99.3 (43.58-2.76)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.90 (at 2.77Å)	Xtriage
Refinement program	REFMAC 5.6.0086	Depositor
R, $R_{free}$	0.224 , 0.300 0.231 , 0.300	Depositor DCC
$R_{free}$ test set	979 reflections (5.43%)	DCC
Wilson B-factor (Å <sup>2</sup> )	67.6	Xtriage
Anisotropy	0.195	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 63.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 18993 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3460	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.21% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GL0, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.92	0/1685	0.97	3/2262 (0.1%)
1	B	0.84	0/1768	0.91	2/2381 (0.1%)
All	All	0.88	0/3453	0.94	5/4643 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	615	MET	CG-SD-CE	-5.55	91.33	100.20
1	A	759	ASP	CB-CG-OD1	5.52	123.27	118.30
1	B	642	GLU	C-N-CA	-5.42	108.15	121.70
1	A	789	ARG	N-CA-C	-5.17	97.05	111.00
1	B	610	ASP	CB-CG-OD1	5.06	122.85	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1666	0	1686	145	0
1	B	1745	0	1777	126	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	12	0	12	2	0
4	A	21	0	0	3	0
4	B	14	0	0	0	0
All	All	3460	0	3475	239	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 35.

All (239) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:711:MET:HA	1:A:711:MET:CE	1.48	1.44
1:A:675:GLU:HG2	1:A:676:ILE:CA	1.61	1.30
1:A:675:GLU:HG2	1:A:677:TYR:CA	1.68	1.21
1:B:635:ARG:HH11	1:B:635:ARG:HG2	1.13	1.13
1:A:675:GLU:CG	1:A:677:TYR:CA	2.30	1.10
1:A:711:MET:HE3	1:A:711:MET:CA	1.82	1.10
1:A:675:GLU:CG	1:A:677:TYR:HA	1.81	1.10
1:B:671:ARG:HG2	1:B:676:ILE:HG12	1.29	1.10
1:A:675:GLU:CG	1:A:676:ILE:HA	1.82	1.09
1:A:675:GLU:CG	1:A:676:ILE:CA	2.30	1.09
1:A:676:ILE:N	1:A:677:TYR:HA	1.63	1.08
1:A:629:GLY:HA2	1:B:678:SER:HB3	1.30	1.06
1:A:675:GLU:HG2	1:A:677:TYR:HA	1.12	1.04
1:A:675:GLU:HG3	1:A:677:TYR:HB2	1.39	1.03
1:B:641:ASN:O	1:B:642:GLU:HB2	1.49	1.03
1:B:671:ARG:CB	1:B:676:ILE:HG13	1.91	1.00
1:A:659:ILE:O	1:A:663:THR:HG22	1.61	0.98
1:A:675:GLU:HG2	1:A:676:ILE:C	1.85	0.96
1:A:675:GLU:HG3	1:A:677:TYR:CB	1.95	0.96
1:A:762:MET:HG3	1:A:766:MET:CE	1.95	0.95
1:A:675:GLU:HG2	1:A:676:ILE:N	1.77	0.95
1:A:676:ILE:N	1:A:677:TYR:CA	2.30	0.94
1:B:641:ASN:HD22	1:B:644:ILE:HG13	1.32	0.92
1:B:711:MET:H	1:B:711:MET:CE	1.80	0.92
1:A:675:GLU:HG2	1:A:677:TYR:N	1.84	0.92
1:A:711:MET:CA	1:A:711:MET:CE	2.35	0.91
1:A:656:ASP:HB2	1:A:659:ILE:HG22	1.51	0.91
1:A:676:ILE:H	1:A:678:SER:N	1.70	0.89
1:A:675:GLU:C	1:A:677:TYR:HA	1.95	0.87
1:B:710:VAL:O	1:B:710:VAL:HG12	1.75	0.87

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:675:GLU:CD	1:A:676:ILE:C	2.34	0.86
1:B:671:ARG:CG	1:B:676:ILE:HG12	2.06	0.86
1:B:671:ARG:HB2	1:B:676:ILE:HG13	1.58	0.86
1:B:718:LEU:H	1:B:718:LEU:HD23	1.40	0.85
1:A:711:MET:HE3	1:A:711:MET:HA	0.85	0.85
1:B:672:THR:O	1:B:674:ASP:HA	1.77	0.85
1:B:671:ARG:CB	1:B:676:ILE:CG1	2.54	0.84
1:B:711:MET:HE2	1:B:711:MET:H	1.40	0.84
1:A:677:TYR:O	1:A:677:TYR:HD2	1.59	0.84
1:A:675:GLU:CG	1:A:677:TYR:N	2.41	0.83
1:A:675:GLU:CG	1:A:676:ILE:C	2.44	0.83
1:A:641:ASN:C	1:A:641:ASN:HD22	1.83	0.82
1:A:676:ILE:H	1:A:678:SER:H	1.28	0.80
4:A:21:HOH:O	1:B:592:ARG:HD2	1.82	0.80
1:A:635:ARG:HH21	1:B:643:THR:HG23	1.47	0.79
1:A:676:ILE:O	1:A:676:ILE:CG1	2.30	0.79
1:A:678:SER:CB	1:B:628:ASP:O	2.30	0.79
1:A:675:GLU:HG3	1:A:677:TYR:CA	2.12	0.78
1:A:671:ARG:HG3	1:A:677:TYR:HD1	1.48	0.78
1:A:677:TYR:O	1:A:677:TYR:CD2	2.37	0.78
1:B:635:ARG:NH1	1:B:635:ARG:HG2	1.91	0.77
1:B:671:ARG:HB3	1:B:676:ILE:HG13	1.65	0.77
1:A:789:ARG:CG	1:A:789:ARG:HH11	1.99	0.76
1:A:757:ASN:OD1	1:A:760:LEU:HB2	1.86	0.75
1:A:628:ASP:O	1:B:678:SER:CB	2.35	0.75
1:A:678:SER:HB3	1:B:628:ASP:O	1.86	0.74
1:A:641:ASN:HD21	1:A:643:THR:HG23	1.52	0.74
1:A:675:GLU:CD	1:A:676:ILE:HA	2.07	0.74
1:A:676:ILE:O	1:A:676:ILE:HG12	1.85	0.74
1:A:762:MET:HG3	1:A:766:MET:HE2	1.69	0.74
1:B:774:PRO:HA	1:B:801:VAL:CG2	2.17	0.74
1:A:675:GLU:OE1	1:A:676:ILE:HA	1.88	0.73
1:A:629:GLY:HA2	1:B:678:SER:CB	2.14	0.73
1:A:762:MET:HG3	1:A:766:MET:HE3	1.71	0.73
1:B:671:ARG:HG2	1:B:676:ILE:CG1	2.15	0.72
1:A:676:ILE:O	1:A:676:ILE:HD13	1.88	0.72
1:A:635:ARG:NH2	1:B:643:THR:H	1.88	0.71
1:B:711:MET:H	1:B:711:MET:HE3	1.55	0.71
1:A:643:THR:HG22	1:B:635:ARG:HH21	1.55	0.71
1:B:755:VAL:HG12	1:B:756:GLU:H	1.54	0.70
1:B:708:ASP:O	1:B:710:VAL:HG23	1.90	0.70

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:702:SER:O	1:B:713:VAL:HG23	1.91	0.70
1:A:671:ARG:HB2	1:A:675:GLU:OE2	1.92	0.69
1:A:678:SER:HB3	1:B:629:GLY:HA3	1.75	0.69
1:A:782:MET:SD	1:A:797:MET:HE3	2.33	0.69
1:B:757:ASN:HD21	1:B:759:ASP:HB2	1.58	0.68
1:B:671:ARG:CG	1:B:676:ILE:CG1	2.70	0.68
1:A:789:ARG:HG2	1:A:789:ARG:HH11	1.57	0.68
1:A:676:ILE:CD1	1:A:676:ILE:O	2.40	0.68
1:B:672:THR:O	1:B:674:ASP:CA	2.41	0.67
1:B:671:ARG:HB2	1:B:676:ILE:CG1	2.21	0.67
1:B:770:LYS:HE2	1:B:770:LYS:H	1.58	0.67
1:B:816:VAL:HG23	1:B:817:PRO:HD2	1.76	0.67
1:A:675:GLU:CB	1:A:676:ILE:HA	2.18	0.67
1:A:675:GLU:CD	1:A:676:ILE:CA	2.62	0.67
1:A:641:ASN:ND2	1:A:643:THR:HG23	2.10	0.66
1:A:635:ARG:NH2	1:B:643:THR:CG2	2.59	0.66
1:A:671:ARG:NE	1:A:671:ARG:HA	2.10	0.65
1:A:595:THR:HG23	3:A:5:GL0:O4	1.96	0.65
1:A:635:ARG:NH2	1:B:643:THR:HG23	2.11	0.65
1:A:678:SER:HB2	1:B:628:ASP:O	1.96	0.65
1:A:711:MET:HE2	1:A:711:MET:HA	1.68	0.65
1:A:635:ARG:HH22	1:B:643:THR:H	1.44	0.65
1:B:605:GLY:O	1:B:606:LEU:HB2	1.97	0.65
1:A:715:ALA:HB2	1:A:731:VAL:HG22	1.79	0.65
1:B:641:ASN:ND2	1:B:644:ILE:HG13	2.10	0.64
1:B:718:LEU:H	1:B:718:LEU:CD2	2.11	0.64
1:A:675:GLU:H	1:A:676:ILE:HB	1.62	0.63
1:B:757:ASN:ND2	1:B:759:ASP:HB2	2.13	0.63
1:A:642:GLU:O	1:A:643:THR:C	2.35	0.63
1:B:613:SER:OG	1:B:637:HIS:HD2	1.81	0.63
1:A:811:TRP:CE2	1:B:782:MET:HG2	2.34	0.63
1:A:789:ARG:CB	1:A:789:ARG:HH11	2.12	0.63
1:A:671:ARG:CG	1:A:677:TYR:HD1	2.12	0.62
1:A:643:THR:HG22	1:B:635:ARG:NH2	2.14	0.61
1:B:774:PRO:HA	1:B:801:VAL:HG21	1.83	0.61
1:A:589:MET:HG3	1:B:808:THR:HG23	1.82	0.61
1:A:628:ASP:O	1:B:678:SER:HB3	2.01	0.61
1:A:675:GLU:N	1:A:676:ILE:HA	2.17	0.60
1:B:711:MET:N	1:B:711:MET:CE	2.60	0.60
1:B:775:GLN:O	1:B:775:GLN:HG3	2.01	0.60
1:A:641:ASN:C	1:A:641:ASN:ND2	2.55	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:628:ASP:O	1:B:678:SER:HB2	2.00	0.60
1:A:656:ASP:HB2	1:A:659:ILE:CG2	2.31	0.60
1:B:668:LEU:HD22	1:B:676:ILE:HD12	1.84	0.60
1:A:671:ARG:CB	1:A:675:GLU:OE2	2.49	0.60
1:B:711:MET:HE3	1:B:711:MET:N	2.16	0.59
1:A:675:GLU:OE1	1:A:676:ILE:CA	2.51	0.59
1:B:690:ALA:O	1:B:735:LEU:HB2	2.03	0.58
1:A:675:GLU:H	1:A:676:ILE:CA	2.18	0.57
1:A:795:ASP:OD1	1:A:796:ASP:N	2.34	0.57
1:B:742:ILE:HD12	1:B:742:ILE:N	2.20	0.57
1:B:770:LYS:H	1:B:770:LYS:CE	2.18	0.56
1:A:610:ASP:OD2	1:B:798:THR:HG23	2.05	0.56
1:B:771:THR:OG1	1:B:772:ASN:N	2.38	0.56
1:A:671:ARG:HB3	1:A:675:GLU:CD	2.25	0.56
1:A:711:MET:HE2	1:A:711:MET:CA	2.28	0.56
1:B:715:ALA:HB2	1:B:731:VAL:HG22	1.88	0.55
1:B:641:ASN:CB	1:B:644:ILE:H	2.20	0.55
1:B:760:LEU:HA	1:B:763:LYS:HD3	1.89	0.55
1:B:774:PRO:HA	1:B:801:VAL:HG22	1.87	0.55
1:B:773:ASP:HB3	1:B:776:GLU:HB2	1.89	0.55
1:B:744:MET:HG3	1:B:748:ILE:HG13	1.88	0.55
1:A:635:ARG:HH22	1:B:642:GLU:HB3	1.73	0.54
1:B:667:ILE:O	1:B:670:LEU:HB2	2.07	0.54
1:A:757:ASN:OD1	1:A:760:LEU:CB	2.56	0.53
1:A:793:ILE:HG22	1:A:795:ASP:O	2.08	0.53
1:B:613:SER:OG	1:B:637:HIS:CD2	2.60	0.53
1:A:613:SER:OG	1:A:637:HIS:HD2	1.92	0.53
1:A:672:THR:O	1:A:673:THR:C	2.47	0.53
1:A:794:GLU:O	1:B:602:LYS:HE2	2.08	0.53
1:A:810:LYS:O	1:A:811:TRP:HB3	2.09	0.53
1:A:753:LYS:HG2	1:A:754:HIS:CD2	2.44	0.53
1:A:789:ARG:HG2	1:A:789:ARG:NH1	2.24	0.53
1:B:747:GLY:HA3	1:B:796:ASP:O	2.09	0.52
1:B:710:VAL:O	1:B:710:VAL:CG1	2.46	0.52
1:B:816:VAL:HG23	1:B:817:PRO:CD	2.39	0.52
1:B:601:ALA:HB3	1:B:605:GLY:HA2	1.92	0.52
1:A:675:GLU:H	1:A:676:ILE:CB	2.22	0.52
1:B:791:GLY:O	1:B:792:GLN:O	2.26	0.52
1:B:649:LYS:O	1:B:652:GLU:HB2	2.10	0.51
1:B:793:ILE:HD13	1:B:795:ASP:H	1.74	0.51
1:A:642:GLU:O	1:A:645:LYS:N	2.44	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:786:ILE:O	1:A:789:ARG:O	2.29	0.51
1:A:635:ARG:NH2	1:B:643:THR:HG22	2.25	0.51
1:B:671:ARG:HA	1:B:671:ARG:NE	2.25	0.51
1:A:673:THR:O	1:A:676:ILE:HG13	2.11	0.50
1:A:677:TYR:O	1:A:678:SER:C	2.49	0.50
1:B:789:ARG:HG3	1:B:789:ARG:O	2.10	0.50
1:A:640:SER:HB3	1:A:644:ILE:CG2	2.41	0.50
1:A:761:TRP:CE2	1:A:765:LYS:HE3	2.47	0.50
1:A:599:HIS:ND1	1:B:798:THR:HG22	2.26	0.50
1:A:629:GLY:CA	1:B:678:SER:HB3	2.22	0.50
1:B:789:ARG:HD2	1:B:793:ILE:HA	1.94	0.50
1:A:610:ASP:HB3	1:B:798:THR:CG2	2.43	0.49
1:B:793:ILE:HD13	1:B:794:GLU:N	2.27	0.49
1:B:793:ILE:HG13	1:B:797:MET:SD	2.53	0.49
1:A:675:GLU:N	1:A:676:ILE:CA	2.75	0.49
1:A:613:SER:OG	1:A:637:HIS:CD2	2.65	0.49
1:A:627:SER:HA	1:B:679:THR:O	2.12	0.49
1:B:650:ILE:O	1:B:652:GLU:N	2.46	0.48
1:A:677:TYR:O	1:A:678:SER:O	2.30	0.48
1:A:807:ASN:HB2	4:A:21:HOH:O	2.13	0.48
1:A:606:LEU:HD12	1:A:607:VAL:H	1.79	0.48
1:B:679:THR:HB	1:B:698:GLY:O	2.13	0.48
1:B:641:ASN:HB2	1:B:644:ILE:H	1.79	0.48
1:A:637:HIS:H	1:A:637:HIS:CD2	2.32	0.48
1:B:733:GLU:OE2	1:B:733:GLU:HA	2.14	0.48
1:A:641:ASN:HD22	1:A:642:GLU:N	2.11	0.47
1:A:741:LEU:HD22	1:A:742:ILE:N	2.30	0.47
1:B:689:ASP:OD1	1:B:689:ASP:C	2.50	0.47
1:B:635:ARG:HH11	1:B:635:ARG:CG	2.04	0.47
1:A:676:ILE:N	1:A:678:SER:N	2.51	0.47
1:B:593:VAL:HG21	1:B:622:TYR:CD2	2.49	0.47
1:A:635:ARG:HB2	1:B:675:GLU:OE1	2.14	0.47
1:A:741:LEU:CD2	1:A:742:ILE:N	2.78	0.47
1:B:617:LEU:O	1:B:618:GLY:C	2.53	0.46
1:A:681:ASP:O	1:B:625:ALA:HA	2.14	0.46
1:A:642:GLU:HB3	1:A:643:THR:H	1.56	0.46
1:A:753:LYS:O	1:A:754:HIS:C	2.54	0.46
1:A:601:ALA:HB3	1:A:605:GLY:HA3	1.98	0.46
1:A:676:ILE:H	1:A:677:TYR:C	2.17	0.46
1:B:755:VAL:HG13	1:B:758:HIS:CE1	2.50	0.46
1:A:625:ALA:HA	1:B:681:ASP:O	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:614:MET:HG3	3:A:5:GL0:H2	1.98	0.45
1:B:753:LYS:HD2	1:B:753:LYS:HA	1.76	0.45
1:A:796:ASP:OD1	1:B:601:ALA:HA	2.17	0.45
1:A:676:ILE:N	1:A:677:TYR:C	2.69	0.45
1:B:676:ILE:O	1:B:676:ILE:HG22	2.16	0.45
1:B:774:PRO:CA	1:B:801:VAL:HG22	2.46	0.45
1:A:691:SER:HG	1:A:691:SER:H	1.55	0.45
1:B:671:ARG:HD2	1:B:676:ILE:HD11	1.98	0.45
1:B:692:CYS:HB2	1:B:735:LEU:CD1	2.47	0.45
1:A:711:MET:HE2	1:A:712:LYS:H	1.83	0.44
1:B:746:ASP:OD1	1:B:747:GLY:N	2.51	0.44
1:A:639:GLU:N	1:B:639:GLU:O	2.46	0.44
1:B:788:THR:HG22	1:B:788:THR:O	2.18	0.44
1:A:653:SER:O	1:A:655:ILE:N	2.51	0.44
1:A:641:ASN:O	1:A:642:GLU:O	2.35	0.43
1:B:641:ASN:HB3	1:B:644:ILE:H	1.82	0.43
1:A:704:ILE:HA	1:A:740:LEU:O	2.17	0.43
1:B:668:LEU:CD2	1:B:676:ILE:HD12	2.48	0.43
1:A:618:GLY:O	1:A:620:ARG:HD3	2.18	0.43
1:A:675:GLU:OE1	1:A:676:ILE:HG12	2.18	0.43
1:B:659:ILE:O	1:B:662:LYS:HB3	2.19	0.43
1:A:722:ILE:HG23	1:A:723:ILE:H	1.83	0.43
1:A:810:LYS:O	1:A:811:TRP:CB	2.67	0.42
1:A:634:ALA:HB3	1:B:675:GLU:OE2	2.19	0.42
1:A:671:ARG:O	4:A:33:HOH:O	2.21	0.42
1:B:679:THR:CG2	1:B:698:GLY:O	2.67	0.42
1:A:771:THR:OG1	1:A:776:GLU:OE1	2.35	0.42
1:A:675:GLU:H	1:A:676:ILE:HA	1.77	0.42
1:A:642:GLU:O	1:A:644:ILE:N	2.53	0.42
1:A:702:SER:HB3	1:A:743:MET:HA	2.01	0.42
1:B:668:LEU:HD23	1:B:668:LEU:HA	1.80	0.41
1:B:751:GLY:O	1:B:789:ARG:NH2	2.53	0.41
1:B:763:LYS:H	1:B:763:LYS:HG3	1.65	0.41
1:A:773:ASP:HA	1:A:774:PRO:HD3	1.88	0.41
1:B:674:ASP:OD2	1:B:677:TYR:CD1	2.74	0.41
1:B:757:ASN:C	1:B:757:ASN:HD22	2.24	0.41
1:B:724:ASN:OD1	1:B:727:ASP:N	2.53	0.41
1:B:730:VAL:C	1:B:731:VAL:CG2	2.89	0.41
1:B:757:ASN:ND2	1:B:760:LEU:H	2.19	0.41
1:B:650:ILE:C	1:B:652:GLU:N	2.74	0.40
1:B:816:VAL:HA	1:B:817:PRO:HD3	1.91	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:678:SER:HB2	1:A:679:THR:H	1.63	0.40
1:B:650:ILE:HD11	1:B:667:ILE:HD11	2.03	0.40
1:B:639:GLU:CD	1:B:645:LYS:HZ1	2.24	0.40
1:A:648:GLU:HG2	1:A:684:ILE:HD11	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/242 (87%)	175 (83%)	28 (13%)	7 (3%)	5	14
1	B	223/242 (92%)	169 (76%)	40 (18%)	14 (6%)	2	4
All	All	433/484 (90%)	344 (79%)	68 (16%)	21 (5%)	3	7

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	642	GLU
1	A	643	THR
1	A	678	SER
1	B	606	LEU
1	B	641	ASN
1	B	642	GLU
1	B	655	ILE
1	B	755	VAL
1	B	792	GLN
1	A	654	GLY
1	B	619	ALA
1	B	651	LEU
1	B	654	GLY
1	B	673	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	751	GLY
1	A	634	ALA
1	A	655	ILE
1	B	752	PRO
1	B	784	GLU
1	B	590	SER
1	A	707	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	184/205 (90%)	146 (79%)	38 (21%)	1	3
1	B	194/205 (95%)	155 (80%)	39 (20%)	1	4
All	All	378/410 (92%)	301 (80%)	77 (20%)	1	4

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	593	VAL
1	A	594	SER
1	A	602	LYS
1	A	606	LEU
1	A	607	VAL
1	A	617	LEU
1	A	620	ARG
1	A	635	ARG
1	A	639	GLU
1	A	641	ASN
1	A	642	GLU
1	A	643	THR
1	A	645	LYS
1	A	658	LYS
1	A	663	THR
1	A	669	SER

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	671	ARG
1	A	672	THR
1	A	674	ASP
1	A	675	GLU
1	A	676	ILE
1	A	678	SER
1	A	691	SER
1	A	695	LEU
1	A	702	SER
1	A	711	MET
1	A	714	GLN
1	A	723	ILE
1	A	732	SER
1	A	741	LEU
1	A	744	MET
1	A	748	ILE
1	A	753	LYS
1	A	772	ASN
1	A	789	ARG
1	A	794	GLU
1	A	808	THR
1	A	810	LYS
1	B	607	VAL
1	B	613	SER
1	B	617	LEU
1	B	627	SER
1	B	635	ARG
1	B	640	SER
1	B	642	GLU
1	B	643	THR
1	B	646	LEU
1	B	651	LEU
1	B	653	SER
1	B	670	LEU
1	B	671	ARG
1	B	676	ILE
1	B	677	TYR
1	B	678	SER
1	B	683	SER
1	B	700	THR
1	B	708	ASP
1	B	711	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	714	GLN
1	B	718	LEU
1	B	736	LYS
1	B	744	MET
1	B	748	ILE
1	B	753	LYS
1	B	754	HIS
1	B	757	ASN
1	B	764	ARG
1	B	770	LYS
1	B	772	ASN
1	B	774	PRO
1	B	785	VAL
1	B	793	ILE
1	B	798	THR
1	B	800	VAL
1	B	801	VAL
1	B	816	VAL
1	B	819	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	637	HIS
1	A	641	ASN
1	A	734	GLN
1	B	637	HIS
1	B	641	ASN
1	B	734	GLN
1	B	757	ASN
1	B	758	HIS
1	B	775	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	GL0	A	5	-	12,12,12	0.81	0	17,17,17	1.96	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GL0	A	5	-	-	0/2/22/22	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	5	GL0	O5-C5-C6	3.00	113.94	106.36
3	A	5	GL0	C4-C3-C2	3.96	118.18	110.79
3	A	5	GL0	C3-C4-C5	5.23	119.31	110.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	5	GL0	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	216/242 (89%)	0.38	25 (11%)	6 4	24, 54, 107, 124	8 (3%)
1	B	227/242 (93%)	0.43	22 (9%)	10 6	32, 68, 115, 140	7 (3%)
All	All	443/484 (91%)	0.41	47 (10%)	8 5	24, 61, 113, 140	15 (3%)

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	673	THR	7.8
1	B	676	ILE	7.2
1	A	771	THR	6.6
1	A	603	GLY	5.3
1	B	817	PRO	5.2
1	A	672	THR	4.9
1	B	754	HIS	4.8
1	A	634	ALA	4.3
1	A	725	GLU	4.2
1	B	752	PRO	3.9
1	A	772	ASN	3.9
1	A	674	ASP	3.7
1	A	671	ARG	3.7
1	A	677	TYR	3.6
1	A	700	THR	3.6
1	A	606	LEU	3.6
1	B	678	SER	3.6
1	A	602	LYS	3.5
1	B	603	GLY	3.4
1	A	723	ILE	3.4
1	B	760	LEU	3.3
1	A	722	ILE	3.2
1	B	715	ALA	3.1
1	A	756	GLU	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	703	PHE	3.1
1	B	749	PHE	3.0
1	A	701	PRO	2.9
1	B	792	GLN	2.9
1	B	750	GLU	2.8
1	A	601	ALA	2.8
1	A	676	ILE	2.7
1	B	790	SER	2.6
1	B	793	ILE	2.5
1	B	791	GLY	2.4
1	A	600	ALA	2.4
1	A	711	MET	2.4
1	B	677	TYR	2.3
1	A	716	SER	2.3
1	B	794	GLU	2.3
1	B	607	VAL	2.3
1	B	654	GLY	2.2
1	B	816	VAL	2.2
1	A	715	ALA	2.2
1	B	751	GLY	2.2
1	A	675	GLU	2.2
1	A	643	THR	2.1
1	B	606	LEU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	GL0	A	5	12/12	0.78	0.37	12.59	76,104,110,115	0
2	MN	B	3	1/1	0.99	0.06	-1.49	66,66,66,66	0
2	MN	A	1	1/1	1.00	0.08	-1.91	57,57,57,57	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.