



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 17, 2017 – 06:27 PM EST

PDB ID : 5TFU
Title : Structure of cytochrome P450 2D6 (CYP2D6) BACE1 inhibitor complex
Authors : Hsu, M.H.; Johnson, E.F.
Deposited on : 2016-09-26
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20028442
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3340 (2.80-2.72)
Clashscore	102246	3829 (2.80-2.72)
Ramachandran outliers	100387	3767 (2.80-2.72)
Sidechain outliers	100360	3770 (2.80-2.72)
RSRZ outliers	91569	3352 (2.80-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	479	<div> <div>7%</div> <div>89%</div> <div>6%</div> <div>6%</div> </div>
1	B	479	<div> <div>5%</div> <div>87%</div> <div>7%</div> <div>6%</div> </div>
1	C	479	<div> <div>8%</div> <div>82%</div> <div>12%</div> <div>6%</div> </div>
1	D	479	<div> <div>9%</div> <div>84%</div> <div>10%</div> <div>5%</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 14697 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2D6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	451	Total	C	N	O	S	0	0	0
			3567	2286	633	634	14			
1	B	451	Total	C	N	O	S	0	0	0
			3574	2290	634	636	14			
1	C	450	Total	C	N	O	S	0	0	0
			3565	2284	632	635	14			
1	D	453	Total	C	N	O	S	0	0	0
			3586	2298	636	638	14			

There are 60 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	23	MET	-	initiating methionine	UNP P10635
A	24	ALA	-	expression tag	UNP P10635
A	25	LYS	-	expression tag	UNP P10635
A	26	LYS	-	expression tag	UNP P10635
A	27	THR	-	expression tag	UNP P10635
A	28	SER	-	expression tag	UNP P10635
A	29	SER	-	expression tag	UNP P10635
A	30	LYS	-	expression tag	UNP P10635
A	31	GLY	-	expression tag	UNP P10635
A	32	LYS	-	expression tag	UNP P10635
A	33	LEU	-	expression tag	UNP P10635
A	498	HIS	-	expression tag	UNP P10635
A	499	HIS	-	expression tag	UNP P10635
A	500	HIS	-	expression tag	UNP P10635
A	501	HIS	-	expression tag	UNP P10635
B	23	MET	-	initiating methionine	UNP P10635
B	24	ALA	-	expression tag	UNP P10635
B	25	LYS	-	expression tag	UNP P10635
B	26	LYS	-	expression tag	UNP P10635
B	27	THR	-	expression tag	UNP P10635
B	28	SER	-	expression tag	UNP P10635

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	29	SER	-	expression tag	UNP P10635
B	30	LYS	-	expression tag	UNP P10635
B	31	GLY	-	expression tag	UNP P10635
B	32	LYS	-	expression tag	UNP P10635
B	33	LEU	-	expression tag	UNP P10635
B	498	HIS	-	expression tag	UNP P10635
B	499	HIS	-	expression tag	UNP P10635
B	500	HIS	-	expression tag	UNP P10635
B	501	HIS	-	expression tag	UNP P10635
C	23	MET	-	initiating methionine	UNP P10635
C	24	ALA	-	expression tag	UNP P10635
C	25	LYS	-	expression tag	UNP P10635
C	26	LYS	-	expression tag	UNP P10635
C	27	THR	-	expression tag	UNP P10635
C	28	SER	-	expression tag	UNP P10635
C	29	SER	-	expression tag	UNP P10635
C	30	LYS	-	expression tag	UNP P10635
C	31	GLY	-	expression tag	UNP P10635
C	32	LYS	-	expression tag	UNP P10635
C	33	LEU	-	expression tag	UNP P10635
C	498	HIS	-	expression tag	UNP P10635
C	499	HIS	-	expression tag	UNP P10635
C	500	HIS	-	expression tag	UNP P10635
C	501	HIS	-	expression tag	UNP P10635
D	23	MET	-	initiating methionine	UNP P10635
D	24	ALA	-	expression tag	UNP P10635
D	25	LYS	-	expression tag	UNP P10635
D	26	LYS	-	expression tag	UNP P10635
D	27	THR	-	expression tag	UNP P10635
D	28	SER	-	expression tag	UNP P10635
D	29	SER	-	expression tag	UNP P10635
D	30	LYS	-	expression tag	UNP P10635
D	31	GLY	-	expression tag	UNP P10635
D	32	LYS	-	expression tag	UNP P10635
D	33	LEU	-	expression tag	UNP P10635
D	498	HIS	-	expression tag	UNP P10635
D	499	HIS	-	expression tag	UNP P10635
D	500	HIS	-	expression tag	UNP P10635
D	501	HIS	-	expression tag	UNP P10635

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Zn 1 1	0	0
3	A	2	Total Zn 2 2	0	0
3	D	1	Total Zn 1 1	0	0
3	C	1	Total Zn 1 1	0	0

- Molecule 4 is (4S,6R)-4-[2,4-difluoro-5-({[1-(trifluoromethyl)cyclopropyl]amino}methyl)phenyl]-4,6-dimethyl-5,6-dihydro-4H-1,3-thiazin-2-amine (three-letter code: P6M) (formula: $C_{17}H_{20}F_5N_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	F	N	S	0	0
			26	17	5	3	1		
4	B	1	Total	C	F	N	S	0	0
			26	17	5	3	1		
4	C	1	Total	C	F	N	S	0	0
			26	17	5	3	1		
4	D	1	Total	C	F	N	S	0	0
			26	17	5	3	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	35	Total	O	0	0
			35	35		
5	B	29	Total	O	0	0
			29	29		
5	C	29	Total	O	0	0
			29	29		
5	D	31	Total	O	0	0
			31	31		

- Molecule 1: Cytochrome P450 2D6



Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.10Å 191.76Å 246.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.07 – 2.75 39.07 – 2.75	Depositor EDS
% Data completeness (in resolution range)	98.9 (39.07-2.75) 99.1 (39.07-2.75)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.06 (at 2.77Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.211 , 0.250 0.212 , 0.250	Depositor DCC
R_{free} test set	3525 reflections (4.96%)	DCC
Wilson B-factor (Å ²)	45.6	Xtriage
Anisotropy	0.723	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 45.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	14697	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 23.99 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.1823e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, ZN, P6M

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.21	0/3662	0.37	0/4977
1	B	0.21	0/3669	0.37	0/4988
1	C	0.21	0/3660	0.37	0/4977
1	D	0.22	0/3682	0.37	0/5007
All	All	0.21	0/14673	0.37	0/19949

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3567	0	3554	15	0
1	B	3574	0	3555	17	0
1	C	3565	0	3542	33	0
1	D	3586	0	3570	28	0
2	A	43	0	30	4	0
2	B	43	0	30	3	0
2	C	43	0	30	6	0
2	D	43	0	30	7	0
3	A	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	26	0	0	0	0
4	B	26	0	0	0	0
4	C	26	0	0	0	0
4	D	26	0	0	0	0
5	A	35	0	0	0	0
5	B	29	0	0	0	0
5	C	29	0	0	0	0
5	D	31	0	0	0	0
All	All	14697	0	14341	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:ILE:HG21	1:A:303:PHE:HA	1.62	0.80
1:B:186:ILE:HG21	1:B:303:PHE:HA	1.65	0.79
1:D:122:ALA:O	1:D:441:ARG:NH2	2.23	0.71
1:A:122:ALA:O	1:A:441:ARG:NH2	2.19	0.70
1:B:147:LYS:HG2	1:B:150:GLU:HB3	1.73	0.70
1:B:192:GLY:O	1:B:269:ARG:NH2	2.26	0.68
1:D:441:ARG:NH1	2:D:601:HEM:O2D	2.30	0.65
1:D:213:LEU:HD13	1:D:308:VAL:HG21	1.80	0.64
1:D:369:ILE:HG13	1:D:370:VAL:HG23	1.81	0.63
1:C:369:ILE:HG13	1:C:370:VAL:HG23	1.82	0.61
1:A:369:ILE:HG13	1:A:370:VAL:HG23	1.83	0.61
1:A:227:VAL:HG12	1:A:229:VAL:HG22	1.86	0.58
1:D:170:ARG:HB2	1:D:171:PRO:HD2	1.87	0.56
1:D:240:VAL:HG22	1:D:241:LEU:HG	1.87	0.56
1:B:38:LEU:HD12	1:B:39:PRO:HD2	1.89	0.55
2:C:601:HEM:HMC2	2:C:601:HEM:HBC2	1.88	0.55
1:C:490:TYR:HE1	1:C:492:LEU:HD23	1.72	0.54
1:C:233:ILE:HD12	1:C:236:LEU:HD12	1.89	0.54
1:C:213:LEU:HD22	1:C:308:VAL:HG21	1.89	0.53
1:A:213:LEU:HD22	1:A:308:VAL:HG21	1.90	0.53
1:C:143:GLY:HA2	1:C:149:LEU:HB2	1.91	0.53
1:C:445:GLY:HA3	2:C:601:HEM:C3C	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:147:LYS:HG2	1:D:150:GLU:HB2	1.90	0.52
2:B:601:HEM:HMB2	2:B:601:HEM:HBB2	1.90	0.52
2:D:601:HEM:HMC2	2:D:601:HEM:HBC2	1.91	0.52
1:D:59:ASP:O	1:D:63:ARG:HG2	2.10	0.52
2:A:601:HEM:HMB2	2:A:601:HEM:HBB2	1.90	0.52
2:A:601:HEM:HMC2	2:A:601:HEM:HBC2	1.91	0.52
1:B:490:TYR:HE1	1:B:492:LEU:HD23	1.73	0.52
1:C:336:ASP:OD2	1:C:497:ARG:NH2	2.42	0.51
2:D:601:HEM:HBB2	2:D:601:HEM:HMB2	1.92	0.51
1:C:38:LEU:HD12	1:C:39:PRO:HD2	1.93	0.51
1:A:406:GLU:HA	1:A:412:PRO:HG3	1.92	0.50
1:A:490:TYR:HE1	1:A:492:LEU:HD23	1.76	0.50
1:B:213:LEU:HD22	1:B:308:VAL:HG21	1.92	0.50
1:C:35:PRO:HG2	1:C:65:PHE:HB3	1.93	0.50
1:A:192:GLY:O	1:A:269:ARG:NH2	2.44	0.50
2:B:601:HEM:HBC2	2:B:601:HEM:HMC2	1.94	0.50
1:C:192:GLY:O	1:C:269:ARG:NH2	2.45	0.50
1:D:448:LEU:HD23	2:D:601:HEM:HBC2	1.93	0.50
1:C:160:LEU:HD13	1:C:181:ALA:HB2	1.93	0.49
1:C:448:LEU:HD23	2:C:601:HEM:HBC2	1.94	0.49
1:D:251:LEU:HD21	1:D:299:VAL:HG12	1.94	0.49
1:D:445:GLY:HA3	2:D:601:HEM:C3C	2.47	0.49
1:C:91:LEU:HD11	1:C:397:THR:HG21	1.93	0.49
1:B:224:LEU:HD11	1:B:236:LEU:HD23	1.95	0.49
1:C:443:CYS:HB2	2:C:601:HEM:NA	2.27	0.48
1:C:436:PHE:HB3	1:C:443:CYS:HB3	1.95	0.48
1:C:437:SER:OG	1:C:438:ALA:N	2.44	0.47
1:C:221:ARG:O	1:C:225:ASN:ND2	2.30	0.47
1:A:445:GLY:HA3	2:A:601:HEM:C3C	2.51	0.47
1:D:192:GLY:O	1:D:269:ARG:NH2	2.48	0.47
1:D:100:ASP:O	1:D:377:MET:N	2.47	0.47
1:C:224:LEU:HD11	1:C:240:VAL:HG11	1.96	0.46
1:D:143:GLY:HA3	1:D:149:LEU:HG	1.96	0.46
1:D:160:LEU:HD13	1:D:181:ALA:HB2	1.97	0.46
1:C:437:SER:HB3	2:C:601:HEM:HBA1	1.98	0.45
1:C:382:ILE:HG13	1:C:389:ILE:HB	1.98	0.45
1:D:369:ILE:HD11	2:D:601:HEM:HMB2	1.97	0.45
1:B:369:ILE:HG13	1:B:370:VAL:HG23	1.98	0.45
2:C:601:HEM:HMB2	2:C:601:HEM:HBB2	1.99	0.45
1:D:323:LEU:HD13	1:D:477:HIS:CE1	2.52	0.45
1:A:119:VAL:HG22	1:A:131:GLN:HB3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:437:SER:HB3	2:B:601:HEM:HBA1	2.00	0.44
1:D:106:ILE:HD12	1:D:241:LEU:HD11	1.99	0.44
1:D:336:ASP:OD2	1:D:497:ARG:NH2	2.46	0.44
1:D:490:TYR:HE1	1:D:492:LEU:HD23	1.82	0.44
1:C:174:PRO:HG3	1:C:492:LEU:HD21	1.99	0.44
1:D:107:THR:HB	1:D:112:PHE:CG	2.53	0.44
1:D:382:ILE:HG13	1:D:389:ILE:HB	1.99	0.44
1:C:316:TRP:CG	1:C:487:PRO:HG3	2.53	0.44
1:B:107:THR:HB	1:B:112:PHE:CG	2.53	0.43
1:B:381:ASP:OD1	1:B:391:LYS:N	2.51	0.43
1:C:162:ALA:O	1:C:166:ASN:ND2	2.44	0.43
1:B:416:HIS:NE2	1:B:418:GLU:HB2	2.33	0.43
1:B:316:TRP:CD2	1:B:487:PRO:HG3	2.53	0.43
1:D:437:SER:HB3	2:D:601:HEM:HBA1	2.01	0.43
1:A:437:SER:HB3	2:A:601:HEM:HBA1	2.01	0.43
1:A:316:TRP:CG	1:A:487:PRO:HG3	2.53	0.43
1:A:279:MET:HB2	1:A:279:MET:HE3	1.90	0.42
1:C:233:ILE:HA	1:C:234:PRO:HD3	1.92	0.42
1:D:344:ARG:HA	1:D:345:PRO:HD3	1.95	0.42
1:B:199:ASP:HA	1:B:200:PRO:HD3	1.94	0.42
1:B:319:LEU:HD22	1:B:487:PRO:HB3	2.00	0.42
1:C:33:LEU:HA	1:C:34:PRO:HD3	1.94	0.41
1:D:267:PRO:HA	1:D:268:PRO:HD3	1.91	0.41
1:D:316:TRP:CD2	1:D:487:PRO:HG3	2.55	0.41
1:A:251:LEU:HD21	1:A:299:VAL:HG12	2.03	0.41
1:D:233:ILE:HG22	1:D:235:ALA:H	1.85	0.41
1:C:139:LEU:HD22	1:C:189:LEU:HD13	2.02	0.41
1:C:495:VAL:HA	1:C:496:PRO:HD3	1.92	0.41
1:C:227:VAL:HA	1:C:228:PRO:HD3	1.77	0.41
1:D:91:LEU:HD11	1:D:397:THR:HG21	2.03	0.41
1:B:320:LEU:HD13	1:B:415:PHE:CD1	2.55	0.41
1:C:107:THR:HB	1:C:112:PHE:CG	2.55	0.41
1:C:202:PHE:O	1:C:206:LEU:HG	2.21	0.41
1:C:416:HIS:HB3	1:C:419:HIS:CE1	2.55	0.40
1:B:54:THR:N	1:B:55:PRO:HD2	2.36	0.40
1:A:320:LEU:HD13	1:A:415:PHE:CE1	2.56	0.40
1:C:198:ASP:OD1	1:C:198:ASP:N	2.52	0.40
1:C:435:PRO:HG2	1:C:436:PHE:CD1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	447/479 (93%)	432 (97%)	15 (3%)	0	100	100
1	B	445/479 (93%)	434 (98%)	11 (2%)	0	100	100
1	C	444/479 (93%)	434 (98%)	10 (2%)	0	100	100
1	D	449/479 (94%)	432 (96%)	16 (4%)	1 (0%)	52	83
All	All	1785/1916 (93%)	1732 (97%)	52 (3%)	1 (0%)	56	86

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	54	THR

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	384/409 (94%)	384 (100%)	0	100	100
1	B	386/409 (94%)	385 (100%)	1 (0%)	94	98
1	C	385/409 (94%)	385 (100%)	0	100	100
1	D	387/409 (95%)	386 (100%)	1 (0%)	94	98
All	All	1542/1636 (94%)	1540 (100%)	2 (0%)	95	99

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	227	VAL
1	D	227	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	350	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 5 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	601	1	24,50,50	1.83	5 (20%)	16,82,82	1.31	1 (6%)
4	P6M	A	604	-	24,28,28	0.36	0	23,45,45	0.51	0
2	HEM	B	601	1	24,50,50	1.82	5 (20%)	16,82,82	1.32	1 (6%)
4	P6M	B	603	-	24,28,28	0.39	0	23,45,45	0.48	0
2	HEM	C	601	1	24,50,50	1.82	4 (16%)	16,82,82	1.37	1 (6%)
4	P6M	C	603	-	24,28,28	0.36	0	23,45,45	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	D	601	1	24,50,50	1.81	4 (16%)	16,82,82	1.41	1 (6%)
4	P6M	D	603	-	24,28,28	0.36	0	23,45,45	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	601	1	-	0/6/54/54	0/0/8/8
4	P6M	A	604	-	-	0/14/39/39	0/2/3/3
2	HEM	B	601	1	-	0/6/54/54	0/0/8/8
4	P6M	B	603	-	-	0/14/39/39	0/2/3/3
2	HEM	C	601	1	-	0/6/54/54	0/0/8/8
4	P6M	C	603	-	-	0/14/39/39	0/2/3/3
2	HEM	D	601	1	-	0/6/54/54	0/0/8/8
4	P6M	D	603	-	-	0/14/39/39	0/2/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	HEM	C3C-C2C	-4.03	1.35	1.40
2	C	601	HEM	C3C-C2C	-4.03	1.35	1.40
2	A	601	HEM	C3B-C2B	-4.02	1.35	1.40
2	D	601	HEM	C3B-C2B	-4.01	1.35	1.40
2	B	601	HEM	C3B-C2B	-3.99	1.35	1.40
2	C	601	HEM	C3B-C2B	-3.99	1.35	1.40
2	D	601	HEM	C3C-C2C	-3.97	1.35	1.40
2	A	601	HEM	C3C-C2C	-3.92	1.35	1.40
2	B	601	HEM	CAD-C3D	2.04	1.54	1.52
2	A	601	HEM	CAD-C3D	2.09	1.55	1.52
2	A	601	HEM	C3B-CAB	3.69	1.55	1.47
2	C	601	HEM	C3B-CAB	3.69	1.55	1.47
2	B	601	HEM	C3B-CAB	3.72	1.55	1.47
2	D	601	HEM	C3B-CAB	3.72	1.55	1.47
2	B	601	HEM	C3C-CAC	3.80	1.55	1.47
2	D	601	HEM	C3C-CAC	3.84	1.55	1.47
2	C	601	HEM	C3C-CAC	3.86	1.55	1.47
2	A	601	HEM	C3C-CAC	3.96	1.56	1.47

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	D	601	HEM	CBD-CAD-C3D	-2.74	107.66	112.47
2	C	601	HEM	CBD-CAD-C3D	-2.55	108.00	112.47
2	A	601	HEM	CBD-CAD-C3D	-2.15	108.69	112.47
2	B	601	HEM	CBD-CAD-C3D	-2.03	108.91	112.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEM	4	0
2	B	601	HEM	3	0
2	C	601	HEM	6	0
2	D	601	HEM	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	451/479 (94%)	0.34	32 (7%) 19 13	24, 44, 94, 113	0
1	B	451/479 (94%)	0.28	24 (5%) 30 23	25, 42, 93, 110	0
1	C	450/479 (93%)	0.43	38 (8%) 14 9	28, 47, 96, 117	0
1	D	453/479 (94%)	0.49	44 (9%) 10 6	27, 50, 96, 115	0
All	All	1805/1916 (94%)	0.38	138 (7%) 17 11	24, 46, 95, 117	0

All (138) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	53	ASN	6.8
1	D	75	TRP	6.5
1	C	33	LEU	6.5
1	C	219	PHE	6.5
1	D	65	PHE	6.2
1	B	75	TRP	5.6
1	C	75	TRP	5.4
1	C	38	LEU	5.1
1	A	145	GLY	5.1
1	A	75	TRP	5.0
1	B	38	LEU	5.0
1	A	234	PRO	4.9
1	D	38	LEU	4.8
1	A	37	PRO	4.7
1	D	168	SER	4.6
1	A	228	PRO	4.5
1	D	144	LEU	4.5
1	B	39	PRO	4.4
1	C	39	PRO	4.4
1	A	235	ALA	4.4
1	D	380	ARG	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	37	PRO	4.3
1	A	342	VAL	4.2
1	D	33	LEU	4.2
1	D	64	ARG	4.1
1	B	55	PRO	4.1
1	A	219	PHE	4.0
1	D	37	PRO	4.0
1	D	219	PHE	4.0
1	A	144	LEU	4.0
1	B	73	LEU	3.9
1	C	231	LEU	3.8
1	D	146	LYS	3.8
1	B	58	PHE	3.8
1	A	33	LEU	3.8
1	D	231	LEU	3.7
1	A	56	TYR	3.7
1	B	237	ALA	3.7
1	B	32	LYS	3.6
1	C	236	LEU	3.6
1	C	35	PRO	3.6
1	C	233	ILE	3.6
1	C	65	PHE	3.5
1	C	229	VAL	3.5
1	A	36	GLY	3.4
1	A	146	LYS	3.4
1	C	234	PRO	3.4
1	D	229	VAL	3.3
1	A	72	GLN	3.3
1	B	380	ARG	3.3
1	C	56	TYR	3.2
1	D	228	PRO	3.2
1	A	231	LEU	3.2
1	D	234	PRO	3.2
1	D	145	GLY	3.1
1	B	229	VAL	3.1
1	B	33	LEU	3.0
1	A	74	ALA	3.0
1	D	339	ILE	3.0
1	C	170	ARG	3.0
1	D	77	PRO	2.9
1	C	235	ALA	2.9
1	D	381	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	72	GLN	2.9
1	C	469	PRO	2.9
1	D	39	PRO	2.9
1	D	36	GLY	2.8
1	A	55	PRO	2.8
1	D	483	PHE	2.8
1	C	72	GLN	2.8
1	D	235	ALA	2.8
1	B	168	SER	2.7
1	B	37	PRO	2.7
1	C	423	ALA	2.7
1	A	59	ASP	2.7
1	B	149	LEU	2.7
1	C	228	PRO	2.7
1	D	35	PRO	2.6
1	A	242	ARG	2.6
1	B	231	LEU	2.6
1	C	168	SER	2.6
1	A	147	LYS	2.6
1	D	149	LEU	2.5
1	D	167	HIS	2.5
1	D	236	LEU	2.5
1	D	307	MET	2.5
1	C	64	ARG	2.5
1	A	223	VAL	2.5
1	D	57	CYS	2.5
1	A	237	ALA	2.5
1	D	232	HIS	2.5
1	C	471	GLY	2.4
1	D	379	SER	2.4
1	D	423	ALA	2.4
1	C	240	VAL	2.4
1	D	333	GLN	2.4
1	D	239	LYS	2.4
1	D	94	HIS	2.4
1	C	380	ARG	2.4
1	C	73	LEU	2.4
1	D	165	ALA	2.4
1	D	326	ASP	2.3
1	B	36	GLY	2.3
1	C	307	MET	2.3
1	A	389	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	223	VAL	2.3
1	D	238	GLY	2.3
1	C	388	ARG	2.3
1	C	232	HIS	2.3
1	C	341	GLN	2.3
1	B	74	ALA	2.3
1	C	383	GLU	2.3
1	A	472	GLN	2.2
1	A	471	GLY	2.2
1	A	71	LEU	2.2
1	B	234	PRO	2.2
1	A	388	ARG	2.2
1	A	483	PHE	2.2
1	C	342	VAL	2.2
1	B	307	MET	2.2
1	D	387	PHE	2.2
1	C	310	THR	2.2
1	B	56	TYR	2.2
1	B	236	LEU	2.2
1	C	167	HIS	2.2
1	A	143	GLY	2.1
1	A	169	GLY	2.1
1	B	219	PHE	2.1
1	D	220	LEU	2.1
1	B	309	THR	2.1
1	D	389	ILE	2.1
1	D	383	GLU	2.1
1	C	227	VAL	2.1
1	A	239	LYS	2.1
1	C	424	GLN	2.0
1	D	342	VAL	2.0
1	C	339	ILE	2.0
1	A	77	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	HEM	B	601	43/43	0.97	0.22	0.55	25,30,37,40	0
4	P6M	B	603	26/26	0.92	0.23	0.42	40,59,73,77	0
2	HEM	D	601	43/43	0.97	0.21	0.25	27,35,44,49	0
2	HEM	C	601	43/43	0.98	0.20	0.13	20,32,39,43	0
4	P6M	D	603	26/26	0.92	0.22	0.03	44,62,78,82	0
2	HEM	A	601	43/43	0.97	0.19	-0.10	22,28,31,35	0
4	P6M	A	604	26/26	0.90	0.20	-0.21	46,65,79,88	0
4	P6M	C	603	26/26	0.92	0.20	-0.24	42,59,78,86	0
3	ZN	B	602	1/1	1.00	0.14	-0.67	34,34,34,34	0
3	ZN	C	602	1/1	0.99	0.12	-1.10	32,32,32,32	0
3	ZN	A	602	1/1	0.99	0.10	-1.63	31,31,31,31	0
3	ZN	A	603	1/1	0.99	0.09	-1.70	41,41,41,41	0
3	ZN	D	602	1/1	0.99	0.09	-3.18	39,39,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.