



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 08:33 PM GMT

PDB ID : 4TNP
Title : Structural basis of cellular dNTP regulation, SAMHD1-GTP-dCTP-cCTP complex
Authors : Ji, X.; Tang, C.; Zhao, Q.; Wang, W.; Xiong, Y.
Deposited on : 2014-06-04
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org

A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 16430 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Deoxynucleoside triphosphate triphosphohydrolase SAMHD1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	479	Total	C	N	O	S	0	1	0
			3919	2510	683	705	21			
1	B	480	Total	C	N	O	S	0	0	0
			3924	2512	684	708	20			
1	C	481	Total	C	N	O	S	0	2	0
			3944	2522	687	715	20			
1	D	484	Total	C	N	O	S	0	0	0
			3953	2530	688	715	20			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
A	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
B	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
B	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
C	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
C	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
D	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
D	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3

- Molecule 2 is 2'-DEOXYCYTIDINE-5'-TRIPHOSPHATE (three-letter code: DCP) (formula: C₉H₁₆N₃O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total C N O P					0	0
			28	9	3	13	3		
2	A	1	Total C N O P					0	0
			28	9	3	13	3		
2	A	1	Total C N O P					0	0
			28	9	3	13	3		
2	B	1	Total C N O P					0	0
			28	9	3	13	3		
2	B	1	Total C N O P					0	0
			28	9	3	13	3		
2	C	1	Total C N O P					0	0
			28	9	3	13	3		
2	D	1	Total C N O P					0	0
			28	9	3	13	3		
2	D	1	Total C N O P					0	0
			28	9	3	13	3		

- Molecule 3 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total C N O P					0	0
			32	10	5	14	3		
3	B	1	Total C N O P					0	0
			32	10	5	14	3		
3	B	1	Total C N O P					0	0
			32	10	5	14	3		
3	D	1	Total C N O P					0	0
			32	10	5	14	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total Mg		0	0
			1	1		
4	A	1	Total Mg		0	0
			1	1		
4	D	1	Total Mg		0	0
			1	1		
4	C	1	Total Mg		0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	81	Total O		0	0
			81	81		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	108	Total O 108 108	0	0
5	C	84	Total O 84 84	0	0
5	D	61	Total O 61 61	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1





- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1





- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.51 Å 140.75 Å 97.49 Å 90.00° 114.79° 90.00°	Depositor
Resolution (Å)	50.00 – 2.00 47.83 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.8 (50.00-2.00) 97.8 (47.83-2.00)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.89 (at 2.00 Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R , R_{free}	0.198 , 0.222 0.203 , 0.225	Depositor DCC
R_{free} test set	6550 reflections (5.24%)	DCC
Wilson B-factor (Å ²)	33.5	Xtriage
Anisotropy	0.744	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 52.2	EDS
Estimated twinning fraction	0.024 for h,-k,-h-l	Xtriage
L-test for twinning ²	$< L > = 0.48$, $< L^2 > = 0.31$	Xtriage
Outliers	13 of 131610 reflections (0.010%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16430	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, MG, DCP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.53	0/4011	0.72	2/5414 (0.0%)
1	B	0.57	0/4016	0.74	4/5421 (0.1%)
1	C	0.58	0/4036	0.74	3/5448 (0.1%)
1	D	0.51	0/4046	0.70	1/5463 (0.0%)
All	All	0.55	0/16109	0.73	10/21746 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	576	ARG	NE-CZ-NH2	6.87	123.74	120.30
1	B	372	ARG	NE-CZ-NH2	-6.04	117.28	120.30
1	B	442	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	D	352	ARG	CG-CD-NE	-5.65	99.94	111.80
1	B	576	ARG	NE-CZ-NH2	5.45	123.03	120.30
1	B	226	ARG	NE-CZ-NH2	5.36	122.98	120.30
1	A	442	ARG	NE-CZ-NH1	5.35	122.98	120.30
1	A	576	ARG	NE-CZ-NH2	5.17	122.89	120.30
1	C	353	ASP	CB-CG-OD1	5.11	122.90	118.30
1	C	352	ARG	CG-CD-NE	-5.00	101.30	111.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	465	GLN	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3919	0	3911	42	1
1	B	3924	0	3915	39	0
1	C	3944	0	3927	52	1
1	D	3953	0	3942	26	2
2	A	84	0	36	6	0
2	B	56	0	24	0	0
2	C	28	0	12	3	0
2	D	56	0	24	1	0
3	A	32	0	12	0	0
3	B	64	0	24	1	0
3	D	32	0	12	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	81	0	0	10	0
5	B	108	0	0	5	0
5	C	84	0	0	6	0
5	D	61	0	0	5	0
All	All	16430	0	15839	158	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:574:ALA:O	1:C:595:LYS:NZ	1.69	1.25
1:A:465:GLN:HG2	1:A:466:ILE:CD1	1.65	1.24

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:372:ARG:HH11	1:C:372:ARG:HG2	1.07	1.08
2:C:702:DCP:O2A	5:C:847:HOH:O	1.70	1.07
1:B:171:VAL:HA	5:B:872:HOH:O	1.55	1.03
1:A:465:GLN:HG2	1:A:466:ILE:HD13	1.40	1.02
1:C:439:LYS:O	1:C:443:GLU:HG3	1.62	0.97
1:A:466:ILE:N	1:A:466:ILE:HD13	1.79	0.96
1:C:533:THR:OG1	1:C:535[A]:ASN:ND2	2.01	0.93
1:B:385:MET:HE1	5:B:876:HOH:O	1.69	0.91
1:B:115:MET:HE2	1:B:116:LYS:N	1.88	0.88
1:C:535[A]:ASN:HD22	1:C:535[A]:ASN:N	1.70	0.88
1:B:327:ASN:O	1:D:326:GLN:HB2	1.74	0.86
1:C:535[A]:ASN:HD22	1:C:535[A]:ASN:H	1.23	0.86
1:C:435:ASP:CG	1:C:437:LYS:HG3	1.97	0.85
1:A:465:GLN:HG2	1:A:466:ILE:HD12	1.55	0.85
1:B:115:MET:HE2	1:B:116:LYS:CA	2.06	0.85
1:B:326:GLN:HB2	1:D:327:ASN:O	1.77	0.85
1:C:372:ARG:NH1	1:C:372:ARG:HG2	1.85	0.84
1:B:115:MET:C	1:B:115:MET:HE2	2.00	0.82
1:B:115:MET:HE1	1:B:116:LYS:O	1.79	0.82
1:C:435:ASP:OD2	1:C:437:LYS:HD2	1.81	0.81
1:A:328:ASN:ND2	1:A:329:PHE:H	1.80	0.80
1:B:115:MET:CE	1:B:116:LYS:C	2.50	0.80
1:B:115:MET:HE2	1:B:116:LYS:C	2.02	0.79
1:B:562:LEU:HB2	5:B:877:HOH:O	1.82	0.79
1:B:115:MET:CE	1:B:116:LYS:O	2.32	0.78
1:B:115:MET:CE	1:B:116:LYS:N	2.47	0.77
1:A:327:ASN:O	5:A:837:HOH:O	2.03	0.77
1:B:115:MET:CE	1:B:115:MET:C	2.54	0.76
1:A:466:ILE:N	1:A:466:ILE:CD1	2.48	0.75
1:C:435:ASP:OD1	1:C:437:LYS:HG2	1.87	0.74
1:A:466:ILE:HD13	1:A:466:ILE:H	1.52	0.73
1:A:185:LYS:HD2	5:A:861:HOH:O	1.87	0.73
1:A:140:GLN:HG3	1:A:240:MET:CE	2.19	0.72
1:C:435:ASP:OD1	1:C:437:LYS:CG	2.39	0.71
1:A:372:ARG:HD2	5:A:856:HOH:O	1.92	0.70
1:B:140:GLN:HG3	1:B:240:MET:CE	2.20	0.70
1:B:453:LEU:HD23	5:B:876:HOH:O	1.91	0.70
1:C:435:ASP:CG	1:C:437:LYS:CG	2.60	0.70
1:C:470:ARG:HB2	1:C:470:ARG:CZ	2.20	0.69
1:B:372:ARG:HH22	1:D:328:ASN:HD21	1.40	0.69
1:A:115:MET:HB3	5:A:849:HOH:O	1.92	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:ASN:HD22	1:A:329:PHE:N	1.92	0.67
2:A:704:DCP:N3	1:C:372:ARG:NH1	2.43	0.67
1:A:328:ASN:ND2	1:A:329:PHE:N	2.42	0.67
2:C:702:DCP:O1B	5:C:846:HOH:O	2.14	0.66
1:C:435:ASP:OD2	1:C:437:LYS:CD	2.45	0.64
1:D:596:LYS:HE2	1:D:597:GLU:OE1	1.95	0.64
1:A:534:LYS:HE2	1:A:542:PRO:O	2.00	0.61
1:C:435:ASP:OD2	1:C:437:LYS:CG	2.48	0.61
1:C:535[A]:ASN:ND2	1:C:535[A]:ASN:H	1.95	0.61
1:C:435:ASP:OD2	1:C:437:LYS:HG3	2.00	0.61
1:C:210:HIS:CE1	5:C:854:HOH:O	2.55	0.59
1:B:594:GLN:OE1	1:B:594:GLN:N	2.35	0.59
1:C:372:ARG:CG	1:C:372:ARG:HH11	1.97	0.58
1:A:583:ASP:HB3	1:C:522:CYS:SG	2.44	0.57
1:C:535[A]:ASN:ND2	1:C:535[A]:ASN:N	2.45	0.56
1:A:337:PHE:CE1	1:A:354:LYS:NZ	2.74	0.56
1:B:339:ARG:HH11	1:B:527:ASN:HD21	1.52	0.56
1:A:405:LYS:HD3	1:A:407:TYR:OH	2.06	0.55
2:A:701:DCP:O3G	5:A:843:HOH:O	2.18	0.55
1:D:461:GLN:HG3	5:D:825:HOH:O	2.06	0.55
1:A:140:GLN:CG	1:A:240:MET:CE	2.84	0.55
1:B:140:GLN:CG	1:B:240:MET:CE	2.84	0.54
1:B:115:MET:HE1	1:B:116:LYS:C	2.24	0.54
1:B:339:ARG:HH11	1:B:527:ASN:ND2	2.05	0.54
1:A:492:LYS:NZ	5:A:801:HOH:O	2.40	0.54
2:D:702:DCP:H5'1	5:D:828:HOH:O	2.08	0.53
1:A:228:GLU:N	1:A:228:GLU:OE1	2.38	0.53
1:A:331:TYR:CD1	1:A:331:TYR:C	2.81	0.53
1:C:467:LYS:HG2	1:C:469:LYS:HE3	1.90	0.53
1:A:322:HIS:HE1	5:A:821:HOH:O	1.91	0.53
1:A:465:GLN:CG	1:A:466:ILE:CD1	2.60	0.53
1:A:583:ASP:CB	1:C:522:CYS:SG	2.97	0.53
1:C:467:LYS:CE	1:C:469:LYS:HE3	2.40	0.51
1:A:352:ARG:CZ	1:A:354:LYS:HE3	2.41	0.51
1:A:320:CYS:CB	1:A:327:ASN:CB	2.89	0.50
1:A:320:CYS:HB2	1:A:327:ASN:CB	2.40	0.50
1:C:351:ALA:O	1:C:520:PHE:HA	2.12	0.50
1:D:394:ASP:O	1:D:408:ARG:HD2	2.12	0.50
1:D:329:PHE:HB2	5:D:814:HOH:O	2.12	0.49
1:D:162:HIS:HE1	1:D:319:ASP:OD1	1.96	0.49
1:A:499:ILE:HD11	1:A:555:LYS:HE2	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:574:ALA:C	1:C:595:LYS:NZ	2.57	0.49
1:B:118:ILE:HD11	3:B:705:GTP:C8	2.48	0.49
1:C:336:LYS:CE	1:D:127:GLU:HG3	2.43	0.49
1:D:279:PRO:HG3	1:D:286:PRO:HB3	1.94	0.49
1:B:351:ALA:O	1:B:520:PHE:HA	2.13	0.49
1:A:351:ALA:O	1:A:520:PHE:HA	2.13	0.48
1:D:162:HIS:H	1:D:162:HIS:CD2	2.30	0.48
1:B:499:ILE:HD11	1:B:555:LYS:HE2	1.95	0.48
1:A:320:CYS:SG	1:A:327:ASN:HA	2.54	0.48
1:B:140:GLN:CG	1:B:240:MET:HE3	2.44	0.48
1:D:176:GLY:HA3	5:D:821:HOH:O	2.13	0.48
1:B:487:VAL:HG23	1:B:590:LEU:HD12	1.96	0.47
1:C:134:ARG:NE	1:C:134:ARG:HA	2.29	0.47
1:A:465:GLN:CG	1:A:466:ILE:HD12	2.37	0.47
1:C:210:HIS:HE1	5:C:854:HOH:O	1.96	0.47
1:C:499:ILE:HD11	1:C:555:LYS:HE2	1.95	0.47
1:D:351:ALA:O	1:D:520:PHE:HA	2.15	0.47
1:C:120:ASP:OD2	1:C:121:PRO:HD2	2.14	0.47
1:D:120:ASP:OD2	1:D:121:PRO:HD2	2.14	0.47
1:B:235:GLN:O	1:B:238:VAL:HG22	2.15	0.47
1:D:499:ILE:HD11	1:D:555:LYS:HE2	1.96	0.47
1:D:467:LYS:HD3	5:D:819:HOH:O	2.14	0.46
1:A:140:GLN:CG	1:A:240:MET:HE3	2.45	0.46
1:D:475:SER:HA	1:D:478:LYS:HE2	1.97	0.46
1:A:293:ASN:OD1	1:A:293:ASN:N	2.49	0.46
1:C:326:GLN:HE21	1:C:326:GLN:HB3	1.57	0.46
1:A:120:ASP:OD2	1:A:121:PRO:HD2	2.16	0.46
1:C:435:ASP:OD1	1:C:437:LYS:HG3	2.09	0.46
2:A:701:DCP:H5'1	5:A:843:HOH:O	2.16	0.46
1:A:331:TYR:CD1	1:A:332:LYS:N	2.85	0.45
1:A:592:THR:N	1:A:593:PRO:CD	2.80	0.45
1:D:487:VAL:HG23	1:D:590:LEU:HD12	1.98	0.45
1:C:487:VAL:HG23	1:C:590:LEU:HD12	1.98	0.45
1:D:511:GLU:H	1:D:511:GLU:CD	2.19	0.45
1:B:175:ALA:HB1	1:B:199:VAL:HG12	1.99	0.45
1:D:474:GLU:O	1:D:478:LYS:NZ	2.39	0.45
2:C:702:DCP:H5'1	5:C:826:HOH:O	2.17	0.44
1:C:469:LYS:HB3	1:C:471:GLU:OE1	2.16	0.44
1:A:140:GLN:HG3	1:A:240:MET:HE2	1.98	0.44
1:B:140:GLN:HG3	1:B:240:MET:HE2	1.98	0.44
1:C:592:THR:N	1:C:593:PRO:CD	2.80	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:586:VAL:HG11	1:C:525:ALA:HB3	1.98	0.44
1:B:115:MET:HE3	1:B:116:LYS:N	2.29	0.43
1:D:175:ALA:HB1	1:D:199:VAL:HG12	2.00	0.43
1:B:592:THR:N	1:B:593:PRO:CD	2.82	0.43
1:D:592:THR:N	1:D:593:PRO:CD	2.82	0.43
1:C:467:LYS:CE	1:C:469:LYS:CE	2.97	0.43
1:C:574:ALA:C	1:C:595:LYS:HZ2	2.18	0.43
1:C:320:CYS:SG	1:C:327:ASN:O	2.76	0.42
1:D:240:MET:HE3	1:D:420:THR:HA	2.01	0.42
2:A:701:DCP:PG	5:A:843:HOH:O	2.77	0.42
1:C:336:LYS:HE3	1:D:127:GLU:HG3	2.00	0.42
1:B:405:LYS:HE2	5:B:899:HOH:O	2.18	0.42
1:B:251:LYS:HB2	1:B:252:PRO:HD3	2.02	0.42
1:B:428:LEU:HD13	1:C:425:ASN:HB2	2.02	0.42
1:A:175:ALA:HB1	1:A:199:VAL:HG12	2.01	0.42
1:B:120:ASP:OD1	1:B:121:PRO:HD2	2.20	0.42
1:C:175:ALA:HB1	1:C:199:VAL:HG12	2.01	0.41
1:D:181:ALA:O	1:D:185:LYS:HD2	2.19	0.41
1:A:251:LYS:HB2	1:A:252:PRO:HD3	2.02	0.41
1:D:277:GLU:HG2	1:D:278:SER:N	2.36	0.41
5:A:847:HOH:O	1:C:372:ARG:HD2	2.20	0.41
2:A:701:DCP:O2G	2:A:701:DCP:O2B	2.38	0.41
1:C:240:MET:HE3	1:C:420:THR:HA	2.02	0.41
1:C:485:PRO:O	1:C:486:LYS:CB	2.68	0.41
1:C:381:ILE:HA	1:C:381:ILE:HD12	1.95	0.41
2:A:704:DCP:N4	1:C:372:ARG:HG2	2.36	0.41
1:C:467:LYS:HE2	1:C:469:LYS:HE3	2.02	0.41
1:C:576:ARG:O	1:C:577:ASN:HB2	2.21	0.41
1:C:471:GLU:HA	5:C:870:HOH:O	2.20	0.40
1:B:126:ILE:HG21	1:B:126:ILE:HD13	1.89	0.40
1:B:115:MET:HE3	1:B:115:MET:C	2.39	0.40
1:A:405:LYS:HD3	1:A:407:TYR:CZ	2.55	0.40
1:B:527:ASN:HA	1:B:527:ASN:HD22	1.63	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:543:GLU:O	1:D:465:GLN:OE1[1_655]	2.06	0.14
1:C:395:ASP:OD2	1:D:407:TYR:OH[1_554]	2.16	0.04

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	476/514 (93%)	467 (98%)	8 (2%)	1 (0%)	52 48
1	B	476/514 (93%)	467 (98%)	9 (2%)	0	100 100
1	C	479/514 (93%)	471 (98%)	7 (2%)	1 (0%)	52 48
1	D	480/514 (93%)	471 (98%)	9 (2%)	0	100 100
All	All	1911/2056 (93%)	1876 (98%)	33 (2%)	2 (0%)	56 53

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	329	PHE
1	C	486	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	425/459 (93%)	412 (97%)	13 (3%)	47 46
1	B	426/459 (93%)	415 (97%)	11 (3%)	54 54
1	C	429/459 (94%)	410 (96%)	19 (4%)	35 30
1	D	430/459 (94%)	417 (97%)	13 (3%)	48 47
All	All	1710/1836 (93%)	1654 (97%)	56 (3%)	46 43

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	115	MET
1	A	185	LYS
1	A	229	VAL
1	A	240	MET
1	A	315	TYR
1	A	326	GLN
1	A	328	ASN
1	A	354	LYS
1	A	466	ILE
1	A	467	LYS
1	A	478	LYS
1	A	486	LYS
1	A	534	LYS
1	B	115	MET
1	B	229	VAL
1	B	240	MET
1	B	284	LEU
1	B	302	SER
1	B	315	TYR
1	B	354	LYS
1	B	368	SER
1	B	388	ASP
1	B	408	ARG
1	B	594	GLN
1	C	115	MET
1	C	134	ARG
1	C	184	GLU
1	C	229	VAL
1	C	240	MET
1	C	282	ASP
1	C	283	SER
1	C	284	LEU
1	C	315	TYR
1	C	326	GLN
1	C	368[A]	SER
1	C	368[B]	SER
1	C	372	ARG
1	C	437	LYS
1	C	469	LYS
1	C	486	LYS
1	C	535[A]	ASN
1	C	535[B]	ASN
1	C	596	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	185	LYS
1	D	229	VAL
1	D	240	MET
1	D	273	VAL
1	D	277	GLU
1	D	284	LEU
1	D	315	TYR
1	D	359	LEU
1	D	368	SER
1	D	490	ASP
1	D	510	GLN
1	D	543	GLU
1	D	596	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	233	HIS
1	A	243	HIS
1	A	322	HIS
1	A	326	GLN
1	A	328	ASN
1	B	233	HIS
1	B	425	ASN
1	B	527	ASN
1	B	577	ASN
1	B	599	ASN
1	C	321	HIS
1	C	326	GLN
1	C	327	ASN
1	D	162	HIS
1	D	233	HIS
1	D	321	HIS
1	D	328	ASN
1	D	535	ASN
1	D	577	ASN
1	D	594	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DCP	A	701	-	21,29,29	0.58	0	33,45,45	1.44	4 (12%)
2	DCP	A	702	4	21,29,29	1.21	2 (9%)	33,45,45	1.17	5 (15%)
3	GTP	A	703	4	25,34,34	1.21	3 (12%)	34,54,54	1.80	8 (23%)
2	DCP	A	704	4	21,29,29	0.94	0	33,45,45	1.25	3 (9%)
2	DCP	B	701	-	21,29,29	0.70	0	33,45,45	1.51	3 (9%)
2	DCP	B	702	4	21,29,29	1.13	1 (4%)	33,45,45	1.37	5 (15%)
3	GTP	B	703	4	25,34,34	1.10	2 (8%)	34,54,54	1.86	9 (26%)
3	GTP	B	705	4	25,34,34	1.19	4 (16%)	34,54,54	1.75	9 (26%)
2	DCP	C	702	-	21,29,29	0.73	0	33,45,45	1.38	4 (12%)
2	DCP	D	702	-	21,29,29	0.69	0	33,45,45	1.40	5 (15%)
2	DCP	D	703	4	21,29,29	0.74	0	33,45,45	1.15	2 (6%)
3	GTP	D	704	4	25,34,34	1.12	2 (8%)	34,54,54	1.81	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DCP	A	701	-	-	0/18/34/34	0/2/2/2
2	DCP	A	702	4	-	0/18/34/34	0/2/2/2
3	GTP	A	703	4	-	0/18/38/38	0/3/3/3
2	DCP	A	704	4	-	0/18/34/34	0/2/2/2
2	DCP	B	701	-	-	0/18/34/34	0/2/2/2
2	DCP	B	702	4	-	0/18/34/34	0/2/2/2
3	GTP	B	703	4	-	0/18/38/38	0/3/3/3
3	GTP	B	705	4	-	0/18/38/38	0/3/3/3
2	DCP	C	702	-	-	0/18/34/34	0/2/2/2
2	DCP	D	702	-	-	0/18/34/34	0/2/2/2
2	DCP	D	703	4	-	0/18/34/34	0/2/2/2
3	GTP	D	704	4	-	0/18/38/38	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	702	DCP	C6-N1	-3.41	1.31	1.35
2	B	702	DCP	C6-N1	-3.30	1.31	1.35
2	A	702	DCP	PG-O3G	-2.32	1.46	1.54
3	B	705	GTP	PG-O2G	-2.13	1.47	1.54
3	B	705	GTP	C6-C5	2.08	1.45	1.41
3	B	705	GTP	C5-C4	2.22	1.45	1.40
3	A	703	GTP	O4'-C1'	2.23	1.44	1.41
3	B	703	GTP	C6-C5	2.48	1.46	1.41
3	D	704	GTP	C5-C4	2.64	1.46	1.40
3	B	703	GTP	C5-C4	2.93	1.47	1.40
3	B	705	GTP	O4'-C1'	3.06	1.45	1.41
3	A	703	GTP	C5-C4	3.26	1.47	1.40
3	D	704	GTP	C6-C5	3.31	1.47	1.41
3	A	703	GTP	C6-C5	3.41	1.48	1.41

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	704	GTP	C5-C6-N1	-4.68	117.20	123.59
3	B	703	GTP	C5-C6-N1	-4.55	117.37	123.59
3	B	705	GTP	C5-C6-N1	-4.49	117.44	123.59
3	A	703	GTP	C5-C6-N1	-4.27	117.75	123.59
2	A	701	DCP	PB-O3A-PA	-4.19	120.97	132.73
3	A	703	GTP	PA-O3A-PB	-3.90	121.78	132.73
2	B	701	DCP	PB-O3A-PA	-3.89	121.80	132.73
2	B	701	DCP	PB-O3B-PG	-3.86	119.72	132.67
3	D	704	GTP	PA-O3A-PB	-3.69	122.36	132.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	702	DCP	PB-O3A-PA	-3.58	122.67	132.73
2	A	701	DCP	PB-O3B-PG	-3.53	120.83	132.67
2	C	702	DCP	PB-O3A-PA	-3.45	123.05	132.73
2	C	702	DCP	PB-O3B-PG	-3.40	121.28	132.67
2	D	702	DCP	PB-O3B-PG	-3.34	121.46	132.67
3	B	705	GTP	PA-O3A-PB	-3.28	123.51	132.73
3	B	703	GTP	C6-C5-C4	-3.25	117.01	120.90
3	D	704	GTP	N3-C2-N1	-3.24	122.51	127.44
3	A	703	GTP	PB-O3B-PG	-2.94	122.80	132.67
3	A	703	GTP	C6-C5-C4	-2.94	117.39	120.90
3	D	704	GTP	C6-C5-C4	-2.88	117.46	120.90
3	A	703	GTP	N3-C2-N1	-2.85	123.10	127.44
3	B	703	GTP	PA-O3A-PB	-2.73	125.06	132.73
3	B	705	GTP	PB-O3B-PG	-2.62	123.89	132.67
3	D	704	GTP	C4-C5-N7	-2.59	107.10	109.48
2	B	702	DCP	PB-O3B-PG	-2.53	124.19	132.67
3	B	703	GTP	N3-C2-N1	-2.50	123.64	127.44
3	B	705	GTP	N3-C2-N1	-2.48	123.67	127.44
3	B	705	GTP	C6-C5-C4	-2.46	117.95	120.90
3	B	705	GTP	C4-C5-N7	-2.25	107.41	109.48
3	B	703	GTP	PB-O3B-PG	-2.25	125.14	132.67
3	A	703	GTP	C4-C5-N7	-2.22	107.44	109.48
2	A	702	DCP	PB-O3B-PG	-2.20	125.28	132.67
2	B	702	DCP	O2A-PA-O1A	2.02	123.49	112.53
2	D	703	DCP	O3G-PG-O1G	2.03	117.11	110.58
2	A	702	DCP	O2B-PB-O1B	2.05	123.66	112.53
3	B	705	GTP	O2B-PB-O3B	2.11	114.68	105.09
2	B	702	DCP	C2'-C1'-N1	2.15	119.38	114.16
2	A	704	DCP	C2'-C3'-C4'	2.16	107.26	102.77
2	A	704	DCP	N4-C4-N3	2.16	120.45	116.50
3	B	703	GTP	O2A-PA-O1A	2.18	124.33	112.53
3	B	703	GTP	N2-C2-N1	2.20	120.85	117.20
2	A	702	DCP	C2'-C3'-C4'	2.22	107.38	102.77
2	D	702	DCP	O4'-C1'-N1	2.26	111.64	107.72
3	A	703	GTP	O2G-PG-O1G	2.29	117.94	110.58
2	A	701	DCP	O3G-PG-O2G	2.31	116.16	107.38
2	A	702	DCP	C2-N3-C4	2.35	118.93	115.61
2	C	702	DCP	O2G-PG-O1G	2.36	118.17	110.58
2	A	704	DCP	C2-N3-C4	2.39	118.98	115.61
2	D	703	DCP	O3G-PG-O2G	2.40	116.53	107.38
2	D	702	DCP	O3G-PG-O2G	2.49	116.86	107.38
3	B	705	GTP	O2G-PG-O1G	2.53	118.73	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	702	DCP	O2G-PG-O1G	2.59	118.92	110.58
2	D	702	DCP	C2-N3-C4	2.59	119.27	115.61
2	B	702	DCP	C2-N3-C4	2.90	119.70	115.61
2	B	702	DCP	O2G-PG-O1G	3.04	120.38	110.58
2	C	702	DCP	C2-N3-C4	3.50	120.55	115.61
2	A	701	DCP	C2-N3-C4	3.63	120.73	115.61
3	B	703	GTP	O3G-PG-O2G	3.80	121.84	107.38
2	B	701	DCP	C2-N3-C4	4.16	121.48	115.61
3	B	705	GTP	C6-N1-C2	4.46	122.13	115.94
3	B	703	GTP	C6-N1-C2	4.57	122.29	115.94
3	A	703	GTP	C6-N1-C2	4.59	122.31	115.94
3	D	704	GTP	C6-N1-C2	5.11	123.03	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	DCP	4	0
2	A	704	DCP	2	0
3	B	705	GTP	1	0
2	C	702	DCP	3	0
2	D	702	DCP	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	479/514 (93%)	0.33	29 (6%) 25 26	24, 45, 75, 94	0
1	B	480/514 (93%)	0.19	23 (4%) 34 36	18, 38, 66, 89	0
1	C	481/514 (93%)	0.29	36 (7%) 17 18	19, 39, 80, 109	0
1	D	484/514 (94%)	0.63	62 (12%) 5 5	26, 48, 81, 150	0
All	All	1924/2056 (93%)	0.36	150 (7%) 16 17	18, 43, 77, 150	0

All (150) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	279	PRO	10.7
1	D	280	VAL	9.7
1	D	489	LEU	8.8
1	D	490	ASP	8.8
1	D	488	LEU	8.5
1	D	284	LEU	6.9
1	A	490	ASP	6.7
1	C	463	THR	6.2
1	C	488	LEU	6.0
1	D	486	LYS	6.0
1	C	472	ASP	5.8
1	C	487	VAL	5.5
1	C	473	TYR	5.5
1	D	487	VAL	5.3
1	D	491	VAL	5.3
1	D	278	SER	5.1
1	D	328	ASN	5.1
1	B	466	ILE	5.0
1	D	492	LYS	4.9
1	B	327	ASN	4.7
1	A	488	LEU	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	490	ASP	4.6
1	D	277	GLU	4.5
1	A	491	VAL	4.5
1	D	345	ASN	4.5
1	B	284	LEU	4.4
1	C	489	LEU	4.3
1	D	474	GLU	4.3
1	D	113	ASP	4.2
1	D	562	LEU	4.1
1	D	476	LEU	4.1
1	B	490	ASP	4.1
1	B	262	GLU	4.0
1	C	486	LYS	4.0
1	C	471	GLU	4.0
1	C	465	GLN	4.0
1	A	465	GLN	3.9
1	A	599	ASN	3.9
1	D	485	PRO	3.9
1	A	262	GLU	3.8
1	C	345	ASN	3.7
1	D	559	ARG	3.7
1	D	466	ILE	3.6
1	B	594	GLN	3.6
1	D	481	ALA	3.6
1	D	563	TYR	3.5
1	D	496	GLU	3.5
1	A	230	LYS	3.5
1	A	590	LEU	3.5
1	C	491	VAL	3.4
1	C	474	GLU	3.4
1	A	284	LEU	3.4
1	A	288	LYS	3.4
1	D	464	GLY	3.4
1	D	230	LYS	3.2
1	D	343	VAL	3.1
1	C	469	LYS	3.1
1	A	326	GLN	3.1
1	D	327	ASN	3.0
1	B	326	GLN	3.0
1	A	276	LEU	3.0
1	A	320	CYS	3.0
1	C	596	LYS	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	344	ASP	3.0
1	D	590	LEU	3.0
1	D	467	LYS	3.0
1	D	276	LEU	3.0
1	A	328	ASN	3.0
1	D	114	THR	2.9
1	D	263	GLU	2.9
1	C	284	LEU	2.9
1	B	113	ASP	2.9
1	D	565	ALA	2.9
1	A	126	ILE	2.9
1	D	561	SER	2.9
1	A	260	ILE	2.9
1	B	325	ILE	2.8
1	D	255	GLU	2.8
1	C	485	PRO	2.8
1	C	464	GLY	2.8
1	A	597	GLU	2.8
1	C	598	TRP	2.8
1	A	327	ASN	2.7
1	A	235	GLN	2.7
1	C	484	LYS	2.7
1	D	470	ARG	2.6
1	B	114	THR	2.6
1	C	563	TYR	2.6
1	D	325	ILE	2.6
1	D	326	GLN	2.6
1	D	342	GLU	2.6
1	A	229	VAL	2.6
1	D	323	LEU	2.5
1	B	255	GLU	2.5
1	A	331	TYR	2.5
1	D	585	ASP	2.5
1	B	596	LYS	2.5
1	D	596	LYS	2.5
1	C	325	ILE	2.5
1	D	122	ILE	2.5
1	D	483	ALA	2.5
1	A	122	ILE	2.5
1	A	596	LYS	2.4
1	D	478	LYS	2.4
1	B	320	CYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	344	ASP	2.4
1	D	484	LYS	2.4
1	A	559	ARG	2.4
1	D	465	GLN	2.4
1	D	262	GLU	2.4
1	D	599	ASN	2.4
1	C	327	ASN	2.3
1	C	483	ALA	2.3
1	B	122	ILE	2.3
1	D	587	ILE	2.3
1	B	464	GLY	2.3
1	A	325	ILE	2.3
1	D	245	ILE	2.3
1	C	282	ASP	2.3
1	B	597	GLU	2.3
1	D	494	LYS	2.3
1	C	562	LEU	2.3
1	C	443	GLU	2.3
1	D	558	ASP	2.3
1	A	487	VAL	2.2
1	D	190	GLN	2.2
1	C	597	GLU	2.2
1	D	591	ILE	2.2
1	D	597	GLU	2.2
1	C	559	ARG	2.2
1	B	593	PRO	2.2
1	D	482	SER	2.2
1	C	492	LYS	2.2
1	A	510	GLN	2.1
1	B	328	ASN	2.1
1	C	543	GLU	2.1
1	D	441	ALA	2.1
1	A	399	ILE	2.1
1	B	590	LEU	2.1
1	C	326	GLN	2.1
1	C	468	ILE	2.1
1	C	323	LEU	2.1
1	B	471	GLU	2.1
1	B	230	LYS	2.1
1	A	470	ARG	2.0
1	D	429	GLU	2.0
1	C	470	ARG	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	259	LEU	2.0
1	B	329	PHE	2.0
1	B	260	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	DCP	D	702	28/28	0.88	0.13	-0.26	33,39,74,76	0
2	DCP	C	702	28/28	0.91	0.12	-0.31	23,30,56,58	0
2	DCP	B	702	28/28	0.98	0.13	-0.38	21,25,28,32	0
2	DCP	A	704	28/28	0.97	0.13	-0.48	22,26,29,31	0
2	DCP	A	702	28/28	0.97	0.12	-0.55	26,27,30,37	0
3	GTP	A	703	32/32	0.97	0.10	-0.61	27,30,33,34	0
3	GTP	B	705	32/32	0.98	0.10	-0.82	19,23,29,30	0
2	DCP	A	701	28/28	0.92	0.11	-0.94	33,41,73,74	0
3	GTP	B	703	32/32	0.98	0.10	-0.94	22,24,30,34	0
2	DCP	D	703	28/28	0.98	0.12	-0.96	27,30,37,38	0
2	DCP	B	701	28/28	0.94	0.10	-1.00	25,31,64,68	0
3	GTP	D	704	32/32	0.97	0.10	-1.23	31,34,38,40	0
4	MG	D	701	1/1	0.92	0.04	-	30,30,30,30	0
4	MG	C	701	1/1	0.90	0.09	-	30,30,30,30	0
4	MG	A	705	1/1	0.93	0.04	-	40,40,40,40	0
4	MG	B	704	1/1	0.92	0.05	-	25,25,25,25	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.