



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:25 PM GMT

PDB ID : 3TV4
Title : Human B-Raf Kinase Domain in Complex with an Bromopyridine Benzamide Inhibitor
Authors : Voegtli, W.C.; Selby, L.T.; Wu, W.-I.
Deposited on : 2011-09-19
Resolution : 3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1476 (3.50-3.30)
Clashscore	102246	1611 (3.50-3.30)
Ramachandran outliers	100387	1571 (3.50-3.30)
Sidechain outliers	100360	1571 (3.50-3.30)
RSRZ outliers	91569	1485 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	307	
1	B	307	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4378 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine/threonine-protein kinase B-raf.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	0	0
			2115	1356	370	376	13			
1	B	276	Total	C	N	O	S	0	0	0
			2211	1416	387	395	13			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	420	MET	-	EXPRESSION TAG	UNP P15056
A	421	ASP	-	EXPRESSION TAG	UNP P15056
A	422	ARG	-	EXPRESSION TAG	UNP P15056
A	423	GLY	-	EXPRESSION TAG	UNP P15056
A	424	SER	-	EXPRESSION TAG	UNP P15056
A	425	HIS	-	EXPRESSION TAG	UNP P15056
A	426	HIS	-	EXPRESSION TAG	UNP P15056
A	427	HIS	-	EXPRESSION TAG	UNP P15056
A	428	HIS	-	EXPRESSION TAG	UNP P15056
A	429	HIS	-	EXPRESSION TAG	UNP P15056
A	430	HIS	-	EXPRESSION TAG	UNP P15056
A	431	GLY	-	EXPRESSION TAG	UNP P15056
B	420	MET	-	EXPRESSION TAG	UNP P15056
B	421	ASP	-	EXPRESSION TAG	UNP P15056
B	422	ARG	-	EXPRESSION TAG	UNP P15056
B	423	GLY	-	EXPRESSION TAG	UNP P15056
B	424	SER	-	EXPRESSION TAG	UNP P15056
B	425	HIS	-	EXPRESSION TAG	UNP P15056
B	426	HIS	-	EXPRESSION TAG	UNP P15056
B	427	HIS	-	EXPRESSION TAG	UNP P15056
B	428	HIS	-	EXPRESSION TAG	UNP P15056
B	429	HIS	-	EXPRESSION TAG	UNP P15056
B	430	HIS	-	EXPRESSION TAG	UNP P15056
B	431	GLY	-	EXPRESSION TAG	UNP P15056

- Molecule 2 is N-(6-AMINO-5-BROMOPYRIDIN-3-YL)-2,6-DIFLUORO-3-[(PROPYLSULFONYL)AMINO]BENZAMIDE (three-letter code: TV4) (formula: C₁₅H₁₅BrF₂N₄O₃S).




Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
			Total	Br	C	F	N	O	S		
2	A	1	26	1	15	2	4	3	1	0	0
2	B	1	26	1	15	2	4	3	1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein kinase B-raf



- Molecule 1: Serine/threonine-protein kinase B-raf



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	107.97Å 107.97Å 153.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 3.40 30.00 – 3.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (30.00-3.40) 99.3 (30.00-3.40)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.73 (at 3.39Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.241 , 0.307 0.217 , 0.286	Depositor DCC
R_{free} test set	629 reflections (5.13%)	DCC
Wilson B-factor (Å ²)	68.4	Xtriage
Anisotropy	0.460	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 21.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 12890 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4378	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TV4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/2159	0.66	1/2911 (0.0%)
1	B	0.48	0/2261	0.64	0/3052
All	All	0.49	0/4420	0.65	1/5963 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	588	LEU	CA-CB-CG	5.45	127.83	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2115	0	2162	68	0
1	B	2211	0	2244	61	0
2	A	26	0	15	2	0
2	B	26	0	15	5	0
All	All	4378	0	4436	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:580:ASN:HD22	1:B:580:ASN:N	1.57	1.02
1:A:580:ASN:ND2	1:A:580:ASN:H	1.60	0.96
1:A:658:ASN:HD22	1:A:658:ASN:H	1.07	0.93
1:B:580:ASN:H	1:B:580:ASN:HD22	0.96	0.91
1:B:658:ASN:HD22	1:B:658:ASN:H	1.15	0.88
1:A:664:GLN:O	1:A:668:MET:HG3	1.75	0.87
1:B:551:ILE:HD12	1:B:551:ILE:H	1.39	0.87
1:B:684:ASN:H	1:B:684:ASN:HD22	1.22	0.87
1:A:580:ASN:H	1:A:580:ASN:HD22	1.17	0.87
1:B:580:ASN:ND2	1:B:580:ASN:N	2.28	0.81
1:B:580:ASN:H	1:B:580:ASN:ND2	1.76	0.81
1:B:454:ASP:HB2	1:B:522:LYS:HD3	1.63	0.80
1:A:684:ASN:HD22	1:A:684:ASN:H	1.28	0.80
1:A:504:VAL:HA	1:A:507:LYS:HD2	1.67	0.76
1:A:634:SER:H	1:A:637:SER:HB3	1.51	0.76
1:B:595:PHE:HE1	2:B:1:TV4:H25A	1.51	0.74
1:B:595:PHE:CE1	2:B:1:TV4:H25A	2.21	0.74
1:A:628:GLN:HG3	1:A:629:ASP:H	1.53	0.73
1:A:658:ASN:ND2	1:A:658:ASN:H	1.86	0.72
1:A:684:ASN:ND2	1:A:684:ASN:H	1.84	0.72
1:A:551:ILE:HD12	1:A:551:ILE:H	1.56	0.71
1:A:580:ASN:HD22	1:A:580:ASN:N	1.85	0.71
1:A:620:MET:HE3	1:A:624:VAL:HG12	1.75	0.69
1:B:658:ASN:ND2	1:B:658:ASN:H	1.91	0.68
1:A:658:ASN:HD22	1:A:658:ASN:N	1.87	0.67
1:A:626:ARG:O	1:A:628:GLN:N	2.30	0.65
1:B:520:SER:HB3	1:B:526:ALA:HB3	1.80	0.64
1:A:594:ASP:H	2:A:1:TV4:HN20	1.44	0.64
1:A:578:LYS:HD2	1:A:580:ASN:ND2	2.14	0.62
1:A:502:VAL:HG11	1:A:519:TYR:CD2	2.34	0.62
1:A:586:GLU:O	1:A:588:LEU:HD13	2.00	0.61
1:A:721:LEU:HB3	1:A:722:PRO:HD3	1.82	0.60
1:B:597:LEU:HD12	1:B:597:LEU:H	1.66	0.60
1:A:490:PRO:HA	1:A:494:GLN:OE1	2.01	0.60
1:A:620:MET:HB2	1:A:625:ILE:HG12	1.83	0.60
1:A:625:ILE:HD12	1:A:666:ILE:HG23	1.83	0.60
1:B:626:ARG:O	1:B:628:GLN:N	2.34	0.59
1:B:487:VAL:HG21	1:B:604:TRP:CZ3	2.36	0.59
1:B:573:ILE:HG22	1:B:575:ARG:HG3	1.85	0.59
1:B:721:LEU:HB3	1:B:722:PRO:HD3	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:614:SER:HB3	1:B:662:ARG:HH22	1.67	0.58
1:B:678:LEU:O	1:B:681:VAL:HG22	2.03	0.58
1:B:491:THR:HG22	1:B:493:GLN:H	1.68	0.57
2:B:1:TV4:O23	2:B:1:TV4:H15	2.03	0.57
1:B:634:SER:H	1:B:637:SER:HB3	1.68	0.57
1:B:684:ASN:H	1:B:684:ASN:ND2	1.99	0.57
1:A:574:HIS:CD2	1:A:595:PHE:HB3	2.40	0.56
1:A:483:LYS:NZ	1:A:594:ASP:OD1	2.38	0.56
1:A:509:ARG:HD2	1:B:450:TRP:CH2	2.39	0.56
1:B:551:ILE:CD1	1:B:551:ILE:H	2.13	0.56
1:A:559:GLN:HB3	1:A:590:VAL:HB	1.87	0.56
1:A:628:GLN:HG3	1:A:629:ASP:N	2.19	0.55
1:A:578:LYS:HD2	1:A:580:ASN:HD21	1.70	0.55
1:A:516:PHE:O	1:B:509:ARG:HD3	2.07	0.55
1:A:551:ILE:N	1:A:551:ILE:HD12	2.22	0.54
1:A:665:ILE:O	1:A:669:VAL:HG23	2.08	0.54
1:B:603:ARG:O	1:B:604:TRP:CD1	2.63	0.51
1:A:656:TYR:CD1	1:A:674:LEU:HD21	2.46	0.51
1:B:501:GLU:CG	1:B:600:VAL:HG23	2.41	0.51
1:A:522:LYS:O	1:A:523:PRO:C	2.47	0.50
1:A:520:SER:HB3	1:A:526:ALA:HB3	1.94	0.50
1:B:565:ASP:HB2	1:B:707:PHE:HB3	1.92	0.50
1:A:580:ASN:ND2	1:A:580:ASN:N	2.37	0.49
1:B:487:VAL:HG21	1:B:604:TRP:CH2	2.48	0.49
1:B:462:ARG:HG2	1:B:472:TYR:CE2	2.48	0.49
1:A:617:ILE:HG22	1:A:625:ILE:HD11	1.94	0.49
1:B:684:ASN:HD22	1:B:684:ASN:N	2.00	0.49
1:A:632:PRO:O	1:A:701:ARG:NH1	2.45	0.49
1:A:477:HIS:HD2	1:B:566:TYR:HD1	1.61	0.48
1:B:594:ASP:N	2:B:1:TV4:HN20	2.11	0.48
1:A:595:PHE:CE1	2:A:1:TV4:H25	2.48	0.48
1:B:619:TRP:HA	1:B:644:ILE:HG13	1.95	0.48
1:A:491:THR:O	1:A:493:GLN:N	2.46	0.48
1:A:452:ILE:HD11	1:A:518:GLY:HA3	1.96	0.48
1:B:513:ILE:HD11	1:B:563:GLY:O	2.14	0.48
1:A:620:MET:CE	1:A:624:VAL:HG12	2.44	0.48
1:A:468:PHE:HD1	1:A:601:LYS:HZ3	1.61	0.47
1:A:468:PHE:HB2	1:A:601:LYS:NZ	2.29	0.47
1:A:642:PHE:O	1:A:645:VAL:HG23	2.14	0.47
1:B:639:VAL:O	1:B:642:PHE:HB3	2.15	0.47
1:A:671:ARG:HB2	1:A:673:TYR:CE1	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:501:GLU:HG3	1:B:600:VAL:HG23	1.96	0.46
1:B:454:ASP:OD1	1:B:523:PRO:HD3	2.15	0.46
1:B:565:ASP:OD2	1:B:708:PRO:HD3	2.15	0.46
1:B:614:SER:HB3	1:B:662:ARG:NH2	2.31	0.46
1:B:502:VAL:HG11	1:B:519:TYR:CD2	2.51	0.46
1:B:559:GLN:HB3	1:B:590:VAL:HB	1.97	0.46
1:A:512:ASN:HA	1:A:590:VAL:O	2.16	0.45
1:A:639:VAL:O	1:A:642:PHE:HB3	2.16	0.45
1:A:642:PHE:HA	1:A:645:VAL:CG2	2.47	0.44
1:A:625:ILE:HG22	1:A:626:ARG:N	2.33	0.44
1:A:551:ILE:CD1	1:A:551:ILE:H	2.28	0.44
1:B:614:SER:O	1:B:617:ILE:HG12	2.18	0.44
1:B:594:ASP:H	2:B:1:TV4:HN20	1.65	0.43
1:A:509:ARG:HD2	1:B:450:TRP:CZ2	2.53	0.43
1:B:644:ILE:O	1:B:647:TYR:HB3	2.19	0.43
1:A:619:TRP:HA	1:A:644:ILE:HG13	1.99	0.43
1:A:505:LEU:HD11	1:A:527:ILE:HD13	1.99	0.43
1:A:620:MET:CB	1:A:625:ILE:HG12	2.48	0.43
1:A:463:ILE:HG12	1:A:471:VAL:O	2.19	0.42
1:B:574:HIS:O	1:B:575:ARG:HB2	2.19	0.42
1:B:501:GLU:HG2	1:B:600:VAL:CG2	2.49	0.42
1:B:664:GLN:O	1:B:668:MET:HG3	2.20	0.42
1:A:544:ILE:O	1:A:546:THR:N	2.53	0.41
1:A:646:LEU:HB3	1:A:693:MET:HG3	2.02	0.41
1:A:586:GLU:HB2	1:A:588:LEU:HD22	2.01	0.41
1:B:620:MET:CE	1:B:625:ILE:HD13	2.51	0.41
1:A:489:ALA:HA	1:A:490:PRO:HD2	1.84	0.41
1:B:681:VAL:HG21	1:B:690:LYS:HG3	2.01	0.41
1:A:565:ASP:OD2	1:A:708:PRO:HD3	2.20	0.41
1:A:668:MET:CE	1:A:673:TYR:HB2	2.51	0.41
1:A:477:HIS:HD2	1:B:566:TYR:CD1	2.38	0.41
1:A:477:HIS:CD2	1:B:566:TYR:HD1	2.37	0.41
1:A:707:PHE:O	1:A:711:LEU:HB2	2.20	0.41
1:B:514:LEU:HD23	1:B:529:THR:HG21	2.03	0.41
1:A:462:ARG:NH2	1:A:465:SER:OG	2.54	0.41
1:B:533:GLU:H	1:B:585:HIS:CD2	2.39	0.41
1:A:585:HIS:C	1:A:587:ASP:N	2.74	0.41
1:B:498:PHE:CD2	1:B:525:LEU:HD13	2.57	0.40
1:B:595:PHE:CD1	1:B:595:PHE:N	2.89	0.40
1:B:650:MET:HB2	1:B:681:VAL:HG12	2.04	0.40
1:B:537:LEU:O	1:B:541:LEU:HD13	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:650:MET:HG3	1:B:693:MET:CE	2.51	0.40
1:B:545:GLU:O	1:B:546:THR:C	2.60	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	258/307 (84%)	222 (86%)	30 (12%)	6 (2%)	8	45
1	B	274/307 (89%)	226 (82%)	40 (15%)	8 (3%)	6	40
All	All	532/614 (87%)	448 (84%)	70 (13%)	14 (3%)	7	42

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	486	ASN
1	A	492	PRO
1	B	487	VAL
1	B	683	SER
1	A	627	MET
1	B	488	THR
1	B	594	ASP
1	B	627	MET
1	A	522	LYS
1	B	721	LEU
1	A	721	LEU
1	B	522	LYS
1	A	679	SER
1	B	596	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233 / 271 (86%)	208 (89%)	25 (11%)	8	35
1	B	243 / 271 (90%)	212 (87%)	31 (13%)	5	26
All	All	476 / 542 (88%)	420 (88%)	56 (12%)	6	29

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	449	ASP
1	A	461	GLN
1	A	463	ILE
1	A	488	THR
1	A	493	GLN
1	A	495	LEU
1	A	577	LEU
1	A	580	ASN
1	A	584	LEU
1	A	588	LEU
1	A	597	LEU
1	A	617	ILE
1	A	623	GLU
1	A	625	ILE
1	A	637	SER
1	A	645	VAL
1	A	646	LEU
1	A	656	TYR
1	A	658	ASN
1	A	663	ASP
1	A	674	LEU
1	A	684	ASN
1	A	687	LYS
1	A	693	MET
1	A	702	ASP
1	B	451	GLU
1	B	463	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	468	PHE
1	B	488	THR
1	B	493	GLN
1	B	495	LEU
1	B	527	ILE
1	B	560	THR
1	B	571	SER
1	B	575	ARG
1	B	577	LEU
1	B	580	ASN
1	B	584	LEU
1	B	588	LEU
1	B	589	THR
1	B	595	PHE
1	B	597	LEU
1	B	602	SER
1	B	604	TRP
1	B	623	GLU
1	B	628	GLN
1	B	646	LEU
1	B	656	TYR
1	B	658	ASN
1	B	661	ASN
1	B	674	LEU
1	B	681	VAL
1	B	684	ASN
1	B	706	LEU
1	B	711	LEU
1	B	723	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	477	HIS
1	A	496	GLN
1	A	500	ASN
1	A	562	GLN
1	A	580	ASN
1	A	585	HIS
1	A	653	GLN
1	A	658	ASN
1	A	684	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	568	HIS
1	B	580	ASN
1	B	585	HIS
1	B	628	GLN
1	B	658	ASN
1	B	684	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	TV4	A	1	-	27,27,27	1.06	2 (7%)	36,39,39	1.42	4 (11%)
2	TV4	B	1	-	27,27,27	1.03	2 (7%)	36,39,39	1.54	7 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TV4	A	1	-	-	0/17/17/17	0/2/2/2
2	TV4	B	1	-	-	0/17/17/17	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	TV4	S21-N20	2.51	1.69	1.62
2	A	1	TV4	S21-N20	2.64	1.69	1.62
2	B	1	TV4	C2-N7	2.66	1.40	1.34
2	A	1	TV4	C2-N7	2.86	1.41	1.34

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	TV4	C17-C12-C10	-2.76	117.72	121.86
2	A	1	TV4	C17-C12-C10	-2.58	118.00	121.86
2	B	1	TV4	O22-S21-C24	-2.43	103.16	107.73
2	B	1	TV4	C24-S21-N20	-2.41	97.63	105.13
2	A	1	TV4	O11-C10-C12	-2.36	117.38	120.80
2	B	1	TV4	C14-C13-C12	-2.05	119.87	123.42
2	B	1	TV4	C5-C6-N1	-2.04	122.96	124.57
2	A	1	TV4	O22-S21-O23	2.56	123.77	119.34
2	A	1	TV4	C3-C2-N1	2.63	122.80	120.07
2	B	1	TV4	C3-C2-N1	2.90	123.09	120.07
2	B	1	TV4	O22-S21-O23	4.00	126.25	119.34

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	TV4	2	0
2	B	1	TV4	5	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	264/307 (85%)	0.07	12 (4%) 37 33	25, 47, 78, 86	0
1	B	276/307 (89%)	-0.10	10 (3%) 46 41	27, 48, 76, 82	0
All	All	540/614 (87%)	-0.02	22 (4%) 41 36	25, 47, 77, 86	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	722	PRO	4.5
1	A	722	PRO	4.3
1	A	723	LYS	4.0
1	B	723	LYS	3.7
1	B	448	ASP	3.5
1	A	448	ASP	3.5
1	A	630	LYS	3.3
1	A	602	SER	3.2
1	B	609	GLN	3.0
1	A	492	PRO	2.8
1	A	631	ASN	2.8
1	A	603	ARG	2.8
1	A	629	ASP	2.6
1	A	491	THR	2.6
1	B	630	LYS	2.6
1	B	605	SER	2.5
1	A	486	ASN	2.5
1	B	721	LEU	2.4
1	B	702	ASP	2.4
1	B	488	THR	2.3
1	A	628	GLN	2.2
1	B	603	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	TV4	B	1	26/26	0.95	0.20	-0.26	36,38,48,48	1
2	TV4	A	1	26/26	0.93	0.22	-0.29	27,32,43,43	1

6.5 Other polymers [i](#)

There are no such residues in this entry.