



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 2, 2017 – 11:51 PM EST

PDB ID : 5U20
Title : X-ray structure of the WlaRG aminotransferase from *Campylobacter jejuni*,
internal PLP-aldimine
Authors : Thoden, J.B.; Holden, H.M.; Dow, G.T.; Gilbert, M.
Deposited on : 2016-11-29
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20028442
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2072 (1.50-1.50)
Clashscore	102246	2274 (1.50-1.50)
Ramachandran outliers	100387	2218 (1.50-1.50)
Sidechain outliers	100360	2216 (1.50-1.50)
RSRZ outliers	91569	2075 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	382	<div> <div style="width: 100%; height: 10px; background-color: red; position: relative;"> % </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 82% 11% • 5% </div> </div>
1	B	382	<div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 86% 8% • 5% </div> </div>
1	C	382	<div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 85% 9% 5% </div> </div>
1	D	382	<div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 82% 12% • 6% </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NA	A	401	-	-	-	X
2	NA	D	401	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 13113 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative aminotransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	361	Total	C	N	O	P	S	0	4	0
			2967	1911	498	542	1	15			
1	B	361	Total	C	N	O	P	S	0	1	0
			2953	1899	499	540	1	14			
1	C	361	Total	C	N	O	P	S	0	2	0
			2958	1902	500	541	1	14			
1	D	360	Total	C	N	O	P	S	0	3	0
			2957	1906	498	538	1	14			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	initiating methionine	UNP Q9ALS9
A	-20	GLY	-	expression tag	UNP Q9ALS9
A	-19	SER	-	expression tag	UNP Q9ALS9
A	-18	SER	-	expression tag	UNP Q9ALS9
A	-17	HIS	-	expression tag	UNP Q9ALS9
A	-16	HIS	-	expression tag	UNP Q9ALS9
A	-15	HIS	-	expression tag	UNP Q9ALS9
A	-14	HIS	-	expression tag	UNP Q9ALS9
A	-13	HIS	-	expression tag	UNP Q9ALS9
A	-12	HIS	-	expression tag	UNP Q9ALS9
A	-11	SER	-	expression tag	UNP Q9ALS9
A	-10	SER	-	expression tag	UNP Q9ALS9
A	-9	ARG	-	expression tag	UNP Q9ALS9
A	-8	ASN	-	expression tag	UNP Q9ALS9
A	-7	LEU	-	expression tag	UNP Q9ALS9
A	-6	TYR	-	expression tag	UNP Q9ALS9
A	-5	PHE	-	expression tag	UNP Q9ALS9
A	-4	GLN	-	expression tag	UNP Q9ALS9
A	-3	GLY	-	expression tag	UNP Q9ALS9
A	-2	GLY	-	expression tag	UNP Q9ALS9
A	-1	GLY	-	expression tag	UNP Q9ALS9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	HIS	-	expression tag	UNP Q9ALS9
B	-21	MET	-	initiating methionine	UNP Q9ALS9
B	-20	GLY	-	expression tag	UNP Q9ALS9
B	-19	SER	-	expression tag	UNP Q9ALS9
B	-18	SER	-	expression tag	UNP Q9ALS9
B	-17	HIS	-	expression tag	UNP Q9ALS9
B	-16	HIS	-	expression tag	UNP Q9ALS9
B	-15	HIS	-	expression tag	UNP Q9ALS9
B	-14	HIS	-	expression tag	UNP Q9ALS9
B	-13	HIS	-	expression tag	UNP Q9ALS9
B	-12	HIS	-	expression tag	UNP Q9ALS9
B	-11	SER	-	expression tag	UNP Q9ALS9
B	-10	SER	-	expression tag	UNP Q9ALS9
B	-9	ARG	-	expression tag	UNP Q9ALS9
B	-8	ASN	-	expression tag	UNP Q9ALS9
B	-7	LEU	-	expression tag	UNP Q9ALS9
B	-6	TYR	-	expression tag	UNP Q9ALS9
B	-5	PHE	-	expression tag	UNP Q9ALS9
B	-4	GLN	-	expression tag	UNP Q9ALS9
B	-3	GLY	-	expression tag	UNP Q9ALS9
B	-2	GLY	-	expression tag	UNP Q9ALS9
B	-1	GLY	-	expression tag	UNP Q9ALS9
B	0	HIS	-	expression tag	UNP Q9ALS9
C	-21	MET	-	initiating methionine	UNP Q9ALS9
C	-20	GLY	-	expression tag	UNP Q9ALS9
C	-19	SER	-	expression tag	UNP Q9ALS9
C	-18	SER	-	expression tag	UNP Q9ALS9
C	-17	HIS	-	expression tag	UNP Q9ALS9
C	-16	HIS	-	expression tag	UNP Q9ALS9
C	-15	HIS	-	expression tag	UNP Q9ALS9
C	-14	HIS	-	expression tag	UNP Q9ALS9
C	-13	HIS	-	expression tag	UNP Q9ALS9
C	-12	HIS	-	expression tag	UNP Q9ALS9
C	-11	SER	-	expression tag	UNP Q9ALS9
C	-10	SER	-	expression tag	UNP Q9ALS9
C	-9	ARG	-	expression tag	UNP Q9ALS9
C	-8	ASN	-	expression tag	UNP Q9ALS9
C	-7	LEU	-	expression tag	UNP Q9ALS9
C	-6	TYR	-	expression tag	UNP Q9ALS9
C	-5	PHE	-	expression tag	UNP Q9ALS9
C	-4	GLN	-	expression tag	UNP Q9ALS9
C	-3	GLY	-	expression tag	UNP Q9ALS9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP Q9ALS9
C	-1	GLY	-	expression tag	UNP Q9ALS9
C	0	HIS	-	expression tag	UNP Q9ALS9
D	-21	MET	-	initiating methionine	UNP Q9ALS9
D	-20	GLY	-	expression tag	UNP Q9ALS9
D	-19	SER	-	expression tag	UNP Q9ALS9
D	-18	SER	-	expression tag	UNP Q9ALS9
D	-17	HIS	-	expression tag	UNP Q9ALS9
D	-16	HIS	-	expression tag	UNP Q9ALS9
D	-15	HIS	-	expression tag	UNP Q9ALS9
D	-14	HIS	-	expression tag	UNP Q9ALS9
D	-13	HIS	-	expression tag	UNP Q9ALS9
D	-12	HIS	-	expression tag	UNP Q9ALS9
D	-11	SER	-	expression tag	UNP Q9ALS9
D	-10	SER	-	expression tag	UNP Q9ALS9
D	-9	ARG	-	expression tag	UNP Q9ALS9
D	-8	ASN	-	expression tag	UNP Q9ALS9
D	-7	LEU	-	expression tag	UNP Q9ALS9
D	-6	TYR	-	expression tag	UNP Q9ALS9
D	-5	PHE	-	expression tag	UNP Q9ALS9
D	-4	GLN	-	expression tag	UNP Q9ALS9
D	-3	GLY	-	expression tag	UNP Q9ALS9
D	-2	GLY	-	expression tag	UNP Q9ALS9
D	-1	GLY	-	expression tag	UNP Q9ALS9
D	0	HIS	-	expression tag	UNP Q9ALS9

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Na 1 1	0	0
2	D	1	Total Na 1 1	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	322	Total	O	0	0
			322	322		
5	B	325	Total	O	0	0
			325	325		
5	C	320	Total	O	0	0
			320	320		
5	D	304	Total	O	0	0
			304	304		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative aminotransferase




- Molecule 1: Putative aminotransferase



- Molecule 1: Putative aminotransferase



- Molecule 1: Putative aminotransferase



C156	A157	Q158	A159	H160	Y169	Y181	K184	L189	L221	Y222	L225	L229	L232	F236	L237	D238	M272	K273	F274	L287	I303	P307	Y316	S340	E345	F348	K359	VAL
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	108.12Å 56.62Å 124.41Å 90.00° 89.92° 90.00°	Depositor
Resolution (Å)	50.00 – 1.50 62.20 – 1.50	Depositor EDS
% Data completeness (in resolution range)	97.4 (50.00-1.50) 99.4 (62.20-1.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.8.0124	Depositor
R, R_{free}	0.141 , 0.178 0.147 , 0.175	Depositor DCC
R_{free} test set	12024 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	10.8	Xtriage
Anisotropy	0.158	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for h,-k,-l	Xtriage
Reported twinning fraction	0.576 for H, K, L 0.424 for -H, -K, L	Depositor
Outliers	3 of 240451 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	13113	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, LLP, EDO, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/3018	0.89	4/4075 (0.1%)
1	B	0.51	0/2994	0.85	0/4041
1	C	0.50	0/3002	0.85	2/4052 (0.0%)
1	D	0.49	0/3005	0.83	1/4057 (0.0%)
All	All	0.51	0/12019	0.85	7/16225 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	191	ASP	CB-CG-OD1	-9.81	109.47	118.30
1	A	186	LEU	CB-CG-CD2	6.72	122.42	111.00
1	C	353	ASP	CB-CG-OD1	6.06	123.75	118.30
1	D	59	LEU	CB-CG-CD1	5.67	120.64	111.00
1	A	207	ARG	NE-CZ-NH2	-5.22	117.69	120.30
1	A	245	ASP	CB-CG-OD1	5.20	122.98	118.30
1	C	230	ASP	CB-CG-OD2	-5.02	113.78	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	359	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2967	0	2987	35	0
1	B	2953	0	2973	31	0
1	C	2958	0	2979	31	0
1	D	2957	0	2982	43	0
2	A	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	1	0
4	A	4	0	6	0	0
5	A	322	0	0	8	1
5	B	325	0	0	6	1
5	C	320	0	0	5	0
5	D	304	0	0	8	0
All	All	13113	0	11927	137	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:63:ARG:HD3	1:C:93:ASP:OD2	1.48	1.14
1:C:63:ARG:CD	1:C:93:ASP:OD2	1.98	1.11
1:D:63:ARG:HD2	1:D:93:ASP:OD2	1.55	1.06
1:D:63:ARG:CD	1:D:93:ASP:OD2	2.10	1.00
1:B:24:ILE:HD13	1:B:232:ILE:HD13	1.45	0.96
1:D:60:ASP:OD1	1:D:63:ARG:NH2	1.99	0.94
1:B:8:GLN:NE2	5:B:401:HOH:O	2.04	0.89
1:C:60:ASP:OD1	1:C:63:ARG:NH2	2.06	0.89
1:D:8:GLN:OE1	5:D:501:HOH:O	1.92	0.87
1:C:63:ARG:HD3	1:C:93:ASP:CG	2.00	0.81
1:C:93:ASP:HB2	5:C:617:HOH:O	1.81	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:242:LYS:HD2	5:B:677:HOH:O	1.83	0.78
1:C:63:ARG:HD2	1:C:93:ASP:OD2	1.84	0.77
1:D:232:ILE:HG22	1:D:236:PHE:CE2	2.22	0.75
1:B:24:ILE:CD1	1:B:232:ILE:HD13	2.16	0.74
1:D:287:LEU:CD1	1:D:359:LYS:HE3	2.18	0.73
1:B:232:ILE:HG22	1:B:236:PHE:CE2	2.23	0.73
1:C:225:LEU:HD21	5:D:502:HOH:O	1.92	0.70
1:D:156:CYS:SG	1:D:169:VAL:HG13	2.33	0.68
1:B:97:LYS:HE2	5:B:415:HOH:O	1.93	0.68
1:C:20:LYS:HG3	1:C:239:ILE:HD11	1.75	0.67
1:D:78:ILE:HD13	1:D:99:ILE:HB	1.76	0.67
1:D:272:ASN:ND2	5:D:503:HOH:O	2.27	0.66
1:D:189:LEU:HD22	1:D:236:PHE:CD2	2.32	0.65
1:A:345:GLU:HG2	1:A:349:LYS:HE2	1.80	0.64
1:A:232:ILE:HG22	1:A:236:PHE:CE2	2.33	0.64
1:B:287:LEU:HD13	1:B:360:VAL:CG1	2.28	0.63
1:A:232:ILE:HG12	5:B:563:HOH:O	1.98	0.63
1:D:232:ILE:CG2	1:D:236:PHE:CE2	2.82	0.62
1:A:64:LEU:HD21	1:A:225:LEU:HD12	1.83	0.61
1:A:163:ILE:HG23	5:A:654:HOH:O	2.01	0.60
1:D:93:ASP:OD1	5:D:502:HOH:O	2.16	0.59
1:D:221:LEU:HD13	1:D:222:TYR:CZ	2.37	0.59
1:B:358:TRP:CZ2	1:B:360:VAL:HG13	2.38	0.58
1:C:93:ASP:CB	5:C:617:HOH:O	2.46	0.58
1:A:163:ILE:CD1	1:A:168:ARG:HD3	2.34	0.58
1:A:141:ILE:HG13	5:A:505:HOH:O	2.03	0.58
1:D:232:ILE:CG2	1:D:236:PHE:CZ	2.87	0.58
1:B:287:LEU:HD13	1:B:360:VAL:HG12	1.86	0.57
1:A:345:GLU:OE1	5:A:501:HOH:O	2.17	0.57
1:D:85:ILE:HD11	1:D:316:TYR:HE2	1.70	0.56
1:A:79:VAL:CG2	1:A:80:PRO:HD2	2.35	0.56
1:D:3:PHE:CD2	1:D:303:ILE:HD12	2.41	0.56
1:C:67:LYS:HE2	5:C:670:HOH:O	2.06	0.55
1:D:287:LEU:HD13	1:D:359:LYS:HE3	1.88	0.55
1:D:287:LEU:HD12	1:D:359:LYS:HE3	1.86	0.55
1:A:24:ILE:HD13	1:A:232:ILE:HD13	1.89	0.54
1:C:225:LEU:HG	5:D:509:HOH:O	2.07	0.54
1:C:133:GLY:HA2	1:C:158:GLN:O	2.07	0.54
1:C:63:ARG:HH12	1:C:225:LEU:CD2	2.20	0.54
1:D:97:LYS:HD2	1:D:98:PRO:HD2	1.91	0.53
1:B:20:LYS:HD2	5:B:417:HOH:O	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:350:LYS:HG2	1:C:354:ILE:HD12	1.91	0.53
1:B:189:LEU:HD12	1:B:236:PHE:CD2	2.44	0.53
1:D:232:ILE:HG23	1:D:236:PHE:CZ	2.43	0.53
1:D:94:ASN:O	1:D:95:LYS:HG2	2.08	0.53
1:D:272:ASN:CG	5:D:503:HOH:O	2.47	0.53
1:D:63:ARG:NE	5:D:509:HOH:O	2.41	0.52
1:A:273:LYS:HD3	1:A:274:PHE:CE2	2.45	0.52
1:A:79:VAL:HG23	1:A:80:PRO:HD2	1.92	0.51
1:B:232:ILE:CG2	1:B:236:PHE:CE2	2.93	0.51
1:B:287:LEU:CD1	1:B:360:VAL:HG11	2.41	0.51
1:A:163:ILE:HD13	1:A:168:ARG:HD3	1.92	0.51
1:C:105:ILE:HD11	1:C:284:LYS:HE3	1.94	0.50
1:B:358:TRP:CZ2	1:B:360:VAL:CG1	2.94	0.50
1:D:345:GLU:HA	1:D:348:PHE:CE2	2.47	0.50
1:A:184:LLP:O3	1:A:184:LLP:NZ	2.43	0.50
1:A:8:GLN:NE2	5:A:507:HOH:O	2.44	0.50
1:A:49:VAL:HG21	1:A:196:CYS:HB3	1.94	0.49
1:B:133:GLY:HA2	1:B:158:GLN:O	2.13	0.49
1:B:135:VAL:HG23	1:B:169:VAL:HG12	1.94	0.49
1:B:232:ILE:CG2	1:B:236:PHE:CZ	2.96	0.48
1:D:38:LYS:NZ	1:D:238:ASP:OD2	2.45	0.48
1:A:311:HIS:O	1:A:320:ASN:HA	2.13	0.47
1:A:232:ILE:CG2	1:A:236:PHE:CE2	2.97	0.47
1:C:93:ASP:CA	5:C:617:HOH:O	2.61	0.47
1:B:189:LEU:HD12	1:B:236:PHE:CE2	2.49	0.47
1:B:287:LEU:CD1	1:B:360:VAL:CG1	2.92	0.47
1:C:345:GLU:HA	1:C:348:PHE:CZ	2.50	0.47
1:C:67:LYS:CE	5:C:670:HOH:O	2.62	0.47
1:C:107:THR:CG2	1:C:273:LYS:HE2	2.44	0.47
1:A:64:LEU:CD2	1:A:225:LEU:HD12	2.44	0.46
1:D:63:ARG:CD	1:D:93:ASP:CG	2.82	0.46
1:C:79:VAL:HG23	1:C:80:PRO:HD2	1.97	0.46
1:A:287:LEU:HD13	1:A:360:VAL:HG11	1.98	0.46
1:A:133:GLY:HA2	1:A:158:GLN:O	2.15	0.46
1:C:36[A]:CYS:SG	1:C:229:LEU:O	2.73	0.46
1:C:79:VAL:CG2	1:C:80:PRO:HD2	2.46	0.46
1:D:85:ILE:HD11	1:D:316:TYR:CE2	2.48	0.46
1:A:73:GLU:HG3	1:A:95:LYS:HB3	1.99	0.45
1:C:24:ILE:HD13	1:C:232:ILE:HA	1.99	0.45
1:A:8:GLN:CD	5:A:507:HOH:O	2.55	0.44
1:A:67:LYS:HE2	5:A:776:HOH:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:ILE:HD11	1:A:168:ARG:HD3	1.99	0.44
1:B:20:LYS:HG3	1:B:239:ILE:HD11	1.97	0.44
1:D:272:ASN:OD1	5:D:503:HOH:O	2.20	0.44
1:B:292:GLN:HG3	1:B:302:THR:OG1	2.17	0.44
1:C:63:ARG:NH1	1:C:225:LEU:HD22	2.32	0.44
1:A:204:SER:OG	1:A:215:HIS:CE1	2.70	0.44
1:A:298:HIS:HE1	3:A:402:CL:CL	2.38	0.43
1:C:180:PHE:HB2	1:C:192:ALA:HB3	2.00	0.43
1:D:105:ILE:HG13	1:D:105:ILE:O	2.17	0.43
1:D:63:ARG:HD3	1:D:93:ASP:OD2	2.07	0.43
1:A:38:LYS:HD3	1:A:238:ASP:OD2	2.19	0.43
1:B:85:ILE:HD12	1:B:310:PRO:HB3	2.00	0.43
1:D:181:TYR:HB3	1:D:184:LLP:HE2	2.01	0.43
1:C:218:TYR:CG	1:D:307:PRO:HG3	2.54	0.43
1:C:63:ARG:NH1	1:C:225:LEU:CD2	2.81	0.43
1:D:156:CYS:SG	1:D:169:VAL:CG1	3.05	0.43
1:A:199[B]:ASP:OD2	1:A:202:PHE:HB2	2.19	0.43
1:B:140:LYS:HG3	5:B:585:HOH:O	2.19	0.43
1:A:163:ILE:HD11	1:A:168:ARG:CD	2.49	0.42
1:D:63:ARG:CG	1:D:93:ASP:OD2	2.67	0.42
1:C:6:LEU:HD23	1:C:6:LEU:HA	1.88	0.42
1:B:184:LLP:NZ	1:B:184:LLP:O3	2.53	0.42
1:B:305:HIS:HA	1:B:306:TYR:CD1	2.54	0.42
1:A:218:TYR:CG	1:B:307:PRO:HG3	2.54	0.42
1:C:292:GLN:HG3	1:C:302:THR:OG1	2.20	0.42
1:D:79:VAL:CG2	1:D:80:PRO:HD2	2.50	0.42
1:A:20:LYS:NZ	5:A:510:HOH:O	2.46	0.42
1:D:133:GLY:HA2	1:D:158:GLN:O	2.20	0.42
1:A:184:LLP:H4'1	5:A:528:HOH:O	2.19	0.42
1:D:273:LYS:HD3	1:D:274:PHE:CE2	2.55	0.41
1:B:85:ILE:HD11	1:B:316:TYR:CE2	2.55	0.41
1:A:20:LYS:HG2	1:A:235:ALA:HB1	2.01	0.41
1:B:345:GLU:HA	1:B:348:PHE:CE2	2.55	0.41
1:B:9:ILE:N	1:B:9:ILE:HD13	2.34	0.41
1:D:159:ALA:O	1:D:160:HIS:C	2.57	0.41
1:C:71:PHE:CE1	1:C:124:LYS:HB3	2.56	0.41
1:D:63:ARG:HD3	1:D:93:ASP:CG	2.41	0.41
1:A:182:PRO:HD2	1:B:31:ILE:HD12	2.02	0.41
1:B:287:LEU:HD13	1:B:360:VAL:HG11	2.01	0.41
1:D:20:LYS:HA	1:D:20:LYS:HD3	1.81	0.41
1:D:345:GLU:HA	1:D:348:PHE:CZ	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:64:LEU:HD21	1:D:225:LEU:HD12	2.03	0.40
1:C:63:ARG:HH12	1:C:225:LEU:HD22	1.87	0.40
1:D:36[A]:CYS:SG	1:D:229:LEU:O	2.80	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:504:HOH:O	5:B:442:HOH:O[2_646]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	362/382 (95%)	346 (96%)	16 (4%)	0	100	100
1	B	359/382 (94%)	348 (97%)	11 (3%)	0	100	100
1	C	360/382 (94%)	350 (97%)	10 (3%)	0	100	100
1	D	360/382 (94%)	348 (97%)	12 (3%)	0	100	100
All	All	1441/1528 (94%)	1392 (97%)	49 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	324/338 (96%)	316 (98%)	8 (2%)	55	20
1	B	322/338 (95%)	317 (98%)	5 (2%)	70	41
1	C	323/338 (96%)	319 (99%)	4 (1%)	78	54
1	D	322/338 (95%)	317 (98%)	5 (2%)	70	41
All	All	1291/1352 (96%)	1269 (98%)	22 (2%)	68	37

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	LYS
1	A	34	LYS
1	A	38	LYS
1	A	63	ARG
1	A	97	LYS
1	A	182	PRO
1	A	340	SER
1	A	360	VAL
1	B	85	ILE
1	B	122	LYS
1	B	139	GLU
1	B	340	SER
1	B	359	LYS
1	C	63	ARG
1	C	189	LEU
1	C	318	ASP
1	C	340	SER
1	D	6	LEU
1	D	95	LYS
1	D	189	LEU
1	D	221	LEU
1	D	340	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	298	HIS
1	B	8	GLN
1	B	74	ASN
1	B	253	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	260	GLN
1	B	266	ASN
1	C	8	GLN
1	C	253	ASN
1	C	256	ASN
1	C	260	GLN
1	C	321	HIS
1	D	321	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	LLP	A	184	1	22,24,25	2.90	4 (18%)	28,32,34	1.51	6 (21%)
1	LLP	B	184	1	22,24,25	3.00	5 (22%)	28,32,34	1.52	8 (28%)
1	LLP	C	184	1	22,24,25	2.96	5 (22%)	28,32,34	1.37	5 (17%)
1	LLP	D	184	1	22,24,25	2.93	5 (22%)	28,32,34	1.85	8 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	A	184	1	-	0/15/17/19	0/1/1/1
1	LLP	B	184	1	-	0/15/17/19	0/1/1/1
1	LLP	C	184	1	-	0/15/17/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	D	184	1	-	0/15/17/19	0/1/1/1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	184	LLP	C4-C4'	2.21	1.50	1.46
1	D	184	LLP	C4-C4'	2.54	1.51	1.46
1	B	184	LLP	C4-C4'	3.06	1.51	1.46
1	A	184	LLP	C4-C5	3.37	1.46	1.42
1	A	184	LLP	C4-C3	4.55	1.46	1.40
1	C	184	LLP	C4-C5	4.55	1.48	1.42
1	D	184	LLP	C4-C5	5.14	1.48	1.42
1	D	184	LLP	C4-C3	5.15	1.47	1.40
1	B	184	LLP	C4-C5	5.42	1.49	1.42
1	B	184	LLP	C4-C3	5.63	1.48	1.40
1	B	184	LLP	C4'-NZ	5.89	1.44	1.27
1	C	184	LLP	C4'-NZ	5.98	1.45	1.27
1	D	184	LLP	C4'-NZ	6.21	1.45	1.27
1	A	184	LLP	C4'-NZ	6.24	1.45	1.27
1	C	184	LLP	C4-C3	6.27	1.49	1.40
1	C	184	LLP	C3-C2	9.02	1.47	1.40
1	D	184	LLP	C3-C2	9.12	1.47	1.40
1	B	184	LLP	C3-C2	9.19	1.47	1.40
1	A	184	LLP	C3-C2	9.95	1.47	1.40

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	184	LLP	C3-C4-C5	-3.97	115.38	118.26
1	A	184	LLP	C3-C4-C5	-3.74	115.55	118.26
1	D	184	LLP	C4-C4'-NZ	-3.13	107.74	125.14
1	D	184	LLP	OP4-P-OP1	-2.78	100.10	107.08
1	A	184	LLP	C4-C4'-NZ	-2.63	110.53	125.14
1	B	184	LLP	C4-C4'-NZ	-2.55	110.98	125.14
1	A	184	LLP	O-C-CA	-2.52	118.97	125.72
1	C	184	LLP	OP2-P-OP4	-2.49	99.47	106.72
1	B	184	LLP	C2'-C2-C3	-2.47	118.40	120.90
1	A	184	LLP	C2'-C2-C3	-2.31	118.56	120.90
1	C	184	LLP	C4-C4'-NZ	-2.24	112.67	125.14
1	B	184	LLP	P-OP4-C5'	-2.21	115.67	120.79
1	D	184	LLP	P-OP4-C5'	-2.15	115.80	120.79
1	B	184	LLP	OP3-P-OP4	-2.12	100.55	106.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	184	LLP	C3-C2-N1	-2.04	118.14	120.69
1	B	184	LLP	C6-N1-C2	2.01	123.29	119.26
1	D	184	LLP	CE-NZ-C4'	2.09	125.36	119.14
1	A	184	LLP	C5-C4-C4'	2.15	124.73	121.41
1	D	184	LLP	OP3-P-OP1	2.21	117.85	110.63
1	B	184	LLP	OP4-P-OP1	2.35	113.00	107.08
1	C	184	LLP	CD-CE-NZ	2.49	115.03	110.94
1	D	184	LLP	C5-C4-C4'	2.60	125.43	121.41
1	B	184	LLP	O3-C3-C2	2.73	121.53	117.53
1	C	184	LLP	OP3-P-OP1	2.82	119.81	110.63
1	B	184	LLP	CD-CE-NZ	2.99	115.86	110.94
1	A	184	LLP	O3-C3-C2	3.15	122.14	117.53
1	D	184	LLP	O3-C3-C2	3.62	122.83	117.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	184	LLP	2	0
1	B	184	LLP	1	0
1	D	184	LLP	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	403	-	3,3,3	0.60	0	2,2,2	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	403	-	-	0/1/1/1	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	360/382 (94%)	-0.68	2 (0%) 90 92	5, 12, 23, 53	0
1	B	360/382 (94%)	-0.68	1 (0%) 94 95	6, 13, 27, 59	0
1	C	360/382 (94%)	-0.68	0 100 100	6, 14, 26, 39	0
1	D	359/382 (93%)	-0.61	1 (0%) 94 95	6, 13, 31, 59	0
All	All	1439/1528 (94%)	-0.66	4 (0%) 94 95	5, 13, 27, 59	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	360	VAL	5.2
1	A	360	VAL	3.2
1	D	2	PHE	3.0
1	A	29[A]	TRP	2.4

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	LLP	A	184	24/25	0.98	0.06	-	5,9,12,14	0
1	LLP	C	184	24/25	0.99	0.05	-	7,8,12,12	0
1	LLP	B	184	24/25	0.98	0.05	-	6,10,13,17	0
1	LLP	D	184	24/25	0.98	0.05	-	6,10,13,13	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NA	A	401	1/1	0.99	0.09	9.60	8,8,8,8	0
2	NA	D	401	1/1	1.00	0.08	7.19	8,8,8,8	0
4	EDO	A	403	4/4	0.96	0.06	-0.39	18,20,20,23	0
3	CL	A	402	1/1	1.00	0.05	-	15,15,15,15	0

6.5 Other polymers [i](#)

There are no such residues in this entry.