



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2017 – 08:32 PM EST

PDB ID : 5U8V  
Title : Dihydrolipoamide dehydrogenase (LpdG) from *Pseudomonas aeruginosa*  
bound to NAD<sup>+</sup>  
Authors : Glasser, N.R.; Wang, B.X.; Hoy, J.A.; Newman, D.K.  
Deposited on : 2016-12-15  
Resolution : 1.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20028442
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20028442


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1278 (1.48-1.44)
Clashscore	102246	1336 (1.48-1.44)
Ramachandran outliers	100387	1320 (1.48-1.44)
Sidechain outliers	100360	1320 (1.48-1.44)
RSRZ outliers	91569	1279 (1.48-1.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	<div> <div>5%</div> <div> <div></div> <div>94%</div> <div>5%</div> <div></div> </div> <div>• •</div> </div>
1	B	481	<div> <div>2%</div> <div> <div></div> <div>94%</div> <div>5%</div> <div></div> </div> <div>• •</div> </div>
1	C	481	<div> <div>2%</div> <div> <div></div> <div>93%</div> <div>5%</div> <div></div> </div> <div>•</div> </div>
1	D	481	<div> <div>0%</div> <div> <div></div> <div>94%</div> <div>5%</div> <div></div> </div> <div>•</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DMS	A	505	-	-	-	X
4	DMS	A	507	-	-	-	X
4	DMS	A	509	-	-	-	X
4	DMS	B	501	-	-	-	X
4	DMS	B	506	-	-	-	X
4	DMS	B	507	-	-	-	X
4	DMS	B	509	-	-	-	X
4	DMS	C	503	-	-	-	X
4	DMS	C	505	-	-	-	X
4	DMS	C	507	-	-	-	X
4	DMS	C	509	-	-	-	X
4	DMS	C	511	-	-	-	X
4	DMS	D	504	-	-	-	X
4	DMS	D	507	-	-	-	X
4	DMS	D	508	-	-	-	X
4	DMS	D	509	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 30791 atoms, of which 14375 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrolipoyl dehydrogenase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	472	Total	C	H	N	O	S	0	3	0
			6847	2167	3432	580	656	12			
1	B	473	Total	C	H	N	O	S	0	3	0
			7001	2199	3531	594	665	12			
1	C	474	Total	C	H	N	O	S	0	13	0
			7072	2229	3555	597	679	12			
1	D	475	Total	C	H	N	O	S	0	4	0
			6958	2195	3497	589	664	13			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP A0A0H2Z9F5
A	-1	SER	-	expression tag	UNP A0A0H2Z9F5
A	0	HIS	-	expression tag	UNP A0A0H2Z9F5
B	-2	GLY	-	expression tag	UNP A0A0H2Z9F5
B	-1	SER	-	expression tag	UNP A0A0H2Z9F5
B	0	HIS	-	expression tag	UNP A0A0H2Z9F5
C	-2	GLY	-	expression tag	UNP A0A0H2Z9F5
C	-1	SER	-	expression tag	UNP A0A0H2Z9F5
C	0	HIS	-	expression tag	UNP A0A0H2Z9F5
D	-2	GLY	-	expression tag	UNP A0A0H2Z9F5
D	-1	SER	-	expression tag	UNP A0A0H2Z9F5
D	0	HIS	-	expression tag	UNP A0A0H2Z9F5

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	B	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	C	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	D	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	
			39	10	12	5	10	2	
3	B	1	Total	C	H	N	O	P	
			39	10	12	5	10	2	
3	C	1	Total	C	H	N	O	P	
			39	10	12	5	10	2	
3	D	1	Total	C	H	N	O	P	
			39	10	12	5	10	2	

- Molecule 4 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula:  $C_2H_6OS$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	H	O	S		
			10	2	6	1	1	0	0
4	A	1	Total	C	H	O	S		
			10	2	6	1	1	0	0
4	A	1	Total	C	H	O	S		
			10	2	6	1	1	0	0
4	A	1	Total	C	H	O	S		
			10	2	6	1	1	0	0
4	A	1	Total	C	H	O	S		
			10	2	6	1	1	0	0
4	A	1	Total	C	H	O	S		
			10	2	6	1	1	0	0
4	A	1	Total	C	H	O	S		
			10	2	6	1	1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	D	1	Total	C	H	O	S	0	0
			10	2	6	1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	452	Total	O	0	0
			452	452		
5	B	554	Total	O	0	0
			554	554		
5	C	537	Total	O	0	0
			537	537		
5	D	562	Total	O	0	0
			562	562		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydrolipoyl dehydrogenase




- Molecule 1: Dihydrolipoyl dehydrogenase



- Molecule 1: Dihydrolipoyl dehydrogenase



- Molecule 1: Dihydrolipoyl dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.61Å 116.69Å 136.86Å 90.00° 94.87° 90.00°	Depositor
Resolution (Å)	38.90 – 1.45 38.90 – 1.34	Depositor EDS
% Data completeness (in resolution range)	100.0 (38.90-1.45) 97.9 (38.90-1.34)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.08 (at 1.34Å)	Xtriage
Refinement program	PHENIX (1.11.1 _2575: ???)	Depositor
R, $R_{free}$	0.152 , 0.174 0.151 , 0.173	Depositor DCC
$R_{free}$ test set	4270 reflections (1.18%)	DCC
Wilson B-factor (Å <sup>2</sup> )	17.2	Xtriage
Anisotropy	0.202	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 44.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.98	EDS
Total number of atoms	30791	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.76% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, FAD, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/3476	0.50	0/4729
1	B	0.27	0/3531	0.51	0/4793
1	C	0.29	0/3588	0.54	0/4877
1	D	0.29	0/3526	0.53	0/4791
All	All	0.28	0/14121	0.52	0/19190

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3415	3432	3436	14	0
1	B	3470	3531	3535	12	0
1	C	3517	3555	3539	24	0
1	D	3461	3497	3506	16	0
2	A	53	30	30	0	0
2	B	53	30	30	0	0
2	C	53	30	31	0	0
2	D	53	30	30	0	0
3	A	27	12	11	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	27	12	11	0	0
3	C	27	12	12	1	0
3	D	27	12	11	1	0
4	A	32	48	48	2	0
4	B	32	48	48	0	0
4	C	36	54	54	1	0
4	D	28	42	42	0	0
5	A	452	0	0	11	0
5	B	554	0	0	6	2
5	C	537	0	0	18	3
5	D	562	0	0	13	3
All	All	16416	14375	14374	68	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:ALA:N	5:A:601:HOH:O	1.92	0.98
1:C:336:MET:SD	5:C:610:HOH:O	2.22	0.96
1:D:240:ARG:NE	5:D:603:HOH:O	2.07	0.86
1:C:100:LYS:NZ	5:C:602:HOH:O	2.05	0.83
1:A:252:LYS:O	5:A:602:HOH:O	1.97	0.83
1:D:136:ASP:OD2	5:D:601:HOH:O	1.96	0.81
1:C:22:ARG:NH1	5:C:601:HOH:O	2.12	0.80
1:B:2:SER:N	5:B:601:HOH:O	2.13	0.79
3:D:502:NAD:O2A	5:D:602:HOH:O	2.00	0.79
1:C:25:GLN:OE1	5:C:601:HOH:O	2.01	0.79
1:C:240:ARG:NH1	5:C:605:HOH:O	2.16	0.77
1:A:474:ASN:O	5:A:604:HOH:O	2.07	0.73
1:A:69:GLU:OE1	5:A:603:HOH:O	2.07	0.72
1:D:376:GLU:OE2	5:D:604:HOH:O	2.07	0.71
1:D:165:ASP:OD2	5:D:606:HOH:O	2.09	0.70
1:D:240:ARG:CZ	5:D:603:HOH:O	2.38	0.70
1:D:296:ASP:OD2	5:D:605:HOH:O	2.08	0.70
1:C:284:THR:HB	5:C:623:HOH:O	1.93	0.69
1:D:240:ARG:NH2	5:D:603:HOH:O	2.27	0.68
1:A:474:ASN:C	5:A:604:HOH:O	2.32	0.67
1:B:159:PRO:HD2	5:B:1033:HOH:O	1.94	0.67
1:C:348:MET:N	5:C:610:HOH:O	2.26	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:ARG:NH2	5:A:606:HOH:O	2.22	0.65
1:C:348:MET:HA	5:C:651:HOH:O	1.96	0.64
1:C:305:ASP:OD1	5:C:604:HOH:O	2.16	0.60
1:B:97[A]:ASN:ND2	5:B:607:HOH:O	2.34	0.60
1:D:370:GLU:OE1	1:D:404:LYS:NZ	2.33	0.58
1:C:348:MET:HG2	5:C:651:HOH:O	2.04	0.58
1:B:349:ASN:O	5:B:602:HOH:O	2.17	0.57
1:C:39:LYS:NZ	5:C:619:HOH:O	2.37	0.57
1:A:80:GLU:HA	5:A:601:HOH:O	2.06	0.54
1:C:73:ALA:CB	4:C:505:DMS:H21	2.37	0.54
1:A:240:ARG:NE	5:A:606:HOH:O	2.43	0.52
1:C:349:ASN:OD1	1:C:351:ASP:HB2	2.10	0.52
3:C:502:NAD:O1N	5:C:606:HOH:O	2.19	0.52
1:A:284:THR:HG22	5:A:960:HOH:O	2.08	0.52
1:C:305:ASP:CG	5:C:604:HOH:O	2.50	0.50
1:A:345:LYS:NZ	5:A:615:HOH:O	2.44	0.50
1:C:332:GLU:OE1	5:C:607:HOH:O	2.20	0.50
1:D:135:LEU:HD22	5:D:665:HOH:O	2.11	0.49
1:D:106[B]:ILE:HD11	5:D:955:HOH:O	2.13	0.48
1:A:50:LEU:HD11	1:A:102:LEU:HB2	1.94	0.48
1:D:67:TYR:CZ	1:D:71:LYS:HD2	2.49	0.48
1:C:240:ARG:HD2	5:C:605:HOH:O	2.14	0.47
1:D:159:PRO:HD2	5:D:1047:HOH:O	2.16	0.45
1:D:129:GLN:NE2	5:D:625:HOH:O	2.50	0.45
1:B:50:LEU:HD11	1:B:102:LEU:HB2	1.98	0.45
4:A:508:DMS:H22	1:B:451:HIS:CE1	2.52	0.44
1:D:159:PRO:N	1:D:160:PRO:CD	2.80	0.44
1:C:332:GLU:HG2	1:D:448:VAL:HG22	1.98	0.44
3:A:502:NAD:H8A	5:A:686:HOH:O	2.18	0.44
1:B:86:ILE:HG21	1:B:203:LEU:HD22	1.99	0.43
1:D:234:LYS:NZ	5:D:627:HOH:O	2.52	0.43
1:A:159:PRO:N	1:A:160:PRO:CD	2.82	0.43
1:B:401:GLY:HA3	1:B:420:ILE:O	2.19	0.43
1:C:159:PRO:O	1:C:162[A]:PRO:HD3	2.19	0.43
1:A:56:PRO:HB3	1:A:95:LYS:HD2	2.01	0.42
1:B:97[B]:ASN:OD1	5:B:603:HOH:O	2.21	0.42
1:C:401:GLY:HA3	1:C:420:ILE:O	2.20	0.42
1:A:69:GLU:HG3	4:A:509:DMS:H23	2.02	0.42
1:B:159:PRO:N	1:B:160:PRO:CD	2.83	0.41
1:C:162[B]:PRO:CG	5:C:876:HOH:O	2.68	0.41
1:C:36:TYR:O	1:C:43:VAL:HA	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:306:HIS:CE1	5:C:604:HOH:O	2.74	0.41
1:B:167:ILE:HD11	5:B:783:HOH:O	2.19	0.41
1:C:50:LEU:HD11	1:C:102:LEU:HB2	2.03	0.41
1:B:54:CYS:O	1:B:58:LYS:HD2	2.21	0.40
1:C:351:ASP:HB3	5:C:729:HOH:O	2.20	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:696:HOH:O	5:C:602:HOH:O[2_445]	1.96	0.24
5:C:876:HOH:O	5:D:601:HOH:O[2_446]	1.99	0.21
5:C:1117:HOH:O	5:D:962:HOH:O[1_455]	2.16	0.04
5:B:660:HOH:O	5:D:1020:HOH:O[2_445]	2.16	0.04

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	473/481 (98%)	461 (98%)	12 (2%)	0	100	100
1	B	474/481 (98%)	461 (97%)	13 (3%)	0	100	100
1	C	484/481 (101%)	471 (97%)	13 (3%)	0	100	100
1	D	477/481 (99%)	463 (97%)	14 (3%)	0	100	100
All	All	1908/1924 (99%)	1856 (97%)	52 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/368 (94%)	343 (99%)	4 (1%)	78	48
1	B	359/368 (98%)	354 (99%)	5 (1%)	74	42
1	C	364/368 (99%)	360 (99%)	4 (1%)	80	52
1	D	356/368 (97%)	350 (98%)	6 (2%)	68	32
All	All	1426/1472 (97%)	1407 (99%)	19 (1%)	74	45

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	TYR
1	A	58	LYS
1	A	322	ARG
1	A	402	LEU
1	B	17	TYR
1	B	58	LYS
1	B	95	LYS
1	B	322	ARG
1	B	402	LEU
1	C	17	TYR
1	C	58	LYS
1	C	322	ARG
1	C	402	LEU
1	D	17	TYR
1	D	58	LYS
1	D	95	LYS
1	D	322	ARG
1	D	348	MET
1	D	402	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	129	GLN
1	D	129	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

40 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	FAD	A	501	-	51,58,58	4.01	18 (35%)	50,89,89	2.50	10 (20%)
3	NAD	A	502	-	25,29,48	3.00	8 (32%)	26,45,73	3.82	4 (15%)
4	DMS	A	503	-	3,3,3	0.64	0	3,3,3	0.44	0
4	DMS	A	504	-	3,3,3	0.65	0	3,3,3	0.42	0
4	DMS	A	505	-	3,3,3	0.65	0	3,3,3	0.44	0
4	DMS	A	506	-	3,3,3	0.64	0	3,3,3	0.43	0
4	DMS	A	507	-	3,3,3	0.64	0	3,3,3	0.44	0
4	DMS	A	508	-	3,3,3	0.68	0	3,3,3	0.43	0
4	DMS	A	509	-	3,3,3	0.64	0	3,3,3	0.45	0
4	DMS	A	510	-	3,3,3	0.65	0	3,3,3	0.45	0
4	DMS	B	501	-	3,3,3	0.67	0	3,3,3	0.42	0
2	FAD	B	502	-	51,58,58	3.92	18 (35%)	50,89,89	2.48	12 (24%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAD	B	503	-	25,29,48	3.09	10 (40%)	26,45,73	3.68	5 (19%)
4	DMS	B	504	-	3,3,3	0.65	0	3,3,3	0.41	0
4	DMS	B	505	-	3,3,3	0.66	0	3,3,3	0.45	0
4	DMS	B	506	-	3,3,3	0.65	0	3,3,3	0.44	0
4	DMS	B	507	-	3,3,3	0.65	0	3,3,3	0.45	0
4	DMS	B	508	-	3,3,3	0.66	0	3,3,3	0.44	0
4	DMS	B	509	-	3,3,3	0.66	0	3,3,3	0.45	0
4	DMS	B	510	-	3,3,3	0.64	0	3,3,3	0.43	0
2	FAD	C	501	-	51,58,58	3.89	18 (35%)	50,89,89	2.41	10 (20%)
3	NAD	C	502	-	25,29,48	3.05	9 (36%)	26,45,73	3.97	4 (15%)
4	DMS	C	503	-	3,3,3	0.65	0	3,3,3	0.44	0
4	DMS	C	504	-	3,3,3	0.64	0	3,3,3	0.44	0
4	DMS	C	505	-	3,3,3	0.68	0	3,3,3	0.45	0
4	DMS	C	506	-	3,3,3	0.66	0	3,3,3	0.46	0
4	DMS	C	507	-	3,3,3	0.65	0	3,3,3	0.43	0
4	DMS	C	508	-	3,3,3	0.67	0	3,3,3	0.43	0
4	DMS	C	509	-	3,3,3	0.65	0	3,3,3	0.43	0
4	DMS	C	510	-	3,3,3	0.65	0	3,3,3	0.45	0
4	DMS	C	511	-	3,3,3	0.66	0	3,3,3	0.45	0
2	FAD	D	501	-	51,58,58	3.91	18 (35%)	50,89,89	2.49	10 (20%)
3	NAD	D	502	-	25,29,48	2.98	9 (36%)	26,45,73	3.67	4 (15%)
4	DMS	D	503	-	3,3,3	0.65	0	3,3,3	0.44	0
4	DMS	D	504	-	3,3,3	0.65	0	3,3,3	0.42	0
4	DMS	D	505	-	3,3,3	0.65	0	3,3,3	0.43	0
4	DMS	D	506	-	3,3,3	0.69	0	3,3,3	0.42	0
4	DMS	D	507	-	3,3,3	0.64	0	3,3,3	0.50	0
4	DMS	D	508	-	3,3,3	0.64	0	3,3,3	0.43	0
4	DMS	D	509	-	3,3,3	0.65	0	3,3,3	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	501	-	-	0/30/50/50	0/6/6/6
3	NAD	A	502	-	-	0/12/32/62	0/3/3/5
4	DMS	A	503	-	-	0/0/0/0	0/0/0/0
4	DMS	A	504	-	-	0/0/0/0	0/0/0/0
4	DMS	A	505	-	-	0/0/0/0	0/0/0/0
4	DMS	A	506	-	-	0/0/0/0	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DMS	A	507	-	-	0/0/0/0	0/0/0/0
4	DMS	A	508	-	-	0/0/0/0	0/0/0/0
4	DMS	A	509	-	-	0/0/0/0	0/0/0/0
4	DMS	A	510	-	-	0/0/0/0	0/0/0/0
4	DMS	B	501	-	-	0/0/0/0	0/0/0/0
2	FAD	B	502	-	-	0/30/50/50	0/6/6/6
3	NAD	B	503	-	-	0/12/32/62	0/3/3/5
4	DMS	B	504	-	-	0/0/0/0	0/0/0/0
4	DMS	B	505	-	-	0/0/0/0	0/0/0/0
4	DMS	B	506	-	-	0/0/0/0	0/0/0/0
4	DMS	B	507	-	-	0/0/0/0	0/0/0/0
4	DMS	B	508	-	-	0/0/0/0	0/0/0/0
4	DMS	B	509	-	-	0/0/0/0	0/0/0/0
4	DMS	B	510	-	-	0/0/0/0	0/0/0/0
2	FAD	C	501	-	-	0/30/50/50	0/6/6/6
3	NAD	C	502	-	-	0/12/32/62	0/3/3/5
4	DMS	C	503	-	-	0/0/0/0	0/0/0/0
4	DMS	C	504	-	-	0/0/0/0	0/0/0/0
4	DMS	C	505	-	-	0/0/0/0	0/0/0/0
4	DMS	C	506	-	-	0/0/0/0	0/0/0/0
4	DMS	C	507	-	-	0/0/0/0	0/0/0/0
4	DMS	C	508	-	-	0/0/0/0	0/0/0/0
4	DMS	C	509	-	-	0/0/0/0	0/0/0/0
4	DMS	C	510	-	-	0/0/0/0	0/0/0/0
4	DMS	C	511	-	-	0/0/0/0	0/0/0/0
2	FAD	D	501	-	-	0/30/50/50	0/6/6/6
3	NAD	D	502	-	-	0/12/32/62	0/3/3/5
4	DMS	D	503	-	-	0/0/0/0	0/0/0/0
4	DMS	D	504	-	-	0/0/0/0	0/0/0/0
4	DMS	D	505	-	-	0/0/0/0	0/0/0/0
4	DMS	D	506	-	-	0/0/0/0	0/0/0/0
4	DMS	D	507	-	-	0/0/0/0	0/0/0/0
4	DMS	D	508	-	-	0/0/0/0	0/0/0/0
4	DMS	D	509	-	-	0/0/0/0	0/0/0/0

All (108) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	FAD	C2B-C1B	-13.99	1.31	1.53
2	B	502	FAD	C2B-C1B	-13.76	1.31	1.53
2	C	501	FAD	C2B-C1B	-13.64	1.32	1.53
2	D	501	FAD	C2B-C1B	-13.58	1.32	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	NAD	C3B-C4B	-7.93	1.31	1.53
3	D	502	NAD	C3B-C4B	-7.89	1.31	1.53
3	C	502	NAD	C3B-C4B	-7.88	1.31	1.53
3	B	503	NAD	C3B-C4B	-7.78	1.32	1.53
3	A	502	NAD	O4B-C1B	-7.47	1.30	1.41
3	B	503	NAD	O4B-C1B	-7.17	1.31	1.41
3	D	502	NAD	O4B-C1B	-7.08	1.31	1.41
3	C	502	NAD	O4B-C1B	-6.87	1.31	1.41
2	C	501	FAD	O4B-C4B	-5.77	1.31	1.45
2	D	501	FAD	O4B-C4B	-5.64	1.32	1.45
2	B	502	FAD	O4B-C4B	-5.64	1.32	1.45
2	A	501	FAD	O4B-C4B	-5.58	1.32	1.45
3	A	502	NAD	O2B-C2B	-2.80	1.36	1.43
2	C	501	FAD	C5A-C4A	-2.79	1.34	1.40
3	B	503	NAD	C5A-C4A	-2.79	1.34	1.40
2	A	501	FAD	C5A-C4A	-2.77	1.34	1.40
3	D	502	NAD	C5A-C4A	-2.77	1.34	1.40
3	C	502	NAD	C5A-C4A	-2.77	1.34	1.40
3	D	502	NAD	O2B-C2B	-2.75	1.36	1.43
3	A	502	NAD	C5A-C4A	-2.74	1.34	1.40
2	D	501	FAD	C5A-C4A	-2.72	1.34	1.40
2	B	502	FAD	C5A-C4A	-2.69	1.34	1.40
3	B	503	NAD	O2B-C2B	-2.67	1.36	1.43
3	C	502	NAD	O2B-C2B	-2.59	1.36	1.43
2	A	501	FAD	O3B-C3B	-2.42	1.37	1.43
2	C	501	FAD	O4-C4	-2.37	1.18	1.24
2	B	502	FAD	O3B-C3B	-2.34	1.37	1.43
2	B	502	FAD	O4-C4	-2.34	1.18	1.24
2	D	501	FAD	O4-C4	-2.21	1.19	1.24
2	C	501	FAD	O3B-C3B	-2.16	1.37	1.43
2	A	501	FAD	O4-C4	-2.16	1.19	1.24
2	D	501	FAD	O3B-C3B	-2.15	1.37	1.43
3	B	503	NAD	C2A-N3A	2.04	1.35	1.32
3	C	502	NAD	PN-O3	2.05	1.65	1.61
3	B	503	NAD	PN-O3	2.07	1.65	1.61
2	B	502	FAD	C4X-C10	2.08	1.44	1.40
2	D	501	FAD	C4X-C10	2.16	1.44	1.40
2	C	501	FAD	C2A-N3A	2.17	1.36	1.32
2	B	502	FAD	C2A-N3A	2.17	1.36	1.32
2	C	501	FAD	C4X-C10	2.17	1.44	1.40
2	D	501	FAD	C2A-N3A	2.17	1.36	1.32
2	A	501	FAD	C2A-N3A	2.20	1.36	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	FAD	C4X-C10	2.24	1.45	1.40
3	D	502	NAD	PN-O3	2.40	1.66	1.61
2	D	501	FAD	O2B-C2B	2.54	1.48	1.43
2	B	502	FAD	O2B-C2B	2.62	1.49	1.43
3	D	502	NAD	C6A-N6A	2.64	1.44	1.34
3	D	502	NAD	PN-O5D	2.65	1.65	1.55
3	A	502	NAD	C6A-N6A	2.65	1.45	1.34
2	B	502	FAD	C6A-N6A	2.66	1.45	1.34
3	B	503	NAD	C6A-N6A	2.67	1.45	1.34
2	C	501	FAD	C6A-N6A	2.68	1.45	1.34
2	D	501	FAD	C6A-N6A	2.69	1.45	1.34
3	A	502	NAD	PN-O5D	2.72	1.65	1.55
2	A	501	FAD	C6A-N6A	2.77	1.45	1.34
3	C	502	NAD	C6A-N6A	2.77	1.45	1.34
3	B	503	NAD	O3B-C3B	2.81	1.49	1.43
2	C	501	FAD	O2B-C2B	2.82	1.49	1.43
3	C	502	NAD	O3B-C3B	2.85	1.49	1.43
2	A	501	FAD	O2B-C2B	2.91	1.49	1.43
3	D	502	NAD	O3B-C3B	2.98	1.50	1.43
3	A	502	NAD	O3B-C3B	3.02	1.50	1.43
2	D	501	FAD	C10-N10	3.93	1.43	1.39
2	B	502	FAD	C10-N10	4.06	1.43	1.39
2	C	501	FAD	C10-N10	4.15	1.44	1.39
2	D	501	FAD	C2-N1	4.31	1.47	1.38
2	C	501	FAD	C2-N1	4.31	1.47	1.38
2	B	502	FAD	C2-N1	4.32	1.47	1.38
2	A	501	FAD	C10-N10	4.58	1.44	1.39
2	A	501	FAD	C2-N1	4.69	1.47	1.38
2	D	501	FAD	C4-C4X	4.73	1.50	1.40
2	B	502	FAD	C4-C4X	4.78	1.50	1.40
2	C	501	FAD	C4-C4X	4.79	1.50	1.40
3	C	502	NAD	PN-O1N	4.92	1.65	1.50
3	B	503	NAD	PN-O1N	4.99	1.65	1.50
2	A	501	FAD	C4-C4X	5.06	1.50	1.40
2	D	501	FAD	C10-N1	5.65	1.45	1.35
2	C	501	FAD	C10-N1	5.69	1.45	1.35
2	C	501	FAD	C4-N3	5.70	1.44	1.36
2	B	502	FAD	C10-N1	5.75	1.45	1.35
2	A	501	FAD	C10-N1	5.99	1.45	1.35
2	B	502	FAD	C4-N3	6.15	1.45	1.36
2	D	501	FAD	C4-N3	6.37	1.45	1.36
2	A	501	FAD	C4-N3	6.57	1.46	1.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	FAD	C9A-N10	6.89	1.48	1.38
3	A	502	NAD	O4B-C4B	7.10	1.61	1.45
3	C	502	NAD	O4B-C4B	7.12	1.61	1.45
3	D	502	NAD	O4B-C4B	7.17	1.61	1.45
3	B	503	NAD	O4B-C4B	7.24	1.61	1.45
2	B	502	FAD	C9A-N10	7.35	1.49	1.38
2	D	501	FAD	C9A-N10	7.35	1.49	1.38
2	B	502	FAD	C4X-N5	7.37	1.44	1.33
2	C	501	FAD	C4X-N5	7.38	1.44	1.33
2	D	501	FAD	C4X-N5	7.46	1.44	1.33
2	A	501	FAD	C9A-N10	7.52	1.49	1.38
2	A	501	FAD	C4X-N5	7.57	1.44	1.33
2	C	501	FAD	C5X-N5	8.36	1.48	1.35
2	B	502	FAD	C5X-N5	8.52	1.48	1.35
2	A	501	FAD	C5X-N5	8.52	1.48	1.35
2	D	501	FAD	C5X-N5	8.63	1.48	1.35
2	D	501	FAD	O4B-C1B	13.59	1.60	1.41
2	B	502	FAD	O4B-C1B	13.62	1.60	1.41
2	C	501	FAD	O4B-C1B	13.69	1.60	1.41
2	A	501	FAD	O4B-C1B	13.74	1.60	1.41

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	NAD	C1B-N9A-C4A	-13.05	112.24	126.81
3	A	502	NAD	C1B-N9A-C4A	-12.16	113.23	126.81
3	C	502	NAD	N3A-C2A-N1A	-11.69	119.69	128.87
3	B	503	NAD	C1B-N9A-C4A	-11.46	114.01	126.81
3	D	502	NAD	C1B-N9A-C4A	-11.42	114.06	126.81
2	C	501	FAD	N3A-C2A-N1A	-11.13	120.13	128.87
2	A	501	FAD	N3A-C2A-N1A	-11.05	120.19	128.87
3	B	503	NAD	N3A-C2A-N1A	-11.03	120.21	128.87
3	D	502	NAD	N3A-C2A-N1A	-11.02	120.21	128.87
2	B	502	FAD	N3A-C2A-N1A	-11.00	120.23	128.87
3	A	502	NAD	N3A-C2A-N1A	-10.98	120.24	128.87
2	D	501	FAD	N3A-C2A-N1A	-10.58	120.56	128.87
3	A	502	NAD	N6A-C6A-N1A	-8.66	103.98	118.52
3	C	502	NAD	N6A-C6A-N1A	-8.45	104.33	118.52
3	D	502	NAD	N6A-C6A-N1A	-8.44	104.35	118.52
3	B	503	NAD	N6A-C6A-N1A	-8.30	104.60	118.52
2	C	501	FAD	N6A-C6A-N1A	-4.73	110.58	118.52
2	A	501	FAD	N6A-C6A-N1A	-4.71	110.61	118.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	NAD	C4B-O4B-C1B	-4.71	104.65	109.64
2	B	502	FAD	N6A-C6A-N1A	-4.50	110.96	118.52
2	A	501	FAD	C1B-N9A-C4A	-4.36	121.94	126.81
2	D	501	FAD	N6A-C6A-N1A	-4.30	111.30	118.52
2	D	501	FAD	C4B-O4B-C1B	-3.89	105.52	109.64
3	C	502	NAD	C4B-O4B-C1B	-3.79	105.63	109.64
2	C	501	FAD	C1B-N9A-C4A	-3.72	122.65	126.81
2	D	501	FAD	O4B-C1B-N9A	-3.71	101.10	108.11
2	B	502	FAD	O4B-C1B-N9A	-3.62	101.27	108.11
2	B	502	FAD	C7M-C7-C6	-3.53	110.35	120.33
2	B	502	FAD	C1B-N9A-C4A	-3.53	122.86	126.81
2	C	501	FAD	C7M-C7-C6	-3.47	110.52	120.33
2	D	501	FAD	C1B-N9A-C4A	-3.40	123.01	126.81
3	D	502	NAD	C4B-O4B-C1B	-3.35	106.09	109.64
2	A	501	FAD	C4B-O4B-C1B	-3.23	106.21	109.64
2	A	501	FAD	C7M-C7-C6	-3.17	111.38	120.33
2	B	502	FAD	C4B-O4B-C1B	-3.14	106.31	109.64
2	A	501	FAD	O4B-C1B-N9A	-3.13	102.20	108.11
3	B	503	NAD	C4B-O4B-C1B	-3.08	106.38	109.64
2	C	501	FAD	O4B-C1B-N9A	-3.03	102.38	108.11
2	C	501	FAD	C4B-O4B-C1B	-2.99	106.47	109.64
2	D	501	FAD	C7M-C7-C6	-2.79	112.46	120.33
2	B	502	FAD	C4X-N5-C5X	2.07	119.16	116.72
2	B	502	FAD	C2B-C1B-N9A	2.28	119.57	113.47
3	B	503	NAD	O5D-PN-O3	2.66	112.71	104.29
2	D	501	FAD	C7M-C7-C8	3.15	127.51	120.73
2	C	501	FAD	C1'-N10-C9A	3.21	122.55	118.83
2	A	501	FAD	C1'-N10-C9A	3.30	122.66	118.83
2	B	502	FAD	C1'-N10-C9A	3.35	122.71	118.83
2	B	502	FAD	C5X-C9A-N10	3.39	120.12	117.58
2	A	501	FAD	C7M-C7-C8	3.56	128.39	120.73
2	D	501	FAD	C1'-N10-C9A	3.66	123.07	118.83
2	C	501	FAD	C5X-C9A-N10	3.76	120.39	117.58
2	C	501	FAD	C7M-C7-C8	3.90	129.13	120.73
2	A	501	FAD	C5X-C9A-N10	4.09	120.64	117.58
2	B	502	FAD	C7M-C7-C8	4.10	129.55	120.73
2	D	501	FAD	C5X-C9A-N10	4.70	121.10	117.58
2	C	501	FAD	C2-N1-C10	6.33	118.79	113.39
2	B	502	FAD	C2-N1-C10	7.50	119.79	113.39
2	A	501	FAD	C2-N1-C10	7.57	119.84	113.39
2	D	501	FAD	C2-N1-C10	7.77	120.01	113.39

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	NAD	1	0
4	A	508	DMS	1	0
4	A	509	DMS	1	0
3	C	502	NAD	1	0
4	C	505	DMS	1	0
3	D	502	NAD	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	472/481 (98%)	0.07	24 (5%) 32 31	18, 28, 44, 56	0
1	B	473/481 (98%)	-0.27	11 (2%) 64 65	17, 23, 39, 58	0
1	C	474/481 (98%)	-0.26	9 (1%) 70 71	12, 20, 37, 58	0
1	D	475/481 (98%)	-0.38	6 (1%) 79 80	12, 20, 39, 55	0
All	All	1894/1924 (98%)	-0.21	50 (2%) 59 60	12, 23, 40, 58	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	347	GLN	6.5
1	A	81	ALA	4.7
1	C	2	SER	4.4
1	A	262	ALA	4.4
1	B	346	ALA	4.4
1	C	135	LEU	4.2
1	B	2	SER	3.9
1	C	302	TYR	3.8
1	A	83	GLY	3.8
1	B	302	TYR	3.6
1	A	377	GLY	3.5
1	D	252	LYS	3.4
1	D	250	VAL	3.3
1	A	240	ARG	3.2
1	B	165	ASP	3.2
1	A	127	ASN	3.2
1	B	262	ALA	3.1
1	B	297	GLU	3.1
1	A	143	GLU	3.0
1	A	250	VAL	2.7
1	B	263	ASN	2.7

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	263	ASN	2.7
1	A	374	LYS	2.6
1	A	125	LEU	2.6
1	A	289	ALA	2.6
1	B	81	ALA	2.6
1	B	473	ALA	2.6
1	D	262	ALA	2.5
1	A	210	LEU	2.5
1	A	252	LYS	2.5
1	A	80	GLU	2.4
1	A	263	ASN	2.3
1	A	111	LYS	2.3
1	A	141	VAL	2.3
1	A	245	VAL	2.3
1	A	5	PHE	2.3
1	D	302	TYR	2.3
1	A	343	GLY	2.3
1	C	82	LYS	2.3
1	C	343	GLY	2.3
1	A	243	ALA	2.2
1	D	297	GLU	2.2
1	A	135	LEU	2.2
1	B	345	LYS	2.2
1	C	297	GLU	2.2
1	C	310	SER	2.1
1	A	259	PHE	2.1
1	D	165	ASP	2.0
1	A	142	LEU	2.0
1	C	262	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	DMS	B	506	4/4	0.96	0.17	11.40	35,44,46,46	0
4	DMS	C	507	4/4	0.87	0.14	7.41	33,40,41,41	0
4	DMS	A	505	4/4	0.98	0.10	6.98	37,46,48,48	0
4	DMS	D	507	4/4	0.93	0.23	6.90	37,50,50,50	0
4	DMS	C	505	4/4	0.95	0.16	6.88	32,39,39,39	0
4	DMS	A	509	4/4	0.91	0.12	6.38	53,64,65,65	0
4	DMS	C	503	4/4	0.96	0.11	6.02	31,37,42,42	0
4	DMS	D	504	4/4	0.92	0.14	4.57	29,38,40,40	10
4	DMS	C	509	4/4	0.82	0.21	3.97	38,52,52,52	0
4	DMS	B	501	4/4	0.90	0.21	3.28	31,38,44,44	10
4	DMS	A	507	4/4	0.94	0.19	3.23	53,64,65,65	0
4	DMS	B	507	4/4	0.92	0.21	2.78	44,57,57,57	0
4	DMS	D	509	4/4	0.92	0.19	2.56	49,61,61,61	0
4	DMS	B	509	4/4	0.95	0.19	2.39	50,61,62,62	0
4	DMS	C	511	4/4	0.79	0.21	2.21	55,67,69,69	0
4	DMS	D	508	4/4	0.95	0.12	2.10	47,58,58,58	0
4	DMS	B	510	4/4	0.96	0.10	1.73	47,58,59,59	0
4	DMS	A	506	4/4	0.97	0.16	1.70	37,44,45,45	0
4	DMS	A	503	4/4	0.95	0.09	1.19	39,47,48,48	0
4	DMS	C	504	4/4	0.94	0.10	1.13	28,38,40,40	0
3	NAD	D	502	27/44	0.87	0.10	1.01	27,31,38,40	0
3	NAD	B	503	27/44	0.84	0.11	1.01	29,35,41,43	0
4	DMS	C	506	4/4	0.92	0.14	0.99	26,40,41,41	10
4	DMS	A	504	4/4	0.94	0.11	0.92	38,47,49,49	0
4	DMS	D	503	4/4	0.98	0.11	0.90	41,49,49,49	0
4	DMS	A	510	4/4	0.89	0.15	0.84	60,72,72,72	0
4	DMS	A	508	4/4	0.94	0.11	0.82	47,57,58,58	0
3	NAD	C	502	27/44	0.89	0.10	0.79	30,35,42,42	0
4	DMS	C	508	4/4	0.94	0.11	0.68	34,41,45,45	0
4	DMS	D	505	4/4	0.94	0.09	0.64	27,32,33,33	0
2	FAD	B	502	53/53	0.98	0.10	0.26	16,19,26,27	0
2	FAD	D	501	53/53	0.98	0.08	0.16	12,15,21,23	0
4	DMS	B	505	4/4	0.99	0.10	0.07	33,41,42,42	0
4	DMS	B	504	4/4	0.98	0.08	0.05	29,35,38,38	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NAD	A	502	27/44	0.91	0.11	0.05	28,31,37,37	0
2	FAD	A	501	53/53	0.97	0.08	0.02	19,24,31,32	0
2	FAD	C	501	53/53	0.98	0.07	-0.16	13,17,20,23	0
4	DMS	D	506	4/4	0.98	0.06	-0.63	22,27,31,31	0
4	DMS	B	508	4/4	0.96	0.08	-0.72	38,45,47,47	0
4	DMS	C	510	4/4	0.96	0.22	-	50,60,61,61	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.