



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:58 AM GMT

PDB ID : 2V9X  
Title : E138D VARIANT OF ESCHERICHIA COLI DCTP DEAMINASE IN COM-  
PLEX WITH DUTP  
Authors : Thymark, M.; Johansson, E.; Larsen, S.; Willemoes, M.  
Deposited on : 2007-08-28  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	193	<div> <div>5%</div> <div>92%</div> <div>7%</div> </div>
1	B	193	<div> <div>9%</div> <div>92%</div> <div>8%</div> </div>
1	C	193	<div> <div>6%</div> <div>88%</div> <div>11%</div> </div>
1	D	193	<div> <div>6%</div> <div>93%</div> <div>7%</div> </div>
1	E	193	<div> <div>9%</div> <div>93%</div> <div>7%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	193	
1	G	193	
1	H	193	
1	I	193	
1	J	193	
1	K	193	
1	L	193	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	K	1197	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 18359 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	B	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	C	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	D	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	E	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	F	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	G	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	H	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	I	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	J	161	Total	C	N	O	S	0	0	0
			1247	796	220	225	6			
1	K	193	Total	C	N	O	S	0	0	0
			1495	940	271	278	6			
1	L	174	Total	C	N	O	S	0	0	1
			1334	846	238	244	6			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
B	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
C	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
D	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
E	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
G	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
H	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
I	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
J	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
K	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248
L	138	ASP	GLU	ENGINEERED MUTATION	UNP P28248

- Molecule 2 is DEOXYURIDINE-5'-TRIPHOSPHATE (three-letter code: DUT) (formula: C<sub>9</sub>H<sub>15</sub>N<sub>2</sub>O<sub>14</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	B	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	C	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	D	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	E	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	F	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	G	1	Total	C	N	O	P	0	0
			28	9	2	14	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	H	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	I	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	J	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	K	1	Total	C	N	O	P	0	0
			28	9	2	14	3		
2	L	1	Total	C	N	O	P	0	0
			28	9	2	14	3		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	1	Total	Mg	0	0
			1	1		
3	J	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	K	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	H	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	I	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	L	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	K	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	44	Total	O	0	0
			44	44		
5	B	48	Total	O	0	0
			48	48		
5	C	54	Total	O	0	0
			54	54		
5	D	36	Total	O	0	0
			36	36		
5	E	40	Total	O	0	0
			40	40		
5	F	33	Total	O	0	0
			33	33		
5	G	25	Total	O	0	0
			25	25		
5	H	45	Total	O	0	0
			45	45		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	I	41	Total 41	O 41	0	0
5	J	32	Total 32	O 32	0	0
5	K	37	Total 37	O 37	0	0
5	L	25	Total 25	O 25	0	0



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE




- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE





- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE



- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE




- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE



- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE





- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE




- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE





- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE




- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE




- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE



- Molecule 1: DEOXYCYTIDINE TRIPHOSPHATE DEAMINASE





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	94.19Å 71.30Å 319.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 19.80 – 2.20	Depositor EDS
% Data completeness (in resolution range)	96.7 (20.00-2.20) 96.7 (19.80-2.20)	Depositor EDS
$R_{merge}$	0.01	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.53 (at 2.19Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.203 , 0.239 0.210 , 0.246	Depositor DCC
$R_{free}$ test set	5341 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	25.5	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 47.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 106623 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	18359	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, DUT, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.86	0/1526	0.85	2/2069 (0.1%)
1	B	0.89	1/1526 (0.1%)	0.86	2/2069 (0.1%)
1	C	0.88	0/1526	0.88	2/2069 (0.1%)
1	D	0.84	0/1526	0.85	1/2069 (0.0%)
1	E	0.88	0/1526	0.85	1/2069 (0.0%)
1	F	0.88	0/1526	0.86	2/2069 (0.1%)
1	G	0.82	0/1526	0.83	1/2069 (0.0%)
1	H	0.86	0/1526	0.84	1/2069 (0.0%)
1	I	0.87	0/1526	0.85	1/2069 (0.0%)
1	J	1.04	4/1275 (0.3%)	0.98	2/1733 (0.1%)
1	K	0.85	0/1526	0.86	2/2069 (0.1%)
1	L	0.97	0/1364	0.97	4/1855 (0.2%)
All	All	0.89	5/17899 (0.0%)	0.87	21/24278 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	J	0	1
1	L	0	1
All	All	0	2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	J	108	ASP	CB-CG	8.17	1.69	1.51
1	J	79	GLU	CG-CD	5.45	1.60	1.51
1	J	95	GLU	CG-CD	5.31	1.59	1.51
1	B	108	ASP	CB-CG	5.29	1.62	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	J	77	GLU	CG-CD	5.12	1.59	1.51

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	174	ARG	NE-CZ-NH2	-6.24	117.18	120.30
1	F	174	ARG	NE-CZ-NH2	-6.05	117.27	120.30
1	J	126	ARG	NE-CZ-NH1	5.94	123.27	120.30
1	A	174	ARG	NE-CZ-NH2	-5.80	117.40	120.30
1	G	126	ARG	NE-CZ-NH1	5.55	123.07	120.30
1	K	5	ASP	CB-CG-OD1	5.51	123.26	118.30
1	H	174	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	I	174	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	L	139	PHE	CB-CA-C	-5.41	99.57	110.40
1	J	53	ASP	CB-CG-OD1	5.35	123.12	118.30
1	E	2	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	A	2	ARG	NE-CZ-NH1	5.29	122.94	120.30
1	B	174	ARG	NE-CZ-NH2	-5.29	117.66	120.30
1	D	36	ARG	NE-CZ-NH1	5.27	122.94	120.30
1	L	53	ASP	CB-CG-OD1	5.22	123.00	118.30
1	L	108	ASP	CB-CG-OD2	-5.17	113.65	118.30
1	C	191	ASP	CB-CG-OD1	5.10	122.89	118.30
1	B	2	ARG	NE-CZ-NH2	-5.05	117.77	120.30
1	L	58	LYS	N-CA-C	5.04	124.60	111.00
1	F	174	ARG	NE-CZ-NH1	5.02	122.81	120.30
1	K	174	ARG	NE-CZ-NH2	-5.00	117.80	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	J	66	ASP	Peptide
1	L	56	GLY	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1495	0	1493	11	1
1	B	1495	0	1493	16	0
1	C	1495	0	1493	19	0
1	D	1495	0	1493	17	0
1	E	1495	0	1493	7	2
1	F	1495	0	1493	13	6
1	G	1495	0	1493	10	1
1	H	1495	0	1493	12	1
1	I	1495	0	1493	17	0
1	J	1247	0	1254	25	0
1	K	1495	0	1493	12	5
1	L	1334	0	1337	31	0
2	A	28	0	11	0	0
2	B	28	0	11	0	0
2	C	28	0	11	0	0
2	D	28	0	11	0	0
2	E	28	0	11	0	0
2	F	28	0	11	0	0
2	G	28	0	11	0	0
2	H	28	0	11	0	0
2	I	28	0	11	0	0
2	J	28	0	11	0	0
2	K	28	0	11	0	0
2	L	28	0	11	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
3	K	1	0	0	0	0
3	L	1	0	0	0	0
4	C	5	0	0	0	0
4	D	5	0	0	0	0
4	G	5	0	0	0	0
4	K	5	0	0	1	0
5	A	44	0	0	4	0
5	B	48	0	0	4	0
5	C	54	0	0	12	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	36	0	0	2	0
5	E	40	0	0	3	0
5	F	33	0	0	6	0
5	G	25	0	0	1	0
5	H	45	0	0	5	0
5	I	41	0	0	8	0
5	J	32	0	0	3	0
5	K	37	0	0	0	0
5	L	25	0	0	7	0
All	All	18359	0	17653	144	8

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:183:GLN:OE1	1:D:74:VAL:CG2	1.72	1.37
1:I:134:CYS:HB2	5:I:2037:HOH:O	1.25	1.27
1:B:183:GLN:OE1	1:D:74:VAL:HG23	1.08	1.21
1:L:55:SER:C	5:L:2009:HOH:O	1.74	1.19
1:B:183:GLN:CD	1:D:74:VAL:HG21	1.73	1.08
1:B:183:GLN:CD	1:D:74:VAL:CG2	2.23	1.04
1:B:183:GLN:NE2	1:D:74:VAL:HG21	1.73	1.01
1:F:58:LYS:HB2	5:F:2009:HOH:O	1.61	0.99
1:C:16:ARG:NH1	5:C:2004:HOH:O	1.97	0.97
1:A:76:ASP:O	5:A:2015:HOH:O	1.90	0.88
1:I:175:GLU:HG2	5:I:2035:HOH:O	1.73	0.87
1:L:55:SER:CA	5:L:2009:HOH:O	2.13	0.85
1:C:181:ASN:OD1	5:C:2049:HOH:O	1.95	0.85
1:B:183:GLN:NE2	1:D:74:VAL:CG2	2.37	0.84
1:L:55:SER:HB2	5:L:2009:HOH:O	1.79	0.83
1:K:147:LEU:HD13	1:L:54:LEU:HD11	1.60	0.83
1:J:39:ASN:HD21	1:J:75:LEU:H	1.25	0.81
1:E:87:GLU:O	5:E:2022:HOH:O	1.98	0.80
1:G:108:ASP:OD1	5:G:2011:HOH:O	2.01	0.77
1:K:113:LEU:HD22	1:L:54:LEU:HD13	1.66	0.77
1:D:108:ASP:OD1	5:D:2019:HOH:O	2.05	0.74
1:K:121:HIS:NE2	4:K:1197:SO4:O1	2.20	0.73
1:B:183:GLN:HE22	1:D:74:VAL:CG2	2.03	0.71
1:E:58:LYS:HE3	5:E:2016:HOH:O	1.90	0.71

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:173:ARG:NH1	5:C:2046:HOH:O	2.02	0.70
1:I:76:ASP:O	5:I:2012:HOH:O	2.08	0.69
1:G:122:VAL:HG13	1:I:119:MET:HG2	1.74	0.68
1:L:9:GLU:OE2	1:L:25:VAL:HG22	1.94	0.67
1:A:122:VAL:HG13	1:C:119:MET:HG2	1.77	0.66
1:J:39:ASN:ND2	1:J:75:LEU:H	1.91	0.66
1:J:22:ARG:NH1	5:J:2005:HOH:O	2.29	0.66
1:B:183:GLN:CD	1:D:74:VAL:HG23	1.98	0.65
1:C:173:ARG:HD3	5:C:2046:HOH:O	1.98	0.64
1:D:122:VAL:HG13	1:F:119:MET:HG2	1.80	0.64
1:H:174:ARG:CD	5:H:2037:HOH:O	2.46	0.64
1:C:180:ARG:HB2	5:C:2047:HOH:O	1.96	0.63
1:B:119:MET:HG2	1:C:122:VAL:HG13	1.81	0.63
1:L:55:SER:CB	5:L:2009:HOH:O	2.31	0.63
1:G:119:MET:HG2	1:H:122:VAL:HG13	1.81	0.62
1:I:134:CYS:CB	5:I:2037:HOH:O	2.06	0.62
1:F:58:LYS:CA	5:F:2009:HOH:O	2.49	0.60
1:L:56:GLY:N	5:L:2009:HOH:O	2.15	0.60
1:H:174:ARG:HD3	5:H:2037:HOH:O	2.03	0.59
1:L:39:ASN:ND2	1:L:74:VAL:HG13	2.17	0.58
1:L:60:GLU:O	1:L:61:VAL:C	2.40	0.58
1:F:58:LYS:CB	5:F:2009:HOH:O	2.33	0.58
1:I:14:GLU:OE1	5:I:2002:HOH:O	2.17	0.58
1:J:65:LEU:HB3	5:J:2015:HOH:O	2.04	0.57
1:C:36:ARG:HD2	5:C:2012:HOH:O	2.04	0.57
1:L:27:ARG:HA	1:L:27:ARG:NE	2.21	0.56
1:C:174:ARG:CD	5:C:2045:HOH:O	2.54	0.55
1:A:119:MET:HG2	1:B:122:VAL:HG13	1.89	0.55
1:L:62:SER:O	1:L:64:ALA:N	2.41	0.54
1:E:119:MET:HG2	1:F:122:VAL:HG13	1.88	0.54
1:A:53:ASP:HA	1:C:148:ALA:HB3	1.89	0.54
1:L:168:VAL:O	1:L:173:ARG:NH2	2.41	0.53
1:J:69:MET:CE	1:J:90:LEU:HD12	2.39	0.53
1:I:122:VAL:O	1:I:122:VAL:HG12	2.09	0.53
1:F:138:ASP:OD2	5:F:2024:HOH:O	2.18	0.53
1:C:180:ARG:CB	5:C:2047:HOH:O	2.54	0.53
1:L:45:ARG:NH2	1:L:67:ARG:O	2.43	0.52
1:B:181:ASN:HB2	5:B:2043:HOH:O	2.10	0.52
1:J:119:MET:HG2	1:K:122:VAL:HG13	1.92	0.52
1:J:65:LEU:HD22	5:J:2015:HOH:O	2.09	0.52
1:B:122:VAL:HG12	1:B:122:VAL:O	2.09	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:148:ALA:HB3	1:H:53:ASP:HA	1.91	0.51
1:L:65:LEU:HD23	1:L:69:MET:SD	2.49	0.51
1:J:48:THR:HB	1:J:67:ARG:HD2	1.92	0.51
1:D:119:MET:HG2	1:E:122:VAL:HG13	1.93	0.51
1:C:174:ARG:HD3	5:C:2045:HOH:O	2.11	0.50
1:J:122:VAL:HG13	1:L:119:MET:HG2	1.94	0.50
1:D:53:ASP:OD1	1:F:150:ARG:NH1	2.45	0.50
1:L:60:GLU:O	1:L:62:SER:N	2.45	0.50
1:L:57:PRO:O	1:L:59:ASP:N	2.45	0.50
1:H:119:MET:HG2	1:I:122:VAL:HG13	1.93	0.50
1:H:174:ARG:HD2	5:H:2037:HOH:O	2.09	0.50
1:J:107:LEU:O	1:J:108:ASP:OD1	2.29	0.50
1:B:113:LEU:HD12	5:B:2037:HOH:O	2.11	0.50
1:L:7:ASP:O	1:L:11:TRP:HD1	1.95	0.49
1:E:82:TYR:CE2	1:I:50:ALA:HB2	2.46	0.49
1:J:148:ALA:HB3	1:K:53:ASP:HA	1.94	0.49
1:K:122:VAL:HG12	1:K:122:VAL:O	2.12	0.49
1:L:59:ASP:C	1:L:59:ASP:OD1	2.51	0.49
1:J:23:PRO:HG2	1:J:33:VAL:CG1	2.42	0.48
1:D:53:ASP:HA	1:F:148:ALA:HB3	1.94	0.48
1:A:54:LEU:HD12	1:C:149:LEU:HD23	1.95	0.48
1:H:6:ARG:HD2	5:H:2001:HOH:O	2.12	0.48
1:E:122:VAL:O	1:E:122:VAL:HG12	2.14	0.48
1:J:36:ARG:HG2	1:J:154:LEU:HD23	1.95	0.48
1:B:1:MET:HA	1:C:162:PRO:O	2.14	0.47
1:L:36:ARG:HD2	5:L:2004:HOH:O	2.14	0.47
1:B:78:GLY:C	5:B:2019:HOH:O	2.53	0.47
1:G:53:ASP:HA	1:I:148:ALA:HB3	1.96	0.47
1:H:122:VAL:O	1:H:122:VAL:HG12	2.15	0.47
1:E:56:GLY:HA2	5:E:2015:HOH:O	2.15	0.46
1:J:144:LYS:HG3	1:K:44:PHE:HB2	1.98	0.46
1:A:169:ARG:HD2	5:C:2007:HOH:O	2.16	0.45
1:J:104:VAL:HB	1:J:163:LEU:HD21	1.98	0.45
1:F:58:LYS:HA	5:F:2009:HOH:O	2.14	0.45
1:D:34:ASP:HB3	1:D:154:LEU:HD22	1.98	0.45
1:L:2:ARG:HA	1:L:2:ARG:HD3	1.85	0.45
1:J:138:ASP:OD1	1:J:138:ASP:N	2.49	0.45
1:D:54:LEU:HD12	1:F:149:LEU:HD23	1.97	0.45
1:J:54:LEU:HD21	1:L:116:LEU:HD13	1.99	0.44
1:D:174:ARG:CD	5:D:2029:HOH:O	2.65	0.44
1:L:27:ARG:CA	1:L:27:ARG:NE	2.81	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:65:LEU:O	1:J:66:ASP:OD1	2.36	0.44
1:F:122:VAL:HG12	1:F:122:VAL:O	2.16	0.44
1:I:92:VAL:CG2	5:I:2037:HOH:O	2.65	0.44
1:C:27:ARG:HG3	5:C:2013:HOH:O	2.17	0.44
1:I:92:VAL:HG21	5:I:2037:HOH:O	2.18	0.43
1:C:50:ALA:HB2	1:L:82:TYR:CE2	2.53	0.43
1:G:149:LEU:HD23	1:H:54:LEU:HD12	2.01	0.43
1:J:6:ARG:NH2	1:K:168:VAL:HG22	2.34	0.43
1:J:69:MET:HE1	1:J:90:LEU:HD12	1.98	0.43
1:A:108:ASP:CG	5:A:2021:HOH:O	2.56	0.43
1:C:174:ARG:HD2	5:C:2045:HOH:O	2.18	0.43
1:A:53:ASP:OD1	1:C:150:ARG:NH1	2.52	0.43
1:A:122:VAL:HG12	1:A:122:VAL:O	2.18	0.42
1:J:1:MET:H3	1:L:1:MET:N	2.17	0.42
1:D:122:VAL:O	1:D:122:VAL:HG12	2.19	0.42
1:L:65:LEU:HD23	1:L:69:MET:CG	2.49	0.42
1:C:34:ASP:HB3	1:C:154:LEU:HD22	2.00	0.42
1:H:36:ARG:HD2	5:H:2008:HOH:O	2.20	0.42
1:K:150:ARG:NH1	1:L:53:ASP:OD2	2.53	0.42
1:F:34:ASP:HB3	1:F:154:LEU:HD22	2.01	0.42
1:G:119:MET:CG	1:H:122:VAL:HG13	2.49	0.42
1:J:122:VAL:O	1:J:122:VAL:CG1	2.68	0.42
1:J:149:LEU:HD23	1:K:54:LEU:HD12	2.01	0.42
1:J:34:ASP:HB3	1:J:154:LEU:HD22	2.02	0.41
1:K:34:ASP:HB3	1:K:154:LEU:HD22	2.02	0.41
1:G:122:VAL:HG12	1:G:122:VAL:O	2.20	0.41
1:I:34:ASP:HB3	1:I:154:LEU:HD22	2.02	0.41
1:F:174:ARG:CD	5:F:2028:HOH:O	2.67	0.41
1:A:174:ARG:NH2	5:A:2039:HOH:O	2.41	0.41
1:H:1:MET:HA	1:I:162:PRO:O	2.21	0.41
1:G:54:LEU:HD12	1:I:149:LEU:HD23	2.03	0.41
1:G:1:MET:H3	1:I:1:MET:H3	1.70	0.40
1:K:147:LEU:HD22	1:L:54:LEU:HD21	2.03	0.40
1:A:174:ARG:CD	5:A:2036:HOH:O	2.69	0.40
1:B:182:GLN:HA	5:B:2042:HOH:O	2.20	0.40
1:L:36:ARG:CD	5:L:2004:HOH:O	2.68	0.40
1:I:175:GLU:CG	5:I:2035:HOH:O	2.49	0.40
1:J:162:PRO:O	1:L:1:MET:HA	2.21	0.40

All (8) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:GLN:OE1	1:F:74:VAL:CG1[1_655]	1.56	0.64
1:E:77:GLU:OE2	1:H:175:GLU:OE1[1_545]	1.91	0.29
1:F:57:PRO:CG	1:K:36:ARG:CZ[1_445]	2.00	0.20
1:F:57:PRO:CG	1:K:36:ARG:NH1[1_445]	2.06	0.14
1:E:181:ASN:OD1	1:G:77:GLU:CG[1_545]	2.12	0.08
1:F:57:PRO:CB	1:K:36:ARG:NH1[1_445]	2.16	0.04
1:F:60:GLU:OE1	1:K:36:ARG:NH2[1_445]	2.16	0.04
1:F:57:PRO:CG	1:K:36:ARG:NH2[1_445]	2.17	0.03

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	191/193 (99%)	188 (98%)	3 (2%)	0	100	100
1	B	191/193 (99%)	188 (98%)	3 (2%)	0	100	100
1	C	191/193 (99%)	189 (99%)	2 (1%)	0	100	100
1	D	191/193 (99%)	188 (98%)	3 (2%)	0	100	100
1	E	191/193 (99%)	188 (98%)	3 (2%)	0	100	100
1	F	191/193 (99%)	189 (99%)	2 (1%)	0	100	100
1	G	191/193 (99%)	189 (99%)	2 (1%)	0	100	100
1	H	191/193 (99%)	188 (98%)	3 (2%)	0	100	100
1	I	191/193 (99%)	189 (99%)	2 (1%)	0	100	100
1	J	157/193 (81%)	151 (96%)	4 (2%)	2 (1%)	15	11
1	K	191/193 (99%)	188 (98%)	3 (2%)	0	100	100
1	L	172/193 (89%)	159 (92%)	9 (5%)	4 (2%)	8	4
All	All	2239/2316 (97%)	2194 (98%)	39 (2%)	6 (0%)	46	50

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	58	LYS
1	L	61	VAL
1	J	66	ASP
1	L	63	ALA
1	L	57	PRO
1	J	123	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	158/158 (100%)	153 (97%)	5 (3%)	46	57
1	B	158/158 (100%)	154 (98%)	4 (2%)	55	67
1	C	158/158 (100%)	152 (96%)	6 (4%)	40	49
1	D	158/158 (100%)	154 (98%)	4 (2%)	55	67
1	E	158/158 (100%)	154 (98%)	4 (2%)	55	67
1	F	158/158 (100%)	153 (97%)	5 (3%)	46	57
1	G	158/158 (100%)	154 (98%)	4 (2%)	55	67
1	H	158/158 (100%)	153 (97%)	5 (3%)	46	57
1	I	158/158 (100%)	152 (96%)	6 (4%)	40	49
1	J	133/158 (84%)	124 (93%)	9 (7%)	20	21
1	K	158/158 (100%)	152 (96%)	6 (4%)	40	49
1	L	142/158 (90%)	129 (91%)	13 (9%)	11	11
All	All	1855/1896 (98%)	1784 (96%)	71 (4%)	40	49

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ARG
1	A	59	ASP
1	A	138	ASP
1	A	145	LEU
1	A	175	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	6	ARG
1	B	59	ASP
1	B	138	ASP
1	B	175	GLU
1	C	6	ARG
1	C	59	ASP
1	C	125	HIS
1	C	138	ASP
1	C	145	LEU
1	C	175	GLU
1	D	6	ARG
1	D	59	ASP
1	D	138	ASP
1	D	175	GLU
1	E	6	ARG
1	E	59	ASP
1	E	138	ASP
1	E	175	GLU
1	F	6	ARG
1	F	59	ASP
1	F	138	ASP
1	F	145	LEU
1	F	175	GLU
1	G	6	ARG
1	G	59	ASP
1	G	138	ASP
1	G	175	GLU
1	H	6	ARG
1	H	59	ASP
1	H	138	ASP
1	H	145	LEU
1	H	175	GLU
1	I	6	ARG
1	I	42	ARG
1	I	59	ASP
1	I	138	ASP
1	I	145	LEU
1	I	175	GLU
1	J	1	MET
1	J	13	ASP
1	J	16	ARG
1	J	39	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	J	65	LEU
1	J	66	ASP
1	J	72	GLU
1	J	138	ASP
1	J	145	LEU
1	K	6	ARG
1	K	42	ARG
1	K	59	ASP
1	K	138	ASP
1	K	145	LEU
1	K	175	GLU
1	L	2	ARG
1	L	6	ARG
1	L	14	GLU
1	L	27	ARG
1	L	59	ASP
1	L	65	LEU
1	L	67	ARG
1	L	69	MET
1	L	76	ASP
1	L	77	GLU
1	L	99	LEU
1	L	122	VAL
1	L	138	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	125	HIS
1	C	181	ASN
1	G	181	ASN
1	I	125	HIS
1	I	181	ASN
1	J	39	ASN
1	L	29	ASN
1	L	39	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 28 ligands modelled in this entry, 12 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	DUT	A	1194	3	20,29,29	0.90	0	32,45,45	1.35	4 (12%)
2	DUT	B	1194	3	20,29,29	0.85	1 (5%)	32,45,45	1.71	5 (15%)
2	DUT	C	1194	3	20,29,29	0.79	0	32,45,45	2.20	6 (18%)
4	SO4	C	1197	-	4,4,4	0.21	0	6,6,6	0.59	0
2	DUT	D	1194	3	20,29,29	1.02	1 (5%)	32,45,45	1.87	8 (25%)
4	SO4	D	1197	-	4,4,4	0.06	0	6,6,6	0.17	0
2	DUT	E	1194	3	20,29,29	0.81	0	32,45,45	1.60	5 (15%)
2	DUT	F	1194	3	20,29,29	0.70	0	32,45,45	1.99	4 (12%)
2	DUT	G	1194	3	20,29,29	1.02	1 (5%)	32,45,45	1.62	7 (21%)
4	SO4	G	1197	-	4,4,4	0.16	0	6,6,6	0.36	0
2	DUT	H	1194	3	20,29,29	1.15	2 (10%)	32,45,45	1.78	8 (25%)
2	DUT	I	1194	3	20,29,29	1.06	3 (15%)	32,45,45	1.99	6 (18%)
2	DUT	J	1194	3	20,29,29	0.85	1 (5%)	32,45,45	2.17	7 (21%)
2	DUT	K	1194	3	20,29,29	1.01	1 (5%)	32,45,45	1.59	3 (9%)
4	SO4	K	1197	-	4,4,4	0.36	0	6,6,6	0.14	0
2	DUT	L	1194	3	20,29,29	0.76	0	32,45,45	1.70	3 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical



component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DUT	A	1194	3	-	0/18/34/34	0/2/2/2
2	DUT	B	1194	3	-	0/18/34/34	0/2/2/2
2	DUT	C	1194	3	-	0/18/34/34	0/2/2/2
4	SO4	C	1197	-	-	0/0/0/0	0/0/0/0
2	DUT	D	1194	3	-	0/18/34/34	0/2/2/2
4	SO4	D	1197	-	-	0/0/0/0	0/0/0/0
2	DUT	E	1194	3	-	0/18/34/34	0/2/2/2
2	DUT	F	1194	3	-	0/18/34/34	0/2/2/2
2	DUT	G	1194	3	-	0/18/34/34	0/2/2/2
4	SO4	G	1197	-	-	0/0/0/0	0/0/0/0
2	DUT	H	1194	3	-	0/18/34/34	0/2/2/2
2	DUT	I	1194	3	-	0/18/34/34	0/2/2/2
2	DUT	J	1194	3	-	0/18/34/34	0/2/2/2
2	DUT	K	1194	3	-	0/18/34/34	0/2/2/2
4	SO4	K	1197	-	-	0/0/0/0	0/0/0/0
2	DUT	L	1194	3	-	0/18/34/34	0/2/2/2

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	1194	DUT	O4'-C4'	-2.69	1.38	1.45
2	B	1194	DUT	PB-O2B	-2.64	1.43	1.54
2	J	1194	DUT	PB-O2B	-2.21	1.45	1.54
2	I	1194	DUT	C6-N1	-2.16	1.32	1.35
2	I	1194	DUT	PA-O2A	-2.16	1.45	1.54
2	I	1194	DUT	C4-N3	2.02	1.36	1.33
2	H	1194	DUT	C4-N3	2.04	1.36	1.33
2	D	1194	DUT	C4-N3	2.64	1.38	1.33
2	K	1194	DUT	C4-N3	2.68	1.38	1.33
2	G	1194	DUT	C4-N3	2.89	1.38	1.33

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1194	DUT	PB-O3A-PA	-3.71	122.30	132.73
2	I	1194	DUT	PB-O3A-PA	-3.48	122.95	132.73
2	B	1194	DUT	PB-O3A-PA	-3.46	123.00	132.73
2	D	1194	DUT	PB-O3B-PG	-3.18	122.02	132.67
2	H	1194	DUT	O5'-PA-O1A	-2.95	98.18	109.62
2	I	1194	DUT	C2'-C1'-N1	-2.88	107.15	114.16

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1194	DUT	C2'-C1'-N1	-2.83	107.26	114.16
2	L	1194	DUT	PB-O3B-PG	-2.81	123.26	132.67
2	J	1194	DUT	C2'-C1'-N1	-2.68	107.65	114.16
2	K	1194	DUT	PB-O3B-PG	-2.57	124.06	132.67
2	D	1194	DUT	C2'-C1'-N1	-2.52	108.04	114.16
2	D	1194	DUT	PB-O3A-PA	-2.46	125.83	132.73
2	G	1194	DUT	C2'-C1'-N1	-2.43	108.24	114.16
2	D	1194	DUT	O5'-PA-O1A	-2.39	100.33	109.62
2	H	1194	DUT	PB-O3A-PA	-2.28	126.34	132.73
2	H	1194	DUT	C2'-C1'-N1	-2.22	108.75	114.16
2	E	1194	DUT	PB-O3B-PG	-2.16	125.41	132.67
2	J	1194	DUT	C5-C4-N3	-2.14	117.62	123.12
2	A	1194	DUT	C2'-C1'-N1	-2.09	109.08	114.16
2	J	1194	DUT	PB-O3A-PA	-2.08	126.88	132.73
2	H	1194	DUT	PB-O3B-PG	-2.08	125.69	132.67
2	B	1194	DUT	C2'-C1'-N1	-2.05	109.18	114.16
2	L	1194	DUT	C6-N1-C2	-2.03	117.99	121.28
2	F	1194	DUT	O3G-PG-O1G	2.03	117.12	110.58
2	G	1194	DUT	O2B-PB-O3A	2.04	114.33	105.09
2	H	1194	DUT	O4'-C1'-N1	2.06	111.29	107.72
2	D	1194	DUT	O2B-PB-O1B	2.13	124.06	112.53
2	B	1194	DUT	O4'-C1'-N1	2.15	111.44	107.72
2	J	1194	DUT	O2G-PG-O1G	2.16	117.53	110.58
2	J	1194	DUT	O2B-PB-O3A	2.16	114.90	105.09
2	G	1194	DUT	O4'-C1'-N1	2.20	111.53	107.72
2	A	1194	DUT	O3G-PG-O1G	2.22	117.72	110.58
2	H	1194	DUT	O3G-PG-O2G	2.23	115.87	107.38
2	C	1194	DUT	O3G-PG-O2G	2.26	115.99	107.38
2	F	1194	DUT	O2B-PB-O3A	2.27	115.39	105.09
2	J	1194	DUT	O3G-PG-O3B	2.29	115.48	105.09
2	G	1194	DUT	O2B-PB-O3B	2.32	115.60	105.09
2	D	1194	DUT	O4'-C1'-N1	2.32	111.74	107.72
2	E	1194	DUT	O2G-PG-O1G	2.42	118.37	110.58
2	C	1194	DUT	O2B-PB-O3B	2.43	116.11	105.09
2	I	1194	DUT	O2A-PA-O1A	2.46	125.87	112.53
2	A	1194	DUT	C4-N3-C2	2.51	116.63	114.14
2	G	1194	DUT	O3G-PG-O2G	2.56	117.13	107.38
2	H	1194	DUT	O2A-PA-O1A	2.61	126.68	112.53
2	I	1194	DUT	O3G-PG-O1G	2.79	119.56	110.58
2	F	1194	DUT	O4'-C1'-N1	2.90	112.75	107.72
2	C	1194	DUT	O2G-PG-O1G	2.92	119.97	110.58
2	C	1194	DUT	O4'-C1'-N1	3.05	113.00	107.72

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1194	DUT	O2G-PG-O1G	3.13	120.65	110.58
2	D	1194	DUT	O2G-PG-O1G	3.14	120.68	110.58
2	E	1194	DUT	C4-N3-C2	3.30	117.41	114.14
2	G	1194	DUT	O2G-PG-O1G	3.31	121.23	110.58
2	A	1194	DUT	O4'-C1'-N1	3.32	113.47	107.72
2	K	1194	DUT	O3G-PG-O1G	4.39	124.72	110.58
2	E	1194	DUT	O4'-C1'-N1	4.57	115.62	107.72
2	I	1194	DUT	O4'-C1'-N1	4.88	116.17	107.72
2	H	1194	DUT	C4-N3-C2	5.53	119.62	114.14
2	G	1194	DUT	C4-N3-C2	5.55	119.64	114.14
2	K	1194	DUT	C4-N3-C2	5.67	119.76	114.14
2	L	1194	DUT	C4-N3-C2	6.41	120.50	114.14
2	I	1194	DUT	C4-N3-C2	6.75	120.83	114.14
2	D	1194	DUT	C4-N3-C2	6.76	120.84	114.14
2	B	1194	DUT	C4-N3-C2	6.94	121.02	114.14
2	F	1194	DUT	C4-N3-C2	8.78	122.84	114.14
2	C	1194	DUT	C4-N3-C2	9.45	123.50	114.14
2	J	1194	DUT	C4-N3-C2	9.74	123.78	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	K	1197	SO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	193/193 (100%)	0.20	10 (5%)	31 30	13, 25, 46, 55	0
1	B	193/193 (100%)	0.33	18 (9%)	11 10	13, 25, 46, 55	0
1	C	193/193 (100%)	0.30	12 (6%)	24 23	13, 25, 45, 54	0
1	D	193/193 (100%)	0.20	12 (6%)	24 23	13, 25, 46, 55	0
1	E	193/193 (100%)	0.30	17 (8%)	12 11	13, 25, 46, 55	0
1	F	193/193 (100%)	0.24	19 (9%)	10 8	14, 25, 46, 54	0
1	G	193/193 (100%)	0.15	19 (9%)	10 8	13, 25, 46, 55	0
1	H	193/193 (100%)	0.16	12 (6%)	24 23	13, 25, 45, 54	0
1	I	193/193 (100%)	0.11	14 (7%)	18 17	13, 25, 46, 55	0
1	J	161/193 (83%)	-0.09	7 (4%)	39 38	13, 24, 41, 56	0
1	K	193/193 (100%)	0.17	15 (7%)	16 15	13, 25, 46, 54	0
1	L	174/193 (90%)	0.39	16 (9%)	11 10	13, 30, 54, 62	0
All	All	2265/2316 (97%)	0.21	171 (7%)	17 17	13, 25, 47, 62	0

All (171) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	183	GLN	9.5
1	B	181	ASN	8.6
1	A	77	GLU	8.0
1	L	63	ALA	7.3
1	C	183	GLN	6.9
1	G	77	GLU	6.7
1	D	181	ASN	6.7
1	E	55	SER	6.4
1	K	77	GLU	6.3
1	E	181	ASN	6.3
1	I	77	GLU	6.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	56	GLY	6.1
1	A	76	ASP	6.0
1	D	183	GLN	5.8
1	F	55	SER	5.7
1	E	54	LEU	5.6
1	H	77	GLU	5.6
1	A	183	GLN	5.5
1	D	77	GLU	5.4
1	A	59	ASP	5.2
1	D	76	ASP	5.0
1	F	54	LEU	5.0
1	L	173	ARG	5.0
1	B	77	GLU	5.0
1	H	76	ASP	4.9
1	A	78	GLY	4.9
1	C	77	GLU	4.8
1	L	76	ASP	4.8
1	B	193	ASP	4.8
1	E	77	GLU	4.7
1	F	77	GLU	4.7
1	B	78	GLY	4.7
1	K	181	ASN	4.7
1	E	59	ASP	4.4
1	I	193	ASP	4.4
1	H	181	ASN	4.4
1	G	78	GLY	4.3
1	L	174	ARG	4.3
1	G	76	ASP	4.3
1	E	173	ARG	4.3
1	L	172	ASN	4.2
1	G	59	ASP	4.2
1	J	67	ARG	4.1
1	F	183	GLN	4.1
1	C	76	ASP	4.0
1	D	59	ASP	4.0
1	G	60	GLU	3.9
1	C	180	ARG	3.9
1	G	173	ARG	3.8
1	G	66	ASP	3.8
1	E	183	GLN	3.8
1	B	76	ASP	3.8
1	D	78	GLY	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	I	59	ASP	3.8
1	H	59	ASP	3.7
1	A	58	LYS	3.7
1	J	77	GLU	3.7
1	L	56	GLY	3.6
1	B	59	ASP	3.6
1	L	57	PRO	3.6
1	E	193	ASP	3.6
1	G	181	ASN	3.6
1	D	175	GLU	3.5
1	E	53	ASP	3.5
1	E	76	ASP	3.5
1	F	181	ASN	3.5
1	G	175	GLU	3.5
1	I	175	GLU	3.5
1	F	56	GLY	3.4
1	L	62	SER	3.4
1	E	175	GLU	3.4
1	E	58	LYS	3.4
1	F	14	GLU	3.4
1	G	193	ASP	3.3
1	I	76	ASP	3.3
1	L	59	ASP	3.3
1	H	16	ARG	3.3
1	J	76	ASP	3.3
1	K	193	ASP	3.3
1	C	175	GLU	3.3
1	F	78	GLY	3.2
1	B	54	LEU	3.2
1	B	176	ASP	3.2
1	G	71	ASP	3.2
1	H	71	ASP	3.2
1	H	183	GLN	3.1
1	D	173	ARG	3.1
1	D	193	ASP	3.1
1	G	57	PRO	3.1
1	B	58	LYS	3.1
1	K	76	ASP	3.1
1	K	1	MET	3.1
1	A	193	ASP	3.1
1	C	1	MET	3.0
1	C	57	PRO	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	14	GLU	3.0
1	J	78	GLY	3.0
1	F	59	ASP	3.0
1	K	173	ARG	2.9
1	I	71	ASP	2.9
1	A	79	GLU	2.9
1	B	173	ARG	2.9
1	F	175	GLU	2.9
1	K	58	LYS	2.9
1	L	15	GLY	2.9
1	C	6	ARG	2.9
1	B	66	ASP	2.9
1	G	13	ASP	2.9
1	G	79	GLU	2.8
1	B	57	PRO	2.8
1	L	66	ASP	2.8
1	B	14	GLU	2.8
1	F	176	ASP	2.7
1	E	60	GLU	2.7
1	G	16	ARG	2.7
1	K	78	GLY	2.7
1	G	63	ALA	2.7
1	J	13	ASP	2.7
1	H	14	GLU	2.7
1	C	193	ASP	2.7
1	A	175	GLU	2.6
1	B	60	GLU	2.6
1	D	60	GLU	2.6
1	K	66	ASP	2.6
1	E	78	GLY	2.6
1	H	1	MET	2.6
1	I	60	GLU	2.5
1	H	13	ASP	2.5
1	H	193	ASP	2.5
1	F	173	ARG	2.5
1	G	183	GLN	2.5
1	B	175	GLU	2.5
1	I	13	ASP	2.5
1	J	71	ASP	2.5
1	L	77	GLU	2.5
1	F	76	ASP	2.4
1	L	64	ALA	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	6	ARG	2.4
1	K	14	GLU	2.4
1	C	173	ARG	2.4
1	K	59	ASP	2.4
1	K	36	ARG	2.4
1	H	173	ARG	2.4
1	D	1	MET	2.3
1	E	20	ASN	2.3
1	G	14	GLU	2.3
1	K	115	ARG	2.3
1	D	54	LEU	2.3
1	I	14	GLU	2.3
1	K	60	GLU	2.3
1	B	1	MET	2.3
1	F	58	LYS	2.3
1	J	14	GLU	2.3
1	L	26	GLU	2.3
1	L	71	ASP	2.2
1	C	181	ASN	2.2
1	K	54	LEU	2.2
1	I	183	GLN	2.2
1	F	1	MET	2.2
1	I	66	ASP	2.1
1	B	6	ARG	2.1
1	I	58	LYS	2.1
1	F	16	ARG	2.1
1	I	78	GLY	2.1
1	G	6	ARG	2.1
1	L	1	MET	2.1
1	A	66	ASP	2.1
1	I	1	MET	2.1
1	F	193	ASP	2.0
1	F	13	ASP	2.0
1	C	66	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.



## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	SO4	K	1197	5/5	0.70	0.90	19.96	174,174,174,175	0
4	SO4	G	1197	5/5	0.89	0.13	0.15	76,77,78,78	0
4	SO4	C	1197	5/5	0.92	0.12	-0.39	68,69,70,71	0
2	DUT	J	1194	28/28	0.95	0.11	-0.40	18,24,33,38	0
2	DUT	K	1194	28/28	0.98	0.09	-0.70	11,16,20,23	0
2	DUT	L	1194	28/28	0.96	0.09	-0.70	15,21,32,35	0
2	DUT	G	1194	28/28	0.97	0.09	-0.70	13,22,27,28	0
2	DUT	B	1194	28/28	0.99	0.08	-0.82	8,15,19,22	0
2	DUT	F	1194	28/28	0.98	0.09	-0.87	10,16,20,24	0
2	DUT	H	1194	28/28	0.98	0.09	-0.94	12,17,20,22	0
2	DUT	I	1194	28/28	0.99	0.08	-0.95	8,17,18,21	0
2	DUT	D	1194	28/28	0.98	0.09	-0.95	12,18,24,25	0
2	DUT	A	1194	28/28	0.99	0.09	-1.10	11,15,18,21	0
2	DUT	E	1194	28/28	0.99	0.07	-1.19	10,14,19,22	0
4	SO4	D	1197	5/5	0.94	0.09	-1.27	76,77,77,79	0
2	DUT	C	1194	28/28	0.99	0.07	-1.73	8,13,15,18	0
3	MG	G	1195	1/1	0.89	0.21	-	33,33,33,33	0
3	MG	J	1195	1/1	0.84	0.07	-	29,29,29,29	0
3	MG	B	1195	1/1	0.94	0.14	-	23,23,23,23	0
3	MG	H	1195	1/1	0.93	0.21	-	25,25,25,25	0
3	MG	D	1195	1/1	0.92	0.20	-	26,26,26,26	0
3	MG	A	1195	1/1	0.95	0.26	-	21,21,21,21	0
3	MG	I	1195	1/1	0.89	0.18	-	24,24,24,24	0
3	MG	L	1195	1/1	0.94	0.15	-	32,32,32,32	0
3	MG	K	1195	1/1	0.98	0.02	-	17,17,17,17	0
3	MG	C	1195	1/1	0.96	0.08	-	15,15,15,15	0
3	MG	F	1195	1/1	0.98	0.09	-	17,17,17,17	0
3	MG	E	1195	1/1	0.97	0.08	-	20,20,20,20	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.