



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 10:02 PM GMT

PDB ID : 4V9I
Title : Crystal structure of thermus thermophilus 70S in complex with tRNAs and mRNA containing a pseudouridine in a stop codon
Authors : Fernandez, I.S.; Ng, C.L.; Kelley, A.C.; Guowei, W.; Yu, Y.T.; Ramakrishnan, V.
Deposited on : 2013-04-04
Resolution : 3.30 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2060 (3.40-3.20)
Clashscore	102246	1058 (3.38-3.22)
Ramachandran outliers	100387	1038 (3.38-3.22)
Sidechain outliers	100360	1037 (3.38-3.22)
RSRZ outliers	91569	2070 (3.40-3.20)
RNA backbone	2183	1005 (3.82-2.78)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1504	<div> <div>4%</div> <div>51% 39% 10%</div> </div>
1	CA	1504	<div> <div>7%</div> <div>52% 39% 9%</div> </div>
2	AB	234	<div> <div>5%</div> <div>64% 32% .</div> </div>
2	CB	234	<div> <div>16%</div> <div>65% 30% 5%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	AC	206	
3	CC	206	
4	AD	208	
4	CD	208	
5	AE	150	
5	CE	150	
6	AF	101	
6	CF	101	
7	AG	155	
7	CG	155	
8	AH	138	
8	CH	138	
9	AI	127	
9	CI	127	
10	AJ	98	
10	CJ	98	
11	AK	119	
11	CK	119	
12	AL	124	
12	CL	124	
13	AM	124	
13	CM	124	
14	AN	60	
14	CN	60	
15	AO	88	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	CO	88	
16	AP	83	
16	CP	83	
17	AQ	99	
17	CQ	99	
18	AR	70	
18	CR	70	
19	AS	78	
19	CS	78	
20	AT	99	
20	CT	99	
21	AU	24	
21	CU	24	
22	AV	77	
22	CV	77	
23	AW	76	
23	CW	76	
24	AY	75	
24	CY	75	
25	AX	7	
26	BA	2915	
26	DA	2915	
27	BB	119	
27	DB	119	
28	BC	206	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	BD	271	
29	DD	271	
30	BE	204	
30	DE	204	
31	BF	207	
31	DF	207	
32	BG	181	
32	DG	181	
33	BH	159	
33	DH	159	
34	BI	145	
34	DI	145	
35	BJ	130	
35	DJ	130	
36	BN	138	
36	DN	138	
37	BO	122	
37	DO	122	
38	BP	146	
38	DP	146	
39	BQ	141	
39	DQ	141	
40	BR	117	
40	DR	117	
41	BS	98	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
41	DS	98	
42	BT	137	
42	DT	137	
43	BU	117	
43	DU	117	
44	BV	101	
44	DV	101	
45	BW	113	
45	DW	113	
46	BX	92	
46	DX	92	
47	BY	100	
47	DY	100	
48	BZ	176	
48	DZ	176	
49	B0	84	
49	D0	84	
50	B1	93	
50	D1	93	
51	B2	71	
51	D2	71	
52	B3	59	
52	D3	59	
53	B4	30	
53	D4	30	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	B5	59	
54	D5	59	
55	B6	44	
55	D6	44	
56	B7	48	
56	D7	48	
57	B8	63	
57	D8	63	
58	B9	36	
58	D9	36	
59	CX	4	
60	DC	196	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
25	PSU	AX	19	-	-	X	-

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 295724 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1504	Total	C	N	O	P	0	0	0
			32329	14390	5992	10444	1503			
1	CA	1504	Total	C	N	O	P	0	0	0
			32329	14390	5992	10444	1503			

- Molecule 2 is a protein called 30S Ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AB	234	Total	C	N	O	S	0	0	0
			1901	1213	341	342	5			
2	CB	234	Total	C	N	O	S	0	0	0
			1901	1213	341	342	5			

- Molecule 3 is a protein called 30S Ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AC	206	Total	C	N	O	S	0	0	0
			1613	1016	314	282	1			
3	CC	206	Total	C	N	O	S	0	0	0
			1613	1016	314	282	1			

- Molecule 4 is a protein called 30S Ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			
4	CD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 5 is a protein called 30S Ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AE	150	Total	C	N	O	S	0	0	0
			1147	724	217	202	4			
5	CE	150	Total	C	N	O	S	0	0	0
			1147	724	217	202	4			

- Molecule 6 is a protein called 30S Ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			
6	CF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S Ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			
7	CG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S Ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			
8	CH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 9 is a protein called 30S Ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	AI	127	Total	C	N	O	0	0	0
			1011	639	198	174			
9	CI	127	Total	C	N	O	0	0	0
			1011	639	198	174			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AI	58	ARG	HIS	CONFLICT	UNP P80374
CI	58	ARG	HIS	CONFLICT	UNP P80374

- Molecule 10 is a protein called 30S Ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AJ	98	Total	C	N	O	S	0	0	0
			795	499	156	139	1			
10	CJ	98	Total	C	N	O	S	0	0	0
			795	499	156	139	1			

- Molecule 11 is a protein called 30S Ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			
11	CK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			

- Molecule 12 is a protein called 30S Ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AL	124	Total	C	N	O	S	0	0	0
			971	611	195	164	1			
12	CL	124	Total	C	N	O	S	0	0	0
			971	611	195	164	1			

- Molecule 13 is a protein called 30S Ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AM	124	Total	C	N	O	S	0	0	0
			988	611	205	170	2			
13	CM	124	Total	C	N	O	S	0	0	0
			988	611	205	170	2			

- Molecule 14 is a protein called 30S Ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
14	CN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S Ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			
15	CO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 16 is a protein called 30S Ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AP	83	Total	C	N	O	S	0	0	0
			701	443	139	118	1			
16	CP	83	Total	C	N	O	S	0	0	0
			701	443	139	118	1			

- Molecule 17 is a protein called 30S Ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AQ	99	Total	C	N	O	S	0	0	0
			824	528	151	143	2			
17	CQ	99	Total	C	N	O	S	0	0	0
			824	528	151	143	2			

- Molecule 18 is a protein called 30S Ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	AR	70	Total	C	N	O	0	0	0
			574	367	112	95			
18	CR	70	Total	C	N	O	0	0	0
			574	367	112	95			

- Molecule 19 is a protein called 30S Ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AS	78	Total	C	N	O	S	0	0	0
			630	403	114	111	2			
19	CS	78	Total	C	N	O	S	0	0	0
			630	403	114	111	2			

- Molecule 20 is a protein called 30S Ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	CT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

- Molecule 21 is a protein called 30S Ribosomal protein THX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	AU	24	Total	C	N	O	0	0	0
			209	128	50	31			
21	CU	24	Total	C	N	O	0	0	0
			209	128	50	31			

- Molecule 22 is a RNA chain called P-SITE tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	AV	77	Total	C	N	O	P	0	0	0
			1640	732	297	535	76			
22	CV	77	Total	C	N	O	P	0	0	0
			1640	732	297	535	76			

- Molecule 23 is a RNA chain called E-SITE tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	AW	76	Total	C	N	O	P	0	0	0
			1619	723	290	531	75			
23	CW	76	Total	C	N	O	P	0	0	0
			1619	723	290	531	75			

- Molecule 24 is a RNA chain called A-SITE tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	AY	75	Total	C	N	O	P	0	0	0
			1619	722	309	514	74			
24	CY	75	Total	C	N	O	P	0	0	0
			1619	722	309	514	74			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AY	?	-	C	DELETION	GB 443419838
CY	?	-	C	DELETION	GB 443419838

- Molecule 25 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	AX	7	Total	C	N	O	P	0	0	0
			151	68	29	47	7			

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	BA	2807	Total	C	N	O	P	0	0	0
			60459	26907	11311	19435	2806			
26	DA	2807	Total	C	N	O	P	0	0	0
			60459	26907	11311	19435	2806			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BA	1151	A	G	CONFLICT	GB 55771382
DA	1151	A	G	CONFLICT	GB 55771382

- Molecule 27 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	BB	119	Total	C	N	O	P	0	0	0
			2551	1136	471	826	118			
27	DB	119	Total	C	N	O	P	0	0	0
			2551	1136	471	826	118			

- Molecule 28 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	BC	190	Total	C	N	O		0	0	0
			1157	706	220	231				

- Molecule 29 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	BD	271	Total	C	N	O	S	0	0	0
			2105	1329	416	357	3			
29	DD	271	Total	C	N	O	S	0	0	0
			2105	1329	416	357	3			

- Molecule 30 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	BE	204	Total	C	N	O	S	0	0	0
			1564	988	299	271	6			
30	DE	204	Total	C	N	O	S	0	0	0
			1564	988	299	271	6			

- Molecule 31 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	BF	207	Total	C	N	O	S	0	0	0
			1624	1035	303	283	3			
31	DF	207	Total	C	N	O	S	0	0	0
			1624	1035	303	283	3			

- Molecule 32 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	BG	181	Total	C	N	O	S	0	0	0
			1474	942	268	260	4			
32	DG	181	Total	C	N	O	S	0	0	0
			1474	942	268	260	4			

- Molecule 33 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	BH	159	Total	C	N	O	S	0	0	0
			1223	773	228	221	1			
33	DH	159	Total	C	N	O	S	0	0	0
			1223	773	228	221	1			

- Molecule 34 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	BI	145	Total	C	N	O	S	0	0	0
			1132	723	200	208	1			
34	DI	145	Total	C	N	O	S	0	0	0
			1132	723	200	208	1			

- Molecule 35 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
35	BJ	130	Total	C	N	O	0	0	0
			651	390	130	131			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
35	DJ	130	Total	C	N	O	0	0	0
			651	390	130	131			

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	BN	138	Total	C	N	O	S	0	0	0
			1105	712	206	183	4			
36	DN	138	Total	C	N	O	S	0	0	0
			1105	712	206	183	4			

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			
37	DO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	BP	146	Total	C	N	O	S	0	0	0
			1114	692	227	193	2			
38	DP	146	Total	C	N	O	S	0	0	0
			1114	692	227	193	2			

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	BQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
39	DQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	BR	117	Total	C	N	O	0	0	0
			960	599	202	159			
40	DR	117	Total	C	N	O	0	0	0
			960	599	202	159			

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	BS	98	Total	C	N	O	0	0	0
			771	486	154	131			
41	DS	98	Total	C	N	O	0	0	0
			771	486	154	131			

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BT	137	Total	C	N	O	S	0	0	0
			1142	710	234	197	1			
42	DT	137	Total	C	N	O	S	0	0	0
			1142	710	234	197	1			

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	BU	117	Total	C	N	O	S	0	0	0
			958	604	202	151	1			
43	DU	117	Total	C	N	O	S	0	0	0
			958	604	202	151	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BU	32	ALA	PHE	CONFLICT	UNP P60491
DU	32	ALA	PHE	CONFLICT	UNP P60491

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	BV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			
44	DV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	BW	113	Total	C	N	O	S	0	0	0
			896	563	176	155	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	DW	113	Total	C	N	O	S	0	0	0
			896	563	176	155	2			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BW	113	ALA	LYS	CONFLICT	UNP Q5SHP3
DW	113	ALA	LYS	CONFLICT	UNP Q5SHP3

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	BX	92	Total	C	N	O		0	0	0
			726	471	131	124				
46	DX	92	Total	C	N	O		0	0	0
			726	471	131	124				

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	BY	100	Total	C	N	O	S	0	0	0
			776	500	148	124	4			
47	DY	100	Total	C	N	O	S	0	0	0
			776	500	148	124	4			

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	BZ	176	Total	C	N	O	S	0	0	0
			1404	897	252	253	2			
48	DZ	176	Total	C	N	O	S	0	0	0
			1404	897	252	253	2			

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	B0	84	Total	C	N	O	S	0	0	0
			662	410	140	111	1			
49	D0	84	Total	C	N	O	S	0	0	0
			662	410	140	111	1			

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	B1	93	Total	C	N	O	S	0	0	0
			734	460	147	126	1			
50	D1	93	Total	C	N	O	S	0	0	0
			734	460	147	126	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B1	81	ARG	LYS	CONFLICT	UNP P60494
D1	81	ARG	LYS	CONFLICT	UNP P60494

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	B2	71	Total	C	N	O	S	0	0	0
			598	370	121	106	1			
51	D2	71	Total	C	N	O	S	0	0	0
			598	370	121	106	1			

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	B3	59	Total	C	N	O	S	0	0	0
			468	298	90	79	1			
52	D3	59	Total	C	N	O	S	0	0	0
			468	298	90	79	1			

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	B4	30	Total	C	N	O	S	0	0	0
			226	142	36	44	4			
53	D4	30	Total	C	N	O	S	0	0	0
			226	142	36	44	4			

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	B5	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
54	D5	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	B6	44	Total	C	N	O	S	0	0	0
			381	235	77	65	4			
55	D6	44	Total	C	N	O	S	0	0	0
			381	235	77	65	4			

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	B7	48	Total	C	N	O	S	0	0	0
			419	257	104	56	2			
56	D7	48	Total	C	N	O	S	0	0	0
			419	257	104	56	2			

- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
57	B8	63	Total	C	N	O	S	0	0	0
			508	326	101	79	2			
57	D8	63	Total	C	N	O	S	0	0	0
			508	326	101	79	2			

- Molecule 58 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
58	B9	36	Total	C	N	O	S	0	0	0
			299	183	67	46	3			
58	D9	36	Total	C	N	O	S	0	0	0
			299	183	67	46	3			

- Molecule 59 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
59	CX	4	Total	C	N	O	P	0	0	0
			85	38	14	29	4			


- Molecule 60 is a protein called 50S Ribosomal protein L1.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
60	DC	190	Total	C	N	O	0	0	0
			1157	706	220	231			


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 16S ribosomal RNA









- Molecule 2: 30S Ribosomal protein S2




- Molecule 3: 30S Ribosomal protein S3




- Molecule 3: 30S Ribosomal protein S3




- Molecule 4: 30S Ribosomal protein S4







• Molecule 4: 30S Ribosomal protein S4




• Molecule 5: 30S Ribosomal protein S5




• Molecule 5: 30S Ribosomal protein S5




• Molecule 6: 30S Ribosomal protein S6





• Molecule 6: 30S Ribosomal protein S6







- Molecule 7: 30S Ribosomal protein S7




- Molecule 7: 30S Ribosomal protein S7



- Molecule 8: 30S Ribosomal protein S8




- Molecule 8: 30S Ribosomal protein S8




- Molecule 9: 30S Ribosomal protein S9







• Molecule 9: 30S Ribosomal protein S9




• Molecule 10: 30S Ribosomal protein S10




• Molecule 10: 30S Ribosomal protein S10




• Molecule 11: 30S Ribosomal protein S11




• Molecule 11: 30S Ribosomal protein S11




- Molecule 12: 30S Ribosomal protein S12




- Molecule 12: 30S Ribosomal protein S12




- Molecule 13: 30S Ribosomal protein S13




- Molecule 13: 30S Ribosomal protein S13




- Molecule 14: 30S Ribosomal protein S14




- Molecule 14: 30S Ribosomal protein S14




- Molecule 15: 30S Ribosomal protein S15




- Molecule 15: 30S Ribosomal protein S15




- Molecule 16: 30S Ribosomal protein S16




- Molecule 16: 30S Ribosomal protein S16




- Molecule 17: 30S Ribosomal protein S17




- Molecule 17: 30S Ribosomal protein S17




- Molecule 18: 30S Ribosomal protein S18




- Molecule 18: 30S Ribosomal protein S18




- Molecule 19: 30S Ribosomal protein S19




- Molecule 19: 30S Ribosomal protein S19




- Molecule 20: 30S Ribosomal protein S20



- Molecule 20: 30S Ribosomal protein S20







- Molecule 21: 30S Ribosomal protein THX




- Molecule 21: 30S Ribosomal protein THX




- Molecule 22: P-SITE tRNA




- Molecule 22: P-SITE tRNA



- Molecule 23: E-SITE tRNA



- Molecule 23: E-SITE tRNA



Chain AY:

Category	Percentage
G1	5%
G2	37%
A3	37%
G4	37%
A5	37%
G6	37%
A7	37%
G8	37%
G9	37%
C10	37%
C11	37%
C12	37%
C13	37%
A14	37%
G15	37%
G16	37%
G17	37%
G18	37%
C19	37%
C20	37%
G21	37%
A22	37%
A23	37%
G24	37%
G25	37%
A26	37%
C27	37%
C28	37%
C29	37%
G30	37%
C31	37%
C32	37%
C33	37%
C34	37%
G35	37%
A36	37%
A37	37%
A38	37%
A39	37%
C40	37%
C41	37%
G42	37%
G43	37%
A44	37%
G45	37%
A46	37%
A47	37%
C48	37%
C49	37%
C50	37%
C51	37%
C52	37%
A53	37%
A54	37%
C55	37%
C56	37%
C57	37%
C58	37%
A59	37%
C60	37%
C61	47%
C62	47%
C63	47%
C64	47%
C65	47%
C66	47%
C67	47%
C68	47%
C69	47%
C70	47%
C71	47%
C72	47%
C73	47%
C74	47%
C75	47%

Chain CY: 

Chain AX:  43% 57%




Chain BA:

The figure displays a sequence of amino acids and their associated codons across multiple columns. The amino acids shown are G, U, C, and A. The codons listed include G87, U88, C91, G92, G93, G94, G95, G96, G97, G98, G99, G100, G101, G102, G103, G104, G105, G106, G107, G108, G109, G110, G111, G112, G113, G114, G115, G116, G117, G118, G119, G120, G121, G122, G123, G124, G125, G126, G127, G128, G129, G130, G131, G132, G133, G134, G135, G136, G137, G138, G139, G140, G141, G142, G143, G144, G145, G146, G147, G148, G149, G150, G151, G152, G153, G154, G155, G156, G157, G158, G159, G160, G161, G162, G163, G164, G165, G166, G167, G168, G169, G170, G171, G172, G173, G174, G175, G176, G177, G178, G179, G180, G181, G182, G183, G184, G185, G186, G187, G188, G189, G190, G191, G192, G193, G194, G195, G196, G197, G198, G199, G200, G201, G202, G203, G204, G205, G206, G207, G208, G209, G210, G211, G212, G213, G214, G215, G216, G217, G218, G219, G220, G221, G222, G223, G224, G225, G226, G227, G228, G229, G230, G231, G232, G233, G234, G235, G236, G237, G238, G239, G240, G241, G242, G243, G244, G245, G246, G247, G248, G249, G250, G251, G252, G253, G254, G255, G256, G257, G258, G259, G260, G261, G262, G263, G264, G265, G266, G267, G268, G269, G270, G271, G272, G273, G274, G275, G276, G277, G278, G279, G280, G281, G282, G283, G284, G285, G286, G287, G288, G289, G290, G291, G292, G293, G294, G295, G296, G297, G298, G299, G300, G301, G302, G303, G304, G305, G306, G307, G308, G309, G310, G311, G312, G313, G314, G315, G316, G317, G318, G319, G320, G321, G322, G323, G324, G325, G326, G327, G328, G329, G330, G331, G332, G333, G334, G335, G336, G337, G338, G339, G340, G341, G342, G343, G344, G345, G346, G347, G348, G349, G350, G351, G352, G353, G354, G355, G356, G357, G358, G359, G360, G361, G362, G363, G364, G365, G366, G367, G368, G369, G370, G371, G372, G373, G374, G375, G376, G377, G378, G379, G380, G381, G382, G383, G384, G385, G386, G387, G388, G389, G390, G391, G392, G393, G394, G395, G396, G397, G398, G399, G400, G401, G402, G403, G404, G405, G406, G407, G408, G409, G410, G411, G412, G413, G414, G415, G416, G417, G418, G419, G420, G421, G422, G423, G424, G425, G426, G427, G428, G429, G430, G431, G432, G433, G434, G435, G436, G437, G438, G439, G440, G441, G442, G443, G444, G445, G446, G447, G448, G449, G450, G451, G452, G453, G454, G455, G456, G457, G458, G459, G460, G461, G462, G463, G464, G465, G466, G467, G468, G469, G470, G471, G472, G473, G474, G475, G476, G477, G478, G479, G480, G481, G482, G483, G484, G485, G486, G487, G488, G489, G490, G491, G492, G493, G494, G495, G496, G497, G498, G499, G500.


G1646	G1494	G1403	A1319	G1248	G1167	G	G1036	A985	A875	C799	G712	G580	U500
U1647	A1495	A1404	A1320	U1249	A1167	G	C1037	A956	G876	C800	U713	G585	A504
A1648	A1496	A1405	A1323	U1250	G1170	U	G1038	A957	G877	C801	G714	C586	A505
C1649	C1497	G1406	G1324	C1252	A1171	U	C1040	C960	G878	C902	G715	C587	A506
G1650	C1498	G1325	G1325	G1253	A1172	G	A1041	C961	U879	G806	A716	G588	A507
A1651	A1499	A1411	G1326	A1254	A1173	C	U1044	A962	C880	A807	G717	A589	A508
C1652	U1500	A1412	U1329	U1255	A1174	U	U1045	U967	U885	U808	C718	U590	C509
A1653	G1501	G1413	G1330	G1256	U1175	U	A1046	C968	C886	G809	C719	U591	C510
A1654	C1504	G1414	G1331	C1261	A1176	G	G1047	C969	C891	G811	G720	G592	
A1655	G1505	C1415	A1332	U1281	A1177	A	C1050	C970	G892	G814	A721	A593	G515
C1656	A1506	C1421	U1333	A1284	U1178	A	C1051	A971	U893		A722	A594	A516
A1661	G1507	G1422	U1337	C1285	G1180	G	C1052	G972	U894	G817	G728	A595	G517
C1662	A1423	A1423	C1338	C1286	G1181	C	C1053	G973	G895	G818	C729	C596	G518
A1663	A1424	A1424	U1339	G1287	G1182	U	A1054	U974	C896	C819	G730	A597	
G1670	G1425	G1425	C1340	G1288	G1183	C	A1055	G975	U898	U819	A731	U598	A527
G1671	C1513		C1340	G1289	G1184	G	C1056	G976	G899	G820	C732	G599	U528
A1683	G1516	A1429	U1345	G1270	U1185	C	U1057	A977	G900	G821	C733	A600	A529
C1684	A1517	G1430	A1346	A1271	U1186	A	C1058	G978		G822	C734	G601	A530
U1685	A1518	C1431	A1347	G1272	U1187	U	U1059		U904		C735	G602	A531
C1686	G1521	C1436	U1347	A1272	A1187	C	G1060	G982	G905	G826	C736	G603	A532
A1687	C1522	U1436	A1347	G1272	A1188	C			U906	G827	C737	G604	C533
G1688	A1523	U1436	C1351	U1279	G1189	C			A907	G828	C738	G605	G605
C1689	G1524	U1439	A1352	G1280	C1197	U	U1064	A985	U917	A829	C739	A608	A535
G1690	G1525	A1440	A1353	G1281	C1198	U	A1065	U987	U918	A830	C740	C609	A536
C1691	G1526	U1441	G1354	A1282	G1199	U	A1066	U988	A919	A831	C741	U610	A537
C1692	U1527	U1442	G1354	G1283	A1200	A	G1067	G989	G919	C832	C742	C611	A538
G1693	U1528	C1443	U1357	G1284	A1201	A	U1068	G990	G920	U833	C743	A612	A539
C1694	G1529	C1443	U1358	A1285	A1202	G	G1069		G921	A834	C744	C613	C541
	G1530	C1448	C1359	A1286	G1203	A	U1070	C995	C922	A835	C745	G614	
		C1449	C1359	A1287	U1204	A	U1071	G996	U923	C836	C746	G615	U548
		U1450	C1363	G1290	G1209	U	A1072		A924	C837	C747	U616	U549
A1696	A1535	U1451	C1364	G1291	G1209	G	A1073	G1000	G925	G838	C748	A608	A550
G1699	G1536	U1451	A1364	A1291	U1212	U	A1077	U1002	G926	A839	C749	C620	C551
A1700	G1537	C1452	C1365	A1292	U1213	G	U1078	U1003	G927	G840	C750	G621	A552
A1701	A1538	C1453	A1366	G1293	G1214	U	U1079	A1004	G928	C841	C751	G622	A553
C1702	A1539	U1457	G1370	U1294	G1215	U	U1080	C1005	G929	C842	C752	C623	G554
C1703	A1540	G1458	U1371	G1295	G1216	A	U1081	C1006	C930	C843	C753	A624	C555
C1704	U1542	G1459	C1372	C1296	G1217	U	C1082	U1007	C931	U849	C754	A625	A556
U1705	C1543	U1460	G1373	C1297	A1218	A	C1083	U1008	C932	U850	C755	A626	G557
	G1544	G1461	A1376	A1298	U1219	G	G1084	C1009	A933	A850	C756	G627	U558
	G1545	C1462	G1377	U1300	G1220	U	C1085	C1010	C934	G851	C757	C628	C559
	C1546	U1465	G1383	G1301	A1221	C	C1086	G1011	C935	C852	C758	U629	A560
	C1547	U1465	G1384	C1302	C1222	C	G1087	C1012	A936	U853	C759	A630	C561
	U1548		G1384	C1302	C1223	A	C1088	G1013	G937	G854	C760	A631	
G1720	C1549	A1472	A1387	G1305	G1228	U	G1089	U1014	C938	U857	C761	C632	C565
G1724	C1550	G1473	A1387	C1306	G1229	C	A1091	C1014	U940	U858	C762	C633	C566
U1725	C1551	C1474	U1390	U1307	G1230	A	A1017	A1017	A941	C858	C763	C634	C567
U1726	A1552	C1475	G1391	U1308	G1231	U	G1092	G1018	C942	C863	C764	G635	G
G1727	C1553	U1476	G1391	G1309	G1232	G	A1093	C1019	C943	G864	C765	U637	C
G1728	A1554	U1476	G1392	U1310	A1232	G	C1094	G1020	C944	G865	C766	G638	A670
C1729	A1555	C1482	G1393	G1311	A1233	U	A1095	G1021	A945	A866	C767	A639	A571
C1730	G1556	U1483	A1394	U1312	G1234	C	G1096	C1021		A867	C768	G640	G572
	C1557	A1484	C1395	U1313	G1235	U	C1097	A1028	C948	G867	C769	G641	G573
	C1558	G1485	C1396	A1314	U1236	A	C1098	A1028	C949	C871	C770	G642	U576
	U1559		U1397	C1315	G1239	G	A	G1032	C949	U872	C771	A645	U577
		G1488	A1401	C1316	G1240	U	G	A1033	U950	U873	C772	G646	U578
	G1564	G1489	U1402	A1317	C1245	A	A		G951	U874	C773		U579
	U1565			G1160					U952		C774		
				C1163							C775		
											C776		
											C777		
											C778		
											C779		
											C780		
											C781		
											C782		
											C783		
											C784		
											C785		
											C786		
											C787		
											C788		
											C789		
											C790		
											C791		
											C792		
											C793		
											C794		
											C795		
											C796		
											C797		
											C798		
											C799		
											C800		
											C801		
											C802		
											C803		
											C804		
											C805		
											C806		
											C807		
											C808		
											C809		
											C810		
											C811		
											C812		
											C813		
											C814		
											C815		
											C816		
											C817		
											C818		
											C819		
											C820		
											C821		
											C822		
											C823		
											C824		
											C825		
											C826		
											C827		
											C828		
											C829		
											C830		
											C831		
											C832		
											C833		
											C834		
											C835		
											C836		
											C837		
											C838		
											C839		
											C840		
											C841		
											C842		
											C843		
											C844		
											C845		
											C846		
											C847		
											C848		
											C849		
											C850		
											C851		
											C852		
											C853		




Chain DA: 








- Molecule 27: 5S ribosomal RNA




- Molecule 28: 50S ribosomal protein L1

Chain BC:




- Molecule 29: 50S ribosomal protein L2

Chain BD:




- Molecule 29: 50S ribosomal protein L2


Chain DD:




- Molecule 30: 50S ribosomal protein L3




• Molecule 30: 50S ribosomal protein L3




• Molecule 31: 50S ribosomal protein L4




• Molecule 31: 50S ribosomal protein L4







- Molecule 32: 50S ribosomal protein L5




- Molecule 32: 50S ribosomal protein L5






- Molecule 33: 50S ribosomal protein L6




- Molecule 33: 50S ribosomal protein L6




- Molecule 34: 50S ribosomal protein L9





- Chain DP: 




- Molecule 39: 50S ribosomal protein L16



- Molecule 39: 50S ribosomal protein L16





- Molecule 40: 50S ribosomal protein L17



- Molecule 40: 50S ribosomal protein L17




- Molecule 41: 50S ribosomal protein L18







- Molecule 41: 50S ribosomal protein L18




- Molecule 42: 50S ribosomal protein L19




- Molecule 42: 50S ribosomal protein L19



- Molecule 43: 50S ribosomal protein L20




- Molecule 43: 50S ribosomal protein L20







- Molecule 44: 50S ribosomal protein L21




- Molecule 44: 50S ribosomal protein L21



- Molecule 45: 50S ribosomal protein L22




- Molecule 45: 50S ribosomal protein L22



- Molecule 46: 50S ribosomal protein L23






- Molecule 46: 50S ribosomal protein L23

Chain DX: 64% 26% 8% .




- Molecule 47: 50S ribosomal protein L24

Chain BY: 11% 29% 42% 23% 6% .




- Molecule 47: 50S ribosomal protein L24

Chain DY: 14% 39% 41% 17% .




- Molecule 48: 50S ribosomal protein L25


Chain BZ: 31% 76% 20% .



- Molecule 48: 50S ribosomal protein L25


Chain DZ: 40% 70% 27% .





- Molecule 49: 50S ribosomal protein L27

Chain B0: 61% 36%



- Molecule 49: 50S ribosomal protein L27

Chain D0: 10% 62% 37%



- Molecule 50: 50S ribosomal protein L28

Chain B1: 3% 61% 33% 5%




- Molecule 50: 50S ribosomal protein L28

Chain D1: 2% 59% 34%




- Molecule 51: 50S ribosomal protein L29

Chain B2: 4% 51% 35% 13%




- Molecule 51: 50S ribosomal protein L29


Chain D2: 73% 20% 6%




- Molecule 52: 50S ribosomal protein L30




- Molecule 52: 50S ribosomal protein L30




- Molecule 53: 50S ribosomal protein L31




- Molecule 53: 50S ribosomal protein L31




- Molecule 54: 50S ribosomal protein L32





- Molecule 54: 50S ribosomal protein L32



- Molecule 55: 50S ribosomal protein L33



- Molecule 55: 50S ribosomal protein L33



- Molecule 56: 50S ribosomal protein L34




- Molecule 56: 50S ribosomal protein L34



- Molecule 57: 50S ribosomal protein L35





- Molecule 57: 50S ribosomal protein L35




- Molecule 58: 50S ribosomal protein L36



- Molecule 58: 50S ribosomal protein L36





- Molecule 59: mRNA





● Molecule 60: 50S Ribosomal protein L1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	209.92Å 449.90Å 624.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.57 – 3.30 39.57 – 3.30	Depositor EDS
% Data completeness (in resolution range)	95.6 (39.57-3.30) 95.6 (39.57-3.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.81 (at 3.32Å)	Xtriage
Refinement program	REFMAC 5.8.0031	Depositor
R, R_{free}	0.225 , 0.279 0.230 , 0.279	Depositor DCC
R_{free} test set	41956 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	63.7	Xtriage
Anisotropy	0.062	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 67.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.37$, $\langle L^2 \rangle = 0.19$	Xtriage
Outliers	0 of 839115 reflections	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	295724	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	AA	0.42	4/36190 (0.0%)	0.75	26/56486 (0.0%)
1	CA	0.40	1/36190 (0.0%)	0.73	17/56486 (0.0%)
2	AB	0.43	0/1936	0.67	0/2609
2	CB	0.44	0/1936	0.64	0/2609
3	AC	0.49	0/1637	0.71	0/2205
3	CC	0.44	0/1637	0.67	0/2205
4	AD	0.54	0/1733	0.84	4/2318 (0.2%)
4	CD	0.52	0/1733	0.77	1/2318 (0.0%)
5	AE	0.45	0/1163	0.76	0/1564
5	CE	0.46	0/1163	0.72	0/1564
6	AF	0.49	0/856	0.77	1/1154 (0.1%)
6	CF	0.48	0/856	0.75	0/1154
7	AG	0.43	0/1276	0.65	0/1709
7	CG	0.40	0/1276	0.64	0/1709
8	AH	0.47	0/1136	0.72	0/1527
8	CH	0.45	0/1136	0.69	0/1527
9	AI	0.48	0/1029	0.71	0/1378
9	CI	0.42	0/1029	0.68	0/1378
10	AJ	0.47	0/808	0.76	0/1085
10	CJ	0.46	0/808	0.68	0/1085
11	AK	0.49	0/900	0.71	0/1213
11	CK	0.45	0/900	0.70	0/1213
12	AL	0.55	0/987	0.81	0/1320
12	CL	0.50	0/987	0.77	0/1320
13	AM	0.45	0/999	0.78	0/1336
13	CM	0.43	0/999	0.68	0/1336
14	AN	0.50	0/501	0.88	1/664 (0.2%)
14	CN	0.46	0/501	0.74	0/664
15	AO	0.46	0/745	0.70	0/992
15	CO	0.40	0/745	0.64	0/992
16	AP	0.47	0/717	0.74	0/963
16	CP	0.50	0/717	0.78	1/963 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	AQ	0.44	0/837	0.70	0/1117
17	CQ	0.46	0/837	0.72	0/1117
18	AR	0.47	0/579	0.79	0/768
18	CR	0.47	0/579	0.69	0/768
19	AS	0.47	0/643	0.68	0/865
19	CS	0.43	0/643	0.61	0/865
20	AT	0.45	0/765	0.70	0/1007
20	CT	0.43	0/765	0.71	0/1007
21	AU	0.52	0/213	0.71	0/277
21	CU	0.53	0/213	0.68	0/277
22	AV	0.40	0/1832	0.75	1/2855 (0.0%)
22	CV	0.38	0/1832	0.72	0/2855
23	AW	0.29	0/1809	0.68	2/2819 (0.1%)
23	CW	0.27	0/1809	0.70	1/2819 (0.0%)
24	AY	0.86	17/1815 (0.9%)	0.94	1/2833 (0.0%)
24	CY	0.86	17/1815 (0.9%)	0.94	1/2833 (0.0%)
25	AX	0.31	0/147	0.72	0/227
26	BA	0.57	22/67709 (0.0%)	0.91	196/105690 (0.2%)
26	DA	0.45	5/67709 (0.0%)	0.80	93/105690 (0.1%)
27	BB	0.45	0/2853	0.81	3/4451 (0.1%)
27	DB	0.35	0/2853	0.72	0/4451
28	BC	0.46	0/1160	0.59	0/1584
29	BD	0.71	0/2155	0.95	1/2905 (0.0%)
29	DD	0.60	0/2155	0.85	0/2905
30	BE	0.70	1/1597 (0.1%)	0.91	1/2153 (0.0%)
30	DE	0.56	1/1597 (0.1%)	0.83	2/2153 (0.1%)
31	BF	0.68	0/1659	0.88	1/2244 (0.0%)
31	DF	0.52	0/1659	0.75	0/2244
32	BG	0.49	0/1499	0.74	0/2016
32	DG	0.44	0/1499	0.67	0/2016
33	BH	0.64	1/1246 (0.1%)	0.88	2/1682 (0.1%)
33	DH	0.47	0/1246	0.67	1/1682 (0.1%)
34	BI	0.48	0/1147	0.75	1/1551 (0.1%)
34	DI	0.47	0/1147	0.72	0/1551
35	BJ	0.51	0/650	0.55	0/907
35	DJ	0.44	0/650	0.53	0/907
36	BN	0.70	0/1132	0.96	0/1525
36	DN	0.49	0/1132	0.77	0/1525
37	BO	0.57	0/943	0.81	0/1269
37	DO	0.53	0/943	0.78	0/1269
38	BP	0.71	0/1131	1.09	3/1504 (0.2%)
38	DP	0.57	0/1131	0.98	2/1504 (0.1%)
39	BQ	0.58	0/1143	0.85	1/1527 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
39	DQ	0.46	0/1143	0.68	0/1527
40	BR	0.70	0/974	0.98	1/1302 (0.1%)
40	DR	0.54	0/974	0.87	0/1302
41	BS	0.60	0/779	0.98	0/1036
41	DS	0.48	0/779	0.79	0/1036
42	BT	0.59	0/1156	0.97	1/1542 (0.1%)
42	DT	0.58	0/1156	0.95	0/1542
43	BU	0.76	0/975	0.98	1/1297 (0.1%)
43	DU	0.50	0/975	0.75	0/1297
44	BV	0.69	0/790	1.03	4/1057 (0.4%)
44	DV	0.47	0/790	0.76	0/1057
45	BW	0.65	0/907	0.95	1/1216 (0.1%)
45	DW	0.52	0/907	0.77	0/1216
46	BX	0.67	0/740	0.94	1/993 (0.1%)
46	DX	0.52	0/740	0.74	0/993
47	BY	0.68	0/789	0.99	3/1051 (0.3%)
47	DY	0.53	0/789	0.83	0/1051
48	BZ	0.49	0/1436	0.72	0/1949
48	DZ	0.44	0/1436	0.66	0/1949
49	B0	0.61	0/671	0.85	0/892
49	D0	0.51	0/671	0.76	0/892
50	B1	0.62	0/741	0.84	0/984
50	D1	0.53	0/741	0.84	1/984 (0.1%)
51	B2	0.57	0/600	0.86	0/793
51	D2	0.48	0/600	0.79	0/793
52	B3	0.55	0/473	0.87	0/634
52	D3	0.44	0/473	0.70	0/634
53	B4	0.53	0/229	0.79	0/309
53	D4	0.49	0/229	0.75	0/309
54	B5	0.73	0/473	1.08	0/639
54	D5	0.57	0/473	0.88	0/639
55	B6	0.96	1/388 (0.3%)	2.06	4/518 (0.8%)
55	D6	0.83	0/388	1.06	2/518 (0.4%)
56	B7	0.73	0/427	0.96	0/561
56	D7	0.58	0/427	0.85	0/561
57	B8	0.75	0/516	1.12	2/679 (0.3%)
57	D8	0.54	0/516	0.88	1/679 (0.1%)
58	B9	0.69	0/302	1.00	2/397 (0.5%)
58	D9	0.45	0/302	0.73	0/397
59	CX	0.52	0/94	0.72	0/144
60	DC	0.48	0/1160	0.55	0/1584
All	All	0.50	70/321233 (0.0%)	0.81	388/480213 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	1	0
1	CA	1	0
2	AB	0	1
13	AM	0	1
13	CM	0	1
23	AW	1	0
23	CW	1	0
26	BA	22	0
26	DA	20	0
29	BD	0	3
29	DD	0	2
30	BE	0	2
30	DE	0	1
33	BH	0	1
38	BP	0	10
38	DP	0	4
40	BR	0	2
40	DR	0	1
41	BS	0	1
42	BT	0	3
43	BU	0	3
44	BV	0	2
47	BY	0	1
55	B6	0	1
55	D6	0	1
57	B8	0	1
All	All	46	42

The worst 5 of 70 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	B6	47	THR	C-N	8.32	1.53	1.34
24	AY	50	G	C1'-N9	-6.96	1.37	1.46
24	CY	50	G	C1'-N9	-6.95	1.37	1.46
26	BA	1816	A	O3'-P	6.86	1.69	1.61
24	CY	66	G	C1'-N9	-6.73	1.37	1.46

The worst 5 of 388 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
55	B6	45	LYS	O-C-N	-30.98	73.14	122.70
55	B6	45	LYS	CA-C-N	22.24	166.13	117.20
26	BA	2513	G	O5'-P-OP1	-13.46	93.59	105.70
26	BA	1850	U	O5'-P-OP1	-12.67	94.30	105.70
26	BA	1955	C	C2'-C3'-O3'	12.16	136.24	109.50

5 of 46 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	AA	412	A	C1'
23	AW	47	U	C1'
26	BA	98	G	C1'
26	BA	497	A	C3'
26	BA	715	G	C4',C3',C1'

5 of 42 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	AB	23	ARG	Peptide
13	AM	69	GLU	Peptide
29	BD	224	ALA	Peptide
29	BD	244	ARG	Peptide
29	BD	36	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32329	0	16318	494	1
1	CA	32329	0	16318	469	0
2	AB	1901	0	1951	42	0
2	CB	1901	0	1951	43	0
3	AC	1613	0	1677	43	0
3	CC	1613	0	1677	46	0
4	AD	1703	0	1763	64	0
4	CD	1703	0	1763	50	0
5	AE	1147	0	1207	44	0
5	CE	1147	0	1207	35	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	AF	843	0	857	14	0
6	CF	843	0	857	18	0
7	AG	1257	0	1296	20	0
7	CG	1257	0	1296	12	0
8	AH	1116	0	1177	28	0
8	CH	1116	0	1177	17	0
9	AI	1011	0	1043	31	0
9	CI	1011	0	1043	27	0
10	AJ	795	0	840	36	0
10	CJ	795	0	840	36	0
11	AK	885	0	904	31	0
11	CK	885	0	904	17	0
12	AL	971	0	1057	16	0
12	CL	971	0	1057	19	0
13	AM	988	0	1059	35	0
13	CM	988	0	1059	26	0
14	AN	492	0	529	14	0
14	CN	492	0	529	21	0
15	AO	734	0	771	17	0
15	CO	734	0	771	21	0
16	AP	701	0	720	22	0
16	CP	701	0	720	17	0
17	AQ	824	0	891	23	0
17	CQ	824	0	891	13	0
18	AR	574	0	644	16	0
18	CR	574	0	644	16	0
19	AS	630	0	652	30	0
19	CS	630	0	652	12	0
20	AT	763	0	861	26	0
20	CT	763	0	861	14	0
21	AU	209	0	221	4	0
21	CU	209	0	221	3	0
22	AV	1640	0	837	29	0
22	CV	1640	0	837	27	0
23	AW	1619	0	822	58	0
23	CW	1619	0	822	21	0
24	AY	1619	0	792	222	0
24	CY	1619	0	792	241	0
25	AX	151	0	76	15	0
26	BA	60459	0	30488	1163	0
26	DA	60459	0	30487	1024	0
27	BB	2551	0	1295	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
27	DB	2551	0	1295	35	0
28	BC	1157	0	1160	27	0
29	BD	2105	0	2182	126	0
29	DD	2105	0	2182	89	0
30	BE	1564	0	1629	97	0
30	DE	1564	0	1629	66	0
31	BF	1624	0	1677	72	0
31	DF	1624	0	1677	63	0
32	BG	1474	0	1535	53	0
32	DG	1474	0	1535	49	0
33	BH	1223	0	1282	48	0
33	DH	1223	0	1282	22	0
34	BI	1132	0	1218	30	0
34	DI	1132	0	1218	29	1
35	BJ	651	0	649	10	0
35	DJ	651	0	649	14	0
36	BN	1105	0	1180	62	0
36	DN	1105	0	1180	42	0
37	BO	933	0	996	33	0
37	DO	933	0	996	30	0
38	BP	1114	0	1187	141	0
38	DP	1114	0	1187	82	0
39	BQ	1122	0	1179	35	0
39	DQ	1122	0	1179	31	0
40	BR	960	0	1021	47	0
40	DR	960	0	1021	46	0
41	BS	771	0	832	46	0
41	DS	771	0	832	33	0
42	BT	1142	0	1202	92	0
42	DT	1142	0	1202	72	0
43	BU	958	0	1018	57	0
43	DU	958	0	1018	52	0
44	BV	779	0	852	54	0
44	DV	779	0	852	39	0
45	BW	896	0	956	40	0
45	DW	896	0	956	23	0
46	BX	726	0	778	26	0
46	DX	726	0	778	20	0
47	BY	776	0	868	79	0
47	DY	776	0	870	45	0
48	BZ	1404	0	1432	20	0
48	DZ	1404	0	1432	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
49	B0	662	0	688	18	0
49	D0	662	0	688	20	0
50	B1	734	0	808	22	0
50	D1	734	0	808	21	0
51	B2	598	0	653	24	0
51	D2	598	0	653	13	0
52	B3	468	0	523	20	0
52	D3	468	0	523	12	0
53	B4	226	0	229	8	0
53	D4	226	0	229	4	0
54	B5	459	0	477	48	0
54	D5	459	0	478	21	0
55	B6	381	0	390	52	0
55	D6	381	0	391	30	0
56	B7	419	0	467	12	0
56	D7	419	0	467	15	0
57	B8	508	0	576	58	0
57	D8	508	0	576	33	0
58	B9	299	0	324	19	0
58	D9	299	0	324	7	0
59	CX	85	0	43	7	0
60	DC	1157	0	1160	22	0
All	All	295724	0	201402	6566	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 6566 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
24:AY:10:C:H41	24:AY:45:G:N2	1.03	1.51
24:CY:7:A:N1	24:CY:66:G:N2	1.61	1.48
24:AY:7:A:N1	24:AY:66:G:N2	1.61	1.46
24:CY:10:C:H41	24:CY:45:G:N2	1.03	1.46
24:CY:9:G:H21	24:CY:11:C:N4	1.02	1.45

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AA:358:U:OP1	34:DI:87:LYS:NZ[4_455]	2.03	0.17

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	232/234 (99%)	170 (73%)	51 (22%)	11 (5%)	3	20
2	CB	232/234 (99%)	181 (78%)	41 (18%)	10 (4%)	3	23
3	AC	204/206 (99%)	150 (74%)	40 (20%)	14 (7%)	1	11
3	CC	204/206 (99%)	159 (78%)	32 (16%)	13 (6%)	2	13
4	AD	206/208 (99%)	155 (75%)	37 (18%)	14 (7%)	1	12
4	CD	206/208 (99%)	160 (78%)	36 (18%)	10 (5%)	3	19
5	AE	148/150 (99%)	129 (87%)	15 (10%)	4 (3%)	6	35
5	CE	148/150 (99%)	130 (88%)	16 (11%)	2 (1%)	14	50
6	AF	99/101 (98%)	89 (90%)	7 (7%)	3 (3%)	5	33
6	CF	99/101 (98%)	88 (89%)	9 (9%)	2 (2%)	9	43
7	AG	153/155 (99%)	133 (87%)	18 (12%)	2 (1%)	15	52
7	CG	153/155 (99%)	130 (85%)	18 (12%)	5 (3%)	5	30
8	AH	136/138 (99%)	119 (88%)	14 (10%)	3 (2%)	8	41
8	CH	136/138 (99%)	115 (85%)	18 (13%)	3 (2%)	8	41
9	AI	125/127 (98%)	96 (77%)	25 (20%)	4 (3%)	5	31
9	CI	125/127 (98%)	101 (81%)	21 (17%)	3 (2%)	7	38
10	AJ	96/98 (98%)	76 (79%)	17 (18%)	3 (3%)	5	32
10	CJ	96/98 (98%)	73 (76%)	18 (19%)	5 (5%)	2	18
11	AK	117/119 (98%)	96 (82%)	19 (16%)	2 (2%)	11	47
11	CK	117/119 (98%)	102 (87%)	12 (10%)	3 (3%)	7	36
12	AL	122/124 (98%)	95 (78%)	18 (15%)	9 (7%)	1	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	CL	122/124 (98%)	95 (78%)	20 (16%)	7 (6%)	2	16
13	AM	122/124 (98%)	87 (71%)	23 (19%)	12 (10%)	1	5
13	CM	122/124 (98%)	90 (74%)	23 (19%)	9 (7%)	1	10
14	AN	58/60 (97%)	43 (74%)	11 (19%)	4 (7%)	1	11
14	CN	58/60 (97%)	46 (79%)	8 (14%)	4 (7%)	1	11
15	AO	86/88 (98%)	62 (72%)	19 (22%)	5 (6%)	2	15
15	CO	86/88 (98%)	71 (83%)	10 (12%)	5 (6%)	2	15
16	AP	81/83 (98%)	68 (84%)	13 (16%)	0	100	100
16	CP	81/83 (98%)	64 (79%)	12 (15%)	5 (6%)	2	14
17	AQ	97/99 (98%)	85 (88%)	8 (8%)	4 (4%)	3	24
17	CQ	97/99 (98%)	89 (92%)	5 (5%)	3 (3%)	5	32
18	AR	68/70 (97%)	55 (81%)	8 (12%)	5 (7%)	1	10
18	CR	68/70 (97%)	58 (85%)	6 (9%)	4 (6%)	2	15
19	AS	76/78 (97%)	57 (75%)	11 (14%)	8 (10%)	1	4
19	CS	76/78 (97%)	64 (84%)	8 (10%)	4 (5%)	2	17
20	AT	97/99 (98%)	71 (73%)	22 (23%)	4 (4%)	3	24
20	CT	97/99 (98%)	72 (74%)	21 (22%)	4 (4%)	3	24
21	AU	22/24 (92%)	13 (59%)	7 (32%)	2 (9%)	1	6
21	CU	22/24 (92%)	17 (77%)	4 (18%)	1 (4%)	3	21
28	BC	182/206 (88%)	111 (61%)	50 (28%)	21 (12%)	0	3
29	BD	269/271 (99%)	214 (80%)	34 (13%)	21 (8%)	1	9
29	DD	269/271 (99%)	217 (81%)	31 (12%)	21 (8%)	1	9
30	BE	202/204 (99%)	138 (68%)	47 (23%)	17 (8%)	1	7
30	DE	202/204 (99%)	152 (75%)	35 (17%)	15 (7%)	1	10
31	BF	205/207 (99%)	163 (80%)	28 (14%)	14 (7%)	1	12
31	DF	205/207 (99%)	163 (80%)	28 (14%)	14 (7%)	1	12
32	BG	179/181 (99%)	140 (78%)	27 (15%)	12 (7%)	1	12
32	DG	179/181 (99%)	137 (76%)	31 (17%)	11 (6%)	2	14
33	BH	157/159 (99%)	113 (72%)	24 (15%)	20 (13%)	0	2
33	DH	157/159 (99%)	116 (74%)	25 (16%)	16 (10%)	1	5
34	BI	143/145 (99%)	107 (75%)	29 (20%)	7 (5%)	3	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
34	DI	143/145 (99%)	110 (77%)	25 (18%)	8 (6%)	2	16
35	BJ	128/130 (98%)	70 (55%)	42 (33%)	16 (12%)	0	2
35	DJ	128/130 (98%)	72 (56%)	42 (33%)	14 (11%)	0	4
36	BN	136/138 (99%)	100 (74%)	25 (18%)	11 (8%)	1	8
36	DN	136/138 (99%)	108 (79%)	15 (11%)	13 (10%)	1	5
37	BO	120/122 (98%)	106 (88%)	12 (10%)	2 (2%)	11	47
37	DO	120/122 (98%)	106 (88%)	13 (11%)	1 (1%)	24	62
38	BP	144/146 (99%)	82 (57%)	37 (26%)	25 (17%)	0	1
38	DP	144/146 (99%)	87 (60%)	28 (19%)	29 (20%)	0	1
39	BQ	139/141 (99%)	109 (78%)	25 (18%)	5 (4%)	4	28
39	DQ	139/141 (99%)	116 (84%)	19 (14%)	4 (3%)	6	34
40	BR	115/117 (98%)	93 (81%)	16 (14%)	6 (5%)	2	18
40	DR	115/117 (98%)	92 (80%)	17 (15%)	6 (5%)	2	18
41	BS	96/98 (98%)	58 (60%)	22 (23%)	16 (17%)	0	1
41	DS	96/98 (98%)	63 (66%)	20 (21%)	13 (14%)	0	2
42	BT	135/137 (98%)	95 (70%)	23 (17%)	17 (13%)	0	2
42	DT	135/137 (98%)	89 (66%)	30 (22%)	16 (12%)	0	3
43	BU	115/117 (98%)	90 (78%)	19 (16%)	6 (5%)	2	18
43	DU	115/117 (98%)	92 (80%)	19 (16%)	4 (4%)	4	29
44	BV	99/101 (98%)	74 (75%)	14 (14%)	11 (11%)	0	3
44	DV	99/101 (98%)	72 (73%)	17 (17%)	10 (10%)	1	5
45	BW	111/113 (98%)	92 (83%)	16 (14%)	3 (3%)	6	35
45	DW	111/113 (98%)	96 (86%)	7 (6%)	8 (7%)	1	11
46	BX	90/92 (98%)	80 (89%)	7 (8%)	3 (3%)	5	30
46	DX	90/92 (98%)	75 (83%)	8 (9%)	7 (8%)	1	9
47	BY	98/100 (98%)	53 (54%)	22 (22%)	23 (24%)	0	0
47	DY	98/100 (98%)	60 (61%)	19 (19%)	19 (19%)	0	1
48	BZ	174/176 (99%)	141 (81%)	26 (15%)	7 (4%)	4	24
48	DZ	174/176 (99%)	130 (75%)	33 (19%)	11 (6%)	2	13
49	B0	82/84 (98%)	75 (92%)	6 (7%)	1 (1%)	16	54
49	D0	82/84 (98%)	72 (88%)	9 (11%)	1 (1%)	16	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
50	B1	91/93 (98%)	76 (84%)	12 (13%)	3 (3%)	5	30
50	D1	91/93 (98%)	74 (81%)	10 (11%)	7 (8%)	1	9
51	B2	69/71 (97%)	53 (77%)	10 (14%)	6 (9%)	1	7
51	D2	69/71 (97%)	54 (78%)	11 (16%)	4 (6%)	2	15
52	B3	57/59 (97%)	51 (90%)	5 (9%)	1 (2%)	11	46
52	D3	57/59 (97%)	53 (93%)	3 (5%)	1 (2%)	11	46
53	B4	28/30 (93%)	21 (75%)	4 (14%)	3 (11%)	0	4
53	D4	28/30 (93%)	20 (71%)	5 (18%)	3 (11%)	0	4
54	B5	57/59 (97%)	43 (75%)	9 (16%)	5 (9%)	1	7
54	D5	57/59 (97%)	48 (84%)	4 (7%)	5 (9%)	1	7
55	B6	42/44 (96%)	21 (50%)	8 (19%)	13 (31%)	0	0
55	D6	42/44 (96%)	23 (55%)	7 (17%)	12 (29%)	0	0
56	B7	46/48 (96%)	45 (98%)	1 (2%)	0	100	100
56	D7	46/48 (96%)	45 (98%)	0	1 (2%)	8	41
57	B8	61/63 (97%)	44 (72%)	10 (16%)	7 (12%)	0	3
57	D8	61/63 (97%)	47 (77%)	8 (13%)	6 (10%)	1	5
58	B9	34/36 (94%)	32 (94%)	2 (6%)	0	100	100
58	D9	34/36 (94%)	33 (97%)	1 (3%)	0	100	100
60	DC	182/196 (93%)	115 (63%)	47 (26%)	20 (11%)	0	4
All	All	11898/12136 (98%)	9181 (77%)	1900 (16%)	817 (7%)	1	11

5 of 817 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AB	106	LYS
2	AB	165	VAL
3	AC	12	LEU
3	AC	20	SER
3	AC	47	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	202/202 (100%)	185 (92%)	17 (8%)	14	46
2	CB	202/202 (100%)	181 (90%)	21 (10%)	9	34
3	AC	160/160 (100%)	142 (89%)	18 (11%)	7	30
3	CC	160/160 (100%)	145 (91%)	15 (9%)	11	39
4	AD	180/180 (100%)	160 (89%)	20 (11%)	8	31
4	CD	180/180 (100%)	160 (89%)	20 (11%)	8	31
5	AE	115/115 (100%)	104 (90%)	11 (10%)	10	38
5	CE	115/115 (100%)	101 (88%)	14 (12%)	6	26
6	AF	90/90 (100%)	82 (91%)	8 (9%)	12	43
6	CF	90/90 (100%)	85 (94%)	5 (6%)	26	65
7	AG	126/126 (100%)	115 (91%)	11 (9%)	13	45
7	CG	126/126 (100%)	115 (91%)	11 (9%)	13	45
8	AH	119/119 (100%)	108 (91%)	11 (9%)	11	40
8	CH	119/119 (100%)	107 (90%)	12 (10%)	9	35
9	AI	98/98 (100%)	88 (90%)	10 (10%)	9	35
9	CI	98/98 (100%)	89 (91%)	9 (9%)	11	40
10	AJ	88/88 (100%)	76 (86%)	12 (14%)	5	21
10	CJ	88/88 (100%)	79 (90%)	9 (10%)	9	35
11	AK	90/90 (100%)	82 (91%)	8 (9%)	12	43
11	CK	90/90 (100%)	84 (93%)	6 (7%)	20	58
12	AL	104/104 (100%)	88 (85%)	16 (15%)	3	16
12	CL	104/104 (100%)	90 (86%)	14 (14%)	5	21
13	AM	99/99 (100%)	88 (89%)	11 (11%)	8	31
13	CM	99/99 (100%)	88 (89%)	11 (11%)	8	31
14	AN	49/49 (100%)	43 (88%)	6 (12%)	6	26
14	CN	49/49 (100%)	44 (90%)	5 (10%)	9	35
15	AO	79/79 (100%)	73 (92%)	6 (8%)	16	51
15	CO	79/79 (100%)	76 (96%)	3 (4%)	40	75
16	AP	72/72 (100%)	65 (90%)	7 (10%)	10	38
16	CP	72/72 (100%)	62 (86%)	10 (14%)	4	20

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
17	AQ	94/94 (100%)	88 (94%)	6 (6%)	22	60
17	CQ	94/94 (100%)	89 (95%)	5 (5%)	28	66
18	AR	61/61 (100%)	54 (88%)	7 (12%)	7	29
18	CR	61/61 (100%)	59 (97%)	2 (3%)	45	78
19	AS	69/69 (100%)	56 (81%)	13 (19%)	2	8
19	CS	69/69 (100%)	58 (84%)	11 (16%)	3	14
20	AT	76/76 (100%)	68 (90%)	8 (10%)	8	33
20	CT	76/76 (100%)	67 (88%)	9 (12%)	6	27
21	AU	19/19 (100%)	15 (79%)	4 (21%)	1	6
21	CU	19/19 (100%)	17 (90%)	2 (10%)	8	33
28	BC	61/66 (92%)	55 (90%)	6 (10%)	10	37
29	BD	213/213 (100%)	180 (84%)	33 (16%)	3	16
29	DD	213/213 (100%)	176 (83%)	37 (17%)	2	11
30	BE	165/165 (100%)	134 (81%)	31 (19%)	2	8
30	DE	165/165 (100%)	139 (84%)	26 (16%)	3	15
31	BF	165/165 (100%)	138 (84%)	27 (16%)	3	14
31	DF	165/165 (100%)	149 (90%)	16 (10%)	10	38
32	BG	155/155 (100%)	128 (83%)	27 (17%)	2	11
32	DG	155/155 (100%)	137 (88%)	18 (12%)	7	29
33	BH	132/132 (100%)	106 (80%)	26 (20%)	1	7
33	DH	132/132 (100%)	120 (91%)	12 (9%)	12	41
34	BI	122/122 (100%)	110 (90%)	12 (10%)	10	37
34	DI	122/122 (100%)	111 (91%)	11 (9%)	12	42
36	BN	117/117 (100%)	90 (77%)	27 (23%)	1	4
36	DN	117/117 (100%)	94 (80%)	23 (20%)	1	7
37	BO	100/100 (100%)	92 (92%)	8 (8%)	15	49
37	DO	100/100 (100%)	93 (93%)	7 (7%)	19	56
38	BP	112/112 (100%)	83 (74%)	29 (26%)	0	2
38	DP	112/112 (100%)	86 (77%)	26 (23%)	1	4
39	BQ	111/111 (100%)	97 (87%)	14 (13%)	5	24
39	DQ	111/111 (100%)	101 (91%)	10 (9%)	12	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
40	BR	100/100 (100%)	85 (85%)	15 (15%)	3	17
40	DR	100/100 (100%)	85 (85%)	15 (15%)	3	17
41	BS	77/77 (100%)	60 (78%)	17 (22%)	1	4
41	DS	77/77 (100%)	67 (87%)	10 (13%)	5	22
42	BT	120/120 (100%)	98 (82%)	22 (18%)	2	9
42	DT	120/120 (100%)	93 (78%)	27 (22%)	1	4
43	BU	92/92 (100%)	78 (85%)	14 (15%)	3	16
43	DU	92/92 (100%)	82 (89%)	10 (11%)	8	32
44	BV	82/82 (100%)	60 (73%)	22 (27%)	0	2
44	DV	82/82 (100%)	65 (79%)	17 (21%)	1	6
45	BW	91/91 (100%)	81 (89%)	10 (11%)	8	31
45	DW	91/91 (100%)	80 (88%)	11 (12%)	6	26
46	BX	74/74 (100%)	67 (90%)	7 (10%)	11	38
46	DX	74/74 (100%)	65 (88%)	9 (12%)	6	26
47	BY	84/84 (100%)	65 (77%)	19 (23%)	1	4
47	DY	84/84 (100%)	67 (80%)	17 (20%)	1	6
48	BZ	155/155 (100%)	141 (91%)	14 (9%)	12	42
48	DZ	155/155 (100%)	148 (96%)	7 (4%)	34	72
49	B0	66/66 (100%)	55 (83%)	11 (17%)	3	13
49	D0	66/66 (100%)	60 (91%)	6 (9%)	12	41
50	B1	78/78 (100%)	68 (87%)	10 (13%)	5	23
50	D1	78/78 (100%)	62 (80%)	16 (20%)	1	6
51	B2	66/66 (100%)	51 (77%)	15 (23%)	1	4
51	D2	66/66 (100%)	60 (91%)	6 (9%)	12	41
52	B3	51/51 (100%)	47 (92%)	4 (8%)	16	50
52	D3	51/51 (100%)	48 (94%)	3 (6%)	24	63
53	B4	27/27 (100%)	22 (82%)	5 (18%)	2	9
53	D4	27/27 (100%)	24 (89%)	3 (11%)	8	31
54	B5	51/51 (100%)	39 (76%)	12 (24%)	1	4
54	D5	51/51 (100%)	41 (80%)	10 (20%)	1	7
55	B6	43/43 (100%)	33 (77%)	10 (23%)	1	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
55	D6	43/43 (100%)	36 (84%)	7 (16%)	3	14
56	B7	41/41 (100%)	35 (85%)	6 (15%)	4	18
56	D7	41/41 (100%)	32 (78%)	9 (22%)	1	5
57	B8	53/53 (100%)	41 (77%)	12 (23%)	1	4
57	D8	53/53 (100%)	43 (81%)	10 (19%)	2	8
58	B9	33/33 (100%)	26 (79%)	7 (21%)	1	5
58	D9	33/33 (100%)	30 (91%)	3 (9%)	12	41
60	DC	61/66 (92%)	56 (92%)	5 (8%)	14	48
All	All	9654/9664 (100%)	8391 (87%)	1263 (13%)	5	22

5 of 1263 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
47	BY	79	CYS
3	CC	34	LEU
47	DY	8	LYS
48	BZ	125	LEU
54	B5	35	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 167 such sidechains are listed below:

Mol	Chain	Res	Type
42	BT	38	ASN
56	B7	8	ASN
46	DX	41	ASN
42	BT	84	GLN
48	BZ	73	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1503/1504 (99%)	300 (19%)	43 (2%)
1	CA	1504/1504 (100%)	296 (19%)	53 (3%)
22	AV	76/77 (98%)	18 (23%)	4 (5%)
22	CV	76/77 (98%)	22 (28%)	1 (1%)
23	AW	75/76 (98%)	22 (29%)	2 (2%)
23	CW	75/76 (98%)	19 (25%)	2 (2%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
24	AY	74/75 (98%)	38 (51%)	4 (5%)
24	CY	74/75 (98%)	38 (51%)	4 (5%)
25	AX	6/7 (85%)	3 (50%)	1 (16%)
26	BA	2800/2915 (96%)	779 (27%)	151 (5%)
26	DA	2799/2915 (96%)	754 (26%)	122 (4%)
27	BB	118/119 (99%)	36 (30%)	4 (3%)
27	DB	118/119 (99%)	27 (22%)	4 (3%)
59	CX	3/4 (75%)	2 (66%)	0
All	All	9301/9543 (97%)	2354 (25%)	395 (4%)

5 of 2354 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	7	G
1	AA	8	A
1	AA	9	G
1	AA	13	U
1	AA	22	G

5 of 395 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
26	BA	2416	G
1	CA	262	G
26	DA	2236	A
26	BA	2469	G
26	BA	2812	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
25	PSU	AX	19	24,25	13,21,22	1.76	2 (15%)	18,30,33	6.20	5 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
25	PSU	AX	19	24,25	-	0/7/25/26	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	AX	19	PSU	C5-C1'	-5.49	1.47	1.52
25	AX	19	PSU	C4-N3	2.47	1.37	1.33

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	AX	19	PSU	N1-C2-N3	-21.70	114.49	128.33
25	AX	19	PSU	C4-C5-C1'	-2.04	117.51	121.23
25	AX	19	PSU	O4'-C1'-C2'	2.04	106.81	104.73
25	AX	19	PSU	C6-N1-C2	2.65	119.73	115.47
25	AX	19	PSU	C4-N3-C2	14.09	127.42	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
25	AX	19	PSU	7	0

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
60	DC	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	DC	110:ALA	C	119:ALA	N	13.98
1	DC	136:ALA	C	139:ALA	N	11.93

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AA	1504/1504 (100%)	0.14	66 (4%) 38 31	23, 77, 165, 393	0
1	CA	1504/1504 (100%)	0.29	101 (6%) 21 17	38, 86, 188, 312	0
2	AB	234/234 (100%)	0.29	12 (5%) 32 25	66, 113, 158, 196	0
2	CB	234/234 (100%)	0.71	37 (15%) 3 2	85, 139, 177, 216	0
3	AC	206/206 (100%)	-0.03	5 (2%) 62 55	64, 96, 134, 183	0
3	CC	206/206 (100%)	0.91	32 (15%) 3 2	90, 130, 182, 221	0
4	AD	208/208 (100%)	0.15	9 (4%) 39 32	55, 91, 126, 174	0
4	CD	208/208 (100%)	-0.06	4 (1%) 70 63	49, 79, 108, 139	0
5	AE	150/150 (100%)	-0.00	0 100 100	47, 76, 104, 125	0
5	CE	150/150 (100%)	0.17	5 (3%) 50 43	58, 88, 126, 148	0
6	AF	101/101 (100%)	-0.19	0 100 100	52, 80, 108, 124	0
6	CF	101/101 (100%)	-0.05	2 (1%) 68 62	52, 82, 116, 139	0
7	AG	155/155 (100%)	0.02	7 (4%) 37 30	61, 97, 137, 156	0
7	CG	155/155 (100%)	0.63	14 (9%) 12 9	82, 119, 157, 175	0
8	AH	138/138 (100%)	-0.18	0 100 100	50, 81, 105, 135	0
8	CH	138/138 (100%)	0.00	3 (2%) 65 59	59, 95, 119, 146	0
9	AI	127/127 (100%)	0.35	8 (6%) 23 19	58, 112, 146, 230	0
9	CI	127/127 (100%)	1.22	34 (26%) 1 1	94, 136, 180, 235	0
10	AJ	98/98 (100%)	0.76	15 (15%) 3 2	67, 119, 160, 187	0
10	CJ	98/98 (100%)	1.42	27 (27%) 1 1	94, 158, 190, 226	0
11	AK	119/119 (100%)	0.02	5 (4%) 40 33	45, 79, 108, 165	0
11	CK	119/119 (100%)	0.52	12 (10%) 9 8	55, 95, 132, 161	0
12	AL	124/124 (100%)	0.05	8 (6%) 22 18	47, 71, 105, 155	0
12	CL	124/124 (100%)	0.16	8 (6%) 22 18	50, 81, 115, 124	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	AM	124/124 (100%)	0.75	13 (10%) 8 7	68, 112, 153, 231	0
13	CM	124/124 (100%)	1.56	31 (25%) 1 1	101, 153, 200, 218	0
14	AN	60/60 (100%)	0.10	1 (1%) 73 67	55, 85, 135, 155	0
14	CN	60/60 (100%)	0.91	7 (11%) 6 5	104, 137, 160, 182	0
15	AO	88/88 (100%)	0.05	1 (1%) 82 78	48, 80, 111, 130	0
15	CO	88/88 (100%)	0.05	2 (2%) 64 57	55, 87, 117, 139	0
16	AP	83/83 (100%)	0.23	3 (3%) 46 39	65, 92, 125, 149	0
16	CP	83/83 (100%)	-0.09	0 100 100	51, 73, 112, 139	0
17	AQ	99/99 (100%)	0.15	0 100 100	51, 90, 112, 117	0
17	CQ	99/99 (100%)	0.04	2 (2%) 68 62	63, 87, 115, 126	0
18	AR	70/70 (100%)	-0.08	2 (2%) 55 49	48, 76, 108, 138	0
18	CR	70/70 (100%)	0.08	2 (2%) 55 49	61, 91, 126, 149	0
19	AS	78/78 (100%)	0.42	6 (7%) 16 13	72, 114, 165, 189	0
19	CS	78/78 (100%)	1.60	27 (34%) 0 1	111, 160, 209, 221	0
20	AT	99/99 (100%)	0.27	4 (4%) 42 34	67, 102, 150, 169	0
20	CT	99/99 (100%)	0.08	2 (2%) 68 62	49, 96, 135, 150	0
21	AU	24/24 (100%)	0.38	0 100 100	74, 92, 117, 119	0
21	CU	24/24 (100%)	2.95	14 (58%) 0 0	105, 141, 205, 253	0
22	AV	77/77 (100%)	-0.06	1 (1%) 79 74	34, 78, 122, 187	0
22	CV	77/77 (100%)	0.43	8 (10%) 8 7	41, 107, 162, 175	0
23	AW	76/76 (100%)	2.01	34 (44%) 0 0	37, 183, 225, 269	0
23	CW	76/76 (100%)	2.70	46 (60%) 0 0	59, 192, 268, 296	0
24	AY	75/75 (100%)	1.84	30 (40%) 0 0	37, 107, 188, 213	0
24	CY	75/75 (100%)	2.58	41 (54%) 0 0	37, 107, 188, 213	0
25	AX	6/7 (85%)	0.15	0 100 100	50, 53, 106, 116	0
26	BA	2807/2915 (96%)	-0.19	78 (2%) 56 50	9, 38, 151, 312	0
26	DA	2807/2915 (96%)	0.04	123 (4%) 38 31	24, 64, 168, 297	0
27	BB	119/119 (100%)	-0.23	0 100 100	32, 60, 91, 118	0
27	DB	119/119 (100%)	0.46	10 (8%) 14 11	71, 112, 151, 191	0
28	BC	190/206 (92%)	3.65	120 (63%) 0 0	108, 181, 242, 295	0
29	BD	271/271 (100%)	-0.44	0 100 100	18, 36, 76, 122	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
29	DD	271/271 (100%)	-0.24	1 (0%) 93 92	23, 56, 91, 127	0
30	BE	204/204 (100%)	-0.27	2 (0%) 84 80	18, 48, 92, 134	0
30	DE	204/204 (100%)	-0.11	5 (2%) 61 54	28, 65, 120, 165	0
31	BF	207/207 (100%)	-0.27	5 (2%) 62 55	17, 48, 133, 191	0
31	DF	207/207 (100%)	0.07	7 (3%) 49 42	31, 87, 149, 214	0
32	BG	181/181 (100%)	0.05	5 (2%) 56 50	56, 82, 129, 172	0
32	DG	181/181 (100%)	0.52	14 (7%) 16 13	82, 128, 167, 210	0
33	BH	159/159 (100%)	-0.08	5 (3%) 52 46	32, 68, 118, 181	0
33	DH	159/159 (100%)	0.96	36 (22%) 1 1	70, 128, 180, 235	0
34	BI	145/145 (100%)	-0.02	3 (2%) 67 60	44, 95, 123, 159	0
34	DI	145/145 (100%)	0.29	5 (3%) 49 42	48, 101, 137, 159	0
35	BJ	130/130 (100%)	3.06	67 (51%) 0 0	120, 164, 275, 373	0
35	DJ	130/130 (100%)	3.58	90 (69%) 0 0	122, 193, 233, 284	0
36	BN	138/138 (100%)	-0.30	3 (2%) 65 59	24, 46, 95, 129	0
36	DN	138/138 (100%)	0.01	3 (2%) 65 59	54, 90, 120, 133	0
37	BO	122/122 (100%)	-0.47	0 100 100	26, 49, 75, 91	0
37	DO	122/122 (100%)	-0.34	0 100 100	39, 64, 85, 92	0
38	BP	146/146 (100%)	-0.06	3 (2%) 67 60	21, 65, 115, 159	0
38	DP	146/146 (100%)	0.32	5 (3%) 49 42	39, 92, 134, 174	0
39	BQ	141/141 (100%)	-0.32	2 (1%) 78 73	27, 51, 85, 188	0
39	DQ	141/141 (100%)	0.17	3 (2%) 67 60	58, 92, 125, 161	0
40	BR	117/117 (100%)	-0.34	0 100 100	21, 42, 78, 93	0
40	DR	117/117 (100%)	-0.12	1 (0%) 85 82	40, 65, 100, 131	0
41	BS	98/98 (100%)	-0.04	1 (1%) 84 80	35, 64, 105, 136	0
41	DS	98/98 (100%)	0.37	4 (4%) 41 34	72, 110, 151, 181	0
42	BT	137/137 (100%)	-0.11	6 (4%) 38 31	34, 64, 139, 181	0
42	DT	137/137 (100%)	0.04	6 (4%) 38 31	43, 77, 135, 170	0
43	BU	117/117 (100%)	-0.42	0 100 100	15, 37, 73, 98	0
43	DU	117/117 (100%)	0.12	5 (4%) 39 32	40, 80, 135, 155	0
44	BV	101/101 (100%)	-0.30	2 (1%) 68 62	24, 51, 85, 119	0
44	DV	101/101 (100%)	0.61	11 (10%) 7 6	61, 110, 143, 183	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
45	BW	113/113 (100%)	-0.33	1 (0%) 85 82	25, 37, 75, 137	0
45	DW	113/113 (100%)	0.03	4 (3%) 48 40	49, 66, 103, 147	0
46	BX	92/92 (100%)	-0.43	0 100 100	25, 44, 73, 82	0
46	DX	92/92 (100%)	-0.09	0 100 100	43, 77, 98, 114	0
47	BY	100/100 (100%)	0.28	11 (11%) 7 6	34, 66, 163, 201	0
47	DY	100/100 (100%)	0.70	14 (14%) 4 3	56, 100, 175, 209	0
48	BZ	176/176 (100%)	1.81	55 (31%) 1 1	43, 119, 275, 309	0
48	DZ	176/176 (100%)	2.44	70 (39%) 0 0	92, 149, 299, 353	0
49	B0	84/84 (100%)	-0.13	0 100 100	25, 43, 78, 110	0
49	D0	84/84 (100%)	0.55	8 (9%) 10 9	58, 84, 105, 128	0
50	B1	93/93 (100%)	-0.15	3 (3%) 51 44	26, 48, 94, 131	0
50	D1	93/93 (100%)	-0.01	2 (2%) 65 59	39, 63, 111, 153	0
51	B2	71/71 (100%)	0.02	3 (4%) 40 33	34, 61, 101, 164	0
51	D2	71/71 (100%)	0.01	1 (1%) 78 73	60, 90, 131, 150	0
52	B3	59/59 (100%)	-0.14	2 (3%) 49 42	29, 48, 92, 149	0
52	D3	59/59 (100%)	0.60	6 (10%) 9 7	65, 101, 135, 253	0
53	B4	30/30 (100%)	0.02	1 (3%) 50 43	69, 116, 141, 154	0
53	D4	30/30 (100%)	0.87	3 (10%) 9 8	121, 142, 163, 173	0
54	B5	59/59 (100%)	0.07	3 (5%) 32 25	21, 42, 139, 213	0
54	D5	59/59 (100%)	-0.03	4 (6%) 20 17	42, 67, 130, 179	0
55	B6	44/44 (100%)	0.15	2 (4%) 37 30	30, 60, 93, 118	0
55	D6	44/44 (100%)	0.58	1 (2%) 64 57	51, 90, 113, 121	0
56	B7	48/48 (100%)	-0.29	1 (2%) 67 60	20, 30, 63, 124	0
56	D7	48/48 (100%)	-0.16	1 (2%) 67 60	31, 49, 80, 98	0
57	B8	63/63 (100%)	-0.24	0 100 100	30, 44, 64, 129	0
57	D8	63/63 (100%)	0.02	2 (3%) 51 44	50, 77, 112, 154	0
58	B9	36/36 (100%)	-0.01	0 100 100	34, 49, 63, 78	0
58	D9	36/36 (100%)	0.62	4 (11%) 7 6	63, 91, 115, 125	0
59	CX	4/4 (100%)	0.41	1 (25%) 1 1	70, 87, 90, 158	0
60	DC	190/196 (96%)	4.08	148 (77%) 0 0	109, 188, 240, 265	0
All	All	21440/21679 (98%)	0.26	1673 (7%) 16 13	9, 77, 180, 393	0

The worst 5 of 1673 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
35	BJ	52	ALA	26.4
48	DZ	172	ALA	21.4
35	BJ	51	ALA	21.1
26	DA	2812	G	21.0
48	BZ	149	SER	16.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
25	PSU	AX	19	20/21	0.93	0.15	-	83,95,104,110	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.