



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:57 PM GMT

PDB ID : 3VLJ  
Title : Crystal Structure Analysis of the Cyanide Arg409Leu Variant Complexes with o-Dianisidine in KatG from HALOARCULA MARISMORTUI  
Authors : Sato, T.; Higuchi, W.; Yoshimatsu, K.; Fujiwara, T.  
Deposited on : 2011-12-01  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	737	<div> <div>9%</div> <div>80%</div> <div>14%</div> <div>• •</div> </div>
1	B	737	<div> <div>11%</div> <div>79%</div> <div>16%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	DDJ	A	801	-	-	-	X
3	DDJ	B	801	-	-	X	X
4	CYN	A	802	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11994 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Catalase-peroxidase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	706	Total	C	N	O	S	0	0	0
			5565	3483	930	1133	19			
1	B	705	Total	C	N	O	S	0	0	0
			5556	3478	929	1130	19			

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	409	LEU	ARG	ENGINEERED MUTATION	UNP O59651
A	732	HIS	-	EXPRESSION TAG	UNP O59651
A	733	HIS	-	EXPRESSION TAG	UNP O59651
A	734	HIS	-	EXPRESSION TAG	UNP O59651
A	735	HIS	-	EXPRESSION TAG	UNP O59651
A	736	HIS	-	EXPRESSION TAG	UNP O59651
A	737	HIS	-	EXPRESSION TAG	UNP O59651
B	409	LEU	ARG	ENGINEERED MUTATION	UNP O59651
B	732	HIS	-	EXPRESSION TAG	UNP O59651
B	733	HIS	-	EXPRESSION TAG	UNP O59651
B	734	HIS	-	EXPRESSION TAG	UNP O59651
B	735	HIS	-	EXPRESSION TAG	UNP O59651
B	736	HIS	-	EXPRESSION TAG	UNP O59651
B	737	HIS	-	EXPRESSION TAG	UNP O59651

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is 3,3'-DIMETHOXYBIPHENYL-4,4'-DIAMINE (three-letter code: DDJ) (formula:  $\text{C}_{14}\text{H}_{16}\text{N}_2\text{O}_2$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			18	14	2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			18	14	2	2		

- Molecule 4 is CYANIDE ION (three-letter code: CYN) (formula: CN).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N		0	0
			2	1	1			
4	B	1	Total	C	N		0	0
			2	1	1			


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	454	Total	O	0	0
			454	454		
5	B	293	Total	O	0	0
			293	293		


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Catalase-peroxidase 2



#### • Molecule 1: Catalase-peroxidase 2







## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	315.21Å 80.76Å 75.43Å 90.00° 99.50° 90.00°	Depositor
Resolution (Å)	36.74 – 1.70 36.73 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.5 (36.74-1.70) 99.7 (36.73-1.70)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.19 (at 1.70Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.216 , 0.234 0.215 , 0.233	Depositor DCC
$R_{free}$ test set	10041 reflections (5.18%)	DCC
Wilson B-factor (Å <sup>2</sup> )	19.6	Xtriage
Anisotropy	0.426	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 56.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 203754 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11994	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CYN, DDJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.31	0/5700	0.56	0/7747
1	B	0.28	0/5691	0.53	0/7735
All	All	0.29	0/11391	0.55	0/15482

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5565	0	5210	141	0
1	B	5556	0	5204	105	0
2	A	43	0	30	1	0
2	B	43	0	30	2	0
3	A	18	0	16	5	0
3	B	18	0	16	9	0
4	A	2	0	0	3	0
4	B	2	0	0	0	0
5	A	454	0	0	3	0
5	B	293	0	0	4	0
All	All	11994	0	10506	239	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (239) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:MET:HE1	1:A:254:LEU:HD12	1.23	1.11
1:B:35:ILE:HD11	1:B:601:VAL:HG12	1.34	1.07
1:B:92:ARG:HE	3:B:801:DDJ:HAQ	1.25	0.99
1:A:246:MET:CE	1:A:254:LEU:HD12	1.97	0.93
1:A:32:ASN:O	1:A:35:ILE:HD12	1.68	0.93
1:A:698:ILE:HD12	1:B:45:PRO:HD3	1.53	0.90
1:A:35:ILE:HD13	1:A:36:LEU:H	1.38	0.89
1:A:368:MET:HG3	1:A:372:ASP:HB2	1.55	0.89
1:A:565:GLY:H	1:A:568:HIS:HD2	1.17	0.88
1:A:217:ILE:HG22	1:A:218:TYR:CD1	2.08	0.88
1:A:580:LYS:HA	1:A:589:GLN:HE21	1.40	0.86
1:A:218:TYR:CZ	1:A:244:MET:SD	2.69	0.86
1:A:727:ARG:HA	1:A:727:ARG:HH11	1.39	0.86
1:A:593:THR:H	1:A:594:ARG:HH21	1.24	0.86
1:A:217:ILE:HG22	1:A:218:TYR:CE1	2.14	0.82
1:A:594:ARG:H	1:A:594:ARG:HE	1.28	0.81
1:B:19:ARG:H	1:B:19:ARG:HD3	1.43	0.81
1:B:218:TYR:CZ	1:B:244:MET:SD	2.75	0.80
1:A:91:ILE:HD11	1:A:161:ILE:HG13	1.63	0.79
1:B:217:ILE:HG22	1:B:218:TYR:CD1	2.17	0.79
1:A:311:TRP:HD1	1:A:368:MET:HE1	1.47	0.79
1:A:588:ILE:HD11	1:A:685:ILE:HD13	1.65	0.79
1:A:35:ILE:HD13	1:A:36:LEU:N	1.97	0.78
1:B:692:ASN:HD22	1:B:695:LEU:H	1.27	0.77
1:A:692:ASN:HD22	1:A:695:LEU:H	1.33	0.77
1:B:217:ILE:HG22	1:B:218:TYR:CE1	2.21	0.76
1:A:311:TRP:CD1	1:A:368:MET:HE1	2.21	0.76
1:A:95:TRP:CH2	1:A:218:TYR:CE1	2.75	0.75
1:A:592:ILE:H	1:A:592:ILE:HD13	1.50	0.75
1:B:584:VAL:HG13	1:B:621:MET:HG2	1.69	0.74
1:A:311:TRP:HD1	1:A:368:MET:CE	2.01	0.73
1:B:92:ARG:NE	3:B:801:DDJ:HAQ	2.03	0.72
1:A:519:ASN:HD21	1:A:528:VAL:H	1.38	0.71
1:B:441:ILE:HD13	1:B:441:ILE:H	1.55	0.71
1:A:19:ARG:HH12	1:A:21:LYS:HZ1	1.38	0.70
1:A:125:ASP:OD2	3:A:801:DDJ:HAQB	1.91	0.70
1:A:580:LYS:HA	1:A:589:GLN:NE2	2.06	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:368:MET:HG3	1:B:372:ASP:HB2	1.75	0.69
1:A:19:ARG:HH12	1:A:21:LYS:NZ	1.91	0.68
1:A:217:ILE:HG22	1:A:218:TYR:HD1	1.58	0.68
1:A:91:ILE:CD1	1:A:161:ILE:HG13	2.23	0.68
1:B:519:ASN:HD21	1:B:528:VAL:H	1.41	0.68
1:B:555:ILE:HD12	1:B:716:VAL:HG13	1.75	0.68
1:B:502:GLU:CD	1:B:502:GLU:H	1.97	0.68
1:B:95:TRP:CH2	1:B:218:TYR:CE1	2.82	0.68
1:A:125:ASP:HA	3:A:801:DDJ:HAQB	1.75	0.67
1:A:589:GLN:O	1:A:592:ILE:HD12	1.94	0.67
1:A:596:ALA:HB1	1:A:685:ILE:HD11	1.76	0.67
1:A:35:ILE:HD11	1:A:601:VAL:CG1	2.25	0.67
1:B:666:HIS:H	1:B:667:ARG:HH21	1.41	0.66
1:B:19:ARG:HD3	1:B:19:ARG:N	2.11	0.66
1:B:41:ARG:HD3	1:B:41:ARG:N	2.10	0.66
1:B:194:GLU:OE2	3:B:801:DDJ:HAPB	1.95	0.66
1:A:283:ILE:HD13	1:A:283:ILE:O	1.96	0.66
1:B:571:ALA:HB3	1:B:572:PRO:HD3	1.79	0.65
1:B:22:SER:HB2	1:B:24:GLN:OE1	1.97	0.65
1:B:323:ILE:HD12	1:B:323:ILE:H	1.62	0.65
1:A:502:GLU:CD	1:A:502:GLU:H	1.96	0.65
1:A:584:VAL:HG13	1:A:621:MET:HG2	1.78	0.64
1:A:311:TRP:CD1	1:A:368:MET:CE	2.80	0.64
1:B:514:ILE:O	1:B:517:GLU:HG2	1.96	0.64
1:A:124:PRO:HG3	1:A:194:GLU:HG3	1.81	0.63
1:B:313:GLN:HA	1:B:354:VAL:HG22	1.79	0.63
1:A:95:TRP:CH2	1:A:218:TYR:CZ	2.87	0.63
1:A:95:TRP:HH2	1:A:218:TYR:CZ	2.16	0.63
1:A:21:LYS:HB2	1:A:21:LYS:NZ	2.14	0.63
1:A:125:ASP:HA	3:A:801:DDJ:CAQ	2.29	0.63
1:A:368:MET:HE2	1:A:372:ASP:HB3	1.80	0.63
1:A:305:SER:HA	3:A:801:DDJ:CAE	2.29	0.63
1:A:727:ARG:NH2	1:A:730:LEU:HG	2.13	0.62
1:A:305:SER:HA	3:A:801:DDJ:HAE	1.82	0.62
1:A:95:TRP:HD1	4:A:802:CYN:N	1.98	0.61
1:B:217:ILE:HG22	1:B:218:TYR:HD1	1.66	0.61
1:B:514:ILE:HA	1:B:517:GLU:OE1	2.00	0.60
1:A:698:ILE:CD1	1:B:45:PRO:HD3	2.29	0.60
1:A:368:MET:HG3	1:A:372:ASP:CB	2.31	0.60
1:A:594:ARG:NE	1:A:594:ARG:H	2.00	0.59
1:A:308:GLU:H	1:A:342:GLN:HE22	1.49	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:ILE:HD12	1:B:323:ILE:N	2.16	0.59
1:A:95:TRP:CD1	4:A:802:CYN:N	2.70	0.59
1:A:47:GLU:HG3	1:A:49:ASP:OD1	2.03	0.59
1:A:518:PHE:O	1:A:522:ARG:HG2	2.04	0.58
1:A:588:ILE:HD11	1:A:685:ILE:CD1	2.32	0.58
1:B:95:TRP:HH2	1:B:218:TYR:CZ	2.21	0.58
1:B:441:ILE:HD13	1:B:441:ILE:N	2.19	0.57
1:B:95:TRP:CH2	1:B:218:TYR:CZ	2.92	0.57
1:B:139:ILE:HG12	5:B:945:HOH:O	2.04	0.57
1:B:666:HIS:N	1:B:667:ARG:HH21	2.01	0.57
1:A:41:ARG:HD2	1:B:41:ARG:HE	1.70	0.57
1:A:724:LYS:HB2	1:A:724:LYS:NZ	2.19	0.57
1:B:221:PRO:HD3	3:B:801:DDJ:HAJ	1.86	0.56
1:A:685:ILE:N	1:A:685:ILE:HD12	2.20	0.56
1:A:41:ARG:NH1	1:A:43:VAL:HG13	2.21	0.56
1:A:95:TRP:HH2	1:A:218:TYR:CE1	2.24	0.56
1:A:571:ALA:HB3	1:A:572:PRO:HD3	1.88	0.56
1:A:41:ARG:H	1:A:41:ARG:HD3	1.71	0.56
1:A:21:LYS:HB2	1:A:21:LYS:HZ3	1.69	0.56
1:A:545:ALA:HB1	1:A:624:ILE:HD12	1.87	0.56
1:B:594:ARG:HE	1:B:594:ARG:H	1.54	0.55
1:B:125:ASP:OD2	1:B:216:LEU:HD22	2.06	0.55
1:A:65:LYS:O	1:A:69:GLU:HG3	2.07	0.54
1:A:441:ILE:HB	1:A:445:GLU:HB2	1.89	0.54
1:A:441:ILE:HD13	1:A:441:ILE:H	1.73	0.54
1:B:441:ILE:CD1	1:B:441:ILE:H	2.21	0.54
1:A:35:ILE:HD11	1:A:36:LEU:HG	1.89	0.53
1:B:308:GLU:H	1:B:342:GLN:HE22	1.54	0.53
1:A:249:LYS:HE2	5:A:1184:HOH:O	2.08	0.53
1:A:452:GLU:CG	1:A:514:ILE:HD12	2.38	0.53
1:A:35:ILE:HD11	1:A:601:VAL:HG13	1.89	0.52
1:A:283:ILE:HD12	1:B:687:LEU:HB3	1.91	0.52
1:A:565:GLY:H	1:A:568:HIS:CD2	2.09	0.52
1:A:727:ARG:HA	1:A:727:ARG:NH1	2.16	0.52
1:A:47:GLU:CD	1:A:47:GLU:H	2.12	0.51
1:B:158:ASN:O	1:B:162:GLU:HG3	2.10	0.51
1:A:322:TYR:CE1	1:A:368:MET:CE	2.93	0.51
1:B:581:VAL:HG13	1:B:588:ILE:HD13	1.92	0.51
1:B:125:ASP:HA	3:B:801:DDJ:CAE	2.41	0.51
1:A:593:THR:H	1:A:594:ARG:NH2	2.01	0.51
1:B:555:ILE:CD1	1:B:716:VAL:HG13	2.39	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:409:LEU:HD21	5:B:1082:HOH:O	2.11	0.51
1:A:368:MET:HE2	1:A:372:ASP:CB	2.40	0.50
1:A:442:GLY:O	1:A:446:ILE:HG12	2.10	0.50
1:B:696:ARG:O	1:B:700:GLU:HG3	2.11	0.50
1:B:581:VAL:HG13	1:B:588:ILE:CD1	2.41	0.50
1:B:213:VAL:HB	1:B:216:LEU:HD12	1.94	0.50
1:A:441:ILE:N	1:A:441:ILE:HD13	2.26	0.50
1:B:442:GLY:O	1:B:446:ILE:HG13	2.12	0.50
1:B:18:LYS:NZ	1:B:18:LYS:HB3	2.28	0.49
1:B:323:ILE:H	1:B:323:ILE:CD1	2.26	0.49
1:A:322:TYR:CE1	1:A:368:MET:HE2	2.47	0.49
1:B:610:THR:OG1	1:B:613:GLU:HG3	2.13	0.49
1:A:379:PRO:O	1:A:383:GLU:HG3	2.13	0.49
1:B:441:ILE:HB	1:B:445:GLU:HB2	1.95	0.48
1:B:124:PRO:HG3	1:B:194:GLU:HG3	1.96	0.48
1:B:666:HIS:H	1:B:667:ARG:NH2	2.09	0.48
1:A:333:PRO:HD3	1:A:343:TRP:CZ3	2.49	0.48
1:A:624:ILE:HD11	1:A:643:LEU:HB2	1.95	0.47
1:B:128:ASN:HA	1:B:130:ASP:OD2	2.15	0.47
1:A:246:MET:SD	1:A:254:LEU:HD12	2.54	0.47
1:B:281:ALA:HB1	1:B:285:GLN:HG3	1.96	0.47
1:A:592:ILE:CD1	1:A:592:ILE:H	2.21	0.47
1:A:452:GLU:HG3	1:A:514:ILE:HD12	1.94	0.47
1:A:320:MET:HG2	5:A:1352:HOH:O	2.15	0.47
1:A:41:ARG:N	1:A:41:ARG:HD3	2.29	0.47
1:A:545:ALA:CB	1:A:624:ILE:HD12	2.44	0.47
1:A:406:LEU:O	1:A:409:LEU:HD22	2.14	0.47
1:B:333:PRO:HD3	1:B:343:TRP:CZ3	2.50	0.47
1:A:217:ILE:C	1:A:218:TYR:HD1	2.18	0.47
1:A:545:ALA:HB1	1:A:624:ILE:CD1	2.45	0.47
1:B:595:PRO:HD2	1:B:598:GLU:CD	2.35	0.46
2:B:800:HEM:HBA1	3:B:801:DDJ:HAQB	1.97	0.46
1:A:21:LYS:HG3	1:A:22:SER:N	2.30	0.46
1:A:441:ILE:H	1:A:441:ILE:CD1	2.28	0.46
1:B:302:MET:N	5:B:926:HOH:O	2.49	0.46
1:A:246:MET:SD	1:A:254:LEU:CD1	3.04	0.46
1:A:610:THR:OG1	1:A:613:GLU:HG3	2.16	0.45
1:A:145:GLN:HG2	5:A:1269:HOH:O	2.16	0.45
1:B:332:GLU:OE2	1:B:346:LYS:HE3	2.17	0.45
1:A:451:GLU:HG2	1:A:455:ASP:OD2	2.15	0.45
1:A:193:PHE:O	1:A:194:GLU:HB2	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:95:TRP:CD1	1:A:96:HIS:HD2	2.34	0.45
1:A:99:GLY:O	1:A:218:TYR:CE1	2.69	0.45
1:B:52:TYR:HB3	1:B:176:GLU:HG3	1.97	0.45
1:A:137:LEU:HB3	1:A:138:PRO:HD3	1.98	0.45
1:A:217:ILE:HG22	1:A:218:TYR:HE1	1.73	0.45
1:B:460:VAL:HG13	1:B:541:ALA:HB1	1.98	0.45
1:A:727:ARG:CA	1:A:727:ARG:HH11	2.21	0.44
1:B:307:ILE:CG2	1:B:367:MET:HE1	2.46	0.44
1:B:514:ILE:HA	1:B:517:GLU:CD	2.37	0.44
1:A:450:LYS:HG3	1:A:540:ALA:HB2	1.99	0.44
1:B:518:PHE:O	1:B:522:ARG:HG2	2.17	0.44
1:A:322:TYR:CE1	1:A:368:MET:HE1	2.53	0.44
1:A:92:ARG:HG3	4:A:802:CYN:N	2.33	0.44
1:B:217:ILE:C	1:B:218:TYR:HD1	2.21	0.44
1:A:313:GLN:HA	1:A:354:VAL:HG22	2.00	0.44
1:B:67:ASP:HB3	1:B:139:ILE:CD1	2.48	0.44
1:A:218:TYR:CE2	1:A:244:MET:SD	3.09	0.44
1:A:246:MET:CE	1:A:254:LEU:CD1	2.85	0.43
1:B:628:TYR:CE1	1:B:629:GLN:HG3	2.52	0.43
1:B:217:ILE:HG22	1:B:218:TYR:HE1	1.76	0.43
1:A:368:MET:HE3	1:A:372:ASP:OD2	2.18	0.43
1:B:368:MET:HG3	1:B:372:ASP:CB	2.47	0.43
1:B:593:THR:H	1:B:594:ARG:HH21	1.66	0.43
1:A:41:ARG:HD2	1:B:41:ARG:NE	2.33	0.43
1:A:246:MET:HE3	1:A:250:GLU:HB3	2.01	0.43
1:A:128:ASN:HA	1:A:130:ASP:OD2	2.17	0.43
1:B:352:ASN:HB3	1:B:363:LYS:HB2	2.01	0.43
1:A:594:ARG:HE	1:A:594:ARG:N	2.06	0.43
1:A:19:ARG:N	1:A:19:ARG:HD3	2.33	0.43
1:A:21:LYS:CB	1:A:21:LYS:NZ	2.82	0.43
1:B:122:SER:HB3	1:B:277:GLU:HG3	2.01	0.43
1:A:32:ASN:HD21	1:A:34:GLU:HB2	1.84	0.42
1:B:221:PRO:HG3	3:B:801:DDJ:CAI	2.49	0.42
1:A:283:ILE:HD12	1:B:687:LEU:CB	2.48	0.42
1:A:35:ILE:CD1	1:A:36:LEU:HG	2.48	0.42
1:A:696:ARG:O	1:A:700:GLU:HG3	2.19	0.42
1:B:43:VAL:HG23	1:B:179:PHE:HB2	2.02	0.42
1:B:189:PRO:HG3	1:B:206:GLN:HE22	1.85	0.42
1:A:578:LYS:HA	1:A:579:PRO:HD3	1.85	0.42
3:B:801:DDJ:HAI	3:B:801:DDJ:HAD	1.81	0.42
1:A:286:GLN:NE2	1:B:690:GLY:HA3	2.35	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:433:LEU:HD13	1:B:484:ASN:ND2	2.35	0.42
1:B:42:ASP:HB2	1:B:48:ASP:OD1	2.19	0.42
1:B:264:VAL:HG22	1:B:309:GLY:O	2.20	0.42
1:B:587:TYR:O	1:B:588:ILE:HD13	2.20	0.42
1:B:95:TRP:CD1	1:B:96:HIS:HD2	2.38	0.41
1:A:587:TYR:OH	1:A:589:GLN:HG2	2.20	0.41
1:B:667:ARG:N	1:B:667:ARG:HE	2.18	0.41
1:B:335:LYS:HE3	1:B:339:GLY:O	2.19	0.41
1:B:137:LEU:HB3	1:B:138:PRO:HD3	2.01	0.41
1:B:274:LEU:HD21	1:B:303:ILE:HB	2.02	0.41
1:A:475:ARG:HB2	1:A:606:LEU:HD22	2.00	0.41
1:A:264:VAL:HG12	2:A:800:HEM:CAA	2.50	0.41
1:B:218:TYR:CE1	1:B:244:MET:SD	3.13	0.41
1:B:96:HIS:HE1	3:B:801:DDJ:OAC	2.03	0.41
1:A:368:MET:CE	1:A:372:ASP:CB	2.98	0.41
1:B:124:PRO:HG3	1:B:194:GLU:CG	2.50	0.41
1:A:283:ILE:HD11	1:B:687:LEU:C	2.40	0.41
1:B:21:LYS:HD3	1:B:26:TRP:CE2	2.54	0.41
1:A:218:TYR:CE1	1:A:244:MET:SD	3.12	0.41
1:A:308:GLU:H	1:A:342:GLN:NE2	2.17	0.41
1:B:419:GLY:HA3	5:B:920:HOH:O	2.20	0.41
1:B:129:LEU:HA	1:B:129:LEU:HD23	1.89	0.41
1:A:249:LYS:HG2	1:A:398:ASN:OD1	2.21	0.41
1:A:286:GLN:HE22	1:B:690:GLY:HA3	1.86	0.41
1:B:638:ASP:OD2	1:B:639:GLU:HG3	2.21	0.41
1:A:685:ILE:N	1:A:685:ILE:CD1	2.84	0.41
1:A:217:ILE:C	1:A:218:TYR:CD1	2.94	0.40
1:A:249:LYS:NZ	1:A:249:LYS:CB	2.85	0.40
1:A:35:ILE:CD1	1:A:36:LEU:N	2.77	0.40
1:A:368:MET:CE	1:A:372:ASP:CG	2.90	0.40
1:B:264:VAL:HG12	2:B:800:HEM:CAA	2.52	0.40
1:A:311:TRP:CD1	1:A:368:MET:HE3	2.54	0.40
1:B:441:ILE:HD11	1:B:559:PRO:HB3	2.03	0.40
1:B:664:SER:OG	1:B:667:ARG:HB2	2.22	0.40
1:B:323:ILE:CD1	1:B:323:ILE:N	2.84	0.40
1:B:406:LEU:O	1:B:409:LEU:HD22	2.20	0.40
1:A:240:THR:O	1:A:244:MET:HG3	2.21	0.40
1:B:672:ASP:HB3	1:B:675:THR:OG1	2.21	0.40

There are no symmetry-related clashes.



## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	702/737 (95%)	688 (98%)	13 (2%)	1 (0%)	56	35
1	B	701/737 (95%)	683 (97%)	16 (2%)	2 (0%)	46	26
All	All	1403/1474 (95%)	1371 (98%)	29 (2%)	3 (0%)	52	32

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	49	ASP
1	A	47	GLU
1	B	592	ILE

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	585/608 (96%)	564 (96%)	21 (4%)	42	19
1	B	584/608 (96%)	569 (97%)	15 (3%)	54	32
All	All	1169/1216 (96%)	1133 (97%)	36 (3%)	47	25

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ARG
1	A	21	LYS
1	A	32	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	35	ILE
1	A	41	ARG
1	A	50	PHE
1	A	57	GLN
1	A	102	ARG
1	A	125	ASP
1	A	206	GLN
1	A	272	GLU
1	A	283	ILE
1	A	335	LYS
1	A	367	MET
1	A	409	LEU
1	A	441	ILE
1	A	586	ASN
1	A	592	ILE
1	A	594	ARG
1	A	657	GLU
1	A	677	GLU
1	B	19	ARG
1	B	41	ARG
1	B	51	ASP
1	B	69	GLU
1	B	102	ARG
1	B	125	ASP
1	B	181	GLU
1	B	285	GLN
1	B	409	LEU
1	B	441	ILE
1	B	554	GLU
1	B	586	ASN
1	B	594	ARG
1	B	667	ARG
1	B	730	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	32	ASN
1	A	206	GLN
1	A	286	GLN
1	A	342	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	513	ASN
1	A	515	GLN
1	A	519	ASN
1	A	568	HIS
1	A	586	ASN
1	A	589	GLN
1	A	608	ASN
1	A	666	HIS
1	A	692	ASN
1	B	38	GLN
1	B	206	GLN
1	B	286	GLN
1	B	342	GLN
1	B	352	ASN
1	B	358	HIS
1	B	513	ASN
1	B	515	GLN
1	B	519	ASN
1	B	544	GLN
1	B	586	ASN
1	B	692	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	A	800	1	30,50,50	2.66	9 (30%)	24,82,82	4.14	15 (62%)
3	DDJ	A	801	-	19,19,19	1.05	1 (5%)	24,26,26	1.86	4 (16%)
4	CYN	A	802	-	0,1,1	0.00	-	0,0,0	0.00	-
2	HEM	B	800	1,4	30,50,50	2.75	11 (36%)	24,82,82	5.91	17 (70%)
3	DDJ	B	801	-	19,19,19	1.05	1 (5%)	24,26,26	1.88	4 (16%)
4	CYN	B	802	2	0,1,1	0.00	-	0,0,0	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	800	1	-	0/10/54/54	0/0/8/8
3	DDJ	A	801	-	-	0/8/8/8	0/2/2/2
4	CYN	A	802	-	-	0/0/0/0	0/0/0/0
2	HEM	B	800	1,4	-	0/10/54/54	0/0/8/8
3	DDJ	B	801	-	-	0/8/8/8	0/2/2/2
4	CYN	B	802	2	-	0/0/0/0	0/0/0/0

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	800	HEM	C3B-C4B	-7.38	1.45	1.51
2	B	800	HEM	C3B-C4B	-6.99	1.45	1.51
2	A	800	HEM	C2D-C3D	-6.30	1.35	1.54
2	B	800	HEM	C2D-C3D	-6.28	1.35	1.54
2	B	800	HEM	C2C-C1C	-4.09	1.44	1.52
2	A	800	HEM	C2C-C1C	-3.94	1.45	1.52
2	A	800	HEM	C3D-C4D	-3.85	1.46	1.51
2	B	800	HEM	C3D-C4D	-3.79	1.46	1.51
3	B	801	DDJ	CAL-CAH	-3.67	1.39	1.49
3	A	801	DDJ	CAL-CAH	-3.67	1.39	1.49
2	B	800	HEM	C2B-C1B	-2.13	1.44	1.51
2	A	800	HEM	C2B-C1B	-2.12	1.44	1.51
2	B	800	HEM	CAD-C3D	-2.01	1.50	1.54
2	B	800	HEM	FE-ND	2.50	2.10	1.97

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	800	HEM	FE-NC	3.11	2.08	1.95
2	B	800	HEM	C1C-NC	3.89	1.40	1.36
2	A	800	HEM	C1C-NC	4.05	1.41	1.36
2	B	800	HEM	FE-NC	4.28	2.12	1.95
2	A	800	HEM	CBC-CAC	4.40	1.54	1.29
2	A	800	HEM	CBB-CAB	4.46	1.55	1.29
2	B	800	HEM	CBB-CAB	4.47	1.55	1.29
2	B	800	HEM	CBC-CAC	4.64	1.56	1.29

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	800	HEM	CAA-C2A-C1A	-12.72	113.19	127.01
2	A	800	HEM	CAA-C2A-C1A	-5.58	120.95	127.01
2	A	800	HEM	CAA-CBA-CGA	-5.46	102.74	112.75
3	B	801	DDJ	CAQ-OAC-CAF	-5.25	109.58	117.54
2	B	800	HEM	CHD-C1D-ND	-5.21	111.99	124.52
3	A	801	DDJ	CAP-OAB-CAK	-5.11	109.79	117.54
3	B	801	DDJ	CAP-OAB-CAK	-5.06	109.88	117.54
3	A	801	DDJ	CAQ-OAC-CAF	-4.75	110.34	117.54
2	B	800	HEM	CHC-C4B-NB	-4.41	113.91	124.52
2	B	800	HEM	CAA-CBA-CGA	-3.81	105.76	112.75
2	A	800	HEM	CHC-C4B-NB	-2.89	117.56	124.52
3	A	801	DDJ	OAC-CAF-CAE	-2.54	119.88	124.21
3	A	801	DDJ	OAB-CAK-CAD	-2.45	120.03	124.21
3	B	801	DDJ	OAB-CAK-CAD	-2.45	120.03	124.21
3	B	801	DDJ	OAC-CAF-CAE	-2.35	120.19	124.21
2	B	800	HEM	C3C-CAC-CBC	2.04	127.58	124.46
2	A	800	HEM	CMD-C2D-C3D	3.06	127.89	114.35
2	A	800	HEM	C2D-C3D-C4D	3.18	106.88	101.50
2	A	800	HEM	CMA-C3A-C2A	3.29	132.11	125.24
2	A	800	HEM	CAD-C3D-C4D	3.46	124.68	112.47
2	B	800	HEM	CMD-C2D-C3D	3.71	130.76	114.35
2	B	800	HEM	CMA-C3A-C4A	3.80	134.65	128.36
2	A	800	HEM	CBA-CAA-C2A	4.06	119.81	112.53
2	A	800	HEM	C3B-C4B-CHC	4.79	129.90	123.16
2	B	800	HEM	CBA-CAA-C2A	5.04	121.56	112.53
2	A	800	HEM	CAD-C3D-C2D	5.04	127.71	113.22
2	B	800	HEM	CAD-C3D-C2D	5.68	129.55	113.22
2	A	800	HEM	C2C-C1C-CHC	5.73	132.41	123.68
2	B	800	HEM	C3B-CAB-CBB	5.78	133.32	124.46
2	B	800	HEM	CMB-C2B-C3B	5.84	131.12	116.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	800	HEM	CMC-C2C-C3C	6.09	131.74	116.53
2	A	800	HEM	C4B-CHC-C1C	6.62	136.89	125.82
2	A	800	HEM	CMB-C2B-C3B	6.72	133.30	116.53
2	B	800	HEM	C3B-C4B-CHC	6.97	132.98	123.16
2	B	800	HEM	C2D-C3D-C4D	7.62	114.43	101.50
2	B	800	HEM	CMC-C2C-C3C	7.87	136.17	116.53
2	A	800	HEM	C3C-CAC-CBC	8.27	137.15	124.46
2	B	800	HEM	C2C-C1C-CHC	8.64	136.83	123.68
2	B	800	HEM	C4B-CHC-C1C	9.74	142.10	125.82
2	B	800	HEM	C1D-CHD-C4C	10.76	143.82	125.82

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	800	HEM	1	0
3	A	801	DDJ	5	0
4	A	802	CYN	3	0
2	B	800	HEM	2	0
3	B	801	DDJ	9	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	706/737 (95%)	0.59	69 (9%) 10 10	11, 19, 40, 62	0
1	B	705/737 (95%)	0.73	78 (11%) 7 8	15, 25, 42, 64	0
All	All	1411/1474 (95%)	0.66	147 (10%) 8 9	11, 22, 41, 64	0

All (147) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	50	PHE	15.9
1	A	50	PHE	14.8
1	B	730	LEU	14.7
1	A	730	LEU	13.5
1	B	18	LYS	10.9
1	A	19	ARG	10.4
1	A	49	ASP	9.6
1	A	731	GLU	9.4
1	B	20	PRO	9.1
1	A	20	PRO	8.5
1	A	523	SER	8.3
1	A	48	ASP	7.6
1	B	19	ARG	7.4
1	A	591	ASP	7.3
1	A	18	LYS	7.3
1	B	729	ASP	7.2
1	B	48	ASP	7.1
1	B	523	SER	6.9
1	B	43	VAL	6.7
1	B	361	ASP	6.5
1	B	49	ASP	6.5
1	B	591	ASP	6.4
1	A	729	ASP	6.4
1	B	437	ASP	6.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	663	ASP	5.8
1	A	437	ASP	5.5
1	A	524	ASP	5.2
1	B	349	GLU	5.2
1	B	200	ASP	5.2
1	A	21	LYS	5.1
1	B	638	ASP	4.9
1	A	663	ASP	4.8
1	B	731	GLU	4.7
1	B	457	ASP	4.6
1	B	292	ASN	4.5
1	B	42	ASP	4.4
1	A	218	TYR	4.4
1	B	360	PRO	4.3
1	B	21	LYS	4.3
1	B	47	GLU	4.2
1	A	525	GLY	4.2
1	A	348	GLU	4.0
1	B	348	GLU	4.0
1	A	590	ASP	4.0
1	B	218	TYR	3.9
1	A	191	ASP	3.8
1	A	349	GLU	3.8
1	B	662	ALA	3.8
1	A	593	THR	3.8
1	B	677	GLU	3.8
1	A	522	ARG	3.7
1	B	22	SER	3.6
1	B	191	ASP	3.6
1	A	347	SER	3.6
1	A	665	GLU	3.6
1	B	347	SER	3.6
1	B	524	ASP	3.5
1	A	41	ARG	3.5
1	A	517	GLU	3.4
1	A	24	GLN	3.4
1	A	552	ASP	3.4
1	A	706	ASP	3.4
1	A	42	ASP	3.3
1	B	590	ASP	3.3
1	A	454	LEU	3.3
1	A	727	ARG	3.3

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	457	ASP	3.3
1	A	51	ASP	3.2
1	A	271	GLU	3.1
1	A	520	ASP	3.1
1	B	54	GLU	3.1
1	B	552	ASP	3.1
1	B	727	ARG	3.1
1	B	632	ASP	3.1
1	A	272	GLU	3.0
1	B	24	GLN	2.9
1	B	517	GLU	2.9
1	A	558	GLU	2.9
1	B	455	ASP	2.9
1	B	706	ASP	2.9
1	B	346	LYS	2.8
1	A	95	TRP	2.8
1	A	444	GLU	2.8
1	B	639	GLU	2.8
1	B	201	GLU	2.8
1	A	592	ILE	2.8
1	B	362	GLU	2.7
1	A	440	LEU	2.7
1	B	674	ASP	2.7
1	B	665	GLU	2.7
1	B	25	ASP	2.7
1	B	359	ASP	2.7
1	A	54	GLU	2.7
1	B	28	PRO	2.7
1	B	207	GLU	2.7
1	B	593	THR	2.6
1	B	383	GLU	2.6
1	B	208	GLY	2.6
1	A	361	ASP	2.6
1	A	47	GLU	2.6
1	A	455	ASP	2.5
1	A	246	MET	2.5
1	A	91	ILE	2.5
1	B	558	GLU	2.5
1	B	255	ILE	2.5
1	B	271	GLU	2.5
1	B	451	GLU	2.5
1	A	632	ASP	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	439	ASP	2.5
1	A	521	SER	2.5
1	B	95	TRP	2.4
1	B	444	GLU	2.4
1	B	397	MET	2.4
1	A	581	VAL	2.4
1	B	34	GLU	2.4
1	A	129	LEU	2.4
1	B	202	PRO	2.3
1	B	554	GLU	2.3
1	A	46	VAL	2.3
1	B	503	GLN	2.3
1	B	41	ARG	2.2
1	A	94	ALA	2.2
1	A	35	ILE	2.2
1	A	451	GLU	2.2
1	A	301	GLU	2.2
1	A	657	GLU	2.2
1	B	46	VAL	2.2
1	B	313	GLN	2.2
1	B	505	GLU	2.1
1	A	255	ILE	2.1
1	A	34	GLU	2.1
1	A	639	GLU	2.1
1	A	435	ASP	2.1
1	B	145	GLN	2.1
1	A	43	VAL	2.1
1	A	554	GLU	2.1
1	A	728	PHE	2.1
1	B	607	LEU	2.1
1	B	667	ARG	2.1
1	A	176	GLU	2.1
1	B	51	ASP	2.1
1	B	502	GLU	2.1
1	B	127	ALA	2.0
1	A	390	GLU	2.0
1	A	200	ASP	2.0
1	B	204	GLU	2.0
1	B	568	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	DDJ	B	801	18/18	-0.05	0.97	24.05	58,58,58,59	18
3	DDJ	A	801	18/18	0.20	0.85	11.03	57,58,58,58	18
2	HEM	B	800	43/43	0.98	0.14	0.37	16,18,20,23	0
2	HEM	A	800	43/43	0.99	0.13	0.10	8,11,13,16	0
4	CYN	A	802	2/2	0.42	0.46	-	34,34,34,36	0
4	CYN	B	802	2/2	0.85	0.20	-	34,34,34,36	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.