



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:50 PM GMT

PDB ID : 4WA1
Title : The crystal structure of hemagglutinin from a H3N8 influenza virus isolated from New England harbor seals
Authors : Yang, H.; Villanueva, J.M.; Gubareva, L.V.; Stevens, J.
Deposited on : 2014-08-28
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	496	<div> <div>2%</div> <div>93%</div> <div>6%</div> </div>
1	B	496	<div> <div>2%</div> <div>91%</div> <div>7%</div> </div>
1	C	496	<div> <div>%</div> <div>91%</div> <div>8%</div> </div>
1	D	496	<div> <div>2%</div> <div>92%</div> <div>7%</div> </div>
1	E	496	<div> <div>2%</div> <div>92%</div> <div>7%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	496	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	601	-	-	-	X
2	NAG	A	604	-	-	-	X
2	NAG	B	601	-	-	-	X
2	NAG	C	605	-	-	-	X
2	NAG	D	606	-	-	-	X
2	NAG	E	605	-	-	-	X
2	NAG	F	606	-	-	-	X
3	NAG	D	605	-	-	-	X
3	NAG	F	605	-	-	-	X
4	NAG	F	601	-	-	-	X

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 26664 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	491	Total	C	N	O	S	0	0	0
			3860	2404	683	752	21			
1	B	491	Total	C	N	O	S	0	0	0
			3860	2404	683	752	21			
1	C	491	Total	C	N	O	S	0	0	0
			3860	2404	683	752	21			
1	D	491	Total	C	N	O	S	0	0	0
			3860	2404	683	752	21			
1	E	491	Total	C	N	O	S	0	0	0
			3860	2404	683	752	21			
1	F	491	Total	C	N	O	S	0	0	0
			3860	2404	683	752	21			

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	E	1	Total	C	N	O	0	0
			14	8	1	5		
2	F	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	2	Total	C	N	O	0	0
			28	16	2	10		
3	B	2	Total	C	N	O	0	0
			28	16	2	10		
3	C	2	Total	C	N	O	0	0
			28	16	2	10		
3	C	2	Total	C	N	O	0	0
			28	16	2	10		
3	D	2	Total	C	N	O	0	0
			28	16	2	10		
3	E	2	Total	C	N	O	0	0
			28	16	2	10		
3	E	2	Total	C	N	O	0	0
			28	16	2	10		
3	F	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	D	3	Total	C	N	O	0	0
			39	22	2	15		
4	F	3	Total	C	N	O	0	0
			39	22	2	15		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	527	Total 527	O 527	0	0
5	B	543	Total 543	O 543	0	0
5	C	499	Total 499	O 499	0	0
5	D	517	Total 517	O 517	0	0
5	E	501	Total 501	O 501	0	0
5	F	503	Total 503	O 503	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hemagglutinin




• Molecule 1: Hemagglutinin



• Molecule 1: Hemagglutinin





• Molecule 1: Hemagglutinin







• Molecule 1: Hemagglutinin



• Molecule 1: Hemagglutinin



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	80.06 Å 103.16 Å 110.86 Å 89.95° 90.00° 90.28°	Depositor
Resolution (Å)	46.78 – 1.90 46.78 – 1.90	Depositor EDS
% Data completeness (in resolution range)	96.9 (46.78-1.90) 91.2 (46.78-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.25 (at 1.90 Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.170 , 0.195 0.167 , 0.192	Depositor DCC
R_{free} test set	12924 reflections (5.06%)	DCC
Wilson B-factor (Å ²)	19.9	Xtriage
Anisotropy	0.136	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.2	EDS
Estimated twinning fraction	0.016 for h,-k,-l 0.017 for -h,k,-l 0.440 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 271845 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	26664	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/3937	0.56	0/5333
1	B	0.38	0/3937	0.56	1/5333 (0.0%)
1	C	0.37	0/3937	0.56	0/5333
1	D	0.38	0/3937	0.57	0/5333
1	E	0.37	0/3937	0.55	0/5333
1	F	0.38	0/3937	0.56	1/5333 (0.0%)
All	All	0.37	0/23622	0.56	2/31998 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
1	E	0	1
1	F	0	1
All	All	0	6

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	497	ASN	CB-CA-C	-6.66	97.08	110.40
1	B	341	ASN	N-CA-CB	-5.17	101.29	110.60

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	340	GLU	Peptide
1	B	340	GLU	Peptide
1	C	340	GLU	Peptide
1	D	340	GLU	Peptide
1	E	340	GLU	Peptide
1	F	340	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3860	0	3739	23	0
1	B	3860	0	3739	37	0
1	C	3860	0	3739	31	0
1	D	3860	0	3739	39	0
1	E	3860	0	3739	26	0
1	F	3860	0	3739	25	0
2	A	28	0	26	1	0
2	B	28	0	26	0	0
2	C	14	0	13	0	0
2	D	14	0	13	0	0
2	E	14	0	13	0	0
2	F	14	0	13	0	0
3	A	28	0	25	1	0
3	B	28	0	25	0	0
3	C	56	0	50	1	0
3	D	28	0	25	3	0
3	E	56	0	50	0	0
3	F	28	0	25	2	0
4	D	39	0	34	1	0
4	F	39	0	34	0	0
5	A	527	0	0	16	1
5	B	543	0	0	18	1
5	C	499	0	0	12	0
5	D	517	0	0	7	0
5	E	501	0	0	11	0
5	F	503	0	0	1	2

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	26664	0	22806	166	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:8:ASN:ND2	5:B:1136:HOH:O	1.92	1.02
1:B:201:ARG:NE	5:B:868:HOH:O	1.96	0.97
1:B:27:LYS:NZ	5:B:1236:HOH:O	1.99	0.96
1:D:500:PHE:HB2	1:D:502:ILE:HG13	1.52	0.91
1:C:141:ARG:NH2	5:C:1084:HOH:O	2.02	0.91
1:B:96:ASN:OD1	5:B:1143:HOH:O	1.90	0.88
1:E:190:GLU:OE2	5:E:844:HOH:O	1.95	0.85
2:A:604:NAG:O4	5:A:1065:HOH:O	1.88	0.84
1:C:199:SER:HB2	5:C:1099:HOH:O	1.78	0.83
1:A:201:ARG:NE	5:A:702:HOH:O	2.11	0.82
1:A:101:ASP:OD2	5:A:701:HOH:O	1.97	0.82
1:F:500:PHE:HB2	1:F:502:ILE:HG22	1.64	0.80
1:B:32:ASP:OD1	5:B:1236:HOH:O	2.04	0.75
1:A:135:GLU:OE1	5:A:1210:HOH:O	2.04	0.75
1:B:261:ARG:NH2	5:B:702:HOH:O	2.18	0.75
1:F:497:ASN:ND2	1:F:503:LYS:HG2	2.01	0.75
1:B:472:LYS:NZ	5:B:701:HOH:O	2.15	0.75
3:A:603:NAG:O4	5:A:975:HOH:O	2.06	0.74
1:F:167:THR:HG22	1:F:244:MET:HG2	1.67	0.74
1:D:167:THR:HG22	1:D:244:MET:HG2	1.68	0.74
1:C:119:GLU:OE2	5:C:869:HOH:O	2.06	0.73
1:A:368:LYS:HD3	5:A:996:HOH:O	1.91	0.70
1:C:22:ASN:HA	5:C:1156:HOH:O	1.92	0.70
1:D:128:THR:OG1	5:D:701:HOH:O	2.09	0.69
1:B:411:LYS:NZ	5:B:978:HOH:O	2.27	0.68
1:A:96:ASN:OD1	5:A:1165:HOH:O	2.12	0.68
1:E:449:GLU:OE1	5:E:701:HOH:O	2.11	0.67
1:E:48:THR:HG23	5:E:1010:HOH:O	1.92	0.67
1:A:8:ASN:ND2	5:A:1123:HOH:O	2.27	0.67
1:B:411:LYS:NZ	5:B:988:HOH:O	1.87	0.66
1:B:201:ARG:HH22	1:D:217:ILE:N	1.93	0.66
1:A:57:ARG:NH1	5:A:1028:HOH:O	2.20	0.66
1:E:135:GLU:OE1	5:E:1172:HOH:O	2.14	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:497:ASN:CG	1:F:503:LYS:HG2	2.17	0.65
1:D:259:LYS:HD2	5:D:703:HOH:O	1.95	0.65
4:D:603:BMA:O3	5:D:1199:HOH:O	2.15	0.63
1:C:497:ASN:CG	1:C:503:LYS:HG2	2.18	0.63
1:E:503:LYS:HG2	5:E:891:HOH:O	1.99	0.62
1:B:356:LYS:HG2	1:B:361:THR:HG22	1.81	0.62
1:D:259:LYS:NZ	5:D:703:HOH:O	2.17	0.62
1:E:208:ARG:HB2	5:E:1070:HOH:O	1.98	0.62
3:C:604:NAG:O4	5:C:879:HOH:O	2.16	0.61
1:F:167:THR:CG2	3:F:604:NAG:H62	2.31	0.61
1:B:341:ASN:HB3	5:B:852:HOH:O	2.01	0.60
1:D:167:THR:CG2	3:D:604:NAG:H62	2.31	0.59
1:F:167:THR:HG21	3:F:604:NAG:H62	1.84	0.59
1:A:501:GLN:NE2	5:A:704:HOH:O	2.24	0.59
1:F:167:THR:HG22	1:F:244:MET:CG	2.33	0.58
1:A:15:LEU:HD22	1:A:448:PHE:HA	1.85	0.58
1:D:188:ASN:O	1:D:192:THR:HG23	2.04	0.58
1:D:15:LEU:HD22	1:D:448:PHE:HA	1.86	0.58
1:F:493:ASP:C	1:F:503:LYS:HD3	2.25	0.57
1:E:15:LEU:HD22	1:E:448:PHE:HA	1.85	0.57
1:C:199:SER:HB3	5:C:721:HOH:O	2.03	0.57
1:C:208:ARG:HB2	5:C:1074:HOH:O	2.04	0.57
1:A:359:GLU:OE2	5:A:1068:HOH:O	2.18	0.56
1:B:15:LEU:HD22	1:B:448:PHE:HA	1.87	0.56
1:B:201:ARG:HH22	1:D:217:ILE:H	1.52	0.56
1:F:15:LEU:HD22	1:F:448:PHE:HA	1.87	0.55
1:F:51:ILE:HB	1:F:274:ILE:HD13	1.87	0.55
1:C:75:HIS:HD2	5:C:1116:HOH:O	1.89	0.55
1:F:497:ASN:ND2	1:F:503:LYS:HE2	2.22	0.55
1:D:167:THR:HG22	1:D:244:MET:CG	2.35	0.55
1:B:141:ARG:NH2	5:B:916:HOH:O	2.36	0.54
1:A:341:ASN:HB3	5:A:1120:HOH:O	2.06	0.54
1:C:15:LEU:HD22	1:C:448:PHE:HA	1.88	0.54
1:A:207:ARG:HD2	5:A:1037:HOH:O	2.07	0.54
1:F:188:ASN:O	1:F:192:THR:HG23	2.08	0.54
1:C:434:GLN:NE2	5:C:934:HOH:O	2.41	0.53
1:F:74:PRO:HB3	1:F:141:ARG:HG2	1.91	0.53
1:B:330:GLY:HA2	5:B:1137:HOH:O	2.09	0.52
1:A:356:LYS:HG2	1:A:361:THR:HG22	1.91	0.52
1:B:368:LYS:HE3	5:B:767:HOH:O	2.09	0.52
1:F:401:GLU:OE1	5:F:939:HOH:O	2.18	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:74:PRO:HB3	1:D:141:ARG:HG2	1.91	0.52
1:C:500:PHE:O	1:C:501:GLN:HB2	2.10	0.52
1:E:199:SER:HB2	5:E:1076:HOH:O	2.09	0.52
1:F:58:ILE:HG21	1:F:274:ILE:HD12	1.92	0.52
1:F:497:ASN:O	1:F:501:GLN:HA	2.10	0.51
1:D:500:PHE:CB	1:D:502:ILE:HG13	2.32	0.51
1:B:453:ARG:HD2	5:B:765:HOH:O	2.11	0.51
1:B:496:LEU:HD13	1:D:500:PHE:HD1	1.75	0.51
1:D:167:THR:HG21	3:D:604:NAG:H62	1.92	0.51
1:D:190:GLU:OE1	5:D:1041:HOH:O	2.19	0.51
5:B:1176:HOH:O	1:D:101:ASP:HB3	2.11	0.50
1:A:362:GLY:HA2	1:C:144:ALA:HB2	1.93	0.50
1:E:119:GLU:CD	1:E:259:LYS:HD2	2.31	0.50
1:C:48:THR:HG23	5:C:997:HOH:O	2.11	0.50
1:D:497:ASN:OD1	1:D:503:LYS:N	2.45	0.49
1:A:201:ARG:CZ	5:A:702:HOH:O	2.57	0.49
1:D:51:ILE:HB	1:D:274:ILE:HD13	1.95	0.49
1:B:221:PRO:HB3	1:C:242:ILE:HD11	1.94	0.49
1:C:381:LEU:HD22	1:C:385:ILE:HD12	1.95	0.49
1:D:497:ASN:OD1	1:D:503:LYS:HB2	2.12	0.49
1:B:362:GLY:HA2	1:E:144:ALA:HB2	1.95	0.49
1:C:27:LYS:HG3	1:C:32:ASP:HA	1.93	0.49
1:B:201:ARG:HG3	1:B:214:ILE:HD13	1.94	0.49
1:F:27:LYS:HG3	1:F:32:ASP:HA	1.95	0.48
1:E:8:ASN:ND2	5:E:705:HOH:O	2.45	0.48
1:D:496:LEU:CB	1:D:503:LYS:HZ3	2.26	0.48
1:B:58:ILE:HG21	1:B:274:ILE:HD12	1.94	0.48
1:F:502:ILE:O	1:F:502:ILE:HG12	2.14	0.48
1:C:190:GLU:CD	5:C:1128:HOH:O	2.52	0.47
1:F:493:ASP:O	1:F:503:LYS:HD3	2.14	0.47
1:D:497:ASN:O	1:D:501:GLN:HA	2.14	0.47
1:C:359:GLU:OE2	1:C:474:ASP:HB2	2.14	0.47
1:D:27:LYS:HE3	1:D:27:LYS:HB2	1.65	0.47
1:B:331:LEU:HB3	1:C:332:PHE:CZ	2.49	0.47
1:E:190:GLU:CD	5:E:1122:HOH:O	2.53	0.47
1:B:332:PHE:HZ	1:D:331:LEU:HB3	1.80	0.47
1:E:359:GLU:OE2	1:E:474:ASP:HB2	2.14	0.47
1:B:331:LEU:HB3	1:C:332:PHE:HZ	1.78	0.47
1:C:500:PHE:HB2	1:C:502:ILE:HG12	1.96	0.46
1:C:190:GLU:OE1	5:C:1128:HOH:O	2.18	0.46
1:A:201:ARG:HG3	1:A:214:ILE:HD13	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:58:ILE:HG21	1:E:274:ILE:HD12	1.97	0.46
1:B:332:PHE:CZ	1:D:331:LEU:HB3	2.51	0.46
1:C:58:ILE:HG21	1:C:274:ILE:HD12	1.96	0.46
1:D:330:GLY:N	5:D:1158:HOH:O	2.49	0.45
1:E:500:PHE:O	1:F:502:ILE:HG13	2.17	0.45
1:A:74:PRO:HB3	1:A:141:ARG:HG2	1.98	0.45
1:E:381:LEU:HD22	1:E:385:ILE:HD12	1.98	0.45
1:F:359:GLU:OE2	1:F:474:ASP:HB2	2.16	0.45
1:C:479:GLU:OE1	1:C:482:ARG:NH2	2.48	0.45
1:D:58:ILE:HG21	1:D:274:ILE:HD12	1.98	0.44
1:C:463:GLY:HA2	1:D:453:ARG:HD3	1.98	0.44
1:E:73:ASP:OD1	1:E:75:HIS:ND1	2.51	0.44
1:B:175:ASP:OD1	1:B:239:PRO:HD3	2.17	0.44
1:E:483:ASN:ND2	5:E:883:HOH:O	2.06	0.44
1:D:493:ASP:CB	1:D:503:LYS:HD3	2.47	0.44
1:C:500:PHE:HB3	1:D:502:ILE:HD13	1.99	0.43
1:C:73:ASP:OD1	1:C:75:HIS:ND1	2.51	0.43
1:B:75:HIS:CE1	1:E:347:ILE:HD11	2.52	0.43
1:B:141:ARG:NE	5:B:958:HOH:O	2.22	0.43
1:E:49:GLY:HA2	1:E:285:ASN:O	2.18	0.43
1:E:84:TRP:CE2	1:E:116:GLY:HA2	2.53	0.43
1:E:75:HIS:HD2	5:E:1100:HOH:O	2.01	0.43
1:D:496:LEU:HB2	1:D:503:LYS:HZ3	1.83	0.43
1:E:331:LEU:HB3	1:F:332:PHE:HZ	1.84	0.42
1:B:182:VAL:HG21	1:B:213:ILE:HB	2.01	0.42
1:D:259:LYS:HG2	5:D:1137:HOH:O	2.19	0.42
1:B:216:ASN:HB2	1:C:212:THR:OG1	2.19	0.42
1:C:381:LEU:O	1:C:385:ILE:HB	2.19	0.42
1:D:27:LYS:HG3	1:D:32:ASP:HA	2.00	0.42
1:B:201:ARG:NH1	1:D:217:ILE:O	2.52	0.42
1:A:182:VAL:HG21	1:A:213:ILE:HB	2.01	0.42
1:D:14:CYS:HA	1:D:466:CYS:HA	2.02	0.42
1:A:140:LYS:NZ	1:A:145:ASN:OD1	2.52	0.42
1:C:84:TRP:CE2	1:C:116:GLY:HA2	2.54	0.42
1:B:201:ARG:CZ	5:B:868:HOH:O	2.52	0.42
1:E:500:PHE:O	1:E:501:GLN:HB2	2.20	0.42
1:A:58:ILE:HG21	1:A:274:ILE:HD12	2.02	0.41
1:A:9:ASN:HB2	5:A:732:HOH:O	2.19	0.41
1:A:356:LYS:HB3	1:A:356:LYS:HE3	1.75	0.41
1:D:493:ASP:HA	1:D:503:LYS:HD3	2.02	0.41
1:F:494:GLU:O	1:F:497:ASN:HB2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:331:LEU:HB3	1:F:332:PHE:CZ	2.54	0.41
1:B:450:LYS:HE2	5:B:1138:HOH:O	2.20	0.41
1:A:32:ASP:OD1	5:A:703:HOH:O	2.22	0.41
1:D:167:THR:HG23	3:D:604:NAG:H62	2.03	0.41
1:F:382:ASN:O	1:F:386:GLU:HB2	2.21	0.41
1:B:34:ILE:HD11	1:B:321:ARG:HD2	2.03	0.41
1:B:479:GLU:OE1	1:B:482:ARG:NH2	2.42	0.40
1:E:381:LEU:O	1:E:385:ILE:HB	2.22	0.40
1:D:182:VAL:HG21	1:D:213:ILE:HB	2.03	0.40
1:C:331:LEU:HB3	1:D:332:PHE:HZ	1.86	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:711:HOH:O	5:F:772:HOH:O[1_565]	1.99	0.21
5:A:849:HOH:O	5:F:785:HOH:O[1_556]	2.16	0.04

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	487/496 (98%)	472 (97%)	15 (3%)	0	100	100
1	B	487/496 (98%)	472 (97%)	15 (3%)	0	100	100
1	C	487/496 (98%)	470 (96%)	17 (4%)	0	100	100
1	D	487/496 (98%)	472 (97%)	15 (3%)	0	100	100
1	E	487/496 (98%)	471 (97%)	16 (3%)	0	100	100
1	F	487/496 (98%)	472 (97%)	15 (3%)	0	100	100
All	All	2922/2976 (98%)	2829 (97%)	93 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	427/432 (99%)	425 (100%)	2 (0%)	92	92
1	B	427/432 (99%)	426 (100%)	1 (0%)	95	95
1	C	427/432 (99%)	423 (99%)	4 (1%)	84	83
1	D	427/432 (99%)	422 (99%)	5 (1%)	78	76
1	E	427/432 (99%)	423 (99%)	4 (1%)	84	83
1	F	427/432 (99%)	425 (100%)	2 (0%)	92	92
All	All	2562/2592 (99%)	2544 (99%)	18 (1%)	88	88

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	367	LEU
1	B	18	HIS
1	C	18	HIS
1	C	32	ASP
1	C	222	LEU
1	C	358	SER
1	D	18	HIS
1	D	75	HIS
1	D	259	LYS
1	D	367	LEU
1	D	503	LYS
1	E	18	HIS
1	E	32	ASP
1	E	201	ARG
1	E	222	LEU
1	F	18	HIS
1	F	502	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	75	HIS
1	D	197	GLN
1	E	18	HIS
1	F	355	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

22 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	602	1,3	14,14,15	0.45	0	15,19,21	0.49	0
3	NAG	A	603	3	14,14,15	0.42	0	15,19,21	0.36	0
3	NAG	B	602	1,3	14,14,15	0.47	0	15,19,21	0.42	0
3	NAG	B	603	3	14,14,15	0.33	0	15,19,21	0.35	0
3	NAG	C	601	1,3	14,14,15	0.21	0	15,19,21	0.36	0
3	NAG	C	602	3	14,14,15	0.40	0	15,19,21	0.25	0
3	NAG	C	603	1,3	14,14,15	0.51	0	15,19,21	0.33	0
3	NAG	C	604	3	14,14,15	0.42	0	15,19,21	0.47	0
4	NAG	D	601	1,4	14,14,15	0.25	0	15,19,21	0.47	0
4	NAG	D	602	4	14,14,15	0.20	0	15,19,21	0.40	0
4	BMA	D	603	4	11,11,12	0.55	0	14,15,17	1.21	2 (14%)
3	NAG	D	604	1,3	14,14,15	0.50	0	15,19,21	0.39	0
3	NAG	D	605	3	14,14,15	0.29	0	15,19,21	0.55	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	E	601	1,3	14,14,15	0.28	0	15,19,21	0.50	0
3	NAG	E	602	3	14,14,15	0.51	0	15,19,21	0.24	0
3	NAG	E	603	1,3	14,14,15	0.38	0	15,19,21	0.38	0
3	NAG	E	604	3	14,14,15	0.38	0	15,19,21	0.55	0
4	NAG	F	601	1,4	14,14,15	0.20	0	15,19,21	0.57	0
4	NAG	F	602	4	14,14,15	0.43	0	15,19,21	0.36	0
4	BMA	F	603	4	11,11,12	0.64	0	14,15,17	1.23	2 (14%)
3	NAG	F	604	1,3	14,14,15	0.30	0	15,19,21	0.47	0
3	NAG	F	605	3	14,14,15	0.41	0	15,19,21	0.65	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	602	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	603	3	-	0/6/23/26	0/1/1/1
3	NAG	B	602	1,3	-	0/6/23/26	0/1/1/1
3	NAG	B	603	3	-	0/6/23/26	0/1/1/1
3	NAG	C	601	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	602	3	-	0/6/23/26	0/1/1/1
3	NAG	C	603	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	604	3	-	0/6/23/26	0/1/1/1
4	NAG	D	601	1,4	-	0/6/23/26	0/1/1/1
4	NAG	D	602	4	-	0/6/23/26	0/1/1/1
4	BMA	D	603	4	-	0/2/19/22	0/1/1/1
3	NAG	D	604	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	605	3	-	0/6/23/26	0/1/1/1
3	NAG	E	601	1,3	-	0/6/23/26	0/1/1/1
3	NAG	E	602	3	-	0/6/23/26	0/1/1/1
3	NAG	E	603	1,3	-	0/6/23/26	0/1/1/1
3	NAG	E	604	3	-	0/6/23/26	0/1/1/1
4	NAG	F	601	1,4	-	0/6/23/26	0/1/1/1
4	NAG	F	602	4	-	0/6/23/26	0/1/1/1
4	BMA	F	603	4	-	0/2/19/22	0/1/1/1
3	NAG	F	604	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	605	3	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	603	BMA	O2-C2-C3	-2.40	105.29	110.12
4	D	603	BMA	O2-C2-C3	-2.06	105.97	110.12
3	F	605	NAG	C1-O5-C5	2.21	115.05	112.25
4	F	603	BMA	C1-O5-C5	2.98	116.03	112.25
4	D	603	BMA	C1-O5-C5	3.50	116.69	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	603	NAG	1	0
3	C	604	NAG	1	0
4	D	603	BMA	1	0
3	D	604	NAG	3	0
3	F	604	NAG	2	0

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	601	1	14,14,15	0.30	0	15,19,21	0.66	0
2	NAG	A	604	1	14,14,15	0.30	0	15,19,21	0.60	0
2	NAG	B	601	1	14,14,15	0.35	0	15,19,21	0.69	1 (6%)
2	NAG	B	604	1	14,14,15	0.23	0	15,19,21	0.59	1 (6%)
2	NAG	C	605	1	14,14,15	0.44	0	15,19,21	0.68	1 (6%)
2	NAG	D	606	1	14,14,15	0.63	1 (7%)	15,19,21	0.46	0
2	NAG	E	605	1	14,14,15	0.24	0	15,19,21	0.42	0
2	NAG	F	606	1	14,14,15	0.48	0	15,19,21	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	601	1	-	0/6/23/26	0/1/1/1
2	NAG	A	604	1	-	0/6/23/26	0/1/1/1
2	NAG	B	601	1	-	0/6/23/26	0/1/1/1
2	NAG	B	604	1	-	0/6/23/26	0/1/1/1
2	NAG	C	605	1	-	0/6/23/26	0/1/1/1
2	NAG	D	606	1	-	0/6/23/26	0/1/1/1
2	NAG	E	605	1	-	0/6/23/26	0/1/1/1
2	NAG	F	606	1	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	606	NAG	C1-C2	2.11	1.55	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	604	NAG	C1-O5-C5	2.02	114.81	112.25
2	B	601	NAG	C1-O5-C5	2.11	114.93	112.25
2	C	605	NAG	C1-O5-C5	2.21	115.05	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	604	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	491/496 (98%)	-0.10	8 (1%) 74 78	15, 24, 40, 66	0
1	B	491/496 (98%)	-0.08	9 (1%) 71 74	14, 23, 39, 66	0
1	C	491/496 (98%)	-0.01	6 (1%) 81 83	13, 26, 43, 82	0
1	D	491/496 (98%)	-0.03	11 (2%) 65 68	14, 25, 47, 128	0
1	E	491/496 (98%)	-0.02	8 (1%) 74 78	15, 26, 45, 77	0
1	F	491/496 (98%)	-0.01	11 (2%) 65 68	15, 26, 47, 136	0
All	All	2946/2976 (98%)	-0.04	53 (1%) 71 74	13, 25, 43, 136	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	502	ILE	12.6
1	D	503	LYS	12.3
1	F	502	ILE	10.3
1	F	503	LYS	9.7
1	D	501	GLN	5.9
1	D	8	ASN	5.8
1	F	501	GLN	4.9
1	F	8	ASN	4.3
1	D	500	PHE	4.2
1	F	500	PHE	4.2
1	C	503	LYS	3.9
1	E	347	ILE	3.9
1	A	406	ILE	3.7
1	B	406	ILE	3.6
1	A	22	ASN	3.4
1	F	497	ASN	3.2
1	E	387	LYS	3.1
1	C	347	ILE	3.1
1	A	413	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	502	ILE	3.0
1	E	385	ILE	3.0
1	F	9	ASN	2.9
1	F	356	LYS	2.9
1	A	388	THR	2.8
1	E	278	ILE	2.8
1	C	502	ILE	2.8
1	E	503	LYS	2.7
1	D	358	SER	2.7
1	F	409	LEU	2.7
1	C	385	ILE	2.6
1	D	356	LYS	2.5
1	A	347	ILE	2.5
1	A	21	PRO	2.4
1	F	358	SER	2.4
1	D	409	LEU	2.4
1	C	276	THR	2.4
1	B	388	THR	2.4
1	E	103	PRO	2.3
1	B	347	ILE	2.3
1	F	406	ILE	2.3
1	A	8	ASN	2.3
1	C	387	LYS	2.2
1	B	413	VAL	2.2
1	B	234	TRP	2.2
1	A	277	CYS	2.2
1	D	9	ASN	2.1
1	B	409	LEU	2.1
1	B	387	LYS	2.1
1	B	22	ASN	2.1
1	D	412	TYR	2.1
1	D	388	THR	2.1
1	E	324	PRO	2.0
1	B	385	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	NAG	D	605	14/15	0.91	0.14	3.82	22,34,42,46	0
3	NAG	F	605	14/15	0.86	0.15	3.58	22,37,43,45	0
4	NAG	F	601	14/15	0.92	0.14	2.06	29,36,40,44	0
3	NAG	E	604	14/15	0.91	0.14	1.00	32,40,48,51	0
3	NAG	C	604	14/15	0.92	0.12	0.28	26,41,46,48	0
3	NAG	B	603	14/15	0.92	0.11	0.16	27,36,46,50	0
3	NAG	A	603	14/15	0.93	0.11	0.15	26,34,45,49	0
4	NAG	D	601	14/15	0.94	0.10	-0.02	29,35,39,44	0
4	NAG	F	602	14/15	0.92	0.17	-	41,45,53,53	0
4	NAG	D	602	14/15	0.88	0.18	-	41,43,49,50	0
3	NAG	F	604	14/15	0.96	0.09	-	23,32,39,41	0
3	NAG	C	603	14/15	0.95	0.12	-	22,34,42,45	0
3	NAG	E	601	14/15	0.92	0.14	-	31,39,50,50	0
3	NAG	C	601	14/15	0.91	0.16	-	29,38,45,46	0
3	NAG	E	603	14/15	0.94	0.14	-	22,35,45,49	0
3	NAG	D	604	14/15	0.95	0.09	-	21,28,36,39	0
3	NAG	E	602	14/15	0.89	0.14	-	43,46,51,51	0
3	NAG	C	602	14/15	0.91	0.18	-	45,48,50,51	0
4	BMA	D	603	11/12	0.83	0.20	-	58,65,67,67	0
3	NAG	B	602	14/15	0.94	0.12	-	23,29,36,37	0
3	NAG	A	602	14/15	0.94	0.11	-	23,31,39,41	0
4	BMA	F	603	11/12	0.81	0.18	-	60,64,67,67	0

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	B	601	14/15	0.87	0.22	32.38	31,41,48,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NAG	A	601	14/15	0.85	0.24	6.15	35,43,50,54	0
2	NAG	F	606	14/15	0.91	0.22	4.07	30,38,43,44	0
2	NAG	D	606	14/15	0.90	0.21	3.19	30,37,44,46	0
2	NAG	C	605	14/15	0.88	0.26	3.14	36,44,52,56	0
2	NAG	A	604	14/15	0.89	0.19	2.38	34,38,44,45	0
2	NAG	E	605	14/15	0.93	0.20	2.18	37,44,48,51	0
2	NAG	B	604	14/15	0.87	0.14	1.55	33,37,46,47	0

6.5 Other polymers

There are no such residues in this entry.