



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:00 PM GMT

PDB ID : 4WIS
Title : Crystal structure of the lipid scramblase nhTMEM16 in crystal form 1
Authors : Dutzler, R.; Brunner, J.D.; Lim, N.K.; Schenck, S.
Deposited on : 2014-09-26
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2060 (3.40-3.20)
Clashscore	102246	1058 (3.38-3.22)
Ramachandran outliers	100387	1038 (3.38-3.22)
Sidechain outliers	100360	1037 (3.38-3.22)
RSRZ outliers	91569	2070 (3.40-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	735	<div> <div>12%</div> <div>72%</div> <div>17%</div> <div>11%</div> </div>
1	B	735	<div> <div>8%</div> <div>73%</div> <div>16%</div> <div>• 11%</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10574 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Predicted protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	654	Total	C	N	O	S	0	0	0
			5285	3445	882	938	20			
1	B	654	Total	C	N	O	S	0	0	0
			5285	3445	882	938	20			


- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Ca	0	0
			2	2		
2	A	2	Total	Ca	0	0
			2	2		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Predicted protein



• Molecule 1: Predicted protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	96.48Å 113.69Å 235.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	14.98 – 3.30 48.98 – 3.30	Depositor EDS
% Data completeness (in resolution range)	99.2 (14.98-3.30) 99.2 (48.98-3.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 3.33Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1760)	Depositor
R, R_{free}	0.237 , 0.285 0.252 , 0.298	Depositor DCC
R_{free} test set	1954 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	115.7	Xtriage
Anisotropy	0.431	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 88.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 39477 reflections	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	10574	wwPDB-VP
Average B, all atoms (Å ²)	137.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/5423	0.40	0/7358
1	B	0.23	0/5423	0.41	0/7358
All	All	0.23	0/10846	0.40	0/14716

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5285	0	5248	85	0
1	B	5285	0	5248	83	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
All	All	10574	0	10496	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:647:LEU:HD21	1:B:655:ALA:HB3	1.64	0.79
1:A:647:LEU:HD21	1:A:655:ALA:HB3	1.64	0.78
1:A:45:ARG:NH1	1:A:49:THR:OG1	2.19	0.75
1:B:45:ARG:NH1	1:B:49:THR:OG1	2.21	0.73
1:B:128:ASN:OD1	1:B:129:GLU:N	2.22	0.73
1:A:646:LEU:HD11	1:B:646:LEU:HD11	1.70	0.72
1:A:487:GLN:HA	1:A:490:ARG:HD3	1.70	0.72
1:A:128:ASN:OD1	1:A:129:GLU:N	2.22	0.72
1:A:174:ILE:HD11	1:A:193:ARG:HD3	1.72	0.71
1:B:169:LEU:O	1:B:197:ARG:NH2	2.27	0.68
1:A:678:GLU:OE1	1:A:699:ARG:NH1	2.27	0.68
1:B:174:ILE:HD11	1:B:193:ARG:HD3	1.76	0.68
1:A:120:TYR:O	1:A:124:THR:OG1	2.11	0.68
1:A:169:LEU:O	1:A:197:ARG:NH2	2.27	0.67
1:A:149:PRO:HB2	1:A:549:ARG:HD2	1.77	0.67
1:A:708:GLY:HA3	1:B:57:ARG:HH11	1.58	0.67
1:B:57:ARG:HG2	1:B:64:LEU:HD22	1.76	0.66
1:B:678:GLU:OE1	1:B:699:ARG:NH1	2.29	0.65
1:B:149:PRO:HB2	1:B:549:ARG:HD2	1.79	0.64
1:A:121:LEU:O	1:A:125:LYS:N	2.31	0.64
1:A:604:LEU:HD12	1:B:603:LEU:HD11	1.80	0.63
1:B:210:TRP:HB2	1:B:522:PRO:HG2	1.81	0.62
1:A:210:TRP:HB2	1:A:522:PRO:HG2	1.82	0.62
1:A:57:ARG:HG2	1:A:64:LEU:HD22	1.83	0.61
1:B:28:VAL:HG21	1:B:45:ARG:HH21	1.66	0.59
1:A:28:VAL:HG21	1:A:45:ARG:HH21	1.68	0.59
1:A:123:ILE:O	1:A:128:ASN:HB3	2.03	0.59
1:B:125:LYS:O	1:B:127:HIS:N	2.35	0.59
1:A:22:PHE:HA	1:A:485:PHE:HE1	1.69	0.57
1:B:70:VAL:HG11	1:B:76:PHE:HB2	1.85	0.57
1:A:70:VAL:HG11	1:A:76:PHE:HB2	1.86	0.56
1:A:392:VAL:HG13	1:A:399:ILE:HD11	1.88	0.56
1:A:514:VAL:HA	1:A:518:SER:HB3	1.87	0.56
1:B:497:GLU:HG2	1:B:548:ARG:HD2	1.89	0.55
1:B:119:ILE:HA	1:B:122:MET:HB2	1.89	0.55
1:B:514:VAL:HA	1:B:518:SER:HB3	1.87	0.55
1:A:183:GLU:OE1	1:A:183:GLU:N	2.40	0.55
1:B:392:VAL:HG13	1:B:399:ILE:HD11	1.88	0.54
1:A:188:TYR:CZ	1:A:503:ASP:HB3	2.43	0.54
1:A:667:SER:HA	1:A:670:ILE:HD12	1.90	0.54
1:A:94:VAL:HG11	1:A:244:VAL:HG13	1.89	0.54
1:B:183:GLU:N	1:B:183:GLU:OE1	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:LEU:HB3	1:A:125:LYS:HE2	1.90	0.53
1:B:121:LEU:HG	1:B:125:LYS:HG3	1.90	0.53
1:A:395:PRO:HB3	1:A:582:LEU:HB3	1.91	0.53
1:A:22:PHE:HA	1:A:485:PHE:CE1	2.44	0.52
1:A:497:GLU:HG2	1:A:548:ARG:HD2	1.90	0.52
1:B:188:TYR:CZ	1:B:503:ASP:HB3	2.45	0.52
1:B:26:TYR:CZ	1:B:149:PRO:HG3	2.45	0.52
1:A:88:TRP:CE2	1:A:96:ALA:HB2	2.45	0.52
1:A:26:TYR:OH	1:A:120:TYR:HB2	2.10	0.52
1:B:80:VAL:HG11	1:B:110:VAL:HG22	1.92	0.52
1:B:121:LEU:O	1:B:125:LYS:HB2	2.09	0.51
1:B:29:PRO:HD2	1:B:146:SER:O	2.10	0.51
1:B:94:VAL:HG11	1:B:244:VAL:HG13	1.91	0.51
1:B:431:ALA:O	1:B:435:ASN:ND2	2.31	0.51
1:A:50:VAL:HG21	1:B:701:MET:SD	2.51	0.51
1:A:52:LEU:HD12	1:A:53:ALA:HB2	1.92	0.51
1:A:29:PRO:HD2	1:A:146:SER:O	2.10	0.51
1:A:80:VAL:HG11	1:A:110:VAL:HG22	1.92	0.51
1:B:667:SER:HA	1:B:670:ILE:HD12	1.92	0.50
1:B:94:VAL:HG12	1:B:635:GLU:HG2	1.92	0.50
1:B:88:TRP:CE2	1:B:96:ALA:HB2	2.47	0.50
1:A:673:GLU:HG3	1:B:72:SER:HB2	1.93	0.50
1:B:44:ILE:HA	1:B:47:LEU:HB2	1.94	0.49
1:B:178:ARG:NH1	1:B:183:GLU:OE2	2.45	0.49
1:B:180:LYS:O	1:B:549:ARG:NH1	2.45	0.49
1:A:94:VAL:HG12	1:A:635:GLU:HG2	1.93	0.49
1:A:431:ALA:O	1:A:435:ASN:ND2	2.32	0.49
1:B:395:PRO:HB3	1:B:582:LEU:HB3	1.94	0.49
1:B:28:VAL:HG22	1:B:147:ILE:HG12	1.95	0.49
1:A:599:ALA:HA	1:B:600:TRP:HB3	1.94	0.48
1:A:180:LYS:O	1:A:549:ARG:NH1	2.46	0.48
1:A:125:LYS:O	1:A:127:HIS:N	2.44	0.48
1:A:28:VAL:HG21	1:A:45:ARG:NH2	2.29	0.48
1:A:126:PRO:C	1:A:127:HIS:HD1	2.16	0.48
1:B:28:VAL:HG21	1:B:45:ARG:NH2	2.29	0.47
1:B:123:ILE:O	1:B:128:ASN:HB3	2.14	0.47
1:B:701:MET:O	1:B:705:ILE:HG13	2.14	0.47
1:B:29:PRO:HG2	1:B:145:GLU:HB3	1.95	0.47
1:B:61:ASN:O	1:B:62:GLU:HG2	2.14	0.47
1:A:61:ASN:O	1:A:62:GLU:HG2	2.14	0.47
1:A:29:PRO:HG2	1:A:145:GLU:HB3	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:52:LEU:HD12	1:B:53:ALA:HB2	1.96	0.47
1:A:188:TYR:OH	1:A:539:ASP:OD2	2.25	0.47
1:B:117:ARG:HB2	1:B:552:PRO:HB2	1.97	0.47
1:A:708:GLY:HA3	1:B:57:ARG:NH1	2.29	0.47
1:A:26:TYR:CZ	1:A:149:PRO:HG3	2.50	0.46
1:B:163:TRP:O	1:B:537:ARG:NE	2.48	0.46
1:A:708:GLY:O	1:A:712:ILE:HG13	2.16	0.46
1:B:320:TYR:O	1:B:321:SER:HB3	2.16	0.46
1:A:701:MET:HG3	1:B:50:VAL:HG21	1.97	0.46
1:A:26:TYR:CZ	1:A:120:TYR:HB2	2.51	0.46
1:A:27:LYS:HD3	1:A:148:PHE:CZ	2.51	0.46
1:A:117:ARG:HB2	1:A:552:PRO:HB2	1.98	0.46
1:A:163:TRP:O	1:A:537:ARG:NE	2.48	0.46
1:B:119:ILE:O	1:B:123:ILE:HG13	2.16	0.46
1:A:320:TYR:O	1:A:321:SER:HB3	2.16	0.46
1:B:115:ARG:O	1:B:119:ILE:HG23	2.16	0.45
1:A:408:ARG:HH21	1:A:423:THR:HG21	1.82	0.45
1:B:505:ARG:HB3	1:B:561:TRP:CH2	2.51	0.45
1:B:26:TYR:OH	1:B:120:TYR:HB2	2.16	0.45
1:B:598:LYS:HE2	1:B:602:LEU:HD22	1.98	0.45
1:A:505:ARG:HB3	1:A:561:TRP:CH2	2.51	0.45
1:A:701:MET:O	1:A:705:ILE:HG13	2.17	0.45
1:B:201:ILE:HG22	1:B:205:PHE:HE2	1.81	0.45
1:A:694:PHE:HB3	1:B:23:VAL:HG11	1.98	0.45
1:A:119:ILE:HA	1:A:122:MET:HG3	1.97	0.45
1:A:600:TRP:HB3	1:B:599:ALA:HA	1.99	0.45
1:A:201:ILE:HG22	1:A:205:PHE:HE2	1.81	0.44
1:B:321:SER:O	1:B:321:SER:OG	2.34	0.44
1:A:71:ALA:CB	1:B:670:ILE:HG23	2.48	0.44
1:B:408:ARG:HH21	1:B:423:THR:HG21	1.82	0.44
1:B:667:SER:HA	1:B:670:ILE:HB	2.00	0.44
1:B:301:ALA:HB3	1:B:347:LEU:HD11	2.00	0.44
1:A:321:SER:OG	1:A:321:SER:O	2.35	0.43
1:B:521:TRP:HD1	1:B:524:ALA:HB2	1.83	0.43
1:B:120:TYR:O	1:B:124:THR:OG1	2.29	0.43
1:A:57:ARG:HG3	1:A:66:VAL:HG22	2.00	0.43
1:A:598:LYS:HE2	1:A:602:LEU:HD22	2.00	0.43
1:B:27:LYS:HD3	1:B:148:PHE:CZ	2.53	0.43
1:B:57:ARG:HG3	1:B:66:VAL:HG22	2.01	0.43
1:A:24:ILE:HG21	1:A:67:PHE:HD2	1.84	0.43
1:B:84:ARG:HD2	1:B:93:ARG:NH1	2.34	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:ILE:HG21	1:B:67:PHE:HD2	1.84	0.43
1:A:301:ALA:HB3	1:A:347:LEU:HD11	2.01	0.43
1:A:483:ALA:N	1:A:486:LEU:HD23	2.33	0.42
1:A:28:VAL:HG22	1:A:147:ILE:HG12	2.00	0.42
1:B:183:GLU:HA	1:B:186:ALA:HB3	2.01	0.42
1:A:84:ARG:HD2	1:A:93:ARG:NH1	2.34	0.42
1:B:319:VAL:HG12	1:B:423:THR:HG23	2.02	0.42
1:A:415:THR:O	1:A:416:PHE:HB3	2.20	0.42
1:A:280:PRO:HA	1:A:281:PRO:HD2	1.89	0.42
1:A:80:VAL:O	1:A:84:ARG:HG2	2.20	0.42
1:B:26:TYR:CZ	1:B:120:TYR:HB2	2.56	0.41
1:B:80:VAL:O	1:B:84:ARG:HG2	2.20	0.41
1:A:521:TRP:HD1	1:A:524:ALA:HB2	1.84	0.41
1:A:173:ASP:O	1:A:177:ILE:HG12	2.21	0.41
1:B:173:ASP:O	1:B:177:ILE:HG12	2.21	0.41
1:B:415:THR:O	1:B:416:PHE:HB3	2.20	0.41
1:A:178:ARG:NH1	1:A:183:GLU:OE2	2.54	0.41
1:B:193:ARG:HE	1:B:197:ARG:NH2	2.18	0.41
1:B:155:PHE:CZ	1:B:180:LYS:HG3	2.56	0.41
1:B:93:ARG:HE	1:B:93:ARG:HB3	1.75	0.41
1:A:389:THR:HA	1:A:393:TYR:HB3	2.02	0.41
1:A:148:PHE:HA	1:A:149:PRO:HD3	1.89	0.41
1:B:54:THR:OG1	1:B:71:ALA:HB2	2.21	0.41
1:A:581:TYR:OH	1:A:601:GLY:HA3	2.20	0.40
1:B:195:TYR:O	1:B:199:LEU:HB2	2.21	0.40
1:B:677:GLU:O	1:B:681:GLN:HG2	2.22	0.40
1:A:193:ARG:HE	1:A:197:ARG:NH2	2.19	0.40
1:A:704:THR:HG21	1:B:55:GLU:HG3	2.04	0.40
1:B:355:ASN:ND2	1:B:370:LEU:HB2	2.36	0.40
1:A:597:LEU:HD13	1:A:600:TRP:HE1	1.86	0.40
1:A:258:ARG:HA	1:A:259:PRO:HD3	1.97	0.40
1:A:355:ASN:ND2	1:A:370:LEU:HB2	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	642/735 (87%)	609 (95%)	33 (5%)	0	100	100
1	B	642/735 (87%)	610 (95%)	32 (5%)	0	100	100
All	All	1284/1470 (87%)	1219 (95%)	65 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	560/623 (90%)	556 (99%)	4 (1%)	88	94
1	B	560/623 (90%)	551 (98%)	9 (2%)	70	87
All	All	1120/1246 (90%)	1107 (99%)	13 (1%)	78	90

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	HIS
1	A	124	THR
1	A	141	TRP
1	A	598	LYS
1	B	98	HIS
1	B	119	ILE
1	B	121	LEU
1	B	122	MET
1	B	125	LYS
1	B	141	TRP
1	B	263	TRP
1	B	487	GLN
1	B	598	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	291	GLN
1	A	366	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	654/735 (88%)	0.54	85 (12%) 5 3	76, 129, 223, 279	0
1	B	654/735 (88%)	0.35	56 (8%) 13 10	76, 125, 199, 238	0
All	All	1308/1470 (88%)	0.45	141 (10%) 8 6	76, 127, 210, 279	0

All (141) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	681	GLN	11.0
1	A	419	LYS	10.0
1	A	684	ILE	8.9
1	A	141	TRP	8.3
1	A	656	ALA	7.2
1	B	141	TRP	7.2
1	A	673	GLU	7.1
1	A	682	ALA	6.8
1	A	693	MET	6.7
1	A	660	ALA	6.2
1	A	268	GLU	6.1
1	A	267	ALA	6.0
1	A	692	GLU	5.9
1	B	701	MET	5.9
1	A	661	ALA	5.9
1	A	678	GLU	5.5
1	A	653	GLN	5.3
1	A	677	GLU	5.3
1	A	669	LYS	5.3
1	B	660	ALA	5.1
1	B	418	GLU	4.7
1	A	327	TYR	4.7
1	A	420	GLU	4.7
1	A	325	LYS	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	326	GLN	4.6
1	A	652	GLY	4.5
1	A	640	PHE	4.3
1	A	421	LEU	4.2
1	A	664	ILE	4.2
1	B	143	HIS	4.1
1	B	710	ARG	4.1
1	A	19	GLY	4.1
1	A	674	ALA	4.0
1	A	33	ARG	4.0
1	A	663	GLY	4.0
1	B	717	ALA	4.0
1	A	57	ARG	3.9
1	B	684	ILE	3.9
1	A	417	SER	3.9
1	A	55	GLU	3.8
1	B	664	ILE	3.8
1	B	699	ARG	3.8
1	B	33	ARG	3.8
1	A	275	PRO	3.8
1	A	683	SER	3.7
1	A	670	ILE	3.7
1	A	422	PRO	3.7
1	B	661	ALA	3.6
1	A	414	LEU	3.6
1	B	703	GLU	3.6
1	A	679	ALA	3.6
1	A	418	GLU	3.6
1	A	38	ALA	3.5
1	A	321	SER	3.5
1	A	662	PRO	3.4
1	B	72	SER	3.4
1	A	600	TRP	3.4
1	A	47	LEU	3.3
1	A	48	THR	3.3
1	A	666	HIS	3.3
1	B	19	GLY	3.3
1	B	54	THR	3.2
1	B	416	PHE	3.2
1	B	656	ALA	3.2
1	A	270	PRO	3.2
1	A	320	TYR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	665	GLU	3.2
1	B	144	VAL	3.1
1	A	323	PRO	3.1
1	A	416	PHE	3.1
1	B	103	GLN	3.1
1	A	415	THR	3.0
1	B	463	PHE	3.0
1	A	719	GLY	3.0
1	B	78	LYS	3.0
1	A	276	VAL	3.0
1	A	637	LYS	3.0
1	B	718	ALA	2.9
1	B	55	GLU	2.9
1	A	167	TYR	2.9
1	B	707	ILE	2.9
1	B	683	SER	2.9
1	A	45	ARG	2.9
1	B	32	GLU	2.9
1	B	662	PRO	2.9
1	A	21	ASP	2.8
1	B	414	LEU	2.8
1	A	143	HIS	2.7
1	B	272	THR	2.7
1	B	704	THR	2.7
1	B	52	LEU	2.7
1	B	274	GLU	2.7
1	A	599	ALA	2.6
1	A	668	GLU	2.6
1	A	641	GLN	2.6
1	B	26	TYR	2.6
1	A	654	ASP	2.6
1	B	127	HIS	2.5
1	A	43	LEU	2.5
1	B	325	LYS	2.5
1	B	706	GLU	2.5
1	B	271	ILE	2.5
1	A	629	SER	2.5
1	A	410	THR	2.5
1	A	712	ILE	2.5
1	B	461	GLN	2.4
1	B	694	PHE	2.4
1	A	651	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	654	ASP	2.4
1	B	50	VAL	2.4
1	B	302	LEU	2.4
1	B	403	PHE	2.4
1	A	266	GLU	2.4
1	B	417	SER	2.4
1	A	317	ASN	2.4
1	A	628	ASP	2.3
1	B	716	LEU	2.3
1	A	705	ILE	2.3
1	B	628	ASP	2.3
1	B	36	ALA	2.3
1	B	71	ALA	2.3
1	A	644	LYS	2.3
1	A	672	ARG	2.3
1	B	327	TYR	2.3
1	B	663	GLY	2.3
1	A	716	LEU	2.2
1	A	710	ARG	2.2
1	A	675	LEU	2.2
1	A	64	LEU	2.2
1	B	708	GLY	2.1
1	A	126	PRO	2.1
1	A	122	MET	2.1
1	A	413	THR	2.1
1	B	184	SER	2.1
1	B	45	ARG	2.1
1	A	424	ARG	2.1
1	A	218	TYR	2.0
1	A	329	GLY	2.0
1	A	328	LEU	2.0
1	A	427	GLN	2.0
1	B	142	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CA	B	801	1/1	0.98	0.22	0.07	104,104,104,104	0
2	CA	B	802	1/1	0.95	0.14	-1.11	101,101,101,101	0
2	CA	A	801	1/1	0.97	0.18	-1.19	96,96,96,96	0
2	CA	A	802	1/1	0.98	0.15	-1.43	113,113,113,113	0

6.5 Other polymers [i](#)

There are no such residues in this entry.