



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 11:14 PM GMT

PDB ID : 1WNB
Title : Escherichia coli YdcW gene product is a medium-chain aldehyde dehydrogenase (complexed with nadh and betaine aldehyde)
Authors : Gruez, A.; Roig-Zamboni, V.; Tegoni, M.; Cambillau, C.
Deposited on : 2004-07-29
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	495	<div> <div>2%</div> <div>77%</div> <div>16%</div> <div>• •</div> </div>
1	B	495	<div> <div>77%</div> <div>16%</div> <div>• •</div> </div>
1	C	495	<div> <div>76%</div> <div>18%</div> <div>• •</div> </div>
1	D	495	<div> <div>2%</div> <div>74%</div> <div>19%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAI	B	2001	-	-	-	X
2	NAI	D	4001	-	-	-	X
3	BTL	B	5001	-	-	X	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15318 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative betaine aldehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	474	Total	C	N	O	S	0	1	0
			3576	2263	616	679	18			
1	B	474	Total	C	N	O	S	9	1	0
			3576	2263	616	679	18			
1	C	474	Total	C	N	O	S	0	1	0
			3576	2263	616	679	18			
1	D	474	Total	C	N	O	S	4	1	0
			3576	2263	616	679	18			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	SER	-	EXPRESSION TAG	UNP P77674
A	-19	TYR	-	EXPRESSION TAG	UNP P77674
A	-18	TYR	-	EXPRESSION TAG	UNP P77674
A	-17	HIS	-	EXPRESSION TAG	UNP P77674
A	-16	HIS	-	EXPRESSION TAG	UNP P77674
A	-15	HIS	-	EXPRESSION TAG	UNP P77674
A	-14	HIS	-	EXPRESSION TAG	UNP P77674
A	-13	HIS	-	EXPRESSION TAG	UNP P77674
A	-12	HIS	-	EXPRESSION TAG	UNP P77674
A	-11	LEU	-	EXPRESSION TAG	UNP P77674
A	-10	GLU	-	EXPRESSION TAG	UNP P77674
A	-9	SER	-	EXPRESSION TAG	UNP P77674
A	-8	THR	-	EXPRESSION TAG	UNP P77674
A	-7	SER	-	EXPRESSION TAG	UNP P77674
A	-6	LEU	-	EXPRESSION TAG	UNP P77674
A	-5	TYR	-	EXPRESSION TAG	UNP P77674
A	-4	LYS	-	EXPRESSION TAG	UNP P77674
A	-3	LYS	-	EXPRESSION TAG	UNP P77674
A	-2	ALA	-	EXPRESSION TAG	UNP P77674
A	-1	GLY	-	EXPRESSION TAG	UNP P77674
A	0	LEU	-	EXPRESSION TAG	UNP P77674

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	197	VAL	ILE	CONFLICT	UNP P77674
B	-20	SER	-	EXPRESSION TAG	UNP P77674
B	-19	TYR	-	EXPRESSION TAG	UNP P77674
B	-18	TYR	-	EXPRESSION TAG	UNP P77674
B	-17	HIS	-	EXPRESSION TAG	UNP P77674
B	-16	HIS	-	EXPRESSION TAG	UNP P77674
B	-15	HIS	-	EXPRESSION TAG	UNP P77674
B	-14	HIS	-	EXPRESSION TAG	UNP P77674
B	-13	HIS	-	EXPRESSION TAG	UNP P77674
B	-12	HIS	-	EXPRESSION TAG	UNP P77674
B	-11	LEU	-	EXPRESSION TAG	UNP P77674
B	-10	GLU	-	EXPRESSION TAG	UNP P77674
B	-9	SER	-	EXPRESSION TAG	UNP P77674
B	-8	THR	-	EXPRESSION TAG	UNP P77674
B	-7	SER	-	EXPRESSION TAG	UNP P77674
B	-6	LEU	-	EXPRESSION TAG	UNP P77674
B	-5	TYR	-	EXPRESSION TAG	UNP P77674
B	-4	LYS	-	EXPRESSION TAG	UNP P77674
B	-3	LYS	-	EXPRESSION TAG	UNP P77674
B	-2	ALA	-	EXPRESSION TAG	UNP P77674
B	-1	GLY	-	EXPRESSION TAG	UNP P77674
B	0	LEU	-	EXPRESSION TAG	UNP P77674
B	197	VAL	ILE	CONFLICT	UNP P77674
C	-20	SER	-	EXPRESSION TAG	UNP P77674
C	-19	TYR	-	EXPRESSION TAG	UNP P77674
C	-18	TYR	-	EXPRESSION TAG	UNP P77674
C	-17	HIS	-	EXPRESSION TAG	UNP P77674
C	-16	HIS	-	EXPRESSION TAG	UNP P77674
C	-15	HIS	-	EXPRESSION TAG	UNP P77674
C	-14	HIS	-	EXPRESSION TAG	UNP P77674
C	-13	HIS	-	EXPRESSION TAG	UNP P77674
C	-12	HIS	-	EXPRESSION TAG	UNP P77674
C	-11	LEU	-	EXPRESSION TAG	UNP P77674
C	-10	GLU	-	EXPRESSION TAG	UNP P77674
C	-9	SER	-	EXPRESSION TAG	UNP P77674
C	-8	THR	-	EXPRESSION TAG	UNP P77674
C	-7	SER	-	EXPRESSION TAG	UNP P77674
C	-6	LEU	-	EXPRESSION TAG	UNP P77674
C	-5	TYR	-	EXPRESSION TAG	UNP P77674
C	-4	LYS	-	EXPRESSION TAG	UNP P77674
C	-3	LYS	-	EXPRESSION TAG	UNP P77674
C	-2	ALA	-	EXPRESSION TAG	UNP P77674

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	EXPRESSION TAG	UNP P77674
C	0	LEU	-	EXPRESSION TAG	UNP P77674
C	197	VAL	ILE	CONFLICT	UNP P77674
D	-20	SER	-	EXPRESSION TAG	UNP P77674
D	-19	TYR	-	EXPRESSION TAG	UNP P77674
D	-18	TYR	-	EXPRESSION TAG	UNP P77674
D	-17	HIS	-	EXPRESSION TAG	UNP P77674
D	-16	HIS	-	EXPRESSION TAG	UNP P77674
D	-15	HIS	-	EXPRESSION TAG	UNP P77674
D	-14	HIS	-	EXPRESSION TAG	UNP P77674
D	-13	HIS	-	EXPRESSION TAG	UNP P77674
D	-12	HIS	-	EXPRESSION TAG	UNP P77674
D	-11	LEU	-	EXPRESSION TAG	UNP P77674
D	-10	GLU	-	EXPRESSION TAG	UNP P77674
D	-9	SER	-	EXPRESSION TAG	UNP P77674
D	-8	THR	-	EXPRESSION TAG	UNP P77674
D	-7	SER	-	EXPRESSION TAG	UNP P77674
D	-6	LEU	-	EXPRESSION TAG	UNP P77674
D	-5	TYR	-	EXPRESSION TAG	UNP P77674
D	-4	LYS	-	EXPRESSION TAG	UNP P77674
D	-3	LYS	-	EXPRESSION TAG	UNP P77674
D	-2	ALA	-	EXPRESSION TAG	UNP P77674
D	-1	GLY	-	EXPRESSION TAG	UNP P77674
D	0	LEU	-	EXPRESSION TAG	UNP P77674
D	197	VAL	ILE	CONFLICT	UNP P77674

- Molecule 2 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (three-letter code: NAI) (formula: $C_{21}H_{29}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is BETAINE ALDEHYDE (three-letter code: BTL) (formula: C₅H₁₂NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			7	5	1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	199	Total	O	0	0
			199	199		
4	B	216	Total	O	0	0
			216	216		
4	C	240	Total	O	0	0
			240	240		
4	D	176	Total	O	0	0
			176	176		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative betaine aldehyde dehydrogenase





- Molecule 1: Putative betaine aldehyde dehydrogenase



- Molecule 1: Putative betaine aldehyde dehydrogenase



- Molecule 1: Putative betaine aldehyde dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.28Å 168.90Å 85.48Å 90.00° 90.65° 90.00°	Depositor
Resolution (Å)	18.00 – 2.20 20.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	93.6 (18.00-2.20) 69.9 (20.00-2.20)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.31 (at 2.19Å)	Xtriage
Refinement program	REFMAC 5.1.19	Depositor
R, R_{free}	0.182 , 0.239 0.179 , 0.231	Depositor DCC
R_{free} test set	6651 reflections (9.03%)	DCC
Wilson B-factor (Å ²)	21.2	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 34.2	EDS
Estimated twinning fraction	0.065 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 80319 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	15318	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BTL, NAI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.96	0/3655	1.00	15/4963 (0.3%)
1	B	0.99	1/3655 (0.0%)	1.01	20/4963 (0.4%)
1	C	1.03	2/3655 (0.1%)	1.04	18/4963 (0.4%)
1	D	0.97	3/3655 (0.1%)	1.00	15/4963 (0.3%)
All	All	0.99	6/14620 (0.0%)	1.01	68/19852 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	193	PRO	N-CD	-9.41	1.34	1.47
1	B	112	ALA	CA-CB	5.88	1.64	1.52
1	D	137	ASP	C-N	5.78	1.45	1.34
1	C	378	GLU	CD-OE2	5.41	1.31	1.25
1	C	466	VAL	CB-CG1	-5.33	1.41	1.52
1	D	274	TYR	CD2-CE2	5.00	1.46	1.39

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	245	MET	CG-SD-CE	13.05	121.08	100.20
1	A	390	ASP	CB-CG-OD2	12.81	129.82	118.30
1	C	136	ARG	NE-CZ-NH1	-12.45	114.07	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	390	ASP	CB-CG-OD2	11.26	128.44	118.30
1	C	136	ARG	NE-CZ-NH2	11.17	125.88	120.30
1	A	136	ARG	NE-CZ-NH1	-10.67	114.97	120.30
1	B	209	ASP	CB-CG-OD2	8.86	126.28	118.30
1	B	242	ARG	NE-CZ-NH2	-8.46	116.07	120.30
1	A	257	ASP	CB-CG-OD2	8.38	125.84	118.30
1	B	242	ARG	NE-CZ-NH1	8.06	124.33	120.30
1	B	417	ARG	NE-CZ-NH2	7.96	124.28	120.30
1	B	285	ARG	NE-CZ-NH1	-7.92	116.34	120.30
1	A	390	ASP	CB-CG-OD1	-7.92	111.17	118.30
1	C	137	ASP	CB-CG-OD2	7.87	125.39	118.30
1	D	135	ARG	NE-CZ-NH2	7.55	124.08	120.30
1	B	135	ARG	NE-CZ-NH2	7.51	124.06	120.30
1	D	353	ARG	NE-CZ-NH2	7.45	124.02	120.30
1	D	401	ASP	CB-CG-OD2	7.44	124.99	118.30
1	B	87	ARG	NE-CZ-NH2	-7.35	116.63	120.30
1	C	242	ARG	NE-CZ-NH2	7.33	123.97	120.30
1	C	242	ARG	NE-CZ-NH1	-7.23	116.69	120.30
1	B	99	ASP	CB-CG-OD2	7.19	124.77	118.30
1	D	136	ARG	NE-CZ-NH2	6.89	123.75	120.30
1	A	136	ARG	NE-CZ-NH2	6.87	123.73	120.30
1	C	209	ASP	CB-CG-OD2	6.77	124.40	118.30
1	B	463	ASP	CB-CG-OD1	6.73	124.36	118.30
1	D	414	ASP	CB-CG-OD2	6.62	124.25	118.30
1	D	257	ASP	CB-CG-OD2	6.50	124.15	118.30
1	D	371	ASP	CB-CG-OD2	6.45	124.11	118.30
1	A	294	ASP	CB-CG-OD2	6.43	124.09	118.30
1	A	420	ARG	NE-CZ-NH2	6.38	123.49	120.30
1	D	390	ASP	CB-CG-OD1	-6.31	112.62	118.30
1	B	417	ARG	NE-CZ-NH1	-6.30	117.15	120.30
1	D	294	ASP	CB-CG-OD2	6.21	123.89	118.30
1	C	390	ASP	CB-CG-OD2	5.98	123.69	118.30
1	D	372	ASP	CB-CG-OD2	5.95	123.66	118.30
1	B	372	ASP	CB-CG-OD2	5.94	123.64	118.30
1	A	72	ASP	CB-CG-OD2	5.90	123.61	118.30
1	C	258	ASP	CB-CG-OD2	5.89	123.60	118.30
1	C	1	MET	CG-SD-CE	5.82	109.52	100.20
1	B	401	ASP	CB-CG-OD2	5.80	123.52	118.30
1	A	87	ARG	NE-CZ-NH2	-5.75	117.42	120.30
1	C	116	ARG	NE-CZ-NH2	-5.67	117.46	120.30
1	A	371	ASP	CB-CG-OD2	5.62	123.36	118.30
1	C	372	ASP	CB-CG-OD2	5.55	123.30	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1	MET	CG-SD-CE	5.54	109.07	100.20
1	B	72	ASP	CB-CG-OD1	5.54	123.28	118.30
1	C	106	ASP	CB-CG-OD1	5.45	123.20	118.30
1	A	401	ASP	CB-CG-OD2	5.43	123.19	118.30
1	B	294	ASP	CB-CG-OD2	5.39	123.15	118.30
1	B	257	ASP	CB-CG-OD1	5.38	123.14	118.30
1	A	330	ARG	NE-CZ-NH2	-5.37	117.61	120.30
1	D	6	LEU	CB-CG-CD2	5.31	120.03	111.00
1	C	371	ASP	CB-CG-OD2	5.30	123.07	118.30
1	B	28	ASP	CB-CG-OD1	5.30	123.07	118.30
1	B	390	ASP	CB-CG-OD2	5.29	123.06	118.30
1	A	245	MET	CG-SD-CE	5.25	108.61	100.20
1	C	468	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	D	314	ASP	CB-CG-OD2	5.21	122.99	118.30
1	A	258	ASP	CB-CG-OD2	5.20	122.98	118.30
1	D	279	ASP	CB-CG-OD2	5.15	122.93	118.30
1	B	245	MET	CA-CB-CG	-5.11	104.61	113.30
1	A	133	MET	CG-SD-CE	-5.10	92.03	100.20
1	C	414	ASP	CB-CG-OD2	5.09	122.88	118.30
1	C	314	ASP	CB-CG-OD2	5.06	122.85	118.30
1	D	330	ARG	NE-CZ-NH1	5.05	122.83	120.30
1	C	393	GLU	OE1-CD-OE2	5.02	129.32	123.30
1	B	190	ASP	CB-CG-OD2	5.01	122.81	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	417	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3576	0	3559	62	0
1	B	3576	0	3559	58	0
1	C	3576	0	3559	76	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	3576	0	3559	63	0
2	A	44	0	27	10	0
2	B	44	0	27	3	0
2	C	44	0	27	7	0
2	D	44	0	27	2	0
3	B	7	0	12	6	0
4	A	199	0	0	10	0
4	B	216	0	0	5	0
4	C	240	0	0	13	0
4	D	176	0	0	6	0
All	All	15318	0	14356	260	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (260) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280[B]:CYS:SG	2:B:2001:NAI:N7N	2.28	1.06
2:A:1001:NAI:H51N	2:A:1001:NAI:H6N	1.36	1.06
1:C:222:LEU:HB3	1:C:245:MET:HE2	1.06	1.04
1:C:222:LEU:HB3	1:C:245:MET:CE	1.91	1.00
1:B:139:LEU:H	1:B:167:ASN:HD21	1.17	0.93
1:C:390:ASP:H	1:C:394:GLN:HE22	0.99	0.92
1:C:133:MET:CE	4:C:3241:HOH:O	2.20	0.90
2:A:1001:NAI:C5D	2:A:1001:NAI:H6N	2.01	0.89
1:A:139:LEU:H	1:A:167:ASN:HD21	1.10	0.89
1:A:37:SER:H	1:A:40:GLN:HE21	1.18	0.88
1:C:390:ASP:H	1:C:394:GLN:NE2	1.74	0.86
1:B:390:ASP:H	1:B:394:GLN:HE22	1.22	0.85
2:C:3001:NAI:C4D	2:C:3001:NAI:O1N	2.25	0.83
1:D:390:ASP:H	1:D:394:GLN:HE22	1.24	0.83
1:C:2:GLN:NE2	1:C:186:GLU:CD	2.35	0.79
1:C:222:LEU:CB	1:C:245:MET:HE2	2.02	0.78
1:D:257:ASP:H	1:D:289:GLN:HE21	1.32	0.78
2:A:1001:NAI:C6N	2:A:1001:NAI:H51N	2.13	0.78
1:B:257:ASP:H	1:B:289:GLN:HE21	1.34	0.76
1:A:118:LEU:HB2	4:A:1139:HOH:O	1.84	0.75
1:D:140:GLY:H	1:D:167:ASN:HD22	1.34	0.75
1:A:390:ASP:H	1:A:394:GLN:HE22	1.33	0.75
1:B:436:PHE:CE1	3:B:5001:BTL:H22	2.22	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:257:ASP:H	1:A:289:GLN:HE21	1.32	0.74
1:B:280[B]:CYS:SG	2:B:2001:NAI:C7N	2.76	0.73
1:D:336:GLU:CD	4:D:4122:HOH:O	2.27	0.73
1:B:438:LEU:HD12	3:B:5001:BTL:H33	1.69	0.73
1:C:139:LEU:H	1:C:167:ASN:HD21	1.34	0.72
1:D:444:HIS:HD2	4:D:4032:HOH:O	1.72	0.72
2:A:1001:NAI:C4D	2:A:1001:NAI:H6N	2.20	0.72
4:C:3211:HOH:O	1:D:413:LYS:HD2	1.89	0.71
2:D:4001:NAI:N1A	4:D:4005:HOH:O	2.23	0.71
1:B:279:ASP:OD2	3:B:5001:BTL:HA1	1.91	0.71
1:D:444:HIS:CD2	4:D:4032:HOH:O	2.44	0.70
1:B:79:GLN:CB	4:B:5176:HOH:O	2.39	0.70
1:D:139:LEU:H	1:D:167:ASN:HD21	1.39	0.69
1:D:390:ASP:H	1:D:394:GLN:NE2	1.90	0.69
1:D:290:LYS:HG2	1:D:389:PHE:O	1.91	0.69
1:D:37:SER:H	1:D:40:GLN:HE21	1.40	0.69
1:B:31:LEU:HD11	1:B:179:LEU:HD21	1.75	0.68
1:C:133:MET:HE1	4:C:3241:HOH:O	1.85	0.68
1:A:23:ASN:C	1:A:23:ASN:HD22	1.97	0.68
1:A:139:LEU:H	1:A:167:ASN:ND2	1.90	0.67
1:B:79:GLN:HB3	4:B:5176:HOH:O	1.92	0.67
1:C:133:MET:HE3	4:C:3241:HOH:O	1.86	0.67
1:A:139:LEU:N	1:A:167:ASN:HD21	1.89	0.67
2:A:1001:NAI:C3D	2:A:1001:NAI:H6N	2.24	0.66
2:C:3001:NAI:C3D	2:C:3001:NAI:O1N	2.43	0.66
2:A:1001:NAI:O1A	2:A:1001:NAI:H52N	1.95	0.66
1:C:37:SER:H	1:C:40:GLN:HE21	1.42	0.66
1:A:390:ASP:H	1:A:394:GLN:NE2	1.94	0.65
1:D:338:ALA:O	1:D:341:THR:HB	1.96	0.65
1:C:23:ASN:HD22	1:C:23:ASN:C	1.99	0.65
1:D:2:GLN:HE21	1:D:186:GLU:HB2	1.61	0.64
1:B:443:PRO:HB2	1:B:454:LYS:HD2	1.79	0.64
1:B:37:SER:H	1:B:40:GLN:HE21	1.45	0.64
1:A:23:ASN:ND2	1:A:25:ALA:H	1.94	0.64
1:B:139:LEU:H	1:B:167:ASN:ND2	1.92	0.64
1:C:278:GLN:HE22	1:C:323:SER:H	1.46	0.64
1:C:245:MET:HG3	1:C:247:LEU:HD21	1.79	0.64
4:A:1008:HOH:O	1:C:130:HIS:HE1	1.82	0.63
1:D:140:GLY:H	1:D:167:ASN:ND2	1.97	0.63
1:C:2:GLN:HE21	1:C:186:GLU:CG	2.11	0.63
1:A:280[B]:CYS:SG	2:A:1001:NAI:O7N	2.57	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:ASN:HD22	1:A:25:ALA:H	1.48	0.61
1:D:278:GLN:HE22	1:D:323:SER:N	1.98	0.61
1:A:257:ASP:H	1:A:289:GLN:NE2	1.98	0.61
2:D:4001:NAI:O1N	2:D:4001:NAI:O1A	2.16	0.61
1:C:266:GLU:HG3	4:C:3172:HOH:O	1.99	0.61
1:C:245:MET:CG	1:C:247:LEU:HD21	2.30	0.61
1:A:391:ASN:ND2	1:A:394:GLN:H	1.99	0.61
1:C:15:GLU:H	1:C:40:GLN:HE22	1.48	0.61
1:A:15:GLU:H	1:A:40:GLN:HE22	1.48	0.61
1:C:390:ASP:N	1:C:394:GLN:HE22	1.84	0.60
1:B:140:GLY:H	1:B:167:ASN:HD22	1.47	0.60
1:D:278:GLN:HE22	1:D:323:SER:H	1.48	0.60
1:A:15:GLU:H	1:A:40:GLN:NE2	2.00	0.59
1:C:260:ASP:HB2	1:C:413:LYS:HE2	1.84	0.59
1:B:390:ASP:H	1:B:394:GLN:NE2	1.98	0.59
1:C:257:ASP:H	1:C:289:GLN:HE21	1.50	0.59
1:C:444:HIS:HD2	4:C:3054:HOH:O	1.84	0.58
1:C:17:GLU:O	1:C:35:GLU:HG3	2.03	0.58
2:C:3001:NAI:O4D	2:C:3001:NAI:O1N	2.21	0.58
1:C:339:LYS:HE2	1:C:346:VAL:HG21	1.85	0.58
1:A:88:ASN:HD21	1:A:177:THR:HA	1.67	0.58
1:B:249:GLY:O	1:B:378:GLU:HG3	2.04	0.58
1:C:58:THR:OG1	1:C:63:ARG:HD3	2.03	0.58
2:A:1001:NAI:C5D	2:A:1001:NAI:C6N	2.75	0.58
1:C:147:PRO:HB2	2:C:3001:NAI:O7N	2.04	0.58
1:A:338:ALA:O	1:A:341:THR:HB	2.04	0.57
1:B:79:GLN:HB2	4:B:5052:HOH:O	2.05	0.57
1:A:415:VAL:HA	1:B:415:VAL:HG13	1.87	0.57
1:C:203:ARG:HB2	1:C:206:THR:HG22	1.88	0.56
1:C:271:PHE:CD2	1:C:435:HIS:HB3	2.41	0.56
1:B:257:ASP:H	1:B:289:GLN:NE2	2.00	0.56
1:C:73:VAL:HG22	4:C:3077:HOH:O	2.05	0.56
1:B:436:PHE:O	3:B:5001:BTL:H11	2.05	0.56
1:D:245:MET:CG	1:D:247:LEU:HD21	2.36	0.56
1:C:15:GLU:H	1:C:40:GLN:NE2	2.05	0.55
1:D:328:LEU:HD21	1:D:352:LYS:HE3	1.87	0.55
1:B:79:GLN:CG	4:B:5176:HOH:O	2.53	0.55
1:C:35:GLU:OE2	1:C:206:THR:HG21	2.06	0.55
1:A:88:ASN:ND2	1:A:177:THR:HA	2.21	0.55
1:D:23:ASN:C	1:D:23:ASN:HD22	2.10	0.55
1:C:2:GLN:HE21	1:C:186:GLU:HG3	1.70	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:GLU:HG3	4:A:1108:HOH:O	2.05	0.54
1:D:209:ASP:OD1	1:D:231:HIS:HE1	1.90	0.54
1:B:23:ASN:HD22	1:B:23:ASN:C	2.12	0.53
1:C:242:ARG:NH1	1:C:465:THR:O	2.32	0.53
1:C:140:GLY:H	1:C:167:ASN:HD22	1.54	0.53
1:A:209:ASP:OD1	1:A:231:HIS:HE1	1.91	0.53
1:B:245:MET:HG2	1:B:247:LEU:HD21	1.91	0.53
1:C:128:GLU:O	1:C:130:HIS:HD2	1.91	0.53
1:D:101:ILE:HB	1:D:102:PRO:HD3	1.91	0.53
2:A:1001:NAI:C5D	2:A:1001:NAI:O1A	2.58	0.52
1:D:103:ALA:O	1:D:107:VAL:HG23	2.08	0.52
1:A:278:GLN:HE22	1:A:323:SER:H	1.57	0.52
1:B:15:GLU:H	1:B:40:GLN:HE22	1.57	0.52
1:D:300:LEU:O	1:D:304:VAL:HG23	2.10	0.52
1:B:103:ALA:O	1:B:107:VAL:HG23	2.09	0.52
1:B:139:LEU:N	1:B:167:ASN:HD21	1.97	0.52
1:C:420:ARG:HD3	4:C:3187:HOH:O	2.09	0.51
1:B:436:PHE:CE1	3:B:5001:BTL:C2	2.93	0.51
1:B:391:ASN:ND2	1:B:394:GLN:H	2.09	0.51
1:A:140:GLY:H	1:A:167:ASN:HD22	1.58	0.51
1:A:152:LEU:HG	1:A:180:THR:HB	1.92	0.51
1:A:419:HIS:CD2	1:D:472:VAL:HG11	2.46	0.51
1:C:120:GLY:HA3	4:C:3229:HOH:O	2.10	0.51
1:C:2:GLN:NE2	1:C:186:GLU:CG	2.71	0.51
1:B:443:PRO:HD2	1:D:134:ILE:HD11	1.91	0.50
4:B:5027:HOH:O	1:D:130:HIS:HE1	1.94	0.50
1:A:472:VAL:HG11	1:D:419:HIS:CD2	2.47	0.50
1:A:280[B]:CYS:SG	2:A:1001:NAI:C7N	2.99	0.50
1:D:17:GLU:O	1:D:35:GLU:HG3	2.10	0.50
1:A:276:ALA:HA	1:A:319:LEU:HD11	1.94	0.50
1:A:271:PHE:CD2	1:A:435:HIS:HB3	2.47	0.50
1:C:257:ASP:H	1:C:289:GLN:NE2	2.10	0.49
1:B:147:PRO:CG	1:B:154:MET:HG3	2.42	0.49
1:A:278:GLN:HE22	1:A:323:SER:N	2.10	0.49
1:C:139:LEU:N	1:C:167:ASN:HD21	2.08	0.49
1:D:264:VAL:HG22	1:D:411:TRP:CE3	2.48	0.49
1:A:109:ARG:NH2	4:A:1191:HOH:O	2.46	0.49
1:C:278:GLN:HE22	1:C:323:SER:N	2.10	0.49
1:D:341:THR:HG23	1:D:343:HIS:H	1.77	0.49
1:C:245:MET:HG2	1:C:247:LEU:HD11	1.95	0.48
1:C:225:SER:HB3	2:C:3001:NAI:O4D	2.12	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:139:LEU:N	1:D:167:ASN:HD21	2.06	0.48
1:D:245:MET:HG2	1:D:247:LEU:HD21	1.96	0.48
1:C:14:GLY:HA2	1:C:40:GLN:HE22	1.79	0.47
1:D:15:GLU:H	1:D:40:GLN:HE22	1.61	0.47
1:C:444:HIS:CD2	4:C:3054:HOH:O	2.64	0.47
1:A:472:VAL:HA	1:C:432:VAL:HB	1.95	0.47
1:D:403:GLN:O	1:D:449:LEU:HB2	2.14	0.47
1:C:76:GLU:OE1	4:C:3077:HOH:O	2.20	0.47
1:C:152:LEU:HG	1:C:180:THR:HB	1.97	0.47
1:C:23:ASN:ND2	1:C:25:ALA:H	2.12	0.47
1:B:225:SER:HB3	2:B:2001:NAI:O4D	2.15	0.47
1:D:104:ILE:HD13	1:D:152:LEU:HD13	1.97	0.47
1:B:101:ILE:HB	1:B:102:PRO:HD3	1.96	0.47
1:A:435:HIS:O	1:A:436:PHE:CB	2.62	0.47
1:D:390:ASP:HB3	1:D:394:GLN:NE2	2.29	0.47
1:A:159:LEU:HD23	1:A:169:VAL:HG11	1.97	0.47
1:C:391:ASN:ND2	1:C:394:GLN:H	2.13	0.46
1:D:118:LEU:HD21	1:D:461:LEU:HD23	1.98	0.46
1:B:134:ILE:HD11	1:D:443:PRO:HD2	1.97	0.46
1:D:178:PRO:HG3	1:D:201:PHE:CE2	2.50	0.46
1:B:69:LYS:O	1:B:73:VAL:HG23	2.15	0.46
1:B:226:ILE:HA	1:B:247:LEU:HD13	1.96	0.46
1:A:75:GLU:CD	1:A:109:ARG:HH12	2.19	0.46
1:D:203:ARG:HB2	1:D:206:THR:HG23	1.97	0.46
1:A:390:ASP:HB3	1:A:394:GLN:NE2	2.30	0.46
1:A:23:ASN:HD22	1:A:24:PRO:N	2.14	0.46
1:C:35:GLU:HA	1:C:201:PHE:HD1	1.81	0.46
1:D:88:ASN:HD21	1:D:177:THR:HA	1.81	0.46
1:A:245:MET:CG	1:A:247:LEU:HD21	2.46	0.45
1:B:6:LEU:HB2	1:B:185:ALA:HB1	1.98	0.45
1:A:214:HIS:HB3	1:A:217:VAL:HG23	1.99	0.45
1:B:219:MET:HG3	1:B:242:ARG:HB3	1.99	0.45
1:D:341:THR:HG21	1:D:344:ILE:HG13	1.98	0.45
1:A:219:MET:HG3	1:A:242:ARG:HB3	1.98	0.45
1:A:420:ARG:HG3	1:D:474:HIS:HB3	1.99	0.45
1:C:278:GLN:NE2	1:C:323:SER:H	2.15	0.45
1:B:278:GLN:HE22	1:B:323:SER:N	2.15	0.45
1:B:48:ALA:HA	1:B:195:GLY:O	2.16	0.45
1:C:290:LYS:HD2	1:C:390:ASP:OD1	2.16	0.44
1:A:376:GLN:O	1:A:404:TYR:HE2	2.00	0.44
1:C:280[B]:CYS:SG	2:C:3001:NAI:H4N	2.56	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:245:MET:HG3	1:D:247:LEU:HD21	1.98	0.44
1:C:88:ASN:HD21	1:C:178:PRO:HD2	1.83	0.44
1:A:1:MET:N	4:A:1031:HOH:O	2.37	0.44
1:B:104:ILE:HD13	1:B:152:LEU:HD13	1.99	0.44
1:B:139:LEU:CD1	1:B:219:MET:SD	3.05	0.44
1:D:391:ASN:ND2	1:D:394:GLN:H	2.16	0.44
1:C:23:ASN:C	1:C:23:ASN:ND2	2.70	0.44
4:A:1008:HOH:O	1:C:130:HIS:CE1	2.64	0.44
1:A:253:VAL:HG21	1:A:283:ALA:HB1	1.99	0.44
1:D:2:GLN:NE2	1:D:186:GLU:HB2	2.31	0.44
1:D:125:GLU:HA	1:D:130:HIS:O	2.18	0.44
1:A:443:PRO:HB2	1:A:454:LYS:HD2	2.00	0.44
1:C:222:LEU:CB	1:C:245:MET:CE	2.78	0.43
1:D:426:GLN:HG2	4:D:4141:HOH:O	2.17	0.43
1:A:340:ALA:HA	4:A:1110:HOH:O	2.17	0.43
1:C:378:GLU:OE1	4:C:3183:HOH:O	2.21	0.43
1:D:154:MET:SD	4:D:4146:HOH:O	2.61	0.43
1:B:203:ARG:NH1	1:B:206:THR:HG21	2.33	0.43
1:D:353:ARG:HB3	1:D:359:TYR:HB2	1.99	0.43
1:D:89:CYS:SG	1:D:151:PRO:HG2	2.58	0.43
1:D:14:GLY:HA2	1:D:40:GLN:HE22	1.83	0.43
1:A:70:LEU:HD23	1:A:108:PHE:CE2	2.54	0.43
1:B:341:THR:HG23	1:B:343:HIS:H	1.84	0.43
1:C:415:VAL:HA	1:D:415:VAL:HG13	2.00	0.43
1:A:178:PRO:HG3	1:A:201:PHE:CE2	2.54	0.43
1:D:37:SER:H	1:D:40:GLN:NE2	2.13	0.43
1:A:35:GLU:HG2	1:A:202:GLY:HA2	2.00	0.43
1:B:278:GLN:HE22	1:B:323:SER:H	1.68	0.42
1:B:70:LEU:HD11	1:B:184:LEU:HD11	2.01	0.42
1:C:23:ASN:HD22	1:C:25:ALA:H	1.66	0.42
1:C:31:LEU:HD12	1:C:31:LEU:N	2.34	0.42
1:D:373:ALA:HB1	1:D:377:LYS:HD2	2.01	0.42
1:C:164:ALA:HB3	1:C:461:LEU:HD13	2.01	0.42
1:B:140:GLY:O	1:B:167:ASN:HB3	2.20	0.42
1:A:39:GLU:CG	4:A:1108:HOH:O	2.65	0.42
1:C:239:SER:OG	1:C:241:LYS:HG3	2.19	0.42
1:D:128:GLU:O	1:D:130:HIS:HD2	2.01	0.42
1:A:429:CYS:HA	1:C:469:HIS:O	2.19	0.42
2:C:3001:NAI:C6N	4:C:3183:HOH:O	2.67	0.42
1:C:147:PRO:HG2	1:C:154:MET:HG3	2.02	0.42
1:A:14:GLY:HA2	1:A:40:GLN:HE22	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:455:ASP:O	1:C:456:MET:HB2	2.19	0.42
1:B:292:ILE:C	1:B:292:ILE:HD12	2.40	0.42
1:A:341:THR:HG23	1:A:343:HIS:CE1	2.55	0.42
1:D:285:ARG:HD3	1:D:375:VAL:O	2.20	0.42
1:B:448:LYS:HG2	1:D:218:ARG:CZ	2.50	0.42
1:D:341:THR:CG2	1:D:343:HIS:H	2.33	0.41
1:A:87:ARG:NH2	4:A:1175:HOH:O	2.52	0.41
1:C:390:ASP:N	1:C:394:GLN:NE2	2.56	0.41
1:C:389:PHE:CD1	1:C:395:VAL:HB	2.55	0.41
1:B:451:GLY:HA2	1:D:240:ILE:HG21	2.02	0.41
1:C:179:LEU:HD23	1:C:179:LEU:HA	1.90	0.41
1:A:365:LEU:O	1:A:385:SER:HA	2.21	0.41
1:B:88:ASN:HD21	1:B:177:THR:HA	1.85	0.41
1:C:250:LYS:HD3	1:C:378:GLU:HA	2.03	0.41
1:B:243:THR:HB	1:B:245:MET:CE	2.50	0.41
1:A:264:VAL:HG22	1:A:411:TRP:CE3	2.55	0.41
1:C:224:GLY:O	1:C:247:LEU:HA	2.20	0.41
1:A:257:ASP:N	1:A:289:GLN:HE21	2.09	0.41
1:D:278:GLN:NE2	1:D:323:SER:H	2.14	0.41
1:A:276:ALA:HA	1:A:319:LEU:CD1	2.51	0.41
1:B:58:THR:OG1	1:B:63:ARG:HD3	2.20	0.41
1:A:415:VAL:HG23	1:B:413:LYS:O	2.20	0.41
1:B:23:ASN:ND2	1:B:25:ALA:H	2.19	0.41
1:A:414:ASP:OD1	4:A:1096:HOH:O	2.22	0.41
1:B:438:LEU:HD11	3:B:5001:BTL:H	2.03	0.40
1:A:139:LEU:N	1:A:167:ASN:ND2	2.61	0.40
1:B:420:ARG:HG3	1:C:474:HIS:HB3	2.04	0.40
1:B:209:ASP:OD1	1:B:231:HIS:HE1	2.04	0.40
1:C:88:ASN:HD21	1:C:177:THR:HA	1.87	0.40
1:C:425:LEU:HD23	1:C:425:LEU:HA	1.99	0.40
1:D:281:THR:O	1:D:435:HIS:NE2	2.48	0.40
1:D:146:ALA:HA	1:D:147:PRO:HD3	1.96	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	473/495 (96%)	458 (97%)	15 (3%)	0	100	100
1	B	473/495 (96%)	459 (97%)	14 (3%)	0	100	100
1	C	473/495 (96%)	462 (98%)	11 (2%)	0	100	100
1	D	473/495 (96%)	457 (97%)	15 (3%)	1 (0%)	52	59
All	All	1892/1980 (96%)	1836 (97%)	55 (3%)	1 (0%)	56	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	189	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	372/390 (95%)	349 (94%)	23 (6%)	23	25
1	B	372/390 (95%)	346 (93%)	26 (7%)	19	19
1	C	372/390 (95%)	352 (95%)	20 (5%)	27	31
1	D	372/390 (95%)	352 (95%)	20 (5%)	27	31
All	All	1488/1560 (95%)	1399 (94%)	89 (6%)	24	26

All (89) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	LEU
1	A	23	ASN
1	A	24	PRO
1	A	31	LEU
1	A	69	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	85	GLU
1	A	152	LEU
1	A	205	LYS
1	A	206	THR
1	A	245	MET
1	A	246	GLU
1	A	285	ARG
1	A	308	LYS
1	A	315	GLU
1	A	333	LYS
1	A	341	THR
1	A	352	LYS
1	A	353	ARG
1	A	380	PHE
1	A	393	GLU
1	A	415	VAL
1	A	429	CYS
1	A	436	PHE
1	B	1	MET
1	B	6	LEU
1	B	23	ASN
1	B	31	LEU
1	B	39	GLU
1	B	69	LYS
1	B	79	GLN
1	B	128	GLU
1	B	135	ARG
1	B	144	SER
1	B	152	LEU
1	B	205	LYS
1	B	234	SER
1	B	242	ARG
1	B	245	MET
1	B	246	GLU
1	B	262	GLU
1	B	315	GLU
1	B	333	LYS
1	B	352	LYS
1	B	380	PHE
1	B	393	GLU
1	B	403	GLN
1	B	415	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	429	CYS
1	B	436	PHE
1	C	6	LEU
1	C	23	ASN
1	C	31	LEU
1	C	85	GLU
1	C	152	LEU
1	C	234	SER
1	C	242	ARG
1	C	245	MET
1	C	246	GLU
1	C	262	GLU
1	C	308	LYS
1	C	315	GLU
1	C	352	LYS
1	C	354	LYS
1	C	380	PHE
1	C	391	ASN
1	C	393	GLU
1	C	436	PHE
1	C	452	TYR
1	C	466	VAL
1	D	1	MET
1	D	6	LEU
1	D	23	ASN
1	D	31	LEU
1	D	79	GLN
1	D	85	GLU
1	D	139	LEU
1	D	152	LEU
1	D	205	LYS
1	D	206	THR
1	D	242	ARG
1	D	245	MET
1	D	246	GLU
1	D	308	LYS
1	D	325	LEU
1	D	341	THR
1	D	380	PHE
1	D	393	GLU
1	D	415	VAL
1	D	436	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (57) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	GLN
1	A	23	ASN
1	A	40	GLN
1	A	88	ASN
1	A	119	ASN
1	A	130	HIS
1	A	167	ASN
1	A	231	HIS
1	A	244	HIS
1	A	278	GLN
1	A	289	GLN
1	A	391	ASN
1	A	394	GLN
1	A	403	GLN
1	B	23	ASN
1	B	40	GLN
1	B	88	ASN
1	B	119	ASN
1	B	167	ASN
1	B	231	HIS
1	B	244	HIS
1	B	278	GLN
1	B	289	GLN
1	B	391	ASN
1	B	394	GLN
1	B	403	GLN
1	B	444	HIS
1	C	2	GLN
1	C	3	HIS
1	C	23	ASN
1	C	40	GLN
1	C	77	ASN
1	C	88	ASN
1	C	130	HIS
1	C	167	ASN
1	C	231	HIS
1	C	244	HIS
1	C	278	GLN
1	C	289	GLN
1	C	391	ASN
1	C	394	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	403	GLN
1	C	444	HIS
1	D	2	GLN
1	D	23	ASN
1	D	40	GLN
1	D	88	ASN
1	D	119	ASN
1	D	130	HIS
1	D	167	ASN
1	D	231	HIS
1	D	278	GLN
1	D	289	GLN
1	D	391	ASN
1	D	394	GLN
1	D	403	GLN
1	D	444	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAI	A	1001	-	38,48,48	1.90	5 (13%)	48,73,73	2.89	20 (41%)
2	NAI	B	2001	-	38,48,48	1.89	6 (15%)	48,73,73	2.61	11 (22%)
3	BTL	B	5001	-	6,6,6	1.26	1 (16%)	6,8,8	2.43	2 (33%)
2	NAI	C	3001	-	38,48,48	1.85	7 (18%)	48,73,73	2.20	14 (29%)
2	NAI	D	4001	-	38,48,48	1.98	6 (15%)	48,73,73	2.33	10 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAI	A	1001	-	-	0/25/72/72	0/5/5/5
2	NAI	B	2001	-	-	0/25/72/72	0/5/5/5
3	BTL	B	5001	-	-	0/3/4/4	0/0/0/0
2	NAI	C	3001	-	-	0/25/72/72	0/5/5/5
2	NAI	D	4001	-	-	0/25/72/72	0/5/5/5

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	NAI	C4N-C5N	-6.49	1.35	1.49
2	C	3001	NAI	C4N-C5N	-4.70	1.38	1.49
2	D	4001	NAI	C4N-C5N	-4.27	1.39	1.49
2	B	2001	NAI	C4N-C5N	-4.25	1.39	1.49
3	B	5001	BTL	CA-N	-2.20	1.49	1.53
2	C	3001	NAI	C5D-C4D	2.13	1.58	1.51
2	C	3001	NAI	C2A-N1A	2.22	1.38	1.33
2	D	4001	NAI	C2N-C3N	2.31	1.40	1.34
2	C	3001	NAI	C2N-C3N	2.33	1.40	1.34
2	B	2001	NAI	C2A-N1A	2.69	1.39	1.33
2	A	1001	NAI	C2A-N1A	2.74	1.39	1.33
2	A	1001	NAI	C2N-C3N	3.20	1.42	1.34
2	C	3001	NAI	C6N-C5N	3.24	1.39	1.33
2	B	2001	NAI	C6N-C5N	3.29	1.39	1.33
2	C	3001	NAI	C2A-N3A	3.65	1.38	1.32
2	A	1001	NAI	C2A-N3A	3.74	1.38	1.32
2	D	4001	NAI	C2A-N1A	3.75	1.41	1.33
2	D	4001	NAI	C2A-N3A	3.90	1.39	1.32
2	D	4001	NAI	C6N-C5N	3.93	1.40	1.33
2	B	2001	NAI	O4B-C1B	4.00	1.46	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2001	NAI	C2A-N3A	4.95	1.40	1.32
2	A	1001	NAI	O7N-C7N	6.11	1.39	1.24
2	B	2001	NAI	O7N-C7N	6.21	1.40	1.24
2	C	3001	NAI	O7N-C7N	7.09	1.42	1.24
2	D	4001	NAI	O7N-C7N	7.74	1.43	1.24

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2001	NAI	N3A-C2A-N1A	-14.54	117.77	128.89
2	A	1001	NAI	N3A-C2A-N1A	-9.22	121.83	128.89
2	D	4001	NAI	PN-O3-PA	-8.93	107.65	132.73
2	D	4001	NAI	N3A-C2A-N1A	-8.93	122.06	128.89
2	C	3001	NAI	N3A-C2A-N1A	-8.77	122.18	128.89
2	A	1001	NAI	C3N-C2N-N1N	-5.62	115.09	123.14
2	A	1001	NAI	C4N-C5N-C6N	-4.81	114.64	122.58
2	A	1001	NAI	C1D-N1N-C6N	-4.64	110.42	120.81
3	B	5001	BTL	C2-N-C3	-4.63	97.07	108.98
2	C	3001	NAI	C3N-C2N-N1N	-3.98	117.44	123.14
2	B	2001	NAI	C3N-C2N-N1N	-3.86	117.61	123.14
2	C	3001	NAI	C4D-O4D-C1D	-3.55	101.69	109.52
2	A	1001	NAI	O3D-C3D-C2D	-3.42	100.71	111.83
2	B	2001	NAI	PN-O3-PA	-3.16	123.84	132.73
2	B	2001	NAI	C4N-C5N-C6N	-3.02	117.60	122.58
2	D	4001	NAI	C1D-N1N-C2N	-3.00	115.69	120.91
2	C	3001	NAI	PN-O3-PA	-2.91	124.55	132.73
2	A	1001	NAI	C1B-N9A-C4A	-2.88	122.60	126.94
2	A	1001	NAI	PN-O3-PA	-2.86	124.69	132.73
2	A	1001	NAI	C2D-C1D-N1N	-2.69	106.06	113.34
2	B	2001	NAI	C4B-O4B-C1B	-2.60	106.86	109.72
2	C	3001	NAI	O1N-PN-O5D	-2.55	95.60	108.46
2	B	2001	NAI	O3-PN-O5D	-2.35	96.70	102.94
2	C	3001	NAI	O3D-C3D-C2D	-2.33	104.25	111.83
2	C	3001	NAI	O4D-C1D-C2D	-2.28	101.29	106.58
2	A	1001	NAI	O4D-C4D-C3D	-2.28	100.56	105.15
2	B	2001	NAI	C2D-C1D-N1N	-2.27	107.20	113.34
2	A	1001	NAI	C4A-C5A-N7A	-2.21	107.44	109.48
2	C	3001	NAI	O3B-C3B-C4B	-2.20	104.45	111.05
2	B	2001	NAI	C1B-N9A-C4A	-2.19	123.64	126.94
2	C	3001	NAI	C1B-N9A-C4A	-2.16	123.68	126.94
2	C	3001	NAI	C4A-C5A-N7A	-2.13	107.52	109.48
2	D	4001	NAI	C1D-N1N-C6N	2.02	125.32	120.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2001	NAI	O2B-C2B-C3B	2.04	118.46	111.83
2	D	4001	NAI	O4B-C1B-N9A	2.11	112.52	108.10
2	A	1001	NAI	O4D-C1D-N1N	2.30	112.92	108.07
2	D	4001	NAI	C5N-C4N-C3N	2.31	118.89	112.52
2	D	4001	NAI	C2D-C1D-N1N	2.31	119.59	113.34
2	A	1001	NAI	C3D-C2D-C1D	2.37	106.17	101.40
2	D	4001	NAI	O1N-PN-O2N	2.68	127.05	112.53
2	D	4001	NAI	O3-PN-O5D	2.76	110.26	102.94
2	A	1001	NAI	O4B-C1B-N9A	2.84	114.04	108.10
3	B	5001	BTL	C1-N-C2	2.87	116.35	108.98
2	C	3001	NAI	O3-PN-O5D	2.94	110.75	102.94
2	B	2001	NAI	C5N-C4N-C3N	3.03	120.87	112.52
2	A	1001	NAI	C4D-O4D-C1D	3.06	116.25	109.52
2	A	1001	NAI	C2D-C3D-C4D	3.07	108.93	102.61
2	C	3001	NAI	O4B-C1B-N9A	3.16	114.72	108.10
2	C	3001	NAI	O5D-C5D-C4D	3.17	120.81	109.12
2	A	1001	NAI	C5N-C4N-C3N	3.67	122.64	112.52
2	D	4001	NAI	O2A-PA-O3	4.36	124.86	105.09
2	B	2001	NAI	O4B-C1B-N9A	4.43	117.36	108.10
2	A	1001	NAI	O5D-C5D-C4D	4.78	126.75	109.12
2	A	1001	NAI	O3-PA-O5B	5.45	117.41	102.94
2	A	1001	NAI	C1D-N1N-C2N	5.63	130.72	120.91
2	A	1001	NAI	O3-PN-O5D	5.77	118.25	102.94
2	C	3001	NAI	O4D-C1D-N1N	5.92	120.56	108.07

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	NAI	10	0
2	B	2001	NAI	3	0
3	B	5001	BTL	6	0
2	C	3001	NAI	7	0
2	D	4001	NAI	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	474/495 (95%)	-0.59	3 (0%) 90 90	7, 13, 18, 24	12 (2%)
1	B	474/495 (95%)	-0.63	1 (0%) 95 95	7, 12, 18, 23	11 (2%)
1	C	474/495 (95%)	-0.68	2 (0%) 93 93	7, 12, 18, 25	8 (1%)
1	D	474/495 (95%)	-0.51	8 (1%) 73 72	7, 13, 18, 26	10 (2%)
All	All	1896/1980 (95%)	-0.60	14 (0%) 89 88	7, 12, 18, 26	41 (2%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	340	ALA	3.5
1	D	354	LYS	3.3
1	A	1	MET	3.0
1	C	354	LYS	2.7
1	C	1	MET	2.6
1	A	354	LYS	2.5
1	D	353	ARG	2.5
1	D	356	ASN	2.5
1	B	356	ASN	2.4
1	D	316	SER	2.3
1	D	355	GLY	2.2
1	D	314	ASP	2.2
1	D	1	MET	2.1
1	A	356	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	BTL	B	5001	7/7	0.91	0.17	5.51	31,32,34,34	0
2	NAI	D	4001	44/44	0.93	0.22	2.95	19,25,32,39	18
2	NAI	B	2001	44/44	0.93	0.17	2.21	18,24,29,36	17
2	NAI	C	3001	44/44	0.93	0.15	1.34	18,22,31,39	17
2	NAI	A	1001	44/44	0.94	0.14	1.09	21,24,29,32	21

6.5 Other polymers [i](#)

There are no such residues in this entry.