Full wwPDB X-ray Structure Validation Report (i)

Feb 1, 2016 – 06:20 AM GMT

PDB ID : 2WTB

Title : ARABIDOPSIS THALIANA MULTIFUCTIONAL PROTEIN, MFP2

Authors : Arent, S.; Pye, V.E.; Christensen, C.E.; Norgaard, A.; Henriksen, A.

Deposited on : 2009-09-15

Resolution : 2.50 Å(reported)

The following versions of software and data (see references (i)) were used in the production of this report:

|		
MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	725	

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 5024 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FATTY ACID MULTIFUNCTIONAL PROTEIN (ATMFP2).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	676	Total	C	N	O	S	0	0	0
			4999	3205	851	915	28			

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	25	Total	O	0	0
			25	25		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: FATTY ACID MULTIFUNCTIONAL PROTEIN (ATMFP2)

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α, β, γ	110.48Å 110.48Å 125.47Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	25.28 – 2.50 25.28 – 2.41	Depositor EDS
% Data completeness (in resolution range)	84.2 (25.28-2.50) 80.6 (25.28-2.41)	Depositor EDS
R_{merge}	0.71	Depositor
R_{sym}	(Not available)	Depositor
$<I/\sigma(I)>$ [1]	1.74 (at 2.41Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.216 , 0.269 0.212 , 0.271	Depositor DCC
R_{free} test set	1279 reflections (4.93%)	DCC
Wilson B-factor (Å^2)	57.6	Xtriage
Anisotropy	0.437	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.32 , 51.5	EDS
Estimated twinning fraction	0.016 for -h,-k,l	Xtriage
L-test for twinning[2]	$<|L|> = 0.52, <L^2> = 0.36$	Xtriage
Outliers	0 of 27946 reflections	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	5024	wwPDB-VP
Average B, all atoms (Å^2)	78.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.59% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1]Intensities estimated from amplitudes.
[2]Theoretical values of $<|L|>$, $<L^2>$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#|Z| >5	RMSZ	#|Z| >5
1	A	0.21	0/5089	0.39	0/6891

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4999	0	5034	125	0
2	A	25	0	0	0	0
All	All	5024	0	5034	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:433:ASN:HD21	1:A:465:THR:HG21	1.43	0.83
1:A:465:THR:HG22	1:A:466:ASN:H	1.45	0.80
1:A:530:GLY:HA3	1:A:665:PRO:HG3	1.67	0.75
1:A:494:THR:HG23	1:A:553:GLN:HG2	1.71	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:433:ASN:ND2	1:A:465:THR:HG21	2.04	0.72
1:A:544:PHE:HD2	1:A:568:ILE:HG23	1.57	0.68
1:A:318:ILE:HD11	1:A:389:PHE:HE2	1.58	0.68
1:A:257:VAL:HG21	1:A:269:LYS:HG3	1.76	0.67
1:A:36:LEU:HD13	1:A:89:ILE:HD13	1.76	0.67
1:A:144:VAL:HG22	1:A:145:ILE:H	1.60	0.67
1:A:451:PHE:HB2	1:A:457:MET:HG2	1.78	0.65
1:A:247:HIS:CG	1:A:248:PRO:HD3	2.31	0.65
1:A:533:MET:HG2	1:A:537:ARG:HG3	1.80	0.64
1:A:318:ILE:HD11	1:A:389:PHE:CE2	2.33	0.64
1:A:154:LEU:HB3	1:A:155:PRO:HD3	1.80	0.63
1:A:497:ALA:O	1:A:501:MET:HB2	1.98	0.63
1:A:389:PHE:HA	1:A:392:VAL:HG23	1.82	0.62
1:A:372:LYS:HA	1:A:372:LYS:HE3	1.82	0.62
1:A:478:ASP:O	1:A:482:LYS:HG2	1.99	0.61
1:A:143:GLY:HA2	1:A:247:HIS:CE1	2.35	0.60
1:A:617:PRO:HB2	1:A:619:LEU:HD13	1.82	0.60
1:A:254:ALA:HA	1:A:269:LYS:HD2	1.85	0.59
1:A:465:THR:HG22	1:A:466:ASN:N	2.17	0.59
1:A:341:LYS:HE3	1:A:386:TYR:CZ	2.38	0.58
1:A:169:THR:HG22	1:A:171:LYS:HG3	1.83	0.58
1:A:280:LEU:HB2	1:A:283:THR:HG23	1.84	0.58
1:A:501:MET:HE1	1:A:654:LEU:HB3	1.86	0.58
1:A:501:MET:HE2	1:A:671:ILE:HG21	1.85	0.57
1:A:533:MET:CG	1:A:537:ARG:HG3	2.35	0.57
1:A:502:PHE:CD2	1:A:662:MET:HG3	2.39	0.57
1:A:344:ASN:HB2	1:A:347:PHE:HD1	1.70	0.56
1:A:359:LEU:O	1:A:363:VAL:HG23	2.05	0.56
1:A:323:MET:HG2	1:A:426:ASN:HD21	1.71	0.55
1:A:515:CYS:HB3	1:A:617:PRO:HD2	1.89	0.55
1:A:449:HIS:HB3	1:A:461:GLU:HB2	1.89	0.55
1:A:501:MET:CE	1:A:654:LEU:HB3	2.37	0.54
1:A:88:TYR:O	1:A:92:ASP:HB2	2.07	0.54
1:A:285:GLY:O	1:A:289:VAL:HG23	2.09	0.52
1:A:399:VAL:HG12	1:A:400:ILE:N	2.24	0.52
1:A:369:SER:HB3	1:A:372:LYS:CB	2.40	0.52
1:A:341:LYS:HA	1:A:383:SER:O	2.09	0.52
1:A:683:ILE:O	1:A:687:LEU:HB2	2.09	0.51
1:A:369:SER:HB3	1:A:372:LYS:HB2	1.92	0.51
1:A:503:PHE:N	1:A:504:PRO:CD	2.73	0.51
1:A:503:PHE:CE1	1:A:562:THR:HG22	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:ARG:HB3	1:A:51:ASP:OD1	2.11	0.51
1:A:312:ILE:HD12	1:A:479:VAL:HG21	1.92	0.51
1:A:713:LEU:HD12	1:A:713:LEU:H	1.74	0.51
1:A:131:PRO:O	1:A:175:ALA:HB3	2.11	0.51
1:A:406:LYS:HD2	1:A:430:ILE:HD12	1.93	0.50
1:A:544:PHE:HB3	1:A:572:GLN:HE21	1.76	0.50
1:A:40:LYS:HE3	1:A:88:TYR:OH	2.11	0.50
1:A:455:HIS:CD2	1:A:455:HIS:H	2.29	0.50
1:A:568:ILE:HB	1:A:569:PRO:HD3	1.93	0.50
1:A:144:VAL:HG22	1:A:145:ILE:N	2.27	0.50
1:A:323:MET:O	1:A:327:ILE:HG12	2.12	0.50
1:A:203:ASP:HA	1:A:208:ARG:NH1	2.27	0.49
1:A:340:LEU:HD13	1:A:380:LEU:HD11	1.94	0.49
1:A:58:THR:HB	1:A:108:ALA:HB3	1.95	0.48
1:A:11:MET:HE3	1:A:21:ILE:HD11	1.95	0.48
1:A:530:GLY:CA	1:A:665:PRO:HG3	2.42	0.48
1:A:421:CYS:O	1:A:444:ARG:HD2	2.13	0.48
1:A:447:GLY:HA3	1:A:463:VAL:HB	1.96	0.48
1:A:273:VAL:HA	1:A:276:GLN:HE21	1.79	0.47
1:A:318:ILE:N	1:A:318:ILE:HD12	2.29	0.47
1:A:247:HIS:CD2	1:A:248:PRO:HD3	2.48	0.47
1:A:656:ILE:HG23	1:A:660:MET:HE3	1.96	0.47
1:A:122:MET:CE	1:A:154:LEU:HD13	2.44	0.47
1:A:446:VAL:HG22	1:A:447:GLY:N	2.30	0.47
1:A:140:LEU:HD22	1:A:167:ILE:O	2.15	0.47
1:A:674:TRP:O	1:A:677:SER:HB3	2.15	0.46
1:A:533:MET:HE1	1:A:541:LEU:HD22	1.98	0.46
1:A:522:ILE:HD13	1:A:627:ILE:HD13	1.99	0.45
1:A:299:VAL:HG13	1:A:649:VAL:HG21	1.97	0.45
1:A:344:ASN:HB2	1:A:347:PHE:CD1	2.49	0.45
1:A:522:ILE:HA	1:A:627:ILE:HD13	1.99	0.45
1:A:640:CYS:HB3	1:A:703:PHE:HD2	1.79	0.45
1:A:704:LEU:O	1:A:704:LEU:HD23	2.17	0.45
1:A:269:LYS:HD3	1:A:269:LYS:O	2.16	0.45
1:A:59:GLY:HA3	1:A:63:ARG:O	2.17	0.44
1:A:503:PHE:CG	1:A:504:PRO:HD3	2.52	0.44
1:A:669:GLY:HA3	1:A:673:PHE:CD2	2.53	0.44
1:A:341:LYS:HE3	1:A:386:TYR:CE2	2.52	0.44
1:A:502:PHE:O	1:A:505:TYR:HB3	2.18	0.44
1:A:399:VAL:CG1	1:A:400:ILE:N	2.81	0.44
1:A:339:ILE:HA	1:A:381:LYS:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:355:VAL:HG11	1:A:380:LEU:HD22	1.99	0.44
1:A:453:PRO:HB2	1:A:456:ILE:HD13	2.00	0.43
1:A:169:THR:O	1:A:170:SER:HB2	2.19	0.43
1:A:390:ARG:HD3	1:A:416:TYR:O	2.19	0.43
1:A:664:PHE:CG	1:A:665:PRO:HD2	2.54	0.43
1:A:503:PHE:CD1	1:A:503:PHE:C	2.92	0.43
1:A:171:LYS:HA	1:A:172:PRO:HD3	1.79	0.42
1:A:327:ILE:HD12	1:A:450:PHE:CD1	2.54	0.42
1:A:473:ILE:O	1:A:477:LEU:HB2	2.19	0.42
1:A:503:PHE:CD2	1:A:504:PRO:HD3	2.55	0.42
1:A:292:SER:HB3	1:A:656:ILE:HD13	2.01	0.42
1:A:241:ARG:C	1:A:243:PRO:HD3	2.40	0.42
1:A:316:ALA:HB3	1:A:395:VAL:HG22	2.02	0.42
1:A:512:LEU:HD23	1:A:619:LEU:HD23	2.02	0.42
1:A:103:LYS:HA	1:A:104:PRO:HD3	1.85	0.42
1:A:328:ALA:HB2	1:A:340:LEU:HD11	2.02	0.42
1:A:642:VAL:HG13	1:A:647:ILE:HB	2.02	0.42
1:A:688:ASP:OD1	1:A:692:LYS:HE3	2.19	0.42
1:A:486:THR:HA	1:A:487:PRO:HD3	1.84	0.41
1:A:282:THR:HB	1:A:667:TYR:HB2	2.01	0.41
1:A:93:ILE:O	1:A:97:LEU:HB3	2.19	0.41
1:A:218:THR:O	1:A:218:THR:HG22	2.21	0.41
1:A:619:LEU:HD11	1:A:694:TYR:CE2	2.56	0.41
1:A:558:PHE:O	1:A:562:THR:HG23	2.21	0.41
1:A:457:MET:HA	1:A:458:PRO:HD3	1.76	0.41
1:A:539:CYS:SG	1:A:568:ILE:HD11	2.61	0.41
1:A:312:ILE:HD12	1:A:479:VAL:CG2	2.50	0.41
1:A:362:ARG:HD3	1:A:373:PHE:CZ	2.55	0.41
1:A:239:LEU:HD21	1:A:249:LEU:HD11	2.03	0.41
1:A:154:LEU:O	1:A:158:VAL:HG22	2.21	0.41
1:A:308:VAL:HG13	1:A:309:PRO:HD2	2.02	0.40
1:A:633:PHE:N	1:A:634:PRO:CD	2.84	0.40
1:A:241:ARG:O	1:A:243:PRO:HD3	2.21	0.40
1:A:118:LEU:HD22	1:A:136:GLY:N	2.37	0.40
1:A:409:ILE:O	1:A:413:LEU:HG	2.21	0.40
1:A:221:LEU:HA	1:A:222:PRO:HD3	1.88	0.40
1:A:122:MET:HE1	1:A:154:LEU:HD13	2.03	0.40
1:A:22:THR:HA	1:A:58:THR:O	2.22	0.40
1:A:531:MET:HE3	1:A:632:PHE:CE1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	668/725 (92%)	625 (94%)	37 (6%)	6 (1%)	21	37

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	621	ASN
1	A	84	PRO
1	A	131	PRO
1	A	319	GLY
1	A	400	ILE
1	A	617	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	513/593 (86%)	504 (98%)	9 (2%)	66	88

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	ASP
1	A	112	LEU
1	A	215	VAL
1	A	339	ILE
1	A	423	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	464	ARG
1	A	503	PHE
1	A	671	ILE
1	A	686	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	GLN
1	A	244	ASN
1	A	276	GLN
1	A	288	HIS
1	A	293	GLN
1	A	426	ASN
1	A	433	ASN
1	A	455	HIS
1	A	499	ASN
1	A	572	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	676/725 (93%)	0.39	68 (10%)	9	9	38, 75, 120, 153	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	121	ALA	4.9
1	A	85	LYS	4.8
1	A	541	LEU	4.4
1	A	84	PRO	4.3
1	A	505	TYR	4.3
1	A	118	LEU	4.2
1	A	86	ALA	4.0
1	A	424	ALA	4.0
1	A	241	ARG	3.9
1	A	151	THR	3.9
1	A	635	VAL	3.7
1	A	120	LEU	3.6
1	A	403	ILE	3.5
1	A	347	PHE	3.5
1	A	694	TYR	3.4
1	A	425	SER	3.4
1	A	542	VAL	3.3
1	A	251	CYS	3.2
1	A	573	GLU	3.2
1	A	396	ILE	3.2
1	A	508	ALA	3.2
1	A	124	CYS	3.2
1	A	373	PHE	3.1
1	A	504	PRO	3.1
1	A	570	LEU	3.1
1	A	107	ALA	3.1
1	A	506	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	509	ALA	3.0
1	A	146	PRO	2.9
1	A	510	MET	2.9
1	A	362	ARG	2.8
1	A	119	GLU	2.7
1	A	631	THR	2.7
1	A	57	ILE	2.7
1	A	344	ASN	2.7
1	A	385	ASP	2.7
1	A	317	ILE	2.6
1	A	574	ASP	2.6
1	A	671	ILE	2.6
1	A	693	ALA	2.5
1	A	123	ALA	2.5
1	A	632	PHE	2.5
1	A	507	GLN	2.5
1	A	557	ASN	2.5
1	A	324	GLY	2.4
1	A	395	VAL	2.4
1	A	318	ILE	2.4
1	A	501	MET	2.4
1	A	290	PHE	2.4
1	A	68	PHE	2.3
1	A	634	PRO	2.3
1	A	252	LEU	2.3
1	A	543	GLY	2.2
1	A	369	SER	2.2
1	A	113	ALA	2.2
1	A	363	VAL	2.2
1	A	447	GLY	2.2
1	A	117	GLY	2.2
1	A	148	PHE	2.2
1	A	291	PHE	2.2
1	A	675	ALA	2.1
1	A	122	MET	2.1
1	A	327	ILE	2.1
1	A	624	GLU	2.1
1	A	405	LEU	2.1
1	A	398	ALA	2.1
1	A	617	PRO	2.1
1	A	719	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.