



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:21 PM GMT

PDB ID : 3WVR  
Title : Structure of ATP grasp protein with AMP  
Authors : Matsui, T.; Noike, M.; Ooya, K.; Sasaki, I.; Hamano, Y.; Maruyama, C.;  
Ishikawa, J.; Satoh, Y.; Ito, H.; Dairi, T.; Morita, H.  
Deposited on : 2014-06-04  
Resolution : 2.17 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.17 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	5130 (2.20-2.16)
Clashscore	102246	5965 (2.20-2.16)
Ramachandran outliers	100387	5863 (2.20-2.16)
Sidechain outliers	100360	5864 (2.20-2.16)
RSRZ outliers	91569	5142 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	<div> <div>3%</div> <div>85%</div> <div>10%</div> <div>• •</div> </div>
1	B	447	<div> <div>4%</div> <div>83%</div> <div>12%</div> <div>•</div> </div>
1	C	447	<div> <div>83%</div> <div>14%</div> <div>•</div> </div>
1	D	447	<div> <div>%</div> <div>83%</div> <div>9%</div> <div>• 7%</div> </div>

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 13581 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PGM1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	427	Total	C	N	O	S	Se	0	0	0
			3244	2040	594	602	4	4			
1	B	430	Total	C	N	O	S	Se	0	0	0
			3274	2058	603	605	4	4			
1	C	433	Total	C	N	O	S	Se	0	0	0
			3304	2079	609	608	4	4			
1	D	415	Total	C	N	O	S	Se	0	0	0
			3152	1982	580	582	4	4			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>5</sub>O<sub>7</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
3	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
3	D	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	106	Total 106	O 106	0	0
5	B	107	Total 107	O 107	0	0
5	C	120	Total 120	O 120	0	0
5	D	114	Total 114	O 114	0	0



- Molecule 1: PGM1



● Molecule 1: PGM1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	77.60Å 86.72Å 94.14Å 73.87° 86.06° 68.23°	Depositor
Resolution (Å)	45.18 – 2.17 45.18 – 2.17	Depositor EDS
% Data completeness (in resolution range)	97.0 (45.18-2.17) 88.3 (45.18-2.17)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.95 (at 2.18Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, $R_{free}$	0.202 , 0.246 0.202 , 0.246	Depositor DCC
$R_{free}$ test set	5579 reflections (5.00%)	DCC
Wilson B-factor (Å <sup>2</sup> )	29.0	Xtriage
Anisotropy	0.459	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 40.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 111618 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13581	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.50	1/3315 (0.0%)	0.58	2/4508 (0.0%)
1	B	0.47	0/3347	0.56	1/4551 (0.0%)
1	C	0.48	0/3378	0.57	1/4592 (0.0%)
1	D	0.45	0/3217	0.57	1/4370 (0.0%)
All	All	0.48	1/13257 (0.0%)	0.57	5/18021 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	283	PRO	N-CD	5.24	1.55	1.47

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	284	ALA	C-N-CD	5.86	140.70	128.40
1	B	282	MSE	C-N-CD	5.49	139.92	128.40
1	A	271	MSE	N-CA-CB	-5.44	100.81	110.60
1	D	2	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	A	282	MSE	C-N-CD	5.08	139.07	128.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3244	0	3184	35	0
1	B	3274	0	3218	38	0
1	C	3304	0	3251	52	0
1	D	3152	0	3109	29	0
2	A	15	0	0	1	0
2	B	15	0	0	0	0
2	C	30	0	0	1	0
2	D	25	0	0	1	0
3	B	23	0	12	0	0
3	C	23	0	12	2	0
3	D	23	0	12	2	0
4	D	6	0	8	0	0
5	A	106	0	0	2	0
5	B	107	0	0	0	0
5	C	120	0	0	1	0
5	D	114	0	0	3	0
All	All	13581	0	12806	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:MSE:HE3	1:A:277:PRO:CB	1.74	1.17
1:A:271:MSE:HE3	1:A:277:PRO:HB2	1.14	1.14
1:A:271:MSE:CE	1:A:277:PRO:HB2	1.84	1.08
1:C:1:MSE:HE2	1:C:95:PHE:CD1	1.88	1.07
1:C:1:MSE:CE	1:C:95:PHE:CD1	2.43	1.01
1:C:2:ARG:HG2	1:C:102:GLU:HG2	1.50	0.93
1:C:272:ARG:HD2	1:C:281:VAL:HG23	1.56	0.87
1:D:271:MSE:HE2	1:D:277:PRO:HB2	1.57	0.86
1:C:282:MSE:HE1	1:C:342:ILE:HG21	1.66	0.78
1:C:1:MSE:HE1	1:C:95:PHE:CD1	2.19	0.76
1:C:410:VAL:HG23	1:C:411:MSE:N	2.02	0.75
1:A:271:MSE:HE3	1:A:277:PRO:HB3	1.67	0.75
1:B:366:TRP:O	1:B:407:ARG:NH2	2.21	0.73
1:C:274:ARG:HH21	1:C:364:ARG:HH22	1.37	0.72
1:C:272:ARG:HD2	1:C:281:VAL:CG2	2.21	0.71
1:C:1:MSE:HE2	1:C:95:PHE:HD1	1.48	0.70
1:B:272:ARG:HH12	1:B:274:ARG:HH11	1.41	0.68
1:A:2:ARG:HG2	1:A:102:GLU:HB3	1.76	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:58:ARG:NH1	1:C:60:SER:OG	2.27	0.67
1:A:297:GLU:OE2	1:A:300:ARG:NH1	2.27	0.67
1:D:55:THR:O	1:D:349:ARG:NH2	2.27	0.66
1:D:271:MSE:HE2	1:D:277:PRO:CB	2.26	0.66
1:B:193:ASP:HA	1:B:210:ARG:HG3	1.79	0.65
1:C:410:VAL:HG23	1:C:411:MSE:H	1.62	0.63
1:C:318:ASP:HB2	1:C:331:GLU:HG3	1.80	0.63
1:C:11:GLU:OE2	1:C:71:ARG:NH2	2.26	0.63
1:C:2:ARG:HD2	5:C:678:HOH:O	1.99	0.62
1:B:272:ARG:NH1	1:B:274:ARG:HD3	2.16	0.61
1:B:272:ARG:CZ	1:B:274:ARG:HD3	2.31	0.60
1:D:300:ARG:NE	5:D:625:HOH:O	2.34	0.60
1:C:400:LEU:HD11	1:C:413:CYS:HB2	1.83	0.60
1:A:1:MSE:HE2	1:A:95:PHE:CD1	2.37	0.59
1:A:349:ARG:NH1	5:A:625:HOH:O	2.29	0.58
1:B:400:LEU:HD11	1:B:413:CYS:HB2	1.86	0.57
1:D:58:ARG:NH1	1:D:60:SER:OG	2.38	0.57
1:C:271:MSE:HE3	1:C:273:TYR:CE1	2.40	0.56
1:A:1:MSE:CE	1:A:95:PHE:CD1	2.89	0.55
1:A:2:ARG:CG	1:A:102:GLU:HB3	2.36	0.55
1:C:375:PHE:HB2	1:C:403:TYR:HB2	1.88	0.55
1:A:268:HIS:CE1	1:A:283:PRO:HB2	2.42	0.54
1:A:2:ARG:HB2	1:A:35:ASP:OD1	2.07	0.54
1:D:2:ARG:HH11	1:D:32:ARG:NH2	2.06	0.54
1:D:58:ARG:NH2	5:D:669:HOH:O	2.38	0.53
1:B:193:ASP:HA	1:B:210:ARG:CG	2.38	0.53
1:A:22:TRP:HH2	1:A:411:MSE:CE	2.22	0.53
1:C:184:LEU:HD22	1:C:242:VAL:HG22	1.89	0.52
1:A:364:ARG:HD2	1:A:426:GLU:OE2	2.09	0.52
1:C:282:MSE:CE	1:C:342:ILE:HG21	2.39	0.52
1:D:2:ARG:NH1	1:D:32:ARG:NH2	2.57	0.52
1:D:167:ARG:NH2	5:D:619:HOH:O	2.43	0.52
1:A:349:ARG:HD3	5:A:699:HOH:O	2.10	0.51
1:A:400:LEU:HD11	1:A:413:CYS:HB2	1.90	0.51
1:C:282:MSE:HE1	1:C:342:ILE:CG2	2.36	0.51
1:C:2:ARG:HG2	1:C:102:GLU:CG	2.34	0.51
1:C:195:ASN:O	1:C:210:ARG:HG2	2.11	0.51
1:A:367:PRO:HB2	1:A:370:TRP:CD1	2.46	0.51
1:C:230:ASP:OD1	1:C:235:GLY:HA2	2.11	0.51
1:D:1:MSE:HE2	1:D:95:PHE:CD1	2.45	0.51
1:B:184:LEU:HD22	1:B:242:VAL:HG22	1.93	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:225:LEU:O	1:B:229:TRP:HB2	2.11	0.51
1:D:191:GLY:HA2	3:D:506:AMP:O3P	2.11	0.50
1:C:58:ARG:HG3	2:C:501:SO4:O3	2.11	0.50
1:D:213:ARG:HG3	1:D:224:TYR:CE1	2.46	0.50
1:D:92:ARG:HH21	1:D:119:LEU:HA	1.76	0.50
1:B:367:PRO:HB2	1:B:370:TRP:CD1	2.46	0.49
1:B:318:ASP:HB2	1:B:331:GLU:HG2	1.94	0.49
1:B:364:ARG:HD2	1:B:426:GLU:OE1	2.12	0.49
1:C:225:LEU:O	1:C:229:TRP:HB2	2.12	0.49
1:D:107:TRP:HZ2	1:D:140:SER:HG	1.60	0.48
1:B:274:ARG:NH1	1:B:364:ARG:HH22	2.11	0.48
1:C:1:MSE:CE	1:C:95:PHE:CG	2.95	0.48
1:C:1:MSE:HE1	1:C:100:VAL:HG22	1.96	0.48
1:A:337:THR:HB	2:A:503:SO4:O1	2.12	0.48
1:C:367:PRO:HG2	1:C:370:TRP:CG	2.49	0.48
1:C:354:GLY:HA3	1:C:394:ARG:HH21	1.79	0.47
1:B:361:LEU:HD22	1:B:415:VAL:HG22	1.95	0.47
1:C:208:GLY:HA3	3:C:507:AMP:O4'	2.14	0.47
1:B:424:HIS:HA	1:B:427:GLU:OE1	2.14	0.47
1:C:1:MSE:HE1	1:C:95:PHE:CE1	2.49	0.47
1:B:114:ASP:OD2	1:C:170:ARG:NH2	2.47	0.47
1:A:22:TRP:HH2	1:A:411:MSE:HE3	1.79	0.47
1:B:427:GLU:O	1:B:430:SER:OG	2.31	0.47
1:D:1:MSE:HB3	1:D:34:GLY:O	2.15	0.46
1:C:213:ARG:HG3	1:C:224:TYR:CE1	2.50	0.46
1:C:185:LYS:HB2	1:C:241:VAL:HB	1.97	0.46
1:C:206:LEU:HD21	1:C:212:LEU:HB2	1.96	0.46
1:B:268:HIS:CE1	1:B:283:PRO:HB3	2.50	0.46
1:C:360:ILE:HG12	1:C:418:ASP:HA	1.97	0.46
1:A:225:LEU:O	1:A:229:TRP:HB2	2.15	0.46
1:B:174:ARG:O	1:B:178:GLU:HG3	2.16	0.46
1:A:184:LEU:HD22	1:A:242:VAL:HG22	1.98	0.45
1:A:395:ARG:NH1	1:A:417:GLU:HG3	2.32	0.45
1:D:364:ARG:HG3	1:D:365:VAL:H	1.81	0.45
1:A:22:TRP:CH2	1:A:411:MSE:HE3	2.52	0.45
1:A:361:LEU:CD2	1:A:415:VAL:HG22	2.47	0.45
1:B:420:GLU:H	1:B:420:GLU:CD	2.19	0.45
1:B:272:ARG:NH2	1:B:274:ARG:CD	2.81	0.44
1:C:142:LYS:HD3	1:C:185:LYS:HD3	1.99	0.44
1:D:306:LEU:HD23	1:D:309:LEU:HD21	1.98	0.44
1:C:363:GLU:HG2	1:C:364:ARG:N	2.33	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:363:GLU:HG3	1:B:400:LEU:CD1	2.47	0.44
1:B:316:SER:HB3	1:B:333:ASN:HB2	1.99	0.44
1:D:400:LEU:HD11	1:D:413:CYS:HB2	2.00	0.44
1:D:208:GLY:HA3	3:D:506:AMP:O4'	2.18	0.44
1:D:2:ARG:NH1	1:D:32:ARG:CZ	2.81	0.44
1:B:225:LEU:HA	1:B:225:LEU:HD23	1.84	0.44
1:B:364:ARG:HG2	1:B:365:VAL:O	2.17	0.43
1:B:52:THR:HB	1:B:57:THR:O	2.18	0.43
1:B:390:ASP:HA	1:B:391:PRO:HD3	1.82	0.43
1:D:364:ARG:HG3	1:D:365:VAL:N	2.33	0.43
1:C:331:GLU:OE2	3:C:507:AMP:H5'1	2.19	0.43
1:C:109:ASP:OD2	1:C:111:VAL:HG22	2.19	0.43
1:A:32:ARG:NH1	1:A:349:ARG:HH22	2.16	0.43
1:C:271:MSE:HE3	1:C:273:TYR:CZ	2.53	0.43
1:B:144:ALA:O	1:B:148:LEU:HG	2.18	0.43
1:D:274:ARG:HD3	1:D:274:ARG:HA	1.81	0.43
1:A:1:MSE:HE1	1:A:100:VAL:HG22	2.01	0.43
1:C:84:ASP:HA	1:C:85:PRO:HD2	1.87	0.43
1:C:408:LYS:HA	1:C:408:LYS:HD2	1.57	0.43
1:C:274:ARG:HH21	1:C:364:ARG:NH2	2.11	0.42
1:D:165:ARG:NH2	2:D:501:SO4:O4	2.50	0.42
1:A:4:LEU:HB3	1:A:27:LEU:HD11	2.00	0.42
1:A:10:SER:HB2	1:A:107:TRP:CZ3	2.54	0.42
1:A:390:ASP:HA	1:A:391:PRO:HD3	1.89	0.42
1:C:411:MSE:HB2	1:C:411:MSE:HE3	1.73	0.42
1:C:250:ARG:HH22	1:C:286:ASP:CB	2.33	0.42
1:B:43:PRO:HD2	1:B:64:VAL:HG11	2.02	0.42
1:B:272:ARG:NH2	1:B:274:ARG:HD2	2.35	0.42
1:B:129:ASP:O	1:B:132:THR:OG1	2.31	0.42
1:C:2:ARG:HE	1:C:102:GLU:CD	2.23	0.42
1:A:169:HIS:CD2	1:A:222:ASP:OD1	2.73	0.42
1:A:178:GLU:OE1	1:A:244:ARG:NH2	2.52	0.42
1:B:276:LEU:HD12	1:B:278:ASP:HB3	2.01	0.41
1:B:6:GLY:HA3	1:B:39:LEU:HD23	2.01	0.41
1:A:395:ARG:HH12	1:A:417:GLU:CD	2.24	0.41
1:D:1:MSE:HE1	1:D:100:VAL:HG22	2.02	0.41
1:B:364:ARG:NH1	1:B:426:GLU:OE2	2.54	0.41
1:A:366:TRP:HB2	1:A:410:VAL:O	2.20	0.41
1:C:164:ASP:OD2	1:C:166:ARG:HB3	2.20	0.41
1:C:367:PRO:HG2	1:C:370:TRP:CD1	2.55	0.41
1:A:228:ARG:HA	1:A:228:ARG:HD2	1.95	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:TYR:CE1	1:B:228:ARG:HG3	2.56	0.41
1:D:390:ASP:HA	1:D:391:PRO:HD2	1.94	0.41
1:D:318:ASP:HB2	1:D:331:GLU:HG2	2.02	0.41
1:C:274:ARG:NH2	1:C:364:ARG:HH22	2.11	0.41
1:B:207:ARG:HH21	1:B:273:TYR:HB2	1.86	0.41
1:B:276:LEU:CD1	1:B:278:ASP:HB3	2.51	0.40
1:C:303:CYS:SG	1:C:315:LEU:HD12	2.61	0.40
1:B:272:ARG:O	1:B:277:PRO:HA	2.21	0.40
1:D:1:MSE:HB2	1:D:35:ASP:HA	2.02	0.40
1:D:427:GLU:O	1:D:430:SER:HB2	2.22	0.40
1:D:149:ALA:HB3	1:D:156:LEU:HD23	2.04	0.40
1:A:52:THR:HB	1:A:57:THR:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	423/447 (95%)	412 (97%)	10 (2%)	1 (0%)	52	57
1	B	428/447 (96%)	412 (96%)	15 (4%)	1 (0%)	52	57
1	C	431/447 (96%)	418 (97%)	12 (3%)	1 (0%)	52	57
1	D	409/447 (92%)	401 (98%)	8 (2%)	0	100	100
All	All	1691/1788 (95%)	1643 (97%)	45 (3%)	3 (0%)	52	57

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	410	VAL
1	B	410	VAL
1	A	410	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	324/337 (96%)	321 (99%)	3 (1%)	84	91
1	B	327/337 (97%)	322 (98%)	5 (2%)	72	82
1	C	330/337 (98%)	327 (99%)	3 (1%)	84	91
1	D	315/337 (94%)	307 (98%)	8 (2%)	55	65
All	All	1296/1348 (96%)	1277 (98%)	19 (2%)	72	82

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ARG
1	A	148	LEU
1	A	363	GLU
1	B	180	SER
1	B	190	SER
1	B	349	ARG
1	B	363	GLU
1	B	410	VAL
1	C	48	LEU
1	C	102	GLU
1	C	107	TRP
1	D	1	MSE
1	D	107	TRP
1	D	156	LEU
1	D	180	SER
1	D	212	LEU
1	D	230	ASP
1	D	276	LEU
1	D	364	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	501	-	4,4,4	0.32	0	6,6,6	0.46	0
2	SO4	A	502	-	4,4,4	0.21	0	6,6,6	0.15	0
2	SO4	A	503	-	4,4,4	0.70	0	6,6,6	0.36	0
2	SO4	B	501	-	4,4,4	0.22	0	6,6,6	0.28	0
2	SO4	B	502	-	4,4,4	0.15	0	6,6,6	0.11	0
2	SO4	B	503	-	4,4,4	0.25	0	6,6,6	0.25	0
3	AMP	B	504	-	20,25,25	0.95	1 (5%)	22,38,38	1.79	3 (13%)
2	SO4	C	501	-	4,4,4	0.20	0	6,6,6	0.18	0
2	SO4	C	502	-	4,4,4	0.07	0	6,6,6	0.12	0
2	SO4	C	503	-	4,4,4	0.23	0	6,6,6	0.32	0
2	SO4	C	504	-	4,4,4	0.21	0	6,6,6	0.31	0
2	SO4	C	505	-	4,4,4	0.11	0	6,6,6	0.17	0
2	SO4	C	506	-	4,4,4	0.17	0	6,6,6	0.20	0
3	AMP	C	507	-	20,25,25	0.94	1 (5%)	22,38,38	1.89	3 (13%)
2	SO4	D	501	-	4,4,4	0.22	0	6,6,6	0.14	0
2	SO4	D	502	-	4,4,4	0.19	0	6,6,6	0.13	0
2	SO4	D	503	-	4,4,4	0.29	0	6,6,6	0.16	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	D	504	-	4,4,4	0.26	0	6,6,6	0.33	0
2	SO4	D	505	-	4,4,4	0.19	0	6,6,6	0.18	0
3	AMP	D	506	-	20,25,25	1.19	1 (5%)	22,38,38	2.11	5 (22%)
4	GOL	D	507	-	5,5,5	0.41	0	5,5,5	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	501	-	-	0/0/0/0	0/0/0/0
2	SO4	A	502	-	-	0/0/0/0	0/0/0/0
2	SO4	A	503	-	-	0/0/0/0	0/0/0/0
2	SO4	B	501	-	-	0/0/0/0	0/0/0/0
2	SO4	B	502	-	-	0/0/0/0	0/0/0/0
2	SO4	B	503	-	-	0/0/0/0	0/0/0/0
3	AMP	B	504	-	-	0/6/26/26	0/3/3/3
2	SO4	C	501	-	-	0/0/0/0	0/0/0/0
2	SO4	C	502	-	-	0/0/0/0	0/0/0/0
2	SO4	C	503	-	-	0/0/0/0	0/0/0/0
2	SO4	C	504	-	-	0/0/0/0	0/0/0/0
2	SO4	C	505	-	-	0/0/0/0	0/0/0/0
2	SO4	C	506	-	-	0/0/0/0	0/0/0/0
3	AMP	C	507	-	-	0/6/26/26	0/3/3/3
2	SO4	D	501	-	-	0/0/0/0	0/0/0/0
2	SO4	D	502	-	-	0/0/0/0	0/0/0/0
2	SO4	D	503	-	-	0/0/0/0	0/0/0/0
2	SO4	D	504	-	-	0/0/0/0	0/0/0/0
2	SO4	D	505	-	-	0/0/0/0	0/0/0/0
3	AMP	D	506	-	-	0/6/26/26	0/3/3/3
4	GOL	D	507	-	-	0/4/4/4	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	506	AMP	C5-N7	-2.27	1.31	1.39
3	B	504	AMP	C5-C4	3.08	1.47	1.40
3	C	507	AMP	C5-C4	3.18	1.47	1.40

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
3	C	507	AMP	N3-C2-N1	-7.07	123.48	128.89
3	B	504	AMP	N3-C2-N1	-6.66	123.79	128.89
3	D	506	AMP	N3-C2-N1	-5.97	124.33	128.89
3	D	506	AMP	C2'-C1'-N9	-4.78	106.99	114.29
3	C	507	AMP	C4-C5-N7	-3.46	106.30	109.48
3	B	504	AMP	C4-C5-N7	-2.93	106.78	109.48
3	D	506	AMP	C4-C5-N7	-2.46	107.22	109.48
3	C	507	AMP	O3P-P-O2P	2.00	115.01	107.38
3	B	504	AMP	O3P-P-O2P	2.08	115.30	107.38
3	D	506	AMP	O3P-P-O2P	2.34	116.29	107.38
3	D	506	AMP	O4'-C1'-N9	2.89	114.14	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	503	SO4	1	0
2	C	501	SO4	1	0
3	C	507	AMP	2	0
2	D	501	SO4	1	0
3	D	506	AMP	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	423/447 (94%)	0.27	15 (3%) 48 50	20, 34, 63, 84	0
1	B	426/447 (95%)	0.27	16 (3%) 44 46	24, 39, 68, 93	0
1	C	429/447 (95%)	0.13	2 (0%) 91 92	22, 35, 53, 79	0
1	D	411/447 (91%)	0.23	5 (1%) 81 81	24, 37, 54, 77	0
All	All	1689/1788 (94%)	0.22	38 (2%) 65 66	20, 36, 61, 93	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	377	GLY	4.7
1	B	429	VAL	4.3
1	D	366	TRP	4.2
1	A	424	HIS	4.2
1	B	384	ASP	4.1
1	A	377	GLY	3.8
1	D	22	TRP	3.7
1	A	380	THR	3.5
1	A	382	LEU	3.4
1	B	424	HIS	3.3
1	D	210	ARG	3.1
1	D	365	VAL	3.0
1	B	427	GLU	2.7
1	C	368	GLU	2.7
1	A	387	HIS	2.7
1	B	392	GLU	2.7
1	A	378	ALA	2.7
1	B	387	HIS	2.6
1	B	385	SER	2.5
1	B	373	PRO	2.5
1	B	406	HIS	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	406	HIS	2.5
1	A	384	ASP	2.4
1	B	380	THR	2.4
1	A	385	SER	2.3
1	A	403	TYR	2.3
1	A	349	ARG	2.3
1	D	156	LEU	2.2
1	A	373	PRO	2.2
1	A	388	LEU	2.2
1	B	382	LEU	2.2
1	A	420	GLU	2.1
1	B	46	GLU	2.1
1	A	381	ARG	2.1
1	B	417	GLU	2.1
1	A	141	SER	2.1
1	B	416	ALA	2.0
1	B	409	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	A	501	5/5	0.97	0.13	1.94	42,45,54,54	0
4	GOL	D	507	6/6	0.95	0.14	0.56	30,39,41,48	0
3	AMP	B	504	23/23	0.90	0.14	0.37	29,52,81,83	0
3	AMP	D	506	23/23	0.93	0.16	0.30	32,53,72,73	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	C	504	5/5	0.99	0.11	0.18	37,42,50,50	0
3	AMP	C	507	23/23	0.91	0.14	0.10	30,55,69,70	0
2	SO4	D	504	5/5	0.98	0.11	-0.07	47,48,55,58	0
2	SO4	B	503	5/5	0.97	0.10	-0.51	55,57,62,64	0
2	SO4	D	502	5/5	0.99	0.08	-	48,49,50,58	0
2	SO4	C	503	5/5	0.98	0.08	-	42,43,48,55	0
2	SO4	C	502	5/5	0.96	0.07	-	51,57,61,63	0
2	SO4	D	503	5/5	0.98	0.10	-	55,57,64,64	0
2	SO4	C	506	5/5	0.96	0.09	-	61,62,66,66	0
2	SO4	A	503	5/5	0.94	0.14	-	68,69,73,76	0
2	SO4	C	501	5/5	0.92	0.12	-	66,66,71,71	0
2	SO4	D	505	5/5	0.95	0.11	-	65,66,69,71	0
2	SO4	A	502	5/5	0.99	0.08	-	55,55,60,63	0
2	SO4	C	505	5/5	0.96	0.11	-	57,61,64,71	0
2	SO4	D	501	5/5	0.95	0.12	-	65,66,72,74	0
2	SO4	B	502	5/5	0.96	0.13	-	70,72,74,76	0
2	SO4	B	501	5/5	0.95	0.12	-	59,59,64,68	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.