



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 08:33 PM GMT

PDB ID : 4WXX  
Title : The crystal structure of human DNMT1(351-1600)  
Authors : Zhang, Z.M.; Song, J.  
Deposited on : 2014-11-14  
Resolution : 2.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026982  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20026982


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2700 (2.64-2.60)
Clashscore	102246	3065 (2.64-2.60)
Ramachandran outliers	100387	3015 (2.64-2.60)
Sidechain outliers	100360	3015 (2.64-2.60)
RSRZ outliers	91569	2706 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1256	<div> <div></div> <div>80% 12% • 7%</div> </div>
1	B	1256	<div> <div></div> <div>82% 11% • 6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ZN	A	1702	-	-	-	X
2	ZN	B	1702	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 19035 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA (cytosine-5)-methyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1170	Total	C	N	O	S	0	0	0
			9159	5800	1597	1697	65			
1	B	1178	Total	C	N	O	S	0	0	0
			9177	5814	1595	1704	64			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	350	SER	-	expression tag	UNP P26358
A	1601	LEU	-	expression tag	UNP P26358
A	1602	THR	-	expression tag	UNP P26358
A	1603	ARG	-	expression tag	UNP P26358
A	1604	VAL	-	expression tag	UNP P26358
A	1605	TRP	-	expression tag	UNP P26358
B	350	SER	-	expression tag	UNP P26358
B	1601	LEU	-	expression tag	UNP P26358
B	1602	THR	-	expression tag	UNP P26358
B	1603	ARG	-	expression tag	UNP P26358
B	1604	VAL	-	expression tag	UNP P26358
B	1605	TRP	-	expression tag	UNP P26358

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	5	Total	Zn	0	0
			5	5		
2	A	5	Total	Zn	0	0
			5	5		

- Molecule 3 is S-ADENOSYL-L-HOMOCYSTEINE (three-letter code: SAH) (formula: C<sub>14</sub>H<sub>20</sub>N<sub>6</sub>O<sub>5</sub>S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 26	C 14	N 6	O 5	S 1	0	0
3	B	1	Total 26	C 14	N 6	O 5	S 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	311	Total O 311 311	0	0
4	B	326	Total O 326 326	0	0





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	138.57Å 138.57Å 221.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.22 – 2.62 48.21 – 2.62	Depositor EDS
% Data completeness (in resolution range)	98.5 (48.22-2.62) 93.4 (48.21-2.62)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.48 (at 2.61Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, $R_{free}$	0.205 , 0.245 0.206 , 0.244	Depositor DCC
$R_{free}$ test set	5820 reflections (5.00%)	DCC
Wilson B-factor (Å <sup>2</sup> )	42.6	Xtriage
Anisotropy	0.198	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 30.9	EDS
Estimated twinning fraction	0.477 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 122755 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	19035	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.70% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.23	0/9377	0.42	1/12692 (0.0%)
1	B	0.23	0/9399	0.42	0/12732
All	All	0.23	0/18776	0.42	1/25424 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	449	LEU	CA-CB-CG	8.20	134.16	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9159	0	8847	96	0
1	B	9177	0	8824	76	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	26	0	19	2	0
3	B	26	0	19	1	0
4	A	311	0	0	6	0
4	B	326	0	0	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	19035	0	17709	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:740:THR:C	1:A:741:ASP:OD1	1.91	1.09
1:A:739:LYS:HE2	1:A:741:ASP:OD2	1.84	0.77
1:A:741:ASP:N	1:A:741:ASP:OD1	2.21	0.73
1:A:744:LYS:O	1:A:746:TYR:CE2	2.42	0.73
1:A:1147:GLY:HA3	3:A:1706:SAH:HN1	1.56	0.71
1:A:734:VAL:HB	1:A:750:VAL:HB	1.75	0.69
1:A:985:LEU:HD11	1:A:1337:ARG:HB3	1.76	0.68
1:A:1272:VAL:HG22	1:A:1280:LEU:HD22	1.77	0.67
1:A:1263:PHE:HB3	1:A:1317:ALA:HB3	1.77	0.66
1:B:1263:PHE:HB3	1:B:1317:ALA:HB3	1.78	0.65
1:B:780:THR:HG21	1:B:893:CYS:HB2	1.77	0.65
1:A:716:LYS:N	1:A:716:LYS:HD2	2.13	0.64
1:B:1040:ASN:ND2	1:B:1082:ARG:O	2.30	0.64
1:B:503:GLN:HB3	1:B:540:LEU:HD21	1.81	0.63
1:A:713:PRO:HG2	1:A:716:LYS:NZ	2.13	0.62
1:B:694:MET:HA	1:B:697:LYS:HD3	1.80	0.62
1:B:1176:ALA:O	1:B:1180:ASN:ND2	2.32	0.62
1:A:724:LYS:NZ	1:A:768:ASP:OD1	2.24	0.62
1:B:734:VAL:HB	1:B:750:VAL:HB	1.82	0.61
1:B:694:MET:HG3	1:B:697:LYS:NZ	2.16	0.61
1:B:414:CYS:SG	1:B:415:LYS:N	2.74	0.60
1:A:1040:ASN:ND2	1:A:1082:ARG:O	2.35	0.60
1:B:372:PRO:O	1:B:373:ASP:HB2	2.01	0.60
1:B:1392:PRO:HB3	1:B:1401:ARG:HD2	1.85	0.58
1:A:664:CYS:SG	1:A:665:GLY:N	2.77	0.57
1:A:561:VAL:HG13	1:A:575:ILE:HG23	1.86	0.57
1:A:741:ASP:O	1:A:744:LYS:HA	2.04	0.57
1:B:673:MET:O	1:B:678:GLY:N	2.29	0.56
1:A:713:PRO:HG2	1:A:716:LYS:HZ1	1.70	0.56
1:A:370:HIS:HB2	1:A:372:PRO:HB3	1.86	0.56
1:A:985:LEU:HD13	1:A:1336:PRO:HG2	1.87	0.56
1:A:780:THR:OG1	1:A:892:PHE:O	2.23	0.56
1:A:770:SER:OG	1:A:771:SER:N	2.39	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1579:ALA:HA	3:A:1706:SAH:HA	1.88	0.56
1:B:721:GLY:O	1:B:723:LYS:NZ	2.38	0.56
1:B:404:GLN:HG2	1:B:485:GLU:HB2	1.88	0.56
1:B:465:TRP:HE1	1:B:467:THR:HG22	1.70	0.55
1:A:650:ARG:HD3	1:A:697:LYS:HB3	1.87	0.55
1:B:657:GLU:O	1:B:661:GLN:HG2	2.06	0.55
1:B:627:ILE:HD13	1:B:1286:CYS:HA	1.89	0.54
1:A:411:SER:OG	1:A:492:SER:OG	2.24	0.54
1:B:1244:LYS:NZ	4:B:2106:HOH:O	2.38	0.53
1:A:716:LYS:H	1:A:716:LYS:HD2	1.72	0.53
1:B:465:TRP:NE1	1:B:467:THR:HG22	2.23	0.53
1:A:1574:ARG:NH2	4:A:1863:HOH:O	2.41	0.53
1:B:1566:PHE:O	1:B:1575:GLN:NE2	2.38	0.53
1:A:744:LYS:O	1:A:746:TYR:CD2	2.60	0.53
1:A:379:GLN:HE22	1:A:483:PHE:HB3	1.72	0.53
1:A:1010:ASN:OD1	1:A:1012:THR:OG1	2.23	0.53
1:B:998:GLU:HB2	1:B:1017:ARG:HB3	1.91	0.53
1:A:780:THR:HG21	1:A:893:CYS:HB2	1.92	0.52
1:B:1310:ARG:HE	1:B:1526:THR:HG22	1.74	0.52
1:B:540:LEU:HB3	1:B:542:LEU:HD12	1.90	0.52
1:A:722:LYS:HE3	1:A:768:ASP:HB3	1.92	0.51
1:B:711:GLU:HA	1:B:712:MET:O	2.10	0.51
1:B:943:PRO:HA	1:B:992:ARG:HG2	1.91	0.51
1:B:1324:LEU:HD12	1:B:1325:PRO:HD2	1.92	0.51
1:A:910:VAL:HG23	1:A:1014:ILE:HG12	1.93	0.51
1:B:916:ASP:OD1	1:B:1003:LYS:NZ	2.38	0.51
1:A:1238:ARG:NH1	4:A:2061:HOH:O	2.44	0.50
1:A:780:THR:HG22	1:A:793:HIS:HB3	1.93	0.50
1:B:1526:THR:OG1	1:B:1577:GLY:O	2.29	0.50
1:B:1187:PHE:CG	1:B:1194:LEU:HD21	2.47	0.50
1:A:1566:PHE:O	1:A:1575:GLN:NE2	2.42	0.50
1:A:1312:ARG:NH1	4:A:1986:HOH:O	2.44	0.50
1:B:665:GLY:HA2	1:B:670:CYS:HB3	1.94	0.49
1:A:913:GLN:HA	1:A:923:TYR:HD1	1.77	0.49
1:A:1324:LEU:HD12	1:A:1325:PRO:HD2	1.94	0.49
1:A:1271:PHE:HA	1:A:1274:PHE:CD2	2.47	0.49
1:B:1025:GLU:HG2	1:B:1034:SER:HB3	1.94	0.49
1:A:530:LYS:NZ	4:A:2056:HOH:O	2.45	0.49
1:A:636:ILE:HG13	1:A:637:GLU:N	2.28	0.49
1:A:515:PHE:CD1	1:A:530:LYS:HG3	2.47	0.49
1:B:1516:ARG:HA	1:B:1540:LEU:HB2	1.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1187:PHE:CG	1:A:1194:LEU:HD21	2.48	0.49
1:B:873:TYR:HA	1:B:1351:VAL:O	2.12	0.48
1:B:589:GLY:HA3	1:B:1502:HIS:CE1	2.49	0.48
1:A:540:LEU:HB3	1:A:542:LEU:HD12	1.94	0.48
1:B:541:ASN:OD1	1:B:541:ASN:N	2.36	0.48
1:A:1443:GLU:HG2	1:A:1453:ARG:HA	1.96	0.48
1:B:975:LYS:O	1:B:976:TYR:HB2	2.14	0.48
1:A:503:GLN:HB3	1:A:540:LEU:HD21	1.96	0.48
1:A:1025:GLU:HG3	1:A:1034:SER:HB3	1.95	0.48
1:A:778:ARG:NH1	4:A:1976:HOH:O	2.33	0.48
1:A:943:PRO:HA	1:A:992:ARG:HG2	1.97	0.47
1:A:873:TYR:HA	1:A:1351:VAL:O	2.15	0.47
1:A:589:GLY:HA3	1:A:1502:HIS:CE1	2.49	0.47
1:A:404:GLN:HG2	1:A:485:GLU:HB2	1.96	0.47
1:A:1224:PRO:O	1:A:1267:ASN:ND2	2.47	0.47
1:A:1154:GLY:HA3	1:A:1585:ALA:HB3	1.96	0.47
1:A:380:MET:HA	1:A:384:GLU:HB2	1.96	0.47
1:A:1516:ARG:HA	1:A:1540:LEU:HB2	1.96	0.47
1:B:370:HIS:HA	1:B:371:PRO:HD3	1.77	0.47
1:B:627:ILE:HD11	1:B:1289:ARG:HG2	1.97	0.46
1:A:777:ALA:HB2	1:A:796:TRP:CE3	2.50	0.46
1:B:694:MET:HG3	1:B:697:LYS:HZ1	1.80	0.46
1:A:1475:VAL:HG13	1:A:1498:TRP:NE1	2.31	0.46
1:B:713:PRO:HB2	1:B:716:LYS:HZ1	1.81	0.46
1:B:515:PHE:CD1	1:B:530:LYS:HG3	2.51	0.46
1:A:1476:CYS:SG	1:A:1477:SER:N	2.89	0.46
1:B:1025:GLU:OE1	4:B:1906:HOH:O	2.21	0.46
1:B:429:LYS:O	1:B:431:ILE:N	2.43	0.46
1:B:1154:GLY:HA3	1:B:1585:ALA:HB3	1.99	0.45
1:A:409:CYS:N	1:A:490:ASP:O	2.50	0.45
1:B:1476:CYS:SG	1:B:1477:SER:N	2.90	0.45
1:A:856:GLU:HA	1:A:857:GLY:HA2	1.68	0.45
1:B:360:LEU:HA	1:B:361:ASP:HA	1.57	0.45
1:B:1027:THR:HG23	1:B:1089:TYR:CE1	2.52	0.45
1:A:594:GLN:O	1:A:595:ARG:HG2	2.17	0.45
1:A:1528:THR:HG22	1:A:1577:GLY:HA3	1.97	0.45
1:B:1598:ALA:O	1:B:1602:THR:HB	2.17	0.45
1:B:1568:ASN:ND2	1:B:1571:ASP:OD2	2.51	0.44
1:A:1518:GLU:OE2	1:A:1538:ARG:NH2	2.48	0.44
1:A:752:ILE:HG22	1:A:754:ALA:H	1.82	0.44
1:A:514:GLU:HA	1:A:517:GLN:HE21	1.82	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1272:VAL:HG11	1:A:1343:VAL:HG22	1.99	0.44
1:A:903:ARG:HA	1:A:903:ARG:HD3	1.77	0.44
1:A:1303:GLN:HB3	1:A:1330:PRO:HB3	1.98	0.44
1:A:652:ARG:HB2	1:A:659:CYS:SG	2.58	0.44
1:B:1016:ILE:HG22	1:B:1018:VAL:HG23	2.00	0.44
1:B:1030:SER:OG	1:B:1031:THR:N	2.50	0.44
1:B:1036:HIS:ND1	1:B:1393:GLN:O	2.50	0.44
1:A:743:LYS:C	1:A:745:SER:N	2.69	0.44
3:B:1706:SAH:HN1	3:B:1706:SAH:HG2	1.58	0.44
1:B:1090:ASN:HB3	1:B:1093:SER:HB3	2.00	0.44
1:A:740:THR:O	1:A:741:ASP:OD1	2.30	0.44
1:B:650:ARG:HB3	1:B:697:LYS:NZ	2.33	0.43
1:B:913:GLN:HG2	1:B:923:TYR:CE1	2.53	0.43
1:A:665:GLY:HA2	1:A:670:CYS:HB3	2.00	0.43
1:A:429:LYS:HG2	1:A:431:ILE:HG13	2.00	0.43
1:A:565:ASP:OD2	1:A:575:ILE:HG22	2.18	0.43
1:B:664:CYS:SG	1:B:665:GLY:N	2.91	0.43
1:B:1475:VAL:HG13	1:B:1498:TRP:NE1	2.33	0.43
1:A:627:ILE:HD13	1:A:1286:CYS:HA	2.00	0.43
1:A:1027:THR:HG23	1:A:1089:TYR:CE1	2.54	0.43
1:B:1303:GLN:HB3	1:B:1330:PRO:HB3	1.99	0.43
1:B:1330:PRO:HD2	1:B:1356:ARG:HB2	2.01	0.43
1:B:465:TRP:HZ3	1:B:480:SER:HB3	1.83	0.43
1:B:632:PHE:O	1:B:636:ILE:HG13	2.18	0.43
1:A:841:GLU:HG2	1:A:841:GLU:H	1.57	0.43
1:B:1518:GLU:OE2	1:B:1538:ARG:NH2	2.52	0.43
1:A:998:GLU:HB2	1:A:1017:ARG:HB3	2.01	0.43
1:A:440:LYS:NZ	1:A:446:ASP:O	2.33	0.43
1:A:375:VAL:O	1:A:378:PRO:HD2	2.19	0.42
1:A:375:VAL:HG23	1:A:457:ASN:HB2	2.00	0.42
1:B:679:SER:OG	1:B:681:ARG:N	2.46	0.42
1:B:711:GLU:HA	1:B:712:MET:C	2.40	0.42
1:B:565:ASP:CG	1:B:575:ILE:H	2.23	0.42
1:A:898:ARG:NH2	4:A:2084:HOH:O	2.53	0.42
1:A:1170:TRP:CD1	1:A:1172:PRO:HD2	2.55	0.42
1:A:1330:PRO:HD2	1:A:1356:ARG:HB2	2.03	0.41
1:B:556:PHE:O	1:B:560:GLN:HG2	2.20	0.41
1:A:673:MET:O	1:A:678:GLY:N	2.42	0.41
1:A:456:LYS:O	1:A:458:LEU:HG	2.19	0.41
1:B:650:ARG:HH11	1:B:697:LYS:HG3	1.84	0.41
1:A:713:PRO:HG2	1:A:716:LYS:HZ2	1.86	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:836:TYR:CE2	1:B:838:ALA:HB2	2.56	0.41
1:A:916:ASP:OD1	1:A:1003:LYS:NZ	2.49	0.41
1:A:836:TYR:CE2	1:A:838:ALA:HB2	2.56	0.41
1:A:709:ILE:HA	1:A:710:PRO:HD2	1.81	0.41
1:B:1271:PHE:HA	1:B:1274:PHE:CD2	2.56	0.40
1:A:686:CYS:HB3	1:A:689:ARG:HB2	2.04	0.40
1:A:722:LYS:HE3	1:A:768:ASP:CB	2.51	0.40
1:B:881:LYS:HG2	1:B:881:LYS:H	1.67	0.40
1:B:737:ALA:HA	1:B:748:LYS:HD3	2.02	0.40
1:B:856:GLU:HA	1:B:857:GLY:HA2	1.82	0.40
1:B:1371:MET:HE1	1:B:1523:PHE:HZ	1.87	0.40
1:A:379:GLN:NE2	1:A:483:PHE:HB3	2.35	0.40
1:B:777:ALA:HB2	1:B:796:TRP:CE3	2.56	0.40
1:B:577:LEU:HD11	1:B:695:ALA:HB1	2.03	0.40
1:A:1030:SER:OG	1:A:1031:THR:N	2.54	0.40
1:A:1136:LEU:HD23	1:A:1596:MET:HB3	2.04	0.40
1:B:1322:GLU:OE2	1:B:1599:LYS:HD2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1153/1256 (92%)	1076 (93%)	68 (6%)	9 (1%)	24	44
1	B	1164/1256 (93%)	1094 (94%)	61 (5%)	9 (1%)	24	44
All	All	2317/2512 (92%)	2170 (94%)	129 (6%)	18 (1%)	24	44

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	377	GLU

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	457	ASN
1	A	961	LYS
1	B	373	ASP
1	B	596	ARG
1	B	976	TYR
1	A	595	ARG
1	B	600	ARG
1	B	363	PRO
1	B	374	ALA
1	B	378	PRO
1	A	363	PRO
1	A	378	PRO
1	A	632	PHE
1	A	769	ASP
1	B	375	VAL
1	A	713	PRO
1	B	372	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	971/1090 (89%)	954 (98%)	17 (2%)	66	86
1	B	968/1090 (89%)	958 (99%)	10 (1%)	82	93
All	All	1939/2180 (89%)	1912 (99%)	27 (1%)	74	90

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	636	ILE
1	A	714	SER
1	A	741	ASP
1	A	767	PRO
1	A	817	VAL
1	A	832	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	841	GLU
1	A	939	VAL
1	A	961	LYS
1	A	985	LEU
1	A	1272	VAL
1	A	1306	VAL
1	A	1351	VAL
1	A	1475	VAL
1	A	1479	VAL
1	A	1547	VAL
1	A	1603	ARG
1	B	517	GLN
1	B	697	LYS
1	B	774	LEU
1	B	780	THR
1	B	939	VAL
1	B	1351	VAL
1	B	1406	GLN
1	B	1413	ILE
1	B	1475	VAL
1	B	1547	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	379	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.



## 5.6 Ligand geometry

Of 12 ligands modelled in this entry, 10 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	SAH	A	1706	-	22,28,28	1.07	2 (9%)	18,40,40	2.94	2 (11%)
3	SAH	B	1706	-	22,28,28	1.07	2 (9%)	18,40,40	2.97	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SAH	A	1706	-	-	0/7/31/31	0/3/3/3
3	SAH	B	1706	-	-	0/7/31/31	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1706	SAH	C2-N1	2.32	1.38	1.33
3	A	1706	SAH	C2-N1	2.33	1.38	1.33
3	A	1706	SAH	C2-N3	3.56	1.38	1.32
3	B	1706	SAH	C2-N3	3.59	1.38	1.32

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1706	SAH	N3-C2-N1	-11.26	120.03	128.87
3	B	1706	SAH	N3-C2-N1	-11.25	120.03	128.87
3	B	1706	SAH	C5'-SD-CG	-4.21	89.64	102.42
3	A	1706	SAH	C5'-SD-CG	-3.83	90.80	102.42

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1706	SAH	2	0
3	B	1706	SAH	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1170/1256 (93%)	-0.07	15 (1%) 79 75	25, 48, 96, 120	0
1	B	1178/1256 (93%)	-0.08	18 (1%) 76 71	25, 49, 95, 122	0
All	All	2348/2512 (93%)	-0.08	33 (1%) 78 73	25, 48, 95, 122	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	708	ASN	3.7
1	B	1405	TYR	3.7
1	A	567	ALA	3.4
1	A	770	SER	3.3
1	A	571	ASP	3.2
1	B	597	ALA	3.1
1	A	601	ARG	3.0
1	A	599	ALA	3.0
1	A	713	PRO	2.9
1	A	597	ALA	2.8
1	B	746	TYR	2.7
1	A	1605	TRP	2.7
1	B	697	LYS	2.7
1	B	650	ARG	2.5
1	B	388	ILE	2.5
1	B	571	ASP	2.5
1	A	450	GLU	2.4
1	A	1405	TYR	2.4
1	B	1488	ALA	2.4
1	A	598	GLN	2.4
1	B	1604	VAL	2.4
1	A	711	GLU	2.4
1	A	746	TYR	2.3
1	B	712	MET	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	601	ARG	2.3
1	B	711	GLU	2.2
1	B	599	ALA	2.2
1	A	1406	GLN	2.2
1	B	567	ALA	2.2
1	B	709	ILE	2.1
1	B	387	SER	2.1
1	A	479	PHE	2.0
1	B	713	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	ZN	B	1702	1/1	0.99	0.21	4.10	56,56,56,56	0
2	ZN	A	1702	1/1	0.99	0.23	3.64	42,42,42,42	0
2	ZN	B	1701	1/1	0.99	0.19	1.53	42,42,42,42	0
2	ZN	A	1701	1/1	0.99	0.19	1.49	42,42,42,42	0
3	SAH	A	1706	26/26	0.96	0.19	1.39	23,34,52,58	0
2	ZN	A	1705	1/1	0.98	0.17	0.69	71,71,71,71	0
3	SAH	B	1706	26/26	0.96	0.17	0.69	26,37,53,69	0
2	ZN	B	1704	1/1	0.99	0.18	0.27	51,51,51,51	0
2	ZN	B	1705	1/1	0.95	0.16	0.11	74,74,74,74	0
2	ZN	A	1703	1/1	0.92	0.13	-0.24	93,93,93,93	0
2	ZN	A	1704	1/1	0.99	0.15	-0.34	50,50,50,50	0
2	ZN	B	1703	1/1	0.86	0.11	-0.81	102,102,102,102	0

## 6.5 Other polymers

There are no such residues in this entry.