



Full wwPDB X-ray Structure Validation Report i

Dec 8, 2016 – 02:45 PM EST

PDB ID : 2X0L
Title : Crystal structure of a neuro-specific splicing variant of human histone lysine demethylase LSD1.
Authors : Zibetti, C.; Adamo, A.; Binda, C.; Forneris, F.; Verpelli, C.; Ginelli, E.; Mattevi, A.; Sala, C.; Battaglioli, E.
Deposited on : 2009-12-15
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20028442
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20028442


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1578 (3.00-3.00)
Clashscore	102246	1912 (3.00-3.00)
Ramachandran outliers	100387	1853 (3.00-3.00)
Sidechain outliers	100360	1856 (3.00-3.00)
RSRZ outliers	91569	1592 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 6491 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LYSINE-SPECIFIC HISTONE DEMETHYLASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	670	5248	3343	911	974	20	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	369A	ASP	-	INSERTION	UNP O60341
A	369B	THR	-	INSERTION	UNP O60341
A	369C	VAL	-	INSERTION	UNP O60341
A	369D	LYS	-	INSERTION	UNP O60341

- Molecule 2 is a protein called REST COREPRESSOR 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	133	1076	676	194	203	3	0	0	0


- Molecule 3 is a protein called HISTONE H3 PEPTIDE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	16	114	67	25	21	1	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	4	MET	LYS	ENGINEERED MUTATION	UNP Q5TEC6

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	A	1	53	27	9	15	2	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: LYSINE-SPECIFIC HISTONE DEMETHYLASE 1




- Molecule 2: REST COREPRESSOR 1



- ### • Molecule 3: HISTONE H3 PEPTIDE





4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	119.69 Å 181.21 Å 233.45 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	71.50 – 3.00 71.50 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.5 (71.50-3.00) 98.5 (71.50-3.00)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^{\text{1}}$	2.06 (at 3.01 Å)	Xtriage
Refinement program	REFMAC 5.4.0078	Depositor
R , R_{free}	0.212 , 0.252 0.209 , 0.246	Depositor DCC
R_{free} test set	960 reflections (1.94%)	DCC
Wilson B-factor (Å ²)	63.7	Xtriage
Anisotropy	0.647	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6491	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	0/5362	0.77	3/7274 (0.0%)
2	B	0.50	0/1091	0.61	0/1471
3	C	0.72	0/114	0.85	0/150
All	All	0.63	0/6567	0.75	3/8895 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	466	SER	N-CA-C	5.67	126.30	111.00
1	A	316	ARG	NE-CZ-NH2	-5.26	117.67	120.30
1	A	508	LEU	CA-CB-CG	5.01	126.83	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	274	PRO	Peptide
1	A	466	SER	Peptide
1	A	792	PRO	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5248	0	5285	130	0
2	B	1076	0	1091	32	0
3	C	114	0	125	9	0
4	A	53	0	31	5	0
All	All	6491	0	6532	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:760:SER:HB2	4:A:900:FAD:HM83	1.40	0.98
1:A:199:ILE:HD11	1:A:248:LEU:HD11	1.46	0.94
1:A:384:ARG:HB3	2:B:314:MET:HE1	1.51	0.91
1:A:209:VAL:O	1:A:213:ILE:HG13	1.80	0.82
1:A:566:THR:HG21	1:A:697:LEU:HD22	1.62	0.81
1:A:270:ILE:O	1:A:272:PRO:HD3	1.85	0.77
2:B:377:GLN:OE1	2:B:411:ASN:HB3	1.85	0.76
1:A:760:SER:CB	4:A:900:FAD:HM83	2.16	0.74
1:A:760:SER:HB2	4:A:900:FAD:C8M	2.16	0.74
1:A:484:HIS:CD2	2:B:372:LEU:HD13	2.23	0.73
1:A:188:MET:SD	1:A:200:ILE:HG13	2.30	0.71
2:B:317:SER:O	2:B:321:VAL:HG23	1.91	0.70
1:A:466:SER:H	1:A:467:GLU:HB2	1.57	0.68
1:A:755:PRO:HA	1:A:758:ARG:NH1	2.09	0.68
1:A:435:VAL:HG12	2:B:349:ILE:HG13	1.73	0.67
2:B:374:GLU:HA	2:B:374:GLU:OE2	1.96	0.66
1:A:438:GLN:OE1	1:A:508:LEU:HD11	1.95	0.65
1:A:671:TRP:O	1:A:673:PRO:HD3	1.96	0.65
2:B:397:LYS:HD3	2:B:398:TYR:CE2	2.32	0.64
1:A:715:MET:CE	1:A:723:ILE:HG12	2.28	0.64
1:A:331:ALA:HA	4:A:900:FAD:N5	2.14	0.63
1:A:260:GLY:O	1:A:264:PHE:CD2	2.52	0.63
1:A:231:PHE:HE1	1:A:249:VAL:HG12	1.63	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:494:TYR:CD2	1:A:494:TYR:O	2.52	0.63
1:A:677:LEU:CD1	3:C:7:ALA:HB2	2.30	0.62
1:A:282:ILE:HG21	1:A:602:VAL:HG21	1.81	0.61
1:A:231:PHE:CE1	1:A:249:VAL:HG12	2.36	0.61
2:B:327:ASN:ND2	2:B:330:ALA:HB2	2.16	0.61
1:A:660:ASN:OD1	1:A:749:SER:OG	2.18	0.60
3:C:2:ARG:NH2	3:C:12:GLY:O	2.35	0.60
1:A:693:LEU:HD12	1:A:694:PHE:N	2.16	0.59
1:A:496:GLU:O	1:A:499:GLU:HB3	2.02	0.59
1:A:510:GLU:HA	1:A:510:GLU:OE2	2.03	0.59
1:A:458:LEU:HB3	1:A:487:LEU:HD13	1.85	0.58
1:A:331:ALA:HA	4:A:900:FAD:C4X	2.35	0.57
1:A:172:SER:HA	1:A:176:GLY:HA3	1.87	0.57
1:A:385:LEU:HD23	1:A:415:VAL:HG12	1.87	0.57
1:A:470:PRO:CB	1:A:471:PRO:HA	2.35	0.56
1:A:385:LEU:HD23	1:A:415:VAL:CG1	2.35	0.56
1:A:801:GLU:CG	1:A:809:ALA:HA	2.36	0.55
1:A:191:GLN:HG2	1:A:255:TYR:OH	2.07	0.55
1:A:465:ALA:O	1:A:480:VAL:CG2	2.55	0.54
1:A:356:ILE:HD11	1:A:566:THR:HG22	1.89	0.54
1:A:680:HIS:CD2	1:A:730:ILE:HG12	2.42	0.54
1:A:670:PHE:HD1	1:A:670:PHE:O	1.91	0.54
1:A:715:MET:HE1	1:A:723:ILE:HG12	1.91	0.53
1:A:451:LEU:HD23	1:A:494:TYR:HB2	1.91	0.52
1:A:533:PHE:O	1:A:537:GLU:HG3	2.10	0.52
1:A:360:CYS:O	3:C:8:ARG:NH2	2.39	0.52
2:B:324:VAL:HG13	2:B:331:ALA:HA	1.90	0.52
1:A:391:TYR:CD2	1:A:395:GLN:HG3	2.45	0.52
1:A:595:TYR:CZ	1:A:641:PRO:HD2	2.46	0.51
1:A:671:TRP:HA	1:A:735:PHE:CE1	2.45	0.51
1:A:732:LYS:HA	1:A:740:VAL:HG21	1.92	0.51
1:A:470:PRO:HB2	1:A:471:PRO:HA	1.93	0.51
2:B:312:LYS:HA	2:B:312:LYS:HE3	1.92	0.51
1:A:540:ASN:N	1:A:540:ASN:HD22	2.08	0.51
1:A:771:ASN:HA	1:A:805:ARG:NH1	2.27	0.50
1:A:666:PHE:O	1:A:701:PRO:HG2	2.12	0.50
1:A:601:GLU:HA	1:A:616:TYR:O	2.11	0.50
1:A:715:MET:HE3	1:A:723:ILE:HG12	1.93	0.50
1:A:257:GLU:HG3	1:A:263:ASN:HD22	1.77	0.50
1:A:773:TYR:HB2	1:A:805:ARG:HB2	1.92	0.50
1:A:441:LEU:HD23	2:B:356:ASN:HD22	1.75	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:417:VAL:O	2:B:421:PHE:HD1	1.95	0.50
1:A:537:GLU:HG2	1:A:544:LEU:CD2	2.42	0.50
1:A:369(D):LYS:HG2	1:A:370:VAL:N	2.28	0.49
1:A:492:LYS:CE	1:A:492:LYS:HA	2.43	0.49
1:A:676:ASN:HB2	1:A:677:LEU:HD23	1.93	0.49
1:A:456:LYS:HA	2:B:370:TYR:CE1	2.48	0.49
1:A:506:GLU:HG2	1:A:507:LYS:N	2.26	0.48
1:A:541:ALA:O	1:A:657:GLY:HA3	2.13	0.48
1:A:707:VAL:HG12	1:A:712:ALA:HA	1.95	0.48
2:B:380:ASN:OD1	2:B:381:ALA:N	2.47	0.48
1:A:539:ALA:O	3:C:1:ALA:N	2.42	0.48
2:B:324:VAL:HG12	2:B:324:VAL:O	2.13	0.48
1:A:260:GLY:O	1:A:264:PHE:HD2	1.97	0.47
1:A:352:GLU:HB3	1:A:568:ARG:HB3	1.94	0.47
1:A:588:THR:HG22	1:A:604:ALA:HB1	1.97	0.47
1:A:180:GLN:HA	1:A:339:GLY:HA2	1.96	0.47
1:A:487:LEU:HD23	2:B:372:LEU:HG	1.96	0.47
1:A:670:PHE:CD1	1:A:670:PHE:C	2.87	0.47
1:A:693:LEU:HD12	1:A:694:PHE:H	1.78	0.47
1:A:566:THR:CG2	1:A:697:LEU:HD22	2.40	0.47
1:A:548:SER:O	1:A:552:TRP:HB3	2.14	0.47
1:A:805:ARG:O	1:A:808:PRO:HD3	2.14	0.47
1:A:595:TYR:CE2	1:A:641:PRO:HD2	2.50	0.47
1:A:495:ASP:OD2	2:B:371:ARG:NH2	2.46	0.47
1:A:654:MET:HE2	1:A:654:MET:HB3	1.81	0.47
1:A:677:LEU:HD12	3:C:7:ALA:HB2	1.96	0.46
1:A:801:GLU:HG3	1:A:809:ALA:HA	1.96	0.46
1:A:371:PRO:O	1:A:373:GLU:N	2.48	0.46
1:A:385:LEU:CD2	1:A:415:VAL:HG12	2.45	0.46
1:A:213:ILE:HD12	1:A:248:LEU:HD23	1.97	0.46
1:A:670:PHE:CD1	1:A:670:PHE:O	2.69	0.46
1:A:463:LYS:O	1:A:467:GLU:HB2	2.16	0.45
1:A:426:GLU:OE1	1:A:426:GLU:HA	2.16	0.45
2:B:395:ILE:HG22	2:B:433:VAL:HG12	1.98	0.45
1:A:465:ALA:O	1:A:480:VAL:HG22	2.16	0.45
2:B:383:TRP:CE3	2:B:412:LYS:HE2	2.51	0.45
1:A:273:LEU:HA	1:A:274:PRO:HD2	1.78	0.45
1:A:592:GLN:HB3	1:A:603:ILE:HD12	1.98	0.45
1:A:551:HIS:O	1:A:552:TRP:C	2.55	0.45
1:A:541:ALA:O	1:A:542:THR:HB	2.17	0.45
1:A:456:LYS:HG3	2:B:370:TYR:CE1	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280:LYS:O	1:A:618:CYS:HB2	2.18	0.44
1:A:188:MET:HG2	1:A:210:PHE:CE2	2.53	0.44
1:A:371:PRO:C	1:A:373:GLU:H	2.21	0.44
1:A:374:LYS:O	1:A:375:ASP:C	2.56	0.44
1:A:255:TYR:CD2	1:A:256:LEU:HD23	2.53	0.44
1:A:349:VAL:O	1:A:351:MET:N	2.47	0.44
1:A:435:VAL:CG1	2:B:349:ILE:HG13	2.46	0.44
1:A:321:ARG:O	1:A:322:LYS:HB2	2.18	0.44
1:A:280:LYS:N	1:A:619:ASP:OD2	2.46	0.44
1:A:408:LEU:HA	1:A:408:LEU:HD12	1.78	0.44
1:A:484:HIS:CD2	2:B:372:LEU:CD1	2.99	0.43
1:A:594:ARG:HG2	1:A:640:VAL:HB	1.99	0.43
1:A:245:ASP:OD1	1:A:247:VAL:HG23	2.18	0.43
1:A:804:ILE:HG21	1:A:813:GLY:O	2.17	0.43
1:A:386:LEU:O	1:A:389:THR:OG1	2.33	0.43
1:A:305:THR:OG1	1:A:583:ASP:OD2	2.34	0.43
2:B:350:GLN:HE21	2:B:350:GLN:HB3	1.65	0.43
2:B:397:LYS:HD3	2:B:398:TYR:CZ	2.54	0.43
2:B:389:LEU:O	2:B:393:GLN:HG3	2.18	0.43
1:A:594:ARG:HA	1:A:640:VAL:O	2.19	0.43
2:B:390:LEU:HA	2:B:390:LEU:HD23	1.84	0.43
1:A:366:ASN:O	1:A:369:ALA:HB3	2.19	0.42
1:A:496:GLU:H	1:A:496:GLU:HG2	1.74	0.42
1:A:677:LEU:HD12	3:C:7:ALA:CB	2.49	0.42
2:B:314:MET:HE2	2:B:314:MET:HB2	1.82	0.42
1:A:780:ILE:HB	1:A:796:LEU:HB3	2.00	0.42
1:A:613:THR:HG22	1:A:614:PHE:N	2.34	0.42
1:A:245:ASP:OD1	1:A:245:ASP:C	2.56	0.42
1:A:677:LEU:CD1	3:C:7:ALA:CB	2.98	0.42
1:A:634:PRO:HA	1:A:635:PRO:HD3	1.88	0.42
1:A:773:TYR:CE1	1:A:808:PRO:HB3	2.55	0.42
1:A:372:LYS:O	1:A:376:GLU:HG3	2.20	0.41
1:A:800:GLY:O	1:A:803:THR:N	2.50	0.41
3:C:1:ALA:O	3:C:4:MET:HB2	2.20	0.41
1:A:374:LYS:O	1:A:378:VAL:HG23	2.19	0.41
1:A:460:GLN:OE1	1:A:460:GLN:HA	2.18	0.41
1:A:401:LEU:O	1:A:402:ASN:HB2	2.20	0.41
2:B:360:LYS:HB3	2:B:360:LYS:HE2	1.87	0.41
1:A:677:LEU:HD13	3:C:7:ALA:HB2	2.03	0.41
1:A:535:ASN:HD22	1:A:535:ASN:HA	1.61	0.41
2:B:329:THR:C	2:B:331:ALA:N	2.74	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:492:LYS:HE3	1:A:492:LYS:HA	2.02	0.41
1:A:353:LEU:HB3	1:A:565:LEU:HD22	2.02	0.41
2:B:349:ILE:HG22	2:B:350:GLN:N	2.36	0.41
1:A:469:LYS:HE3	1:A:470:PRO:HD2	2.04	0.40
1:A:439:GLU:HG2	2:B:352:ILE:HD13	2.03	0.40
1:A:479:LEU:O	1:A:480:VAL:C	2.60	0.40
2:B:378:LYS:H	2:B:378:LYS:HG2	1.72	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	668/734 (91%)	585 (88%)	70 (10%)	13 (2%)	10 43
2	B	131/133 (98%)	110 (84%)	16 (12%)	5 (4%)	4 22
3	C	14/16 (88%)	11 (79%)	2 (14%)	1 (7%)	1 7
All	All	813/883 (92%)	706 (87%)	88 (11%)	19 (2%)	8 36

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	350	ASN
1	A	737	SER
1	A	793	ILE
1	A	322	LYS
1	A	369	ALA
1	A	372	LYS
2	B	429	ASN
2	B	439	ALA
1	A	467	GLU
1	A	503	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	834	TYR
2	B	341	GLU
2	B	373	PRO
1	A	510	GLU
1	A	729	ALA
2	B	326	ALA
1	A	274	PRO
1	A	271	LYS
3	C	15	ALA

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	570/627 (91%)	516 (90%)	54 (10%)	11 38
2	B	117/117 (100%)	101 (86%)	16 (14%)	4 20
3	C	11/11 (100%)	8 (73%)	3 (27%)	0 2
All	All	698/755 (92%)	625 (90%)	73 (10%)	8 32

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	191	GLN
1	A	200	ILE
1	A	206	THR
1	A	217	THR
1	A	220	LEU
1	A	226	LYS
1	A	237	GLN
1	A	239	GLU
1	A	247	VAL
1	A	268	LYS
1	A	276	LYS
1	A	277	LYS
1	A	369(A)	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	372	LYS
1	A	377	MET
1	A	380	GLN
1	A	426	GLU
1	A	437	THR
1	A	449	VAL
1	A	453	GLU
1	A	458	LEU
1	A	467	GLU
1	A	469	LYS
1	A	485	ARG
1	A	492	LYS
1	A	496	GLU
1	A	506	GLU
1	A	523	SER
1	A	526	ARG
1	A	535	ASN
1	A	538	PHE
1	A	550	LYS
1	A	568	ARG
1	A	571	TYR
1	A	591	ARG
1	A	598	SER
1	A	624	THR
1	A	633	GLN
1	A	638	GLN
1	A	645	GLU
1	A	659	LEU
1	A	677	LEU
1	A	684	THR
1	A	699	LYS
1	A	714	ILE
1	A	719	SER
1	A	727	CYS
1	A	737	SER
1	A	744	LYS
1	A	747	VAL
1	A	758	ARG
1	A	786	ILE
1	A	801	GLU
1	A	805	ARG
2	B	308	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	312	LYS
2	B	316	LEU
2	B	317	SER
2	B	337	GLN
2	B	343	VAL
2	B	344	SER
2	B	347	ARG
2	B	349	ILE
2	B	350	GLN
2	B	357	SER
2	B	361	GLU
2	B	371	ARG
2	B	378	LYS
2	B	386	GLU
2	B	422	VAL
3	C	4	MET
3	C	11	THR
3	C	14	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	237	GLN
1	A	358	GLN
1	A	402	ASN
1	A	484	HIS
1	A	535	ASN
1	A	633	GLN
1	A	778	GLN
1	A	802	HIS
1	A	828	GLN
2	B	350	GLN
2	B	423	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FAD	A	900	-	52,58,58	1.23	6 (11%)	52,89,89	2.71	12 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FAD	A	900	-	-	0/30/50/50	0/6/6/6

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	900	FAD	C10-N1	2.16	1.39	1.35
4	A	900	FAD	C2A-N1A	2.40	1.38	1.33
4	A	900	FAD	C4X-N5	2.41	1.37	1.33
4	A	900	FAD	C2A-N3A	2.88	1.37	1.32
4	A	900	FAD	C4-N3	3.04	1.38	1.33
4	A	900	FAD	C1'-N10	3.66	1.52	1.48

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	900	FAD	N3A-C2A-N1A	-14.04	117.84	128.87
4	A	900	FAD	C1B-N9A-C4A	-4.68	121.58	126.81
4	A	900	FAD	C4X-C4-N3	-3.65	118.75	123.52
4	A	900	FAD	N3-C2-N1	-3.56	121.70	127.69
4	A	900	FAD	C4X-C10-N10	-2.73	118.54	120.52
4	A	900	FAD	C6-C5X-C9A	2.03	121.35	119.11
4	A	900	FAD	C2A-N1A-C6A	2.14	122.58	118.77
4	A	900	FAD	C4X-N5-C5X	2.65	119.85	116.72
4	A	900	FAD	C4-C4X-C10	2.83	121.75	119.94
4	A	900	FAD	O2A-PA-O3P	2.83	117.40	105.27
4	A	900	FAD	C5X-C9A-N10	5.26	121.52	117.58
4	A	900	FAD	C4-N3-C2	5.80	120.00	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	900	FAD	5	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	670/734 (91%)	-0.05	2 (0%) 94 84	30, 57, 87, 99	0
2	B	133/133 (100%)	0.32	5 (3%) 44 18	59, 90, 106, 113	0
3	C	16/16 (100%)	0.20	1 (6%) 23 9	51, 57, 82, 86	0
All	All	819/883 (92%)	0.02	8 (0%) 84 60	30, 62, 96, 113	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	374	GLU	4.1
2	B	376	ILE	3.7
3	C	16	PRO	3.1
2	B	377	GLN	2.8
2	B	312	LYS	2.6
2	B	375	VAL	2.5
1	A	517	SER	2.2
1	A	516	PRO	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	FAD	A	900	53/53	0.98	0.21	-0.74	31,38,49,51	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.