



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:51 AM GMT

PDB ID : 2YI9
Title : Structure of the RNA polymerase VP1 from Infectious Pancreatic Necrosis Virus in complex with magnesium
Authors : Graham, S.C.; Sarin, L.P.; Bahar, M.W.; Myers, R.A.; Stuart, D.I.; Bamford, D.H.; Grimes, J.M.
Deposited on : 2011-05-11
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	799	<div> <div>2%</div> <div>93%</div> <div>.</div> <div>.</div> </div>
1	B	799	<div> <div>2%</div> <div>93%</div> <div>.</div> <div>.</div> </div>
1	C	799	<div> <div>2%</div> <div>92%</div> <div>.</div> <div>.</div> </div>
1	D	799	<div> <div>2%</div> <div>92%</div> <div>.</div> <div>.</div> </div>
1	E	799	<div> <div>%</div> <div>93%</div> <div>.</div> <div>.</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 33270 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-DIRECTED RNA POLYMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	771	Total	C	N	O	S	0	4	0
			6043	3836	1018	1162	27			
1	B	771	Total	C	N	O	S	0	6	0
			6046	3836	1018	1165	27			
1	C	771	Total	C	N	O	S	0	5	0
			6050	3840	1019	1164	27			
1	D	771	Total	C	N	O	S	0	7	0
			6056	3843	1021	1165	27			
1	E	771	Total	C	N	O	S	0	7	0
			6070	3853	1020	1170	27			

There are 45 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	791	LYS	-	EXPRESSION TAG	UNP P22173
A	792	THR	-	EXPRESSION TAG	UNP P22173
A	793	GLY	-	EXPRESSION TAG	UNP P22173
A	794	HIS	-	EXPRESSION TAG	UNP P22173
A	795	HIS	-	EXPRESSION TAG	UNP P22173
A	796	HIS	-	EXPRESSION TAG	UNP P22173
A	797	HIS	-	EXPRESSION TAG	UNP P22173
A	798	HIS	-	EXPRESSION TAG	UNP P22173
A	799	HIS	-	EXPRESSION TAG	UNP P22173
B	791	LYS	-	EXPRESSION TAG	UNP P22173
B	792	THR	-	EXPRESSION TAG	UNP P22173
B	793	GLY	-	EXPRESSION TAG	UNP P22173
B	794	HIS	-	EXPRESSION TAG	UNP P22173
B	795	HIS	-	EXPRESSION TAG	UNP P22173
B	796	HIS	-	EXPRESSION TAG	UNP P22173
B	797	HIS	-	EXPRESSION TAG	UNP P22173
B	798	HIS	-	EXPRESSION TAG	UNP P22173
B	799	HIS	-	EXPRESSION TAG	UNP P22173
C	791	LYS	-	EXPRESSION TAG	UNP P22173

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	792	THR	-	EXPRESSION TAG	UNP P22173
C	793	GLY	-	EXPRESSION TAG	UNP P22173
C	794	HIS	-	EXPRESSION TAG	UNP P22173
C	795	HIS	-	EXPRESSION TAG	UNP P22173
C	796	HIS	-	EXPRESSION TAG	UNP P22173
C	797	HIS	-	EXPRESSION TAG	UNP P22173
C	798	HIS	-	EXPRESSION TAG	UNP P22173
C	799	HIS	-	EXPRESSION TAG	UNP P22173
D	791	LYS	-	EXPRESSION TAG	UNP P22173
D	792	THR	-	EXPRESSION TAG	UNP P22173
D	793	GLY	-	EXPRESSION TAG	UNP P22173
D	794	HIS	-	EXPRESSION TAG	UNP P22173
D	795	HIS	-	EXPRESSION TAG	UNP P22173
D	796	HIS	-	EXPRESSION TAG	UNP P22173
D	797	HIS	-	EXPRESSION TAG	UNP P22173
D	798	HIS	-	EXPRESSION TAG	UNP P22173
D	799	HIS	-	EXPRESSION TAG	UNP P22173
E	791	LYS	-	EXPRESSION TAG	UNP P22173
E	792	THR	-	EXPRESSION TAG	UNP P22173
E	793	GLY	-	EXPRESSION TAG	UNP P22173
E	794	HIS	-	EXPRESSION TAG	UNP P22173
E	795	HIS	-	EXPRESSION TAG	UNP P22173
E	796	HIS	-	EXPRESSION TAG	UNP P22173
E	797	HIS	-	EXPRESSION TAG	UNP P22173
E	798	HIS	-	EXPRESSION TAG	UNP P22173
E	799	HIS	-	EXPRESSION TAG	UNP P22173

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0
2	E	1	Total Mg 1 1	0	0

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total K 1 1	0	0
3	A	1	Total K 1 1	0	0
3	D	1	Total K 1 1	0	0
3	C	1	Total K 1 1	0	0
3	E	1	Total K 1 1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Cl 1 1	0	0
4	A	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0
4	C	1	Total Cl 1 1	0	0
4	E	2	Total Cl 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	527	Total O 527 527	0	0
5	B	591	Total O 591 591	0	0
5	C	570	Total O 570 570	0	0
5	D	632	Total O 632 632	0	0
5	E	669	Total O 669 669	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RNA-DIRECTED RNA POLYMERASE



• Molecule 1: RNA-DIRECTED RNA POLYMERASE




• Molecule 1: RNA-DIRECTED RNA POLYMERASE





• Molecule 1: RNA-DIRECTED RNA POLYMERASE





● Molecule 1: RNA-DIRECTED RNA POLYMERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	134.05Å 183.87Å 244.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	32.21 – 2.20 32.04 – 2.20	Depositor EDS
% Data completeness (in resolution range)	100.0 (32.21-2.20) 100.0 (32.04-2.20)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.50 (at 2.20Å)	Xtriage
Refinement program	BUSTER 2.9.2	Depositor
R, R_{free}	0.160 , 0.181 0.159 , 0.177	Depositor DCC
R_{free} test set	3069 reflections (1.02%)	DCC
Wilson B-factor (Å ²)	21.5	Xtriage
Anisotropy	0.197	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 48.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 304439 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	33270	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/6190	0.58	0/8425
1	B	0.52	0/6199	0.59	0/8438
1	C	0.52	0/6200	0.59	0/8438
1	D	0.53	0/6212	0.59	0/8455
1	E	0.56	0/6226	0.60	0/8470
All	All	0.53	0/31027	0.59	0/42226

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6043	0	5998	16	0
1	B	6046	0	5994	15	0
1	C	6050	0	6009	16	0
1	D	6056	0	6011	18	0
1	E	6070	0	6042	15	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1	0	0	0	0
2	E	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	2	0	0	0	0
5	A	527	0	0	1	0
5	B	591	0	0	1	0
5	C	570	0	0	0	0
5	D	632	0	0	0	0
5	E	669	0	0	1	0
All	All	33270	0	30054	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:ASP:OD2	1:A:518[B]:GLU:HG3	1.84	0.78
1:D:402:ASP:OD2	1:D:518[B]:GLU:HG3	1.84	0.77
1:E:402:ASP:OD2	1:E:518[B]:GLU:HG3	1.84	0.77
1:C:402:ASP:OD2	1:C:518[B]:GLU:HG3	1.84	0.77
1:B:402:ASP:OD2	1:B:518[B]:GLU:HG3	1.84	0.76
1:C:772:MET:HG2	1:C:778:LEU:HD21	1.72	0.69
1:C:187:PRO:HB3	1:C:197:LEU:HD11	1.76	0.67
1:D:187:PRO:HB3	1:D:197:LEU:HD11	1.76	0.66
1:B:187:PRO:HB3	1:B:197:LEU:HD11	1.78	0.65
1:A:187:PRO:HB3	1:A:197:LEU:HD11	1.77	0.65
1:E:187:PRO:HB3	1:E:197:LEU:HD11	1.77	0.64
1:A:735:LEU:HD21	1:A:772:MET:HG2	1.81	0.62
1:B:775:ASN:ND2	5:B:2580:HOH:O	2.36	0.57
1:D:74:ASP:HB2	1:D:81:ARG:HG2	1.88	0.55
1:A:74:ASP:HB2	1:A:81:ARG:HG2	1.88	0.55
1:B:74:ASP:HB2	1:B:81:ARG:HG2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:74:ASP:HB2	1:C:81:ARG:HG2	1.88	0.55
1:B:15:LEU:HD21	1:D:234:ASP:HB3	1.88	0.54
1:E:591:LYS:O	1:E:608:TYR:OH	2.21	0.54
1:E:74:ASP:HB2	1:E:81:ARG:HG2	1.89	0.54
1:C:398:TRP:HB3	1:C:521:LEU:HB3	1.91	0.52
1:E:398:TRP:HB3	1:E:521:LEU:HB3	1.91	0.52
1:D:398:TRP:HB3	1:D:521:LEU:HB3	1.92	0.52
1:A:398:TRP:HB3	1:A:521:LEU:HB3	1.92	0.51
1:B:398:TRP:HB3	1:B:521:LEU:HB3	1.92	0.50
1:B:499:PRO:HA	1:B:504:PHE:CG	2.48	0.49
1:D:591:LYS:O	1:D:608:TYR:OH	2.18	0.49
1:A:520:GLU:OE2	5:A:2328:HOH:O	2.20	0.48
1:C:499:PRO:HA	1:C:504:PHE:CG	2.49	0.48
1:E:349:ASN:O	1:E:696:PRO:HD2	2.12	0.48
1:D:349:ASN:O	1:D:696:PRO:HD2	2.13	0.48
1:D:360:PRO:HB2	1:D:576:PRO:HB3	1.96	0.48
1:D:590:PRO:HB2	1:D:612:ARG:HD2	1.94	0.48
1:A:499:PRO:HA	1:A:504:PHE:CG	2.49	0.47
1:B:349:ASN:O	1:B:696:PRO:HD2	2.13	0.47
1:B:204:THR:O	1:B:354:SER:HB2	2.15	0.47
1:A:349:ASN:O	1:A:696:PRO:HD2	2.13	0.47
1:D:499:PRO:HA	1:D:504:PHE:CG	2.50	0.47
1:C:349:ASN:O	1:C:696:PRO:HD2	2.14	0.47
1:B:706:LEU:O	1:B:710:THR:HG23	2.15	0.47
1:E:499:PRO:HA	1:E:504:PHE:CG	2.50	0.47
1:A:387:ALA:HB2	1:A:477:PHE:CD2	2.50	0.46
1:A:618:LEU:HG	1:A:675:LEU:HD12	1.98	0.46
1:C:204:THR:O	1:C:354:SER:HB2	2.16	0.46
1:E:387:ALA:HB2	1:E:477:PHE:CD2	2.50	0.46
1:E:204:THR:O	1:E:354:SER:HB2	2.16	0.46
1:C:618:LEU:HG	1:C:675:LEU:HD12	1.98	0.46
1:A:591:LYS:O	1:A:608:TYR:OH	2.21	0.45
1:E:618:LEU:HG	1:E:675:LEU:HD12	1.98	0.45
1:D:387:ALA:HB2	1:D:477:PHE:CD2	2.50	0.45
1:D:618:LEU:HG	1:D:675:LEU:HD12	1.97	0.45
1:B:360:PRO:HB2	1:B:576:PRO:HB3	1.99	0.45
1:C:772:MET:HG2	1:C:778:LEU:CD2	2.42	0.45
1:B:618:LEU:HG	1:B:675:LEU:HD12	1.98	0.45
1:C:387:ALA:HB2	1:C:477:PHE:CD2	2.52	0.45
1:A:204:THR:O	1:A:354:SER:HB2	2.18	0.44
1:B:187:PRO:CB	1:B:197:LEU:HD11	2.45	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:360:PRO:HB2	1:E:576:PRO:HB3	1.97	0.44
1:D:204:THR:O	1:D:354:SER:HB2	2.17	0.44
1:B:591:LYS:O	1:B:608:TYR:OH	2.20	0.44
1:A:360:PRO:HB2	1:A:576:PRO:HB3	1.98	0.44
1:C:360:PRO:HB2	1:C:576:PRO:HB3	2.00	0.43
1:B:387:ALA:HB2	1:B:477:PHE:CD2	2.52	0.43
1:A:144:PRO:HG3	1:E:645:LYS:HA	2.00	0.43
1:C:201:LEU:HD11	1:C:482:LEU:HD13	2.02	0.42
1:D:752[B]:SER:OG	1:D:754:VAL:HG13	2.19	0.42
1:C:591:LYS:O	1:C:608:TYR:OH	2.19	0.42
1:D:382:LEU:HB3	1:D:393:LEU:HB3	2.02	0.41
1:E:382:LEU:HB3	1:E:393:LEU:HB3	2.02	0.41
1:D:201:LEU:HD11	1:D:482:LEU:HD13	2.02	0.41
1:D:187:PRO:CB	1:D:197:LEU:HD11	2.46	0.41
1:C:382:LEU:HB3	1:C:393:LEU:HB3	2.01	0.41
1:C:187:PRO:CB	1:C:197:LEU:HD11	2.47	0.41
1:E:725:VAL:HG23	5:E:2617:HOH:O	2.21	0.41
1:D:78:PRO:O	1:D:81:ARG:HG3	2.20	0.40
1:A:78:PRO:O	1:A:81:ARG:HG3	2.22	0.40
1:A:382:LEU:HB3	1:A:393:LEU:HB3	2.04	0.40
1:E:187:PRO:CB	1:E:197:LEU:HD11	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	771/799 (96%)	755 (98%)	16 (2%)	0	100	100
1	B	773/799 (97%)	757 (98%)	16 (2%)	0	100	100
1	C	772/799 (97%)	757 (98%)	15 (2%)	0	100	100
1	D	774/799 (97%)	759 (98%)	15 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	774/799 (97%)	759 (98%)	15 (2%)	0	100	100
All	All	3864/3995 (97%)	3787 (98%)	77 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	658/692 (95%)	657 (100%)	1 (0%)	95	98
1	B	659/692 (95%)	657 (100%)	2 (0%)	94	98
1	C	660/692 (95%)	656 (99%)	4 (1%)	90	95
1	D	660/692 (95%)	657 (100%)	3 (0%)	92	96
1	E	665/692 (96%)	663 (100%)	2 (0%)	94	98
All	All	3302/3460 (95%)	3290 (100%)	12 (0%)	93	97

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	326	TYR
1	B	326	TYR
1	B	669	ILE
1	C	94	SER
1	C	231	LEU
1	C	326	TYR
1	C	669	ILE
1	D	94	SER
1	D	326	TYR
1	D	687	LEU
1	E	94	SER
1	E	326	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 16 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	771/799 (96%)	-0.45	19 (2%) 61 60	15, 27, 56, 76	0
1	B	771/799 (96%)	-0.50	14 (1%) 71 70	12, 24, 52, 72	0
1	C	771/799 (96%)	-0.48	13 (1%) 73 72	13, 24, 49, 69	0
1	D	771/799 (96%)	-0.44	19 (2%) 61 60	10, 22, 50, 78	0
1	E	771/799 (96%)	-0.60	6 (0%) 87 87	10, 19, 42, 68	0
All	All	3855/3995 (96%)	-0.50	71 (1%) 71 70	10, 23, 50, 78	0

All (71) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	232	SER	5.0
1	B	232	SER	5.0
1	D	600	ARG	4.0
1	A	775	ASN	3.9
1	D	770	LEU	3.7
1	A	776	ASN	3.7
1	C	597	ALA	3.7
1	A	597	ALA	3.6
1	A	756	ASN	3.5
1	D	109	PHE	3.5
1	A	687	LEU	3.5
1	A	755	ASP	3.4
1	D	687	LEU	3.4
1	C	232	SER	3.3
1	E	687	LEU	3.3
1	B	756	ASN	3.2
1	D	597	ALA	3.1
1	D	228	THR	3.1
1	A	88	LYS	2.9
1	A	600	ARG	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	771	LEU	2.9
1	A	754	VAL	2.9
1	D	598	LEU	2.9
1	D	599	ALA	2.8
1	E	109	PHE	2.8
1	D	776	ASN	2.8
1	B	228	THR	2.8
1	C	600	ARG	2.7
1	B	689	SER	2.7
1	B	109	PHE	2.7
1	A	84	VAL	2.7
1	C	687	LEU	2.7
1	D	231	LEU	2.7
1	A	232	SER	2.7
1	B	687	LEU	2.7
1	B	88	LYS	2.7
1	C	109	PHE	2.7
1	D	774	ALA	2.7
1	A	233	THR	2.7
1	B	600	ARG	2.6
1	D	773	LYS	2.6
1	B	598	LEU	2.6
1	B	755	ASP	2.6
1	C	755	ASP	2.6
1	C	756	ASN	2.6
1	C	759	GLU	2.6
1	C	233	THR	2.5
1	B	82	GLN	2.4
1	A	109	PHE	2.4
1	D	87	GLY	2.4
1	D	689	SER	2.4
1	B	281	ALA	2.4
1	C	754	VAL	2.3
1	A	281	ALA	2.3
1	A	655	ASP	2.3
1	D	655	ASP	2.3
1	C	598	LEU	2.3
1	B	597	ALA	2.2
1	E	755	ASP	2.2
1	A	139	ASP	2.2
1	E	600	ARG	2.2
1	A	231	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	87	GLY	2.1
1	D	775	ASN	2.1
1	A	599	ALA	2.1
1	E	88	LYS	2.1
1	C	594	GLU	2.0
1	A	693	LYS	2.0
1	D	755	ASP	2.0
1	E	655	ASP	2.0
1	C	668	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	K	E	1794	1/1	1.00	0.04	-2.18	19,19,19,19	0
2	MG	C	1793	1/1	0.95	0.04	-2.78	27,27,27,27	0
2	MG	B	1793	1/1	0.98	0.04	-2.91	30,30,30,30	0
4	CL	E	1796	1/1	0.99	0.07	-2.96	26,26,26,26	0
3	K	A	1794	1/1	0.99	0.04	-3.30	24,24,24,24	0
2	MG	A	1793	1/1	0.95	0.05	-3.44	28,28,28,28	0
3	K	D	1794	1/1	1.00	0.03	-3.80	18,18,18,18	0
2	MG	D	1793	1/1	0.96	0.03	-3.87	24,24,24,24	0
3	K	B	1794	1/1	0.99	0.03	-3.88	23,23,23,23	0
3	K	C	1794	1/1	0.99	0.04	-4.10	26,26,26,26	0
2	MG	E	1793	1/1	0.99	0.02	-5.02	26,26,26,26	0
4	CL	C	1795	1/1	0.99	0.06	-	28,28,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	CL	E	1795	1/1	0.99	0.07	-	23,23,23,23	0
4	CL	B	1795	1/1	1.00	0.05	-	25,25,25,25	0
4	CL	A	1795	1/1	0.99	0.04	-	29,29,29,29	0
4	CL	D	1795	1/1	0.99	0.08	-	25,25,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.