Full wwPDB X-ray Structure Validation Report (i)

Feb 1, 2016 – 06:59 AM GMT

PDB ID	:	2Z1S
Title	:	Beta-glucosidase B from paenibacillus polymyxa complexed with cellotetraose
Authors	:	Isorna, P.; Sanz-Aparicio, J.
Deposited on	:	2007-05-12
Resolution	:	2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
http://wwpdb.org/validation/2016/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1030 (2.48-2.44)
Ramachandran outliers	100387	1024 (2.48-2.44)
Sidechain outliers	100360	1024 (2.48-2.44)
RSRZ outliers	91569	4787 (2.50-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	454	7% 62% 29% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CTT	A	500	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3793 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-glucosidase B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	445	3625	2327	612	666	20	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	EXPRESSION TAG	UNP P22505
A	-4	HIS	-	EXPRESSION TAG	UNP P22505
A	-3	HIS	-	EXPRESSION TAG	UNP P22505
A	-2	HIS	-	EXPRESSION TAG	UNP P22505
A	-1	HIS	-	EXPRESSION TAG	UNP P22505
A	0	HIS	-	EXPRESSION TAG	UNP P22505
A	1	HIS	-	EXPRESSION TAG	UNP P22505
A	376	GLN	HIS	ENGINEERED	UNP P22505
A	377	ARG	GLY	ENGINEERED	UNP P22505

- Molecule 2 is CELLOTETRAOSE (three-letter code: CTT) (formula: $C_{24}H_{42}O_{21}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			45	24	21		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	123	Total	O	0	0
			123	123		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-glucosidase B

Chain A:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	71.32Å 75.28Å 88.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.08 – 2.46 26.08 – 2.46	Depositor EDS
% Data completeness (in resolution range)	99.2 (26.08-2.46) 99.4 (26.08-2.46)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.12	Depositor
$< I/\sigma(I) >$ [1]	2.34 (at 2.44Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.215 , 0.272 0.220 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å^2)	40.4	Xtriage
Anisotropy	0.529	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.37 , 45.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Outliers	0 of 17919 reflections	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	3793	wwPDB-VP
Average B, all atoms (Å^2)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.59% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.86	1/3736 (0.0%)	0.97	15/5066 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	349	GLY	N-CA	6.04	1.55	1.46

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	228	ASP	CB-CG-OD2	7.92	125.43	118.30
1	A	325	ASP	CB-CG-OD2	7.44	124.99	118.30
1	A	349	GLY	N-CA-C	7.19	131.08	113.10
1	A	244	ASP	CB-CG-OD2	7.13	124.72	118.30
1	A	308	ASP	CB-CG-OD2	6.66	124.30	118.30
1	A	363	ASP	CB-CG-OD2	6.09	123.78	118.30
1	A	124	ASP	CB-CG-OD2	5.99	123.69	118.30
1	A	311	LEU	CA-CB-CG	5.99	129.07	115.30
1	A	58	ASP	CB-CG-OD2	5.95	123.66	118.30
1	A	28	ASP	CB-CG-OD2	5.74	123.47	118.30
1	A	243	ARG	NE-CZ-NH1	-5.64	117.48	120.30
1	A	372	ASP	CB-CG-OD2	5.45	123.20	118.30
1	A	249	ARG	NE-CZ-NH1	5.33	122.96	120.30
1	A	447	GLY	N-CA-C	5.19	126.06	113.10
1	A	291	ASP	CB-CG-OD2	5.15	122.93	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3625	0	3423	131	0
2	A	45	0	40	12	0
3	A	123	0	0	6	0
All	All	3793	0	3463	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:409:GLU:OE2	2:A:500:CTT:H6E	1.45	1.16
1:A:409:GLU:OE2	2:A:500:CTT:C6E	1.96	1.13
1:A:93:ILE:H	1:A:93:ILE:HD12	0.93	1.05
1:A:93:ILE:HD13	1:A:94:ILE:N	1.70	1.05
1:A:373:THR:O	1:A:377:ARG:HG3	1.58	1.03
1:A:93:ILE:HD13	1:A:94:ILE:H	1.21	1.01
1:A:321:GLU:HB3	1:A:322:PRO:HD3	1.43	0.99
1:A:93:ILE:CD1	1:A:93:ILE:H	1.75	0.99
1:A:354:ILE:HD12	1:A:396:LEU:HD11	1.46	0.97
1:A:93:ILE:N	1:A:93:ILE:HD12	1.70	0.97
1:A:321:GLU:HB3	1:A:322:PRO:CD	2.06	0.84
1:A:409:GLU:OE2	2:A:500:CTT:O6E	1.96	0.83
1:A:409:GLU:CD	2:A:500:CTT:H6E	1.98	0.83
1:A:93:ILE:CD1	1:A:94:ILE:H	1.93	0.82
1:A:48:ILE:HD12	1:A:412:TRP:HA	1.60	0.81
1:A:110:GLU:OE2	1:A:158:ARG:HD2	1.84	0.77
1:A:390:ILE:O	1:A:391:GLU:HB3	1.86	0.75
1:A:84:TRP:HE1	1:A:88:MET:CE	1.99	0.74
1:A:243:ARG:CZ	1:A:247:ILE:HD11	2.19	0.72
1:A:93:ILE:CD1	1:A:93:ILE:N	2.41	0.72
1:A:256:PHE:CD1	1:A:346:PHE:HB3	2.23	0.72
1:A:59:HIS:HD2	1:A:66:ASP:OD2	1.72	0.72
1:A:243:ARG:HH12	2:A:500:CTT:H2C	1.55	0.71
1:A:93:ILE:CD1	1:A:94:ILE:N	2.50	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:GLU:O	1:A:323:VAL:HG13	1.91	0.71
1:A:324:THR:HG23	1:A:330:ILE:HD11	1.76	0.68
1:A:110:GLU:OE2	1:A:158:ARG:CD	2.41	0.68
1:A:180:GLU:OE1	2:A:500:CTT:H6C	1.93	0.68
1:A:84:TRP:HE1	1:A:88:MET:HE2	1.59	0.67
1:A:16:THR:HG22	1:A:401:VAL:HG13	1.76	0.67
1:A:22:GLN:O	1:A:407:ASN:HB2	1.96	0.66
1:A:243:ARG:NH1	1:A:247:ILE:HD11	2.10	0.65
1:A:249:ARG:NH2	1:A:263:ASP:OD1	2.30	0.65
1:A:447:GLY:O	1:A:448:PHE:C	2.34	0.65
1:A:373:THR:HG22	1:A:377:ARG:NE	2.12	0.64
1:A:67:VAL:HG21	1:A:108:GLU:HB3	1.79	0.63
1:A:222:LEU:HD12	1:A:224:MET:CE	2.29	0.62
1:A:79:ARG:NH1	1:A:356:GLU:OE1	2.31	0.62
1:A:16:THR:HG22	1:A:401:VAL:CG1	2.31	0.60
1:A:253:GLU:HB3	1:A:254:PRO:HD3	1.81	0.60
1:A:324:THR:CG2	1:A:330:ILE:HD11	2.31	0.60
1:A:245:GLY:HA2	1:A:249:ARG:HB2	1.86	0.58
1:A:359:ALA:O	1:A:375:ARG:HD3	2.04	0.57
1:A:122:HIS:HD2	3:A:508:HOH:O	1.88	0.56
1:A:124:ASP:N	1:A:124:ASP:OD1	2.34	0.56
1:A:69:LEU:HD23	1:A:69:LEU:O	2.05	0.56
1:A:373:THR:HG22	1:A:377:ARG:HE	1.70	0.56
1:A:72:GLN:NE2	3:A:608:HOH:O	2.39	0.55
1:A:71:LYS:HD3	1:A:112:ALA:O	2.07	0.55
1:A:222:LEU:HD12	1:A:224:MET:HE1	1.89	0.55
1:A:202:HIS:HE1	1:A:288:GLN:O	1.90	0.55
1:A:14:TRP:HB3	1:A:443:MET:CE	2.37	0.55
1:A:373:THR:CG2	1:A:377:ARG:HE	2.20	0.54
1:A:316:GLN:OE1	2:A:500:CTT:O2C	2.25	0.54
1:A:141:ILE:HG23	1:A:204:ILE:HG13	1.89	0.54
1:A:378:TYR:CD1	1:A:378:TYR:C	2.81	0.54
1:A:84:TRP:HE1	1:A:88:MET:HE3	1.72	0.53
1:A:74:GLY:O	1:A:443:MET:HE1	2.08	0.53
1:A:202:HIS:HB2	1:A:220:ILE:HD12	1.90	0.53
1:A:268:TYR:HB2	1:A:272:LEU:HD22	1.91	0.53
1:A:341:ARG:HD3	3:A:601:HOH:O	2.09	0.53
1:A:14:TRP:CB	1:A:443:MET:CE	2.88	0.52
1:A:326:MET:HE3	1:A:412:TRP:CD1	2.44	0.52
1:A:197:HIS:HA	1:A:200:MET:HE2	1.92	0.51
1:A:166:ASN:HD21	1:A:296:ASN:HD21	1.57	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:379:ILE:HG21	1:A:439:PHE:HE1	1.76	0.50
1:A:14:TRP:CB	1:A:443:MET:HE2	2.41	0.50
1:A:84:TRP:HB3	1:A:85:PRO:HD3	1.93	0.50
1:A:380:GLU:HG3	1:A:438:TRP:CZ2	2.46	0.50
1:A:14:TRP:HB2	1:A:443:MET:HE2	1.94	0.50
1:A:335:PHE:HZ	1:A:354:ILE:HG12	1.77	0.49
1:A:403:SER:OG	1:A:407:ASN:ND2	2.46	0.49
1:A:356:GLU:HB3	1:A:402:TRP:HB2	1.93	0.49
1:A:249:ARG:O	1:A:253:GLU:HB2	2.13	0.49
1:A:141:ILE:CG2	1:A:204:ILE:HG13	2.42	0.49
1:A:354:ILE:HD12	1:A:396:LEU:CD1	2.31	0.48
1:A:298:TYR:CE2	2:A:500:CTT:H3E	2.49	0.48
1:A:39:THR:OG1	1:A:127:GLN:NE2	2.46	0.48
1:A:330:ILE:HD13	1:A:330:ILE:N	2.28	0.48
1:A:342:ILE:O	1:A:345:ASP:O	2.32	0.47
1:A:59:HIS:CD2	1:A:66:ASP:OD2	2.61	0.47
1:A:141:ILE:CD1	1:A:200:MET:HE3	2.45	0.47
1:A:405:LEU:HD22	1:A:423:ILE:HD11	1.96	0.47
1:A:428:GLN:NE2	3:A:553:HOH:O	2.46	0.47
1:A:225:GLU:H	1:A:248:ASN:HD21	1.62	0.47
1:A:88:MET:HA	1:A:93:ILE:HD11	1.97	0.46
1:A:287:GLN:O	1:A:287:GLN:HG2	2.14	0.46
1:A:222:LEU:HD12	1:A:224:MET:HE2	1.98	0.46
1:A:20:SER:O	1:A:24:GLU:HB2	2.16	0.46
1:A:28:ASP:N	1:A:28:ASP:OD1	2.45	0.46
1:A:321:GLU:O	1:A:322:PRO:C	2.52	0.46
1:A:84:TRP:N	1:A:85:PRO:CD	2.79	0.46
1:A:360:ALA:HA	1:A:417:ARG:O	2.16	0.45
1:A:409:GLU:CD	2:A:500:CTT:C6E	2.68	0.45
1:A:20:SER:HB2	1:A:83:ALA:HB2	1.98	0.44
1:A:243:ARG:NH1	2:A:500:CTT:H2C	2.29	0.44
1:A:412:TRP:HB3	1:A:416:LYS:HG2	2.00	0.44
1:A:416:LYS:HD3	1:A:416:LYS:HA	1.82	0.44
1:A:110:GLU:OE2	1:A:158:ARG:HD3	2.16	0.44
1:A:332:PRO:HG3	1:A:381:GLU:HB3	2.00	0.44
1:A:84:TRP:NE1	1:A:88:MET:HE2	2.29	0.44
1:A:180:GLU:OE2	2:A:500:CTT:O6C	2.26	0.44
1:A:21:TYR:CZ	1:A:53:GLY:HA3	2.52	0.44
1:A:256:PHE:CE1	1:A:346:PHE:HB3	2.52	0.44
1:A:249:ARG:HH22	1:A:263:ASP:CG	2.20	0.44
1:A:363:ASP:OD2	1:A:375:ARG:NH2	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:ILE:HG23	1:A:198:ILE:HD11	2.01	0.43
1:A:78:TYR:CE2	1:A:80:PHE:HB3	2.54	0.43
1:A:154:ARG:O	1:A:154:ARG:HD2	2.19	0.43
1:A:202:HIS:CB	1:A:220:ILE:HD12	2.47	0.43
1:A:268:TYR:CE1	1:A:311:LEU:HD11	2.54	0.43
1:A:307:ASN:HA	1:A:307:ASN:HD22	1.60	0.43
1:A:300:ARG:CZ	1:A:302:ILE:HD11	2.49	0.42
1:A:38:ASP:OD2	3:A:557:HOH:O	2.21	0.42
1:A:144:PHE:HE2	1:A:205:ALA:HB2	1.84	0.42
1:A:90:ALA:O	1:A:93:ILE:HG13	2.20	0.42
2:A:500:CTT:H1D	2:A:500:CTT:H6CA	2.00	0.42
1:A:324:THR:C	1:A:326:MET:H	2.22	0.42
1:A:341:ARG:CD	3:A:601:HOH:O	2.66	0.41
1:A:148:ALA:O	1:A:152:MET:HG3	2.20	0.41
1:A:198:ILE:O	1:A:198:ILE:HG13	2.20	0.41
1:A:370:ILE:HB	1:A:433:LYS:HB3	2.02	0.41
1:A:224:MET:HB2	1:A:338:LEU:HD21	2.02	0.41
1:A:19:SER:O	1:A:23:ILE:CD1	2.67	0.41
1:A:424:ASN:O	1:A:428:GLN:N	2.52	0.41
1:A:222:LEU:HB2	1:A:224:MET:HE2	2.03	0.41
1:A:141:ILE:HD13	1:A:200:MET:HE3	2.03	0.41
1:A:224:MET:HA	1:A:248:ASN:ND2	2.36	0.41
1:A:333:GLU:O	1:A:336:TYR:HB3	2.20	0.41
1:A:64:LYS:HE2	1:A:68:GLN:NE2	2.37	0.40
1:A:347:SER:O	1:A:348:LYS:C	2.60	0.40
1:A:134:GLY:O	1:A:140:THR:OG1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	443/454 (98%)	408 (92%)	28 (6%)	7 (2%)	12 11

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	321	GLU
1	A	348	LYS
1	A	9	PRO
1	A	346	PHE
1	A	94	ILE
1	A	447	GLY
1	A	269	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	377/386 (98%)	334 (89%)	43 (11%)	7 7

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	SER
1	A	20	SER
1	A	23	ILE
1	A	54	ASP
1	A	57	CYS
1	A	64	LYS
1	A	65	GLU
1	A	68	GLN
1	A	72	GLN
1	A	86	ARG
1	A	93	ILE
1	A	108	GLU
1	A	114	LEU
1	A	124	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	138	ARG
1	A	149	SER
1	A	158	ARG
1	A	163	ASN
1	A	189	ARG
1	A	217	LYS
1	A	243	ARG
1	A	247	ILE
1	A	272	LEU
1	A	305	SER
1	A	306	THR
1	A	307	ASN
1	A	314	VAL
1	A	335	PHE
1	A	342	ILE
1	A	343	GLU
1	A	345	ASP
1	A	348	LYS
1	A	353	LEU
1	A	365	LEU
1	A	367	ASN
1	A	376	GLN
1	A	391	GLU
1	A	403	SER
1	A	409	GLU
1	A	420	ILE
1	A	439	PHE
1	A	440	LYS
1	A	442	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	HIS
1	A	62	HIS
1	A	68	GLN
1	A	77	HIS
1	A	95	ASN
1	A	122	HIS
1	A	127	GLN
1	A	166	ASN
1	A	202	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	207	ASN
1	A	209	HIS
1	A	248	ASN
1	A	287	GLN
1	A	288	GLN
1	A	307	ASN
1	A	313	GLN
1	A	331	HIS
1	A	369	GLN
1	A	441	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	CTT	A	500	-	48,48,48	1.19	4 (8%)	71,71,71	3.37	45 (63%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CTT	A	500	-	-	0/20/100/100	0/4/4/4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	CTT	C1B-C2B	2.00	1.56	1.52
2	A	500	CTT	O5B-C1B	2.17	1.47	1.43
2	A	500	CTT	O4C-C1D	2.19	1.47	1.41
2	A	500	CTT	O1B-C1B	2.57	1.48	1.39

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	500	CTT	C1C-O4B-C4B	-5.74	103.00	118.01
2	A	500	CTT	C1E-O4D-C4D	-5.41	103.88	118.01
2	A	500	CTT	O6C-C6C-C5C	-3.45	99.93	111.33
2	A	500	CTT	C1D-O4C-C4C	-3.41	109.10	118.01
2	A	500	CTT	O2E-C2E-C1E	-2.83	103.81	110.02
2	A	500	CTT	O6B-C6B-C5B	-2.61	102.72	111.33
2	A	500	CTT	O6D-C6D-C5D	-2.03	104.62	111.33
2	A	500	CTT	O4B-C1C-C2C	2.01	112.98	108.10
2	A	500	CTT	C1E-C2E-C3E	2.05	114.01	109.97
2	A	500	CTT	O3E-C3E-C2E	2.32	115.55	110.34
2	A	500	CTT	C6E-C5E-C4E	2.34	118.79	113.02
2	A	500	CTT	O5E-C5E-C6E	2.38	112.36	106.36
2	A	500	CTT	O4C-C1D-O5D	2.38	116.71	110.68
2	A	500	CTT	O5E-C5E-C4E	2.42	114.23	109.68
2	A	500	CTT	O3D-C3D-C4D	2.57	115.95	109.87
2	A	500	CTT	O3C-C3C-C4C	2.67	116.19	109.87
2	A	500	CTT	O3B-C3B-C4B	2.92	116.78	109.87
2	A	500	CTT	C2B-C3B-C4B	3.02	116.24	109.60
2	A	500	CTT	O4D-C4D-C5D	3.08	117.41	109.32
2	A	500	CTT	C4E-C3E-C2E	3.19	116.75	110.79
2	A	500	CTT	C3C-C4C-C5C	3.20	118.07	110.84
2	A	500	CTT	O3B-C3B-C2B	3.25	117.67	110.34
2	A	500	CTT	O5D-C5D-C4D	3.33	116.78	109.75
2	A	500	CTT	C3B-C4B-C5B	3.37	118.46	110.84
2	A	500	CTT	O4C-C4C-C3C	3.39	115.93	107.17
2	A	500	CTT	O5C-C5C-C6C	3.40	114.96	106.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	500	CTT	C3D-C4D-C5D	3.60	118.98	110.84
2	A	500	CTT	O2E-C2E-C3E	3.81	118.91	110.34
2	A	500	CTT	C1D-C2D-C3D	3.93	117.71	109.97
2	A	500	CTT	C2D-C3D-C4D	4.25	118.93	109.60
2	A	500	CTT	O1B-C1B-C2B	4.28	120.68	109.21
2	A	500	CTT	O4D-C1E-C2E	4.30	118.56	108.10
2	A	500	CTT	O4E-C4E-C3E	4.40	120.25	110.34
2	A	500	CTT	C1C-C2C-C3C	4.48	118.79	109.97
2	A	500	CTT	O5B-C1B-C2B	4.82	117.49	109.80
2	A	500	CTT	O5D-C1D-C2D	4.89	120.30	110.28
2	A	500	CTT	C1B-O5B-C5B	5.31	123.29	113.47
2	A	500	CTT	O5B-C5B-C4B	5.31	120.96	109.75
2	A	500	CTT	C1E-O5E-C5E	5.34	124.11	113.75
2	A	500	CTT	C1D-O5D-C5D	5.52	124.45	113.75
2	A	500	CTT	O5E-C1E-C2E	5.65	121.86	110.28
2	A	500	CTT	O5C-C1C-C2C	6.40	123.41	110.28
2	A	500	CTT	C1B-C2B-C3B	6.82	120.57	110.43
2	A	500	CTT	C3E-C4E-C5E	6.89	122.21	110.20
2	A	500	CTT	O5C-C5C-C4C	7.09	124.73	109.75

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	CTT	12	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	445/454 (98%)	0.44	32 (7%)	18	19	31, 47, 63, 80	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	ASN	6.5
1	A	366	VAL	4.7
1	A	444	ALA	4.4
1	A	82	VAL	4.1
1	A	120	LEU	4.1
1	A	118	LEU	3.6
1	A	319	MET	3.4
1	A	321	GLU	3.4
1	A	119	THR	3.4
1	A	274	GLY	3.3
1	A	10	ALA	3.3
1	A	111	LEU	3.3
1	A	121	TYR	3.2
1	A	320	GLU	3.2
1	A	157	GLU	2.8
1	A	165	ILE	2.7
1	A	5	THR	2.6
1	A	76	LEU	2.6
1	A	81	SER	2.4
1	A	273	ASN	2.4
1	A	199	LEU	2.4
1	A	18	THR	2.3
1	A	217	LYS	2.2
1	A	270	THR	2.2
1	A	280	PRO	2.2
1	A	401	VAL	2.2
1	A	354	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	348	LYS	2.2
1	A	100	LEU	2.1
1	A	198	ILE	2.1
1	A	19	SER	2.0
1	A	377	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
2	CTT	A	500	45/45	0.59	0.44	7.06	46,54,60,65	0

6.5 Other polymers (i)

There are no such residues in this entry.