



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:00 AM GMT

PDB ID : 2Z5U
Title : Crystal structure of Lysine-specific histone demethylase 1
Authors : Mimasu, S.; Sengoku, T.; Yokoyama, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2007-07-17
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1640 (2.28-2.24)
Clashscore	102246	1095 (2.26-2.26)
Ramachandran outliers	100387	1063 (2.26-2.26)
Sidechain outliers	100360	1063 (2.26-2.26)
RSRZ outliers	91569	1647 (2.28-2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	662	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 5237 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine-specific histone demethylase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	642	5044	3214	877	934	19	0	0	0

- Molecule 2 is FAD-TRANS-2-PHENYLCYCLOPROPYLAMINE ADDUCT (three-letter code: FAJ) (formula: C₃₆H₄₃N₉O₁₆P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	63	36	9	16	2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	130	Total	O	0	0
			130	130		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lysine-specific histone demethylase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	185.76Å 185.76Å 108.74Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	35.36 – 2.25 35.36 – 2.28	Depositor EDS
% Data completeness (in resolution range)	97.7 (35.36-2.25) 97.3 (35.36-2.28)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.58 (at 2.29Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.225 , 0.254 0.235 , 0.221	Depositor DCC
R_{free} test set	2489 reflections (5.06%)	DCC
Wilson B-factor (Å ²)	41.9	Xtrriage
Anisotropy	0.385	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.16 , 38.8	EDS
Estimated twinning fraction	No twinning to report.	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Outliers	0 of 49205 reflections	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5237	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/5149	0.62	0/6977

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5044	0	5077	197	0
2	A	63	0	41	7	0
3	A	130	0	0	5	0
All	All	5237	0	5118	198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:LYS:H	1:A:276:LYS:HD3	1.21	1.06

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:792:PRO:HG2	1:A:793:ILE:HG22	1.53	0.89
1:A:781:THR:HG22	1:A:794:PRO:HA	1.54	0.87
1:A:172:SER:HB2	1:A:175:GLU:HB3	1.59	0.85
1:A:230:THR:HG23	1:A:270:ILE:HD11	1.61	0.83
1:A:284:ILE:HD12	1:A:590:VAL:HG21	1.61	0.81
1:A:566:THR:HG21	1:A:697:LEU:HG	1.61	0.81
1:A:462:TYR:O	1:A:463:LYS:HB2	1.79	0.81
1:A:270:ILE:HD13	1:A:270:ILE:H	1.46	0.80
1:A:462:TYR:CD2	1:A:483:LYS:HB3	2.19	0.78
1:A:668:ARG:HH21	1:A:741:PRO:HB3	1.49	0.76
1:A:715:MET:HE3	1:A:723:ILE:HD13	1.65	0.76
1:A:507:LYS:O	1:A:511:LEU:HD13	1.84	0.76
1:A:537:GLU:HG2	1:A:544:LEU:HD13	1.67	0.75
1:A:476:ALA:HA	1:A:479:LEU:HB3	1.69	0.74
1:A:597:ALA:CB	1:A:792:PRO:HD3	2.18	0.74
1:A:603:ILE:HG13	1:A:615:ILE:HD12	1.70	0.73
1:A:455:ILE:HD11	1:A:490:LEU:HB3	1.69	0.73
1:A:715:MET:CE	1:A:723:ILE:HD13	2.19	0.72
1:A:458:LEU:C	1:A:460:GLN:H	1.95	0.70
1:A:268:LYS:HB3	1:A:268:LYS:NZ	2.07	0.70
1:A:458:LEU:HD22	1:A:462:TYR:CE1	2.29	0.68
1:A:180:GLN:NE2	1:A:339:GLY:H	1.91	0.68
1:A:274:PRO:HB2	1:A:276:LYS:HE3	1.74	0.67
1:A:460:GLN:O	1:A:461:GLN:HB3	1.94	0.66
1:A:239:GLU:CD	1:A:239:GLU:H	1.99	0.66
1:A:458:LEU:HD22	1:A:462:TYR:CZ	2.31	0.66
1:A:180:GLN:HE22	1:A:339:GLY:H	1.45	0.65
1:A:434:ILE:O	1:A:438:GLN:HG3	1.97	0.65
1:A:276:LYS:N	1:A:276:LYS:HD3	2.04	0.64
1:A:311:ASP:HB3	1:A:587:ASN:HD21	1.61	0.64
1:A:273:LEU:HD21	1:A:299:SER:HA	1.79	0.64
1:A:781:THR:HG21	1:A:794:PRO:HG3	1.79	0.64
1:A:793:ILE:HD12	1:A:794:PRO:HD2	1.79	0.64
1:A:808:PRO:O	1:A:810:THR:HG23	1.99	0.63
1:A:665:CYS:HB2	1:A:745:GLU:HB2	1.80	0.63
1:A:781:THR:CG2	1:A:794:PRO:HA	2.28	0.63
1:A:282:ILE:HD11	1:A:616:TYR:HB3	1.80	0.63
1:A:463:LYS:O	1:A:464:GLU:HG3	1.98	0.63
1:A:227:ILE:HD13	1:A:228:GLN:O	1.98	0.62
1:A:614:PHE:O	1:A:615:ILE:HD13	1.99	0.62
1:A:276:LYS:CD	1:A:276:LYS:H	2.01	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:537:GLU:CG	1:A:544:LEU:HD13	2.29	0.62
1:A:230:THR:CG2	1:A:270:ILE:HD11	2.29	0.61
1:A:513:ALA:C	1:A:515:PRO:HD3	2.21	0.61
1:A:592:GLN:NE2	1:A:594:ARG:HH11	1.97	0.61
1:A:243:ASN:N	1:A:243:ASN:HD22	1.97	0.60
1:A:332:MET:CE	1:A:704:LEU:HD12	2.31	0.60
1:A:286:SER:HB2	1:A:308:GLU:HB2	1.82	0.60
1:A:500:THR:O	1:A:504:LEU:HD13	2.01	0.59
1:A:463:LYS:C	1:A:464:GLU:HG3	2.22	0.59
1:A:448:MET:HE3	1:A:498:ALA:N	2.18	0.59
1:A:625:LEU:HD21	2:A:1:FAJ:N9	2.18	0.59
1:A:458:LEU:C	1:A:460:GLN:N	2.54	0.59
1:A:269:ARG:HH21	1:A:299:SER:HB2	1.67	0.59
1:A:200:ILE:O	1:A:200:ILE:HD13	2.03	0.58
1:A:391:TYR:CE1	1:A:395:GLN:HG2	2.38	0.58
1:A:282:ILE:HD12	1:A:618:CYS:SG	2.43	0.58
1:A:715:MET:HB2	3:A:908:HOH:O	2.03	0.57
1:A:487:LEU:HD23	1:A:487:LEU:O	2.05	0.57
1:A:514:ASN:N	1:A:515:PRO:HD3	2.20	0.57
1:A:208:LYS:NZ	1:A:208:LYS:HB2	2.20	0.57
1:A:603:ILE:HD12	1:A:603:ILE:N	2.20	0.56
1:A:270:ILE:O	1:A:272:PRO:HD3	2.06	0.55
1:A:508:LEU:O	1:A:512:GLU:HG2	2.07	0.55
1:A:434:ILE:HD11	1:A:511:LEU:HB3	1.88	0.55
1:A:631:LYS:HE3	3:A:925:HOH:O	2.07	0.55
1:A:266:ILE:HD12	1:A:349:VAL:HG12	1.86	0.55
1:A:676:ASN:HB3	1:A:677:LEU:HD23	1.89	0.54
1:A:663:VAL:HG22	1:A:704:LEU:CD2	2.36	0.54
1:A:451:LEU:O	1:A:455:ILE:HD13	2.08	0.54
1:A:592:GLN:HE21	1:A:594:ARG:HD2	1.73	0.53
1:A:623:CYS:SG	1:A:625:LEU:HG	2.49	0.53
1:A:726:ARG:O	1:A:730:ILE:HG12	2.08	0.53
1:A:332:MET:HE1	1:A:704:LEU:HD12	1.90	0.52
1:A:452:LYS:HG2	1:A:494:TYR:HE2	1.74	0.52
1:A:680:HIS:CE1	1:A:730:ILE:HD12	2.44	0.52
1:A:804:ILE:HG23	1:A:804:ILE:O	2.09	0.52
1:A:554:GLN:HG2	3:A:837:HOH:O	2.08	0.52
1:A:266:ILE:HD13	1:A:577:ALA:HB1	1.91	0.52
1:A:366:ASN:OD1	1:A:368:GLN:HG2	2.09	0.52
1:A:566:THR:HG22	3:A:900:HOH:O	2.10	0.52
1:A:462:TYR:O	1:A:463:LYS:CB	2.57	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:462:TYR:CZ	1:A:483:LYS:HD2	2.46	0.51
1:A:452:LYS:O	1:A:456:LYS:HG3	2.11	0.51
1:A:720:ASP:O	1:A:724:VAL:HG23	2.11	0.51
1:A:227:ILE:HD11	1:A:270:ILE:CG2	2.41	0.51
1:A:228:GLN:OE1	1:A:270:ILE:HD13	2.11	0.51
1:A:227:ILE:HD11	1:A:270:ILE:HG21	1.92	0.51
1:A:175:GLU:HG3	1:A:185:HIS:CG	2.45	0.50
1:A:711:ALA:O	1:A:715:MET:HG2	2.12	0.50
1:A:609:SER:C	1:A:611:SER:H	2.15	0.50
1:A:344:VAL:O	1:A:348:GLN:HG3	2.12	0.50
1:A:810:THR:HG22	2:A:1:FAJ:H6	1.93	0.50
1:A:476:ALA:HB1	1:A:480:VAL:HG23	1.93	0.50
1:A:676:ASN:CB	1:A:677:LEU:HD23	2.42	0.50
1:A:372:LYS:O	1:A:376:GLU:HG3	2.11	0.50
1:A:651:VAL:HG23	1:A:776:MET:CE	2.42	0.49
1:A:228:GLN:HB3	1:A:270:ILE:CD1	2.42	0.49
1:A:493:GLU:O	1:A:497:LEU:HD13	2.12	0.49
1:A:458:LEU:HD23	1:A:458:LEU:N	2.28	0.49
1:A:424:LYS:O	1:A:428:ILE:HG12	2.12	0.49
1:A:476:ALA:C	1:A:478:PHE:N	2.66	0.49
1:A:412:LEU:O	1:A:416:ILE:HG12	2.13	0.49
1:A:363:TYR:CG	1:A:734:ILE:HD12	2.48	0.48
1:A:175:GLU:HG3	1:A:185:HIS:CD2	2.48	0.48
1:A:597:ALA:HA	1:A:792:PRO:CD	2.44	0.48
1:A:707:VAL:HG11	1:A:715:MET:HG3	1.95	0.48
1:A:479:LEU:O	1:A:483:LYS:HG2	2.12	0.48
1:A:367:GLY:HA2	1:A:734:ILE:HD13	1.95	0.48
1:A:793:ILE:CD1	1:A:794:PRO:HD2	2.44	0.48
1:A:363:TYR:CB	1:A:734:ILE:HD12	2.44	0.48
1:A:452:LYS:HG2	1:A:494:TYR:CE2	2.49	0.47
1:A:603:ILE:HG13	1:A:615:ILE:CD1	2.40	0.47
1:A:780:ILE:HB	1:A:796:LEU:HB3	1.96	0.47
1:A:458:LEU:HB3	1:A:462:TYR:CE2	2.50	0.47
1:A:180:GLN:NE2	1:A:180:GLN:HA	2.29	0.47
1:A:441:LEU:O	1:A:445:LEU:HD13	2.14	0.47
1:A:458:LEU:HD13	1:A:462:TYR:CZ	2.50	0.47
1:A:209:VAL:O	1:A:213:ILE:HG12	2.15	0.46
1:A:623:CYS:SG	1:A:625:LEU:HD12	2.55	0.46
1:A:216:ARG:HE	1:A:219:GLN:NE2	2.14	0.46
1:A:592:GLN:NE2	1:A:594:ARG:HD2	2.30	0.46
1:A:804:ILE:HD13	1:A:804:ILE:C	2.35	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:541:ALA:HB2	1:A:761:TYR:CZ	2.51	0.46
1:A:624:THR:HG22	1:A:799:ALA:HB3	1.96	0.46
1:A:496:GLU:HA	1:A:496:GLU:OE2	2.16	0.45
1:A:520:TYR:CD2	1:A:521:LEU:HG	2.51	0.45
1:A:227:ILE:HD13	1:A:228:GLN:N	2.31	0.45
1:A:435:VAL:O	1:A:439:GLU:HG3	2.17	0.45
1:A:332:MET:HE3	1:A:704:LEU:HD12	1.97	0.45
1:A:216:ARG:HE	1:A:219:GLN:HE21	1.63	0.45
1:A:332:MET:HE3	1:A:704:LEU:CD1	2.46	0.45
1:A:696:ASN:ND2	3:A:851:HOH:O	2.49	0.45
1:A:761:TYR:CD2	1:A:809:ALA:HB1	2.51	0.45
1:A:810:THR:HG22	2:A:1:FAJ:C8	2.47	0.45
1:A:590:VAL:HB	2:A:1:FAJ:N8	2.31	0.45
1:A:623:CYS:SG	1:A:625:LEU:CG	3.05	0.45
1:A:809:ALA:O	2:A:1:FAJ:H5	2.18	0.44
1:A:240:ALA:HA	1:A:243:ASN:ND2	2.32	0.44
1:A:676:ASN:C	1:A:677:LEU:HD23	2.37	0.44
1:A:204:GLN:HB2	1:A:204:GLN:HE21	1.57	0.44
1:A:462:TYR:CE1	1:A:483:LYS:HD2	2.52	0.44
1:A:243:ASN:ND2	1:A:243:ASN:N	2.64	0.44
1:A:509:GLN:HA	1:A:512:GLU:CG	2.46	0.44
1:A:609:SER:O	1:A:611:SER:N	2.50	0.44
1:A:197:PRO:HA	1:A:200:ILE:HG22	1.99	0.44
1:A:351:MET:HE2	1:A:567:VAL:HG13	1.98	0.44
1:A:736:GLY:O	1:A:739:ALA:HB3	2.17	0.44
1:A:457:GLU:C	1:A:458:LEU:HD23	2.38	0.44
1:A:243:ASN:H	1:A:243:ASN:HD22	1.66	0.44
1:A:444:LEU:HD13	1:A:444:LEU:C	2.38	0.44
1:A:778:GLN:HA	1:A:779:PRO:HD3	1.91	0.44
1:A:597:ALA:CA	1:A:792:PRO:HD3	2.48	0.43
1:A:597:ALA:HA	1:A:792:PRO:HD3	1.99	0.43
1:A:737:SER:C	1:A:739:ALA:H	2.21	0.43
1:A:779:PRO:HG2	1:A:824:ARG:HD3	1.99	0.43
1:A:270:ILE:H	1:A:270:ILE:CD1	2.24	0.43
1:A:715:MET:CE	1:A:723:ILE:CD1	2.93	0.43
1:A:455:ILE:CD1	1:A:490:LEU:HB3	2.43	0.43
1:A:669:VAL:HG13	1:A:671:TRP:CE2	2.53	0.43
1:A:200:ILE:C	1:A:200:ILE:HD13	2.39	0.43
1:A:174:VAL:HB	1:A:215:ASN:HB3	2.00	0.43
1:A:268:LYS:HB3	1:A:268:LYS:HZ2	1.81	0.43
1:A:266:ILE:HD12	1:A:349:VAL:CG1	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:258:ARG:NH1	1:A:827:ASP:OD1	2.48	0.43
1:A:458:LEU:O	1:A:462:TYR:HB2	2.19	0.42
1:A:668:ARG:NH2	1:A:741:PRO:HB3	2.26	0.42
1:A:461:GLN:NE2	1:A:462:TYR:HE1	2.18	0.42
1:A:676:ASN:HA	1:A:676:ASN:HD22	1.64	0.42
1:A:691:LEU:HA	1:A:706:LEU:O	2.19	0.42
1:A:485:ARG:HG3	1:A:485:ARG:HH21	1.83	0.42
1:A:200:ILE:HG23	1:A:201:SER:N	2.33	0.42
1:A:650:ALA:HB3	1:A:776:MET:CE	2.50	0.42
1:A:447:LYS:HD2	1:A:497:LEU:HD21	2.02	0.42
2:A:1:FAJ:N2	2:A:1:FAJ:H24	2.34	0.42
1:A:737:SER:O	1:A:738:SER:CB	2.67	0.42
1:A:458:LEU:O	1:A:460:GLN:N	2.39	0.42
1:A:541:ALA:O	1:A:657:GLY:HA3	2.20	0.42
1:A:677:LEU:N	1:A:677:LEU:HD23	2.34	0.42
1:A:597:ALA:HB1	1:A:792:PRO:HD3	1.96	0.41
1:A:425:ASP:O	1:A:429:GLU:HG3	2.20	0.41
1:A:268:LYS:HB3	1:A:268:LYS:HZ3	1.82	0.41
1:A:515:PRO:HA	1:A:516:PRO:HD3	1.97	0.41
1:A:398:PHE:CG	1:A:398:PHE:O	2.73	0.41
1:A:587:ASN:ND2	1:A:608:ARG:NH2	2.68	0.41
1:A:494:TYR:C	1:A:496:GLU:N	2.74	0.41
1:A:537:GLU:OE2	1:A:543:PRO:HA	2.20	0.41
1:A:654:MET:SD	1:A:776:MET:HG3	2.61	0.41
1:A:606:ASN:OD1	1:A:608:ARG:HB2	2.21	0.41
1:A:609:SER:C	1:A:611:SER:N	2.74	0.41
1:A:458:LEU:O	1:A:460:GLN:O	2.39	0.40
1:A:648:THR:O	1:A:652:GLN:HG3	2.20	0.40
1:A:694:PHE:HA	1:A:704:LEU:O	2.21	0.40
1:A:453:GLU:O	1:A:457:GLU:HG3	2.21	0.40
1:A:462:TYR:CE2	1:A:483:LYS:HD2	2.57	0.40
1:A:280:LYS:HD2	1:A:303:ASP:O	2.21	0.40
1:A:307:LEU:O	2:A:1:FAJ:C35	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	636/662 (96%)	602 (95%)	28 (4%)	6 (1%)	21 18

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	463	LYS
1	A	395	GLN
1	A	462	TYR
1	A	610	THR
1	A	460	GLN
1	A	494	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	547/562 (97%)	514 (94%)	33 (6%)	24 23

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	200	ILE
1	A	204	GLN
1	A	208	LYS
1	A	227	ILE
1	A	243	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	248	LEU
1	A	268	LYS
1	A	270	ILE
1	A	276	LYS
1	A	281	VAL
1	A	297	LEU
1	A	304	VAL
1	A	385	LEU
1	A	392	LEU
1	A	455	ILE
1	A	459	HIS
1	A	460	GLN
1	A	536	LEU
1	A	538	PHE
1	A	556	ASP
1	A	566	THR
1	A	571	TYR
1	A	591	ARG
1	A	637	VAL
1	A	677	LEU
1	A	683	SER
1	A	696	ASN
1	A	697	LEU
1	A	731	LEU
1	A	744	LYS
1	A	771	ASN
1	A	795	ARG
1	A	804	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	180	GLN
1	A	204	GLN
1	A	205	GLN
1	A	207	GLN
1	A	219	GLN
1	A	243	ASN
1	A	259	HIS
1	A	296	GLN
1	A	350	ASN
1	A	368	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	395	GLN
1	A	419	GLN
1	A	450	ASN
1	A	459	HIS
1	A	461	GLN
1	A	509	GLN
1	A	532	HIS
1	A	587	ASN
1	A	592	GLN
1	A	638	GLN
1	A	658	ASN
1	A	680	HIS
1	A	696	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAJ	A	1	-	62,70,70	1.97	7 (11%)	66,109,109	3.45	12 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAJ	A	1	-	-	0/34/106/106	0/7/8/8

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	FAJ	C19-C18	-5.49	1.39	1.51
2	A	1	FAJ	C4-C5	-2.45	1.54	1.57
2	A	1	FAJ	O14-C31	2.72	1.44	1.41
2	A	1	FAJ	C3-N2	2.79	1.40	1.31
2	A	1	FAJ	C34-N7	3.12	1.40	1.35
2	A	1	FAJ	C35-N8	7.55	1.48	1.33
2	A	1	FAJ	C35-N7	9.15	1.48	1.32

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	FAJ	N7-C35-N8	-25.52	109.35	128.89
2	A	1	FAJ	C28-O14-C31	-4.45	104.83	109.72
2	A	1	FAJ	C12-C5-C6	-3.95	108.24	115.58
2	A	1	FAJ	C34-C33-N6	-3.61	106.16	109.48
2	A	1	FAJ	C21-N4-C3	-2.93	115.57	120.57
2	A	1	FAJ	C27-C28-C29	-2.79	104.15	115.21
2	A	1	FAJ	P2-O10-P1	-2.42	125.93	132.73
2	A	1	FAJ	O1-C1-C4	-2.33	119.44	123.76
2	A	1	FAJ	O16-C30-C29	-2.10	105.00	111.83
2	A	1	FAJ	C20-C21-N4	-2.06	118.83	121.86
2	A	1	FAJ	C4-C1-N1	2.44	118.00	111.03
2	A	1	FAJ	O14-C28-C27	2.81	119.39	109.32

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	FAJ	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	642/662 (96%)	0.31	39 (6%) 25 27	25, 44, 87, 148	642 (100%)

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	462	TYR	14.2
1	A	474	ILE	12.3
1	A	459	HIS	9.1
1	A	477	GLU	7.5
1	A	475	THR	6.0
1	A	461	GLN	5.3
1	A	464	GLU	5.2
1	A	792	PRO	4.6
1	A	275	THR	4.1
1	A	495	ASP	4.1
1	A	476	ALA	4.1
1	A	403	ASN	3.8
1	A	460	GLN	3.3
1	A	274	PRO	3.3
1	A	504	LEU	3.2
1	A	456	LYS	3.0
1	A	814	ALA	2.9
1	A	172	SER	2.9
1	A	815	LEU	2.8
1	A	509	GLN	2.8
1	A	398	PHE	2.8
1	A	272	PRO	2.8
1	A	634	PRO	2.7
1	A	513	ALA	2.6
1	A	288	VAL	2.5
1	A	431	TRP	2.4
1	A	816	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	441	LEU	2.3
1	A	271	LYS	2.3
1	A	506	GLU	2.3
1	A	204	GLN	2.3
1	A	516	PRO	2.2
1	A	804	ILE	2.2
1	A	273	LEU	2.2
1	A	402	ASN	2.1
1	A	404	LYS	2.1
1	A	457	GLU	2.0
1	A	514	ASN	2.0
1	A	810	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	FAJ	A	1	63/63	0.91	0.22	1.22	22,32,51,59	63

6.5 Other polymers [i](#)

There are no such residues in this entry.