



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:04 AM GMT

PDB ID : 1ZCK
Title : native structure prl-1 (ptp4a1)
Authors : Sun, J.P.; Wang, W.Q.; Yang, H.; Liu, S.; Liang, F.; Fedorov, A.A.; Almo, S.C.; Zhang, Z.Y.
Deposited on : 2005-04-12
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	154	<div> <div>24%</div> <div>64%</div> <div>32%</div> <div>..</div> </div>
1	B	154	<div> <div>38%</div> <div>65%</div> <div>31%</div> <div>..</div> </div>
1	C	154	<div> <div>42%</div> <div>60%</div> <div>36%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACY	B	415	-	-	X	X
2	ACY	C	416	-	-	X	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3952 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called protein tyrosine phosphatase 4a1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	150	Total	C	N	O	S	Se	0	0	0
			1210	782	210	211	4	3			
1	B	152	Total	C	N	O	S	Se	0	0	0
			1226	790	212	217	4	3			
1	C	152	Total	C	N	O	S	Se	0	0	0
			1226	790	212	217	4	3			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	17	MSE	MET	MODIFIED RESIDUE	UNP Q78EG7
A	124	MSE	MET	MODIFIED RESIDUE	UNP Q78EG7
A	156	MSE	MET	MODIFIED RESIDUE	UNP Q78EG7
B	17	MSE	MET	MODIFIED RESIDUE	UNP Q78EG7
B	124	MSE	MET	MODIFIED RESIDUE	UNP Q78EG7
B	156	MSE	MET	MODIFIED RESIDUE	UNP Q78EG7
C	17	MSE	MET	MODIFIED RESIDUE	UNP Q78EG7
C	124	MSE	MET	MODIFIED RESIDUE	UNP Q78EG7
C	156	MSE	MET	INSERTION	UNP Q78EG7

- Molecule 2 is ACETIC ACID (three-letter code: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	82	Total	O	0	0
			82	82		
3	B	99	Total	O	0	0
			99	99		
3	C	97	Total	O	0	0
			97	97		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: protein tyrosine phosphatase 4a1



- Molecule 1: protein tyrosine phosphatase 4a1



- Molecule 1: protein tyrosine phosphatase 4a1



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	71.29Å 105.57Å 181.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.90 29.89 – 1.91	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-1.90) 92.4 (29.89-1.91)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 1.92Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.245 , 0.257 0.306 , 0.312	Depositor DCC
R_{free} test set	4920 reflections (10.05%)	DCC
Wilson B-factor (Å ²)	26.8	Xtriage
Anisotropy	0.299	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 46.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 51886 reflections	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	3952	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/1233	0.61	0/1659
1	B	0.35	0/1250	0.61	0/1684
1	C	0.37	0/1250	0.63	0/1684
All	All	0.36	0/3733	0.61	0/5027

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1210	0	1243	50	2
1	B	1226	0	1252	63	2
1	C	1226	0	1252	77	2
2	A	4	0	3	1	0
2	B	4	0	4	7	0
2	C	4	0	3	3	0
3	A	82	0	0	10	0
3	B	99	0	0	9	1
3	C	97	0	0	26	0
All	All	3952	0	3757	179	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:415:ACY:CH3	2:B:415:ACY:C	1.78	1.57
2:B:415:ACY:C	2:B:415:ACY:O	1.67	1.43
1:B:72:ASP:HB3	1:B:110:ARG:NH2	1.74	1.03
1:A:43:THR:HG21	1:A:95:GLU:OE1	1.59	1.01
1:A:155:LYS:HE3	3:A:485:HOH:O	1.65	0.94
1:B:121:GLU:HG3	3:B:476:HOH:O	1.70	0.92
1:B:72:ASP:HB2	3:B:483:HOH:O	1.71	0.89
1:B:150:GLU:HG2	3:B:458:HOH:O	1.77	0.84
1:C:9:PRO:HG2	3:C:466:HOH:O	1.77	0.83
1:C:151:LYS:HD2	3:C:444:HOH:O	1.81	0.80
1:A:121:GLU:HG3	3:A:477:HOH:O	1.81	0.80
1:C:71:ASP:HB2	1:C:74:ALA:HB3	1.64	0.79
1:C:69:PRO:HG3	3:C:500:HOH:O	1.83	0.79
1:C:73:GLY:HA2	3:C:453:HOH:O	1.82	0.78
1:C:10:VAL:HG22	1:C:21:ILE:HB	1.66	0.77
1:C:121:GLU:HG3	3:C:427:HOH:O	1.84	0.77
1:C:158:LEU:HB2	3:C:491:HOH:O	1.83	0.76
1:A:10:VAL:HG22	1:A:21:ILE:HB	1.68	0.75
1:B:10:VAL:HG22	1:B:21:ILE:HB	1.67	0.74
1:C:144:LYS:HE3	3:C:453:HOH:O	1.87	0.74
1:A:73:GLY:HA3	3:A:448:HOH:O	1.87	0.73
1:A:137:ARG:HE	1:A:137:ARG:HA	1.54	0.73
1:A:13:THR:HG22	1:A:18:ARG:HG3	1.70	0.72
1:B:13:THR:HG22	1:B:18:ARG:HG3	1.71	0.71
1:B:37:LEU:HB3	1:B:42:VAL:CG2	2.20	0.71
1:A:9:PRO:HD2	3:A:469:HOH:O	1.88	0.71
1:B:137:ARG:HE	1:B:137:ARG:HA	1.55	0.71
1:C:137:ARG:HE	1:C:137:ARG:HA	1.56	0.70
1:A:90:ILE:O	1:A:94:GLU:HG2	1.91	0.70
1:A:37:LEU:HB3	1:A:42:VAL:CG2	2.21	0.70
1:A:27:ASN:HD21	1:A:54:ASP:H	1.40	0.70
3:A:486:HOH:O	1:C:93:ARG:HG3	1.92	0.69
1:C:13:THR:HG22	1:C:18:ARG:HG3	1.74	0.68
1:B:37:LEU:HB3	1:B:42:VAL:HG22	1.74	0.68
1:C:37:LEU:HB3	1:C:42:VAL:CG2	2.23	0.68
1:B:71:ASP:O	3:B:507:HOH:O	2.11	0.67
1:C:37:LEU:HB3	1:C:42:VAL:HG22	1.75	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:ARG:NH2	3:A:488:HOH:O	2.26	0.67
1:B:27:ASN:HD21	1:B:54:ASP:H	1.41	0.67
1:C:110:ARG:NH2	3:C:445:HOH:O	2.28	0.66
1:C:27:ASN:HD21	1:C:54:ASP:H	1.41	0.66
1:C:73:GLY:CA	3:C:453:HOH:O	2.42	0.66
1:A:37:LEU:HB3	1:A:42:VAL:HG22	1.75	0.66
1:C:12:VAL:HG11	1:C:115:VAL:HG11	1.78	0.65
1:C:73:GLY:N	3:C:445:HOH:O	2.28	0.65
1:B:153:ARG:NH2	3:B:486:HOH:O	2.29	0.65
1:C:34:ILE:HG21	1:C:61:GLU:HG3	1.79	0.64
1:C:143:SER:O	1:C:147:LEU:HD23	1.99	0.63
1:C:150:GLU:HG2	3:C:444:HOH:O	1.99	0.63
1:B:34:ILE:HG21	1:B:61:GLU:HG3	1.79	0.63
1:C:60:LYS:C	1:C:60:LYS:HD3	2.19	0.63
1:A:12:VAL:HG11	1:A:115:VAL:HG11	1.81	0.63
1:B:143:SER:O	1:B:147:LEU:HD23	1.99	0.63
1:C:29:THR:HA	3:C:424:HOH:O	1.99	0.62
1:C:14:TYR:O	2:C:416:ACY:H2	1.99	0.62
1:C:72:ASP:HA	3:C:445:HOH:O	2.00	0.62
1:A:34:ILE:HG21	1:A:61:GLU:HG3	1.81	0.62
1:A:13:THR:HG22	1:A:18:ARG:CG	2.30	0.61
1:B:13:THR:HG22	1:B:18:ARG:CG	2.29	0.61
1:B:12:VAL:HG11	1:B:115:VAL:HG11	1.80	0.61
2:B:415:ACY:CH3	2:B:415:ACY:O	2.48	0.61
1:A:143:SER:O	1:A:147:LEU:HD23	1.99	0.61
1:B:38:LYS:HE3	1:B:61:GLU:HB3	1.82	0.60
1:C:10:VAL:HG11	1:C:137:ARG:HB2	1.84	0.60
1:B:72:ASP:C	1:B:74:ALA:H	2.04	0.60
1:B:10:VAL:HA	3:B:469:HOH:O	2.01	0.60
1:A:108:LEU:H	1:A:108:LEU:HD22	1.66	0.60
1:C:29:THR:HG23	3:C:483:HOH:O	2.01	0.59
1:C:13:THR:HG22	1:C:18:ARG:CG	2.31	0.59
1:C:72:ASP:HA	1:C:110:ARG:NH2	2.18	0.59
1:A:135:GLN:HG3	1:C:13:THR:HG23	1.85	0.58
1:B:10:VAL:HG11	1:B:137:ARG:HB2	1.85	0.58
1:C:121:GLU:HG3	3:C:491:HOH:O	2.03	0.58
1:C:38:LYS:HE3	1:C:61:GLU:HB3	1.85	0.58
1:A:135:GLN:HG3	1:C:13:THR:CG2	2.35	0.56
1:A:38:LYS:HE3	1:A:61:GLU:HB3	1.87	0.56
1:B:13:THR:HG23	1:C:135:GLN:HG3	1.88	0.56
1:A:13:THR:HG23	1:B:135:GLN:HG3	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:72:ASP:HB3	1:B:110:ARG:CZ	2.33	0.55
1:A:129:ALA:O	1:A:133:ILE:HG12	2.07	0.54
1:B:151:LYS:HD3	3:B:443:HOH:O	2.07	0.54
1:B:71:ASP:HB2	1:B:74:ALA:HB3	1.90	0.54
2:A:414:ACY:H3	3:A:492:HOH:O	2.08	0.52
1:C:28:ALA:HB3	3:C:483:HOH:O	2.09	0.52
1:C:14:TYR:O	2:C:416:ACY:CH3	2.57	0.52
1:C:29:THR:HG22	3:C:424:HOH:O	2.10	0.52
1:B:13:THR:CG2	1:C:135:GLN:HG3	2.40	0.52
1:B:129:ALA:O	1:B:133:ILE:HG12	2.09	0.51
1:A:13:THR:HG23	1:B:135:GLN:CG	2.41	0.51
1:B:110:ARG:NH2	2:B:415:ACY:OXT	2.43	0.51
1:A:108:LEU:HD11	1:A:137:ARG:HD2	1.93	0.51
1:A:42:VAL:HA	1:A:99:CYS:O	2.11	0.50
1:A:42:VAL:O	1:A:63:ILE:HD12	2.12	0.50
1:B:13:THR:CG2	1:B:18:ARG:HG3	2.41	0.50
1:C:129:ALA:O	1:C:133:ILE:HG12	2.11	0.50
1:A:135:GLN:CG	1:C:13:THR:HG23	2.42	0.49
1:B:13:THR:HG23	1:C:135:GLN:CG	2.42	0.49
1:B:71:ASP:O	1:B:74:ALA:HB3	2.12	0.49
1:A:13:THR:CG2	1:B:135:GLN:HG3	2.42	0.48
1:C:14:TYR:O	2:C:416:ACY:C	2.60	0.48
1:B:137:ARG:NE	1:B:137:ARG:HA	2.27	0.48
1:C:138:ARG:HG2	3:C:463:HOH:O	2.12	0.48
1:C:150:GLU:CG	3:C:444:HOH:O	2.58	0.48
1:A:108:LEU:HD21	1:A:137:ARG:HD3	1.95	0.48
1:B:108:LEU:H	1:B:108:LEU:HD22	1.79	0.48
1:A:67:ASP:C	1:A:69:PRO:HD3	2.34	0.48
1:B:42:VAL:O	1:B:63:ILE:HD12	2.14	0.48
1:B:111:ALA:N	1:B:112:PRO:CD	2.76	0.48
1:C:108:LEU:N	1:C:108:LEU:HD22	2.28	0.48
1:B:11:GLU:N	3:B:469:HOH:O	2.45	0.47
1:B:37:LEU:HB3	1:B:42:VAL:HG21	1.94	0.47
1:A:156:MSE:HA	3:A:477:HOH:O	2.14	0.47
1:C:27:ASN:ND2	1:C:53:TYR:HB2	2.29	0.47
1:B:72:ASP:HA	3:B:507:HOH:O	2.15	0.47
1:B:37:LEU:CD1	1:B:45:ILE:HD11	2.44	0.47
1:B:109:GLY:HA2	2:B:415:ACY:H2	1.96	0.47
1:A:27:ASN:ND2	1:A:53:TYR:HB2	2.30	0.46
1:B:27:ASN:ND2	1:B:53:TYR:HB2	2.30	0.46
1:C:60:LYS:O	1:C:60:LYS:HD3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:42:VAL:HA	1:B:99:CYS:O	2.16	0.46
1:B:38:LYS:CE	1:B:61:GLU:HB3	2.46	0.46
1:A:37:LEU:HB3	1:A:42:VAL:HG21	1.95	0.46
1:C:37:LEU:CD1	1:C:45:ILE:HD11	2.46	0.46
1:C:125:LYS:NZ	3:C:497:HOH:O	2.29	0.46
1:C:42:VAL:HA	1:C:99:CYS:O	2.15	0.46
1:C:42:VAL:O	1:C:63:ILE:HD12	2.16	0.46
1:C:37:LEU:HB3	1:C:42:VAL:HG21	1.99	0.45
1:B:67:ASP:C	1:B:69:PRO:HD3	2.36	0.45
1:B:24:ASN:ND2	1:B:52:THR:OG1	2.44	0.45
1:C:124:MSE:HB3	1:C:128:ASP:HB2	1.99	0.45
1:C:144:LYS:CE	3:C:453:HOH:O	2.58	0.45
1:A:49:CYS:SG	1:A:110:ARG:HD2	2.56	0.45
1:B:109:GLY:CA	2:B:415:ACY:O	2.65	0.45
1:B:39:LYS:HB2	1:C:138:ARG:NH2	2.32	0.45
1:A:37:LEU:CD1	1:A:45:ILE:HD11	2.47	0.45
1:A:160:PHE:CE2	3:A:471:HOH:O	2.56	0.44
1:A:137:ARG:HA	1:A:137:ARG:NE	2.27	0.44
1:B:43:THR:O	1:B:43:THR:HG22	2.18	0.44
1:B:109:GLY:HA3	2:B:415:ACY:C	2.48	0.44
1:C:108:LEU:H	1:C:108:LEU:CD2	2.30	0.44
1:A:111:ALA:HB3	1:A:112:PRO:HD3	1.99	0.44
1:C:67:ASP:C	1:C:69:PRO:HD3	2.37	0.44
1:B:124:MSE:HB3	1:B:128:ASP:HB2	1.98	0.44
1:C:155:LYS:HD2	3:C:509:HOH:O	2.17	0.44
1:C:137:ARG:HA	1:C:137:ARG:NE	2.29	0.44
1:A:138:ARG:NH2	1:C:39:LYS:HB2	2.32	0.43
1:C:38:LYS:CE	1:C:61:GLU:HB3	2.48	0.43
1:C:86:SER:O	1:C:90:ILE:HG22	2.18	0.43
1:A:135:GLN:CG	1:C:13:THR:CG2	2.96	0.43
1:C:29:THR:CA	3:C:424:HOH:O	2.64	0.43
1:B:86:SER:O	1:B:90:ILE:HG22	2.18	0.43
1:A:38:LYS:CE	1:A:61:GLU:HB3	2.49	0.43
1:C:32:LYS:HG3	3:C:494:HOH:O	2.19	0.43
1:B:72:ASP:O	1:B:74:ALA:N	2.50	0.42
1:B:111:ALA:HB3	1:B:112:PRO:HD3	1.99	0.42
1:C:82:ASP:OD1	1:C:155:LYS:HE3	2.19	0.42
1:B:159:ARG:HG2	1:B:159:ARG:HH11	1.85	0.42
1:A:159:ARG:HH11	1:A:159:ARG:HG2	1.84	0.42
1:B:72:ASP:C	1:B:74:ALA:N	2.71	0.42
1:B:56:THR:O	1:B:60:LYS:HG2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:159:ARG:HG2	1:C:159:ARG:HH11	1.84	0.42
1:C:151:LYS:CD	3:C:444:HOH:O	2.52	0.42
1:A:74:ALA:HA	1:A:75:PRO:HD3	1.92	0.42
1:A:151:LYS:HD3	1:A:151:LYS:HA	1.63	0.42
1:A:13:THR:CG2	1:A:18:ARG:HG3	2.43	0.42
1:B:13:THR:OG1	1:C:135:GLN:HG3	2.20	0.41
1:C:58:VAL:HG12	1:C:63:ILE:HB	2.02	0.41
1:A:86:SER:O	1:A:90:ILE:HG22	2.21	0.41
1:C:108:LEU:H	1:C:108:LEU:HD22	1.84	0.41
1:A:160:PHE:HE2	3:A:471:HOH:O	2.01	0.41
1:B:13:THR:CG2	1:C:135:GLN:CG	2.98	0.41
1:C:43:THR:O	1:C:43:THR:HG22	2.20	0.41
1:B:108:LEU:N	1:B:108:LEU:HD22	2.36	0.41
1:C:74:ALA:HA	1:C:75:PRO:HD3	1.94	0.40
1:B:37:LEU:HD22	1:B:42:VAL:HG21	2.04	0.40
1:A:159:ARG:NH1	1:A:159:ARG:HG2	2.36	0.40
1:C:159:ARG:HG2	1:C:159:ARG:NH1	2.37	0.40
1:C:121:GLU:CB	3:C:491:HOH:O	2.68	0.40
1:A:13:THR:CG2	1:B:135:GLN:CG	2.99	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:83:ASP:OD2	1:C:79:GLN:NE2[7_455]	1.85	0.35
1:A:153:ARG:O	1:C:153:ARG:NH2[3_555]	1.92	0.28
1:A:160:PHE:OXT	1:B:159:ARG:NH1[3_555]	2.07	0.13
3:B:428:HOH:O	3:B:430:HOH:O[3_555]	2.17	0.03

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	146/154 (95%)	138 (94%)	7 (5%)	1 (1%)	26	14
1	B	150/154 (97%)	140 (93%)	9 (6%)	1 (1%)	26	14
1	C	150/154 (97%)	139 (93%)	9 (6%)	2 (1%)	15	4
All	All	446/462 (96%)	417 (94%)	25 (6%)	4 (1%)	21	9

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	71	ASP
1	A	140	ALA
1	B	140	ALA
1	C	140	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	131/131 (100%)	127 (97%)	4 (3%)	47	37
1	B	133/131 (102%)	128 (96%)	5 (4%)	40	28
1	C	133/131 (102%)	129 (97%)	4 (3%)	48	38
All	All	397/393 (101%)	384 (97%)	13 (3%)	45	34

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	85	LEU
1	A	121	GLU
1	A	137	ARG
1	A	148	TYR
1	B	71	ASP
1	B	72	ASP
1	B	85	LEU
1	B	121	GLU
1	B	137	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	60	LYS
1	C	85	LEU
1	C	121	GLU
1	C	137	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	B	27	ASN
1	C	27	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ACY	A	414	-	1,3,3	4.87	1 (100%)	0,3,3	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ACY	B	415	-	1,3,3	21.29	1 (100%)	0,3,3	0.00	-
2	ACY	C	416	-	1,3,3	3.14	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACY	A	414	-	-	0/0/0/0	0/0/0/0
2	ACY	B	415	-	-	0/0/0/0	0/0/0/0
2	ACY	C	416	-	-	0/0/0/0	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	416	ACY	CH3-C	3.14	1.53	1.48
2	A	414	ACY	CH3-C	4.87	1.55	1.48
2	B	415	ACY	CH3-C	21.29	1.78	1.48

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	414	ACY	1	0
2	B	415	ACY	7	0
2	C	416	ACY	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	147/154 (95%)	1.50	37 (25%) 1 1	19, 33, 46, 58	0
1	B	149/154 (96%)	1.91	59 (39%) 0 0	17, 30, 50, 58	0
1	C	149/154 (96%)	2.06	65 (43%) 0 0	18, 31, 50, 66	0
All	All	445/462 (96%)	1.83	161 (36%) 0 0	17, 32, 50, 66	0

All (161) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	74	ALA	6.4
1	B	73	GLY	5.8
1	B	72	ASP	5.5
1	C	148	TYR	5.4
1	A	108	LEU	5.4
1	B	27	ASN	5.2
1	C	72	ASP	5.1
1	C	140	ALA	5.0
1	C	107	GLY	5.0
1	B	57	LEU	5.0
1	C	28	ALA	5.0
1	C	108	LEU	5.0
1	B	60	LYS	4.9
1	A	148	TYR	4.7
1	C	26	THR	4.7
1	B	107	GLY	4.7
1	C	73	GLY	4.7
1	A	140	ALA	4.7
1	A	73	GLY	4.6
1	A	160	PHE	4.3
1	C	30	LEU	4.3
1	C	133	ILE	4.1
1	C	32	LYS	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	12	VAL	3.9
1	B	28	ALA	3.9
1	A	90	ILE	3.9
1	C	34	ILE	3.9
1	C	27	ASN	3.7
1	C	12	VAL	3.6
1	C	144	LYS	3.6
1	C	141	PHE	3.5
1	B	46	VAL	3.5
1	B	35	GLU	3.5
1	C	90	ILE	3.4
1	A	74	ALA	3.4
1	B	105	VAL	3.4
1	B	160	PHE	3.4
1	A	23	HIS	3.4
1	B	137	ARG	3.3
1	B	31	ASN	3.3
1	C	14	TYR	3.3
1	B	84	TRP	3.3
1	B	81	VAL	3.3
1	B	9	PRO	3.3
1	B	106	ALA	3.2
1	C	160	PHE	3.2
1	C	147	LEU	3.2
1	C	88	VAL	3.2
1	A	106	ALA	3.2
1	C	159	ARG	3.1
1	C	68	TRP	3.1
1	A	9	PRO	3.0
1	A	132	PHE	3.0
1	B	92	PHE	3.0
1	C	75	PRO	3.0
1	C	122	GLY	3.0
1	C	132	PHE	3.0
1	B	14	TYR	3.0
1	C	158	LEU	3.0
1	A	113	VAL	3.0
1	A	137	ARG	3.0
1	B	25	PRO	2.9
1	B	90	ILE	2.9
1	B	100	ILE	2.9
1	C	35	GLU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	66	LEU	2.9
1	A	133	ILE	2.9
1	A	147	LEU	2.8
1	B	108	LEU	2.8
1	C	22	THR	2.8
1	A	75	PRO	2.8
1	B	133	ILE	2.8
1	A	143	SER	2.8
1	A	14	TYR	2.8
1	B	99	CYS	2.8
1	B	23	HIS	2.7
1	C	81	VAL	2.7
1	B	26	THR	2.7
1	B	153	ARG	2.7
1	B	20	LEU	2.7
1	A	100	ILE	2.7
1	C	63	ILE	2.7
1	C	53	TYR	2.7
1	B	140	ALA	2.7
1	B	34	ILE	2.6
1	C	135	GLN	2.6
1	C	150	GLU	2.6
1	B	70	PHE	2.6
1	A	117	LEU	2.6
1	B	88	VAL	2.6
1	C	113	VAL	2.6
1	B	61	GLU	2.6
1	C	126	TYR	2.6
1	A	149	LEU	2.6
1	B	159	ARG	2.6
1	C	130	VAL	2.5
1	B	13	THR	2.5
1	C	139	GLY	2.5
1	B	32	LYS	2.5
1	C	62	GLY	2.5
1	B	148	TYR	2.5
1	A	111	ALA	2.5
1	A	104	CYS	2.5
1	C	58	VAL	2.5
1	B	144	LYS	2.5
1	C	70	PHE	2.4
1	C	23	HIS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	110	ARG	2.4
1	B	37	LEU	2.4
1	B	22	THR	2.4
1	A	144	LYS	2.4
1	B	132	PHE	2.4
1	C	85	LEU	2.4
1	B	113	VAL	2.4
1	C	118	ALA	2.4
1	B	98	CYS	2.4
1	C	60	LYS	2.4
1	C	98	CYS	2.4
1	B	102	VAL	2.4
1	C	104	CYS	2.3
1	B	119	LEU	2.3
1	A	10	VAL	2.3
1	B	12	VAL	2.3
1	B	19	PHE	2.3
1	B	141	PHE	2.3
1	A	159	ARG	2.3
1	C	49	CYS	2.3
1	C	52	THR	2.3
1	C	154	PRO	2.3
1	A	28	ALA	2.3
1	C	20	LEU	2.3
1	A	105	VAL	2.3
1	C	43	THR	2.3
1	B	158	LEU	2.2
1	C	69	PRO	2.2
1	C	115	VAL	2.2
1	A	141	PHE	2.2
1	B	42	VAL	2.2
1	A	138	ARG	2.2
1	A	157	ARG	2.2
1	A	151	LYS	2.2
1	B	69	PRO	2.2
1	C	149	LEU	2.2
1	B	78	ASN	2.1
1	C	92	PHE	2.1
1	B	10	VAL	2.1
1	B	115	VAL	2.1
1	C	36	GLU	2.1
1	A	84	TRP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	121	GLU	2.1
1	C	114	LEU	2.1
1	C	106	ALA	2.1
1	B	68	TRP	2.1
1	A	46	VAL	2.1
1	A	48	VAL	2.1
1	C	71	ASP	2.0
1	B	63	ILE	2.0
1	B	15	LYS	2.0
1	C	29	THR	2.0
1	C	10	VAL	2.0
1	C	100	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	ACY	B	415	4/4	0.54	0.69	4.79	59,61,61,62	0
2	ACY	C	416	4/4	0.65	0.28	2.24	38,45,46,50	0
2	ACY	A	414	4/4	0.72	0.25	0.83	54,55,55,56	0

6.5 Other polymers [i](#)

There are no such residues in this entry.