Full wwPDB X-ray Structure Validation Report (i)

Feb 1, 2016 – 07:04 AM GMT

PDB ID	:	2ZDG
Title	:	Crystal structure of D-Alanine:D-Alanine Ligase with ADP from Thermus thermophius HB8
Authors	:	Kitamura, Y.; Yokoyama, S.; Kuramitsu, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on	:	2007-11-22
Resolution	:	2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
http://wwpdb.org/validation/2016/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	75% 18% • 5%
1	B	319	2% 74% 19% • 5%
1	C	319	2% 74% 24% •
1	D	319	5% 71% 22% • 5%

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 9859 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-alanine–D-alanine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	302	Total	C	N	O	S	0	0	0
			2306	1496	385	420	5			
1	B	303	Total	C	N	O	S	0	0	0
			2317	1504	386	422	5			
1	C	319	Total	C	N	O	S	0	0	0
			2449	1591	406	447	5			
1	D	304	Total	C	N	O	S	0	0	0
			2325	1510	387	423	5			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	1	Total	Mg	0	0
			1	1		
2	C	1	Total	Mg	0	0
			1	1		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	95	Total	O	0	0
			95	95		
4	B	58	Total	O	0	0
			58	58		
4	C	123	Total	O	0	0
			123	123		
4	D	76	Total	O	0	0
			76	76		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: D-alanine–D-alanine ligase

Chain A:



- Molecule 1: D-alanine–D-alanine ligase

Chain B:



- Molecule 1: D-alanine–D-alanine ligase

Chain C:



• Molecule 1: D-alanine–D-alanine ligase

Chain D:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	69.10Å 101.07Å 197.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.40 – 2.20 49.40 – 2.20	Depositor EDS
% Data completeness (in resolution range)	93.4 (49.40-2.20) 93.3 (49.40-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.05	Depositor
$< I/\sigma(I) >$ [1]	6.22 (at 2.20Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.214 , 0.262 0.214 , 0.263	Depositor DCC
R_{free} test set	6715 reflections (10.10%)	DCC
Wilson B-factor (Å^2)	30.1	Xtriage
Anisotropy	0.777	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 38.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning[2]	$< \|L\| > = 0.47$, $< L^2 > = 0.30$	Xtriage
Outliers	0 of 67928 reflections	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	9859	wwPDB-VP
Average B, all atoms (Å^2)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.81% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.35	0/2363	0.62	0/3220
1	B	0.32	0/2373	0.58	0/3232
1	C	0.36	0/2514	0.62	0/3429
1	D	0.34	0/2382	0.60	0/3245
All	All	0.34	0/9632	0.60	0/13126

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2306	0	2341	43	0
1	B	2317	0	2346	57	0
1	C	2449	0	2466	55	0
1	D	2325	0	2358	65	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	27	0	12	0	0
3	B	27	0	12	0	0
3	C	27	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	27	0	12	0	0
4	A	95	0	0	1	0
4	B	58	0	0	2	0
4	C	123	0	0	3	0
4	D	76	0	0	2	0
All	All	9859	0	9559	217	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (217) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:297:ARG:HB3	1:B:297:ARG:HH11	1.19	1.01
1:D:290:THR:HG23	1:D:292:THR:H	1.35	0.90
1:A:84:ARG:HH22	1:A:157:THR:HG23	1.33	0.90
1:B:92:GLN:NE2	1:B:92:GLN:H	1.73	0.87
1:C:178:LEU:HD22	1:C:181:ARG:HH21	1.41	0.85
1:B:153:LYS:HB3	1:B:163:ILE:HG12	1.57	0.84
1:D:178:LEU:O	1:D:181:ARG:HB2	1.81	0.81
1:B:297:ARG:NH1	1:B:297:ARG:HB3	1.94	0.81
1:B:295:TYR:HB3	1:B:296:PRO:HD3	1.64	0.79
1:D:213:VAL:H	1:D:247:GLN:HE21	1.29	0.79
1:A:22:GLU:O	1:A:26:ARG:HG2	1.82	0.77
1:D:295:TYR:HB3	1:D:296:PRO:HD3	1.68	0.76
1:D:166:VAL:HG13	1:D:171:ASP:HB2	1.66	0.76
1:D:26:ARG:HH11	1:D:26:ARG:CB	2.00	0.75
1:C:290:THR:HG22	1:C:293:SER:OG	1.87	0.74
1:D:26:ARG:HB2	1:D:26:ARG:HH11	1.52	0.74
1:D:71:TRP:CD2	1:D:98:LEU:HD21	2.22	0.74
1:B:5:LEU:HD11	1:B:80:LEU:HD12	1.72	0.72
1:C:295:TYR:HB3	1:C:296:PRO:HD3	1.71	0.72
1:C:178:LEU:HD22	1:C:181:ARG:NH2	2.06	0.70
1:D:294:MET:HG3	1:D:298:LEU:HD22	1.73	0.70
1:B:134:VAL:HG11	1:B:145:PRO:HD2	1.73	0.70
1:A:84:ARG:NH2	1:A:157:THR:HG23	2.06	0.70
1:C:306:TYR:HB3	1:C:307:PRO:HD3	1.75	0.69
1:B:14:HIS:HE1	1:B:58:ALA:H	1.41	0.68
1:A:295:TYR:HB3	1:A:296:PRO:HD3	1.75	0.68
1:A:160:SER:HA	1:A:163:ILE:HD12	1.74	0.68
1:A:117:ASP:O	1:A:121:ARG:HG3	1.93	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:236:LEU:HD22	1:D:297:ARG:CZ	2.24	0.68
1:A:92:GLN:NE2	1:A:92:GLN:H	1.92	0.67
1:B:238:ILE:HD12	1:B:238:ILE:N	2.09	0.67
1:B:24:VAL:HG21	1:B:80:LEU:HD11	1.74	0.67
1:B:51:THR:O	1:B:54:GLU:HB2	1.94	0.67
1:A:14:HIS:HE1	1:A:58:ALA:H	1.42	0.66
1:B:92:GLN:H	1:B:92:GLN:HE21	1.41	0.66
1:D:92:GLN:NE2	1:D:92:GLN:H	1.94	0.65
1:B:47:GLU:CD	1:B:47:GLU:H	2.01	0.64
1:C:56:LYS:HA	1:C:56:LYS:HE3	1.81	0.63
1:B:70:SER:O	1:B:73:ARG:HG2	1.99	0.62
1:B:306:TYR:HB3	1:B:307:PRO:HD3	1.81	0.62
1:B:150:PHE:HB2	1:B:189:GLU:O	1.99	0.62
1:D:199:GLU:OE1	1:D:294:MET:HG2	2.00	0.62
1:A:181:ARG:HD3	1:D:277:GLU:OE2	1.99	0.62
1:D:213:VAL:CG2	1:D:247:GLN:HG3	2.29	0.61
1:D:71:TRP:HB3	1:D:100:LYS:HD2	1.81	0.61
1:D:236:LEU:N	1:D:236:LEU:HD12	2.16	0.61
1:B:20:SER:HB2	1:B:289:PHE:H	1.65	0.60
1:B:292:THR:O	1:B:297:ARG:HD2	2.01	0.59
1:B:14:HIS:CE1	1:B:58:ALA:H	2.20	0.59
1:C:319:THR:HG23	4:C:707:HOH:O	2.01	0.59
1:D:306:TYR:HB3	1:D:307:PRO:HD3	1.84	0.59
1:D:248:GLU:H	1:D:248:GLU:CD	2.06	0.59
1:D:145:PRO:HG2	1:D:146:PHE:HD1	1.67	0.58
1:B:297:ARG:CB	1:B:297:ARG:HH11	2.05	0.58
1:C:290:THR:HG23	1:C:292:THR:H	1.69	0.58
1:C:154:PRO:HG2	1:C:157:THR:HB	1.84	0.58
1:A:294:MET:HG3	1:A:298:LEU:HD22	1.84	0.58
1:D:213:VAL:HG23	1:D:247:GLN:HG3	1.84	0.58
1:C:71:TRP:CD2	1:C:98:LEU:HD21	2.39	0.58
1:C:14:HIS:HE1	1:C:58:ALA:H	1.51	0.57
1:D:294:MET:SD	1:D:298:LEU:HD13	2.45	0.57
1:D:4:LEU:HD23	1:D:74:TYR:CZ	2.40	0.56
1:C:14:HIS:CE1	1:C:58:ALA:H	2.23	0.56
1:B:1:MET:O	1:B:31:PRO:HD2	2.06	0.56
1:C:92:GLN:H	1:C:92:GLN:NE2	2.03	0.56
1:D:154:PRO:HB2	1:D:157:THR:HG23	1.87	0.56
1:C:169:PHE:O	1:C:172:LEU:HD22	2.06	0.56
1:A:42:ARG:HH11	1:A:42:ARG:HG3	1.71	0.56
1:B:42:ARG:HG2	1:B:42:ARG:HH11	1.70	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:154:PRO:HG2	1:D:157:THR:HG21	1.88	0.55
1:D:168:ARG:HB2	1:D:170:GLN:HG2	1.88	0.55
1:D:156:ASN:O	1:D:157:THR:HG23	2.07	0.55
1:D:213:VAL:H	1:D:247:GLN:NE2	2.02	0.54
1:C:145:PRO:HG2	1:C:146:PHE:CD1	2.43	0.54
1:C:236:LEU:HD23	1:C:297:ARG:NH1	2.22	0.54
1:D:160:SER:HA	1:D:163:ILE:HD12	1.89	0.54
1:B:134:VAL:HG11	1:B:145:PRO:CD	2.36	0.53
1:A:72:GLU:N	1:A:72:GLU:OE1	2.41	0.53
1:D:150:PHE:HB2	1:D:166:VAL:HB	1.91	0.53
1:C:143:VAL:HG13	4:C:705:HOH:O	2.08	0.52
1:A:312:ARG:NH1	4:A:434:HOH:O	2.41	0.52
1:B:20:SER:CB	1:B:289:PHE:H	2.23	0.52
1:A:306:TYR:HB3	1:A:307:PRO:HD3	1.92	0.52
1:B:150:PHE:HA	1:B:191:ALA:HB2	1.92	0.52
1:B:69:LEU:HD23	1:B:70:SER:N	2.25	0.51
1:D:45:LEU:CD2	1:D:69:LEU:HD12	2.40	0.51
1:B:26:ARG:HH11	1:B:26:ARG:HG3	1.75	0.51
1:C:172:LEU:HD23	1:C:173:GLU:N	2.24	0.51
1:D:1:MET:O	1:D:31:PRO:HD2	2.10	0.51
1:C:34:LEU:HD22	1:C:53:LEU:HD22	1.92	0.51
1:B:55:ALA:O	1:B:56:LYS:HB2	2.10	0.51
1:D:48:LYS:HD2	1:D:62:GLU:OE1	2.11	0.51
1:B:42:ARG:NH1	1:B:64:PRO:HB3	2.26	0.50
1:A:52:ALA:HB1	1:A:58:ALA:HB2	1.92	0.50
1:D:155:ALA:HB3	1:D:183:ASP:OD1	2.11	0.50
1:C:1:MET:HA	1:C:75:ASP:OD2	2.12	0.50
1:C:23:GLY:HA3	1:C:291:PRO:HD3	1.94	0.50
1:B:137:ARG:NH2	4:B:447:HOH:O	2.43	0.50
1:B:213:VAL:HG23	1:B:247:GLN:HG3	1.94	0.50
1:B:71:TRP:C	1:B:100:LYS:HZ3	2.14	0.50
1:C:42:ARG:NH1	1:C:64:PRO:HB3	2.27	0.50
1:D:92:GLN:H	1:D:92:GLN:HE21	1.60	0.49
1:A:236:LEU:N	1:A:236:LEU:HD12	2.27	0.49
1:A:9:GLY:O	1:A:14:HIS:HD2	1.95	0.49
1:C:73:ARG:HG2	1:C:73:ARG:HH21	1.76	0.49
1:B:22:GLU:HB2	1:B:53:LEU:HD21	1.95	0.49
1:B:161:VAL:HG22	1:B:182:TYR:CZ	2.48	0.49
1:A:92:GLN:HE21	1:A:92:GLN:H	1.59	0.49
1:B:2:ARG:NE	1:B:73:ARG:HH11	2.10	0.49
1:D:116:LYS:O	1:D:120:LYS:HG3	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:215:GLU:C	1:B:236:LEU:HD12	2.34	0.49
1:D:290:THR:HG23	1:D:292:THR:N	2.15	0.48
1:B:26:ARG:HD2	1:B:27:HIS:CE1	2.48	0.48
1:C:97:LEU:HD11	1:D:91:VAL:HA	1.95	0.48
1:A:84:ARG:HH21	1:A:157:THR:HA	1.79	0.48
1:D:168:ARG:CB	1:D:170:GLN:HG2	2.44	0.48
1:D:4:LEU:HB2	1:D:74:TYR:CG	2.49	0.48
1:C:114:MET:CE	1:C:114:MET:HA	2.44	0.48
1:A:48:LYS:HE3	1:A:48:LYS:HA	1.96	0.48
1:D:290:THR:HG22	1:D:293:SER:OG	2.14	0.48
1:C:70:SER:HB3	1:C:72:GLU:OE1	2.15	0.47
1:C:84:ARG:O	1:C:85:PHE:HB2	2.14	0.47
1:D:45:LEU:HD22	1:D:69:LEU:HD12	1.95	0.47
1:A:84:ARG:HH22	1:A:157:THR:CG2	2.15	0.47
1:A:55:ALA:O	1:A:56:LYS:HB2	2.15	0.47
1:D:235:GLU:C	1:D:236:LEU:HD12	2.36	0.47
1:A:149:PRO:HG2	1:A:191:ALA:HB3	1.97	0.47
1:D:266:MET:SD	1:D:289:PHE:HE1	2.37	0.46
1:D:144:VAL:HG21	1:D:150:PHE:CZ	2.50	0.46
1:C:114:MET:HA	1:C:114:MET:HE3	1.97	0.46
1:D:236:LEU:N	1:D:236:LEU:CD1	2.78	0.46
1:D:71:TRP:CE3	1:D:98:LEU:HD21	2.49	0.46
1:C:4:LEU:HB2	1:C:74:TYR:CD1	2.50	0.46
1:B:92:GLN:NE2	1:B:92:GLN:N	2.54	0.46
1:A:89:GLY:HA2	1:A:92:GLN:NE2	2.31	0.46
1:C:92:GLN:H	1:C:92:GLN:HE21	1.63	0.46
1:D:1:MET:HG2	1:D:30:PHE:CD1	2.50	0.46
1:C:180:PHE:HA	1:C:183:ASP:O	2.16	0.46
1:C:13:GLU:HA	4:C:666:HOH:O	2.15	0.46
1:A:79:PRO:O	1:A:286:ILE:HD13	2.15	0.46
1:C:121:ARG:HG2	1:D:125:GLN:OE1	2.16	0.45
1:C:217:ARG:NH1	1:C:235:GLU:HG2	2.32	0.45
1:B:85:PHE:HA	1:B:90:THR:OG1	2.16	0.45
1:D:70:SER:HB3	1:D:72:GLU:OE1	2.17	0.45
1:A:23:GLY:HA3	1:A:291:PRO:HD3	1.98	0.45
1:B:54:GLU:HB2	4:B:438:HOH:O	2.15	0.45
1:C:172:LEU:O	1:C:176:LEU:HG	2.17	0.45
1:C:183:ASP:OD1	1:C:184:GLU:N	2.50	0.45
1:B:148:PRO:HG3	1:B:150:PHE:CE2	2.52	0.44
1:C:170:GLN:O	1:C:170:GLN:NE2	2.50	0.44
1:B:20:SER:O	1:B:24:VAL:HG23	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:PRO:HB2	1:C:149:PRO:HA	1.99	0.44
1:B:34:LEU:HD22	1:B:53:LEU:HD12	1.99	0.44
1:A:157:THR:HG22	1:A:158:GLY:N	2.32	0.44
1:A:121:ARG:HG2	1:A:133:TRP:HZ2	1.83	0.44
1:A:87:GLU:HG2	1:A:286:ILE:HB	1.99	0.44
1:B:43:TRP:CE3	1:B:67:PRO:HG3	2.52	0.44
1:B:53:LEU:O	1:B:53:LEU:HD23	2.18	0.44
1:C:227:THR:HA	1:C:233:ARG:HG2	1.99	0.44
1:A:1:MET:O	1:A:31:PRO:HD2	2.18	0.44
1:A:199:GLU:OE1	1:A:294:MET:HG2	2.18	0.43
1:B:2:ARG:HE	1:B:73:ARG:HH11	1.66	0.43
1:C:52:ALA:HB1	1:C:58:ALA:HB2	2.01	0.43
1:C:222:PHE:O	1:C:224:ASP:N	2.52	0.43
1:C:249:THR:HG22	1:C:253:LEU:HD22	2.01	0.43
1:A:54:GLU:OE1	1:A:54:GLU:HA	2.18	0.43
1:B:131:VAL:HG12	1:B:189:GLU:HB2	2.01	0.43
1:A:71:TRP:O	1:A:100:LYS:HE2	2.19	0.43
1:C:159:SER:HB3	1:C:229:TYR:HE1	1.84	0.43
1:D:136:VAL:HG12	1:D:180:PHE:HZ	1.83	0.42
1:A:48:LYS:CA	1:A:48:LYS:HE3	2.47	0.42
1:C:5:LEU:HD11	1:C:80:LEU:HD12	2.01	0.42
1:A:238:ILE:HD12	1:A:238:ILE:N	2.35	0.42
1:A:82:HIS:CD2	1:A:286:ILE:HG22	2.55	0.42
1:A:63:HIS:CD2	1:A:68:PRO:HG3	2.55	0.42
1:C:172:LEU:HD23	1:C:173:GLU:H	1.84	0.42
1:D:266:MET:SD	1:D:289:PHE:CE1	3.13	0.42
1:D:308:GLU:OE2	1:D:311:ARG:NH2	2.49	0.42
1:C:193:SER:HA	1:C:194:PRO:C	2.38	0.42
1:D:132:PRO:HA	4:D:620:HOH:O	2.20	0.42
1:B:74:TYR:O	1:B:100:LYS:HE2	2.20	0.42
1:A:84:ARG:O	1:A:85:PHE:HB2	2.19	0.42
1:D:248:GLU:N	1:D:248:GLU:CD	2.72	0.42
1:D:105:ALA:HB1	1:D:109:ALA:HB3	2.02	0.42
1:B:160:SER:HB2	1:B:163:ILE:HD12	2.01	0.41
1:C:319:THR:OXT	1:C:319:THR:HG22	2.20	0.41
1:B:158:GLY:O	1:B:160:SER:N	2.53	0.41
1:D:179:ALA:C	1:D:181:ARG:H	2.22	0.41
1:C:51:THR:O	1:C:54:GLU:HG2	2.20	0.41
1:D:20:SER:O	1:D:24:VAL:HG23	2.20	0.41
1:A:28:ILE:HG23	1:A:28:ILE:O	2.20	0.41
1:C:55:ALA:O	1:C:56:LYS:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:ARG:HE	1:B:73:ARG:NH1	2.18	0.41
1:C:71:TRP:CG	1:C:98:LEU:HD21	2.54	0.41
1:D:56:LYS:HA	1:D:56:LYS:HD3	1.89	0.41
1:A:293:SER:O	1:A:297:ARG:HG3	2.21	0.41
1:A:298:LEU:HA	1:A:298:LEU:HD12	1.92	0.41
1:C:236:LEU:HD12	1:C:294:MET:CE	2.51	0.41
1:D:43:TRP:CE3	1:D:67:PRO:HG3	2.55	0.41
1:B:137:ARG:HG3	1:B:137:ARG:HH11	1.86	0.41
1:B:319:THR:HG22	1:B:319:THR:O	2.21	0.41
1:B:73:ARG:HG3	1:B:74:TYR:CE2	2.55	0.41
1:D:183:ASP:OD2	1:D:184:GLU:N	2.54	0.41
1:C:45:LEU:HD22	1:C:69:LEU:HD21	2.02	0.41
1:D:78:PHE:C	1:D:78:PHE:CD2	2.94	0.41
1:B:81:LEU:HB2	1:B:86:GLY:HA2	2.03	0.41
1:D:116:LYS:HE2	4:D:674:HOH:O	2.21	0.40
1:D:255:LEU:HA	1:D:255:LEU:HD12	1.95	0.40
1:C:153:LYS:HB3	1:C:163:ILE:HG12	2.03	0.40
1:A:26:ARG:N	1:A:26:ARG:HD3	2.37	0.40
1:C:87:GLU:HG2	1:C:286:ILE:HB	2.03	0.40
1:B:159:SER:O	1:B:161:VAL:N	2.53	0.40
1:D:87:GLU:HB2	1:D:285:THR:OG1	2.21	0.40
1:C:236:LEU:HD23	1:C:297:ARG:HH12	1.87	0.40
1:D:138:LYS:HB2	1:D:180:PHE:CD1	2.57	0.40
1:A:91:VAL:O	1:A:94:PHE:HB3	2.22	0.40
1:B:180:PHE:HA	1:B:183:ASP:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	298/319 (93%)	285 (96%)	11 (4%)	2 (1%)	26 25

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	297/319 (93%)	285 (96%)	8 (3%)	4 (1%)	15 11
1	C	317/319 (99%)	299 (94%)	18 (6%)	0	100 100
1	D	298/319 (93%)	282 (95%)	15 (5%)	1 (0%)	46 50
All	All	1210/1276 (95%)	1151 (95%)	52 (4%)	7 (1%)	30 29

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	159	SER
1	B	160	SER
1	A	86	GLY
1	A	57	ALA
1	B	145	PRO
1	D	86	GLY
1	B	86	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	242/256 (94%)	231 (96%)	11 (4%)	34 41
1	B	242/256 (94%)	236 (98%)	6 (2%)	55 67
1	C	255/256 (100%)	242 (95%)	13 (5%)	29 34
1	D	243/256 (95%)	230 (95%)	13 (5%)	28 32
All	All	982/1024 (96%)	939 (96%)	43 (4%)	35 42

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	GLU
1	A	48	LYS
1	A	78	PHE
1	A	92	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	133	TRP
1	A	134	VAL
1	A	151	PHE
1	A	247	GLN
1	A	275	GLU
1	A	289	PHE
1	A	298	LEU
1	B	45	LEU
1	B	78	PHE
1	B	92	GLN
1	B	133	TRP
1	B	150	PHE
1	B	297	ARG
1	C	1	MET
1	C	2	ARG
1	C	56	LYS
1	C	78	PHE
1	C	80	LEU
1	C	92	GLN
1	C	134	VAL
1	C	170	GLN
1	C	172	LEU
1	C	190	LYS
1	C	253	LEU
1	C	282	GLU
1	C	289	PHE
1	D	26	ARG
1	D	56	LYS
1	D	73	ARG
1	D	78	PHE
1	D	92	GLN
1	D	100	LYS
1	D	114	MET
1	D	151	PHE
1	D	236	LEU
1	D	255	LEU
1	D	289	PHE
1	D	290	THR
1	D	298	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	HIS
1	A	63	HIS
1	A	82	HIS
1	A	92	GLN
1	A	281	ASN
1	B	14	HIS
1	B	92	GLN
1	B	156	ASN
1	C	14	HIS
1	C	27	HIS
1	C	92	GLN
1	C	170	GLN
1	D	92	GLN
1	D	247	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	ADP	A	401	-	22,29,29	1.46	3 (13%)	27,45,45	2.47	4 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
3	ADP	B	402	-	22,29,29	1.33	3 (13%)	27,45,45	2.39	4 (14%)
3	ADP	C	403	2	22,29,29	1.48	2 (9%)	27,45,45	2.43	5 (18%)
3	ADP	D	404	2	22,29,29	1.46	2 (9%)	27,45,45	2.40	4 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	401	-	-	0/12/32/32	0/3/3/3
3	ADP	B	402	-	-	0/12/32/32	0/3/3/3
3	ADP	C	403	2	-	0/12/32/32	0/3/3/3
3	ADP	D	404	2	-	0/12/32/32	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	ADP	C8-N7	-2.67	1.29	1.34
3	C	403	ADP	C8-N7	-2.50	1.29	1.34
3	D	404	ADP	C8-N7	-2.30	1.30	1.34
3	B	402	ADP	C8-N7	-2.04	1.30	1.34
3	A	401	ADP	PB-O2B	2.23	1.62	1.54
3	B	402	ADP	PB-O2B	2.27	1.62	1.54
3	B	402	ADP	O4'-C1'	4.07	1.46	1.41
3	A	401	ADP	O4'-C1'	4.62	1.47	1.41
3	D	404	ADP	O4'-C1'	4.79	1.47	1.41
3	C	403	ADP	O4'-C1'	5.12	1.47	1.41

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	C	403	ADP	N3-C2-N1	-10.09	121.17	128.89
3	A	401	ADP	N3-C2-N1	-9.97	121.26	128.89
3	B	402	ADP	N3-C2-N1	-9.62	121.53	128.89
3	D	404	ADP	N3-C2-N1	-9.45	121.66	128.89
3	D	404	ADP	PA-O3A-PB	-6.15	112.05	132.67
3	A	401	ADP	PA-O3A-PB	-5.98	112.61	132.67
3	B	402	ADP	PA-O3A-PB	-5.82	113.16	132.67
3	C	403	ADP	PA-O3A-PB	-5.10	115.56	132.67
3	A	401	ADP	C2'-C1'-N9	-2.55	110.39	114.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	401	ADP	C4-C5-N7	-2.39	107.28	109.48
3	C	403	ADP	C2'-C1'-N9	-2.36	110.69	114.29
3	B	402	ADP	C4-C5-N7	-2.34	107.33	109.48
3	D	404	ADP	C4-C5-N7	-2.33	107.33	109.48
3	C	403	ADP	C4-C5-N7	-2.27	107.39	109.48
3	B	402	ADP	C2'-C1'-N9	-2.10	111.08	114.29
3	C	403	ADP	O2A-PA-O3A	2.00	114.17	105.09
3	D	404	ADP	O3A-PA-O5'	2.99	110.87	102.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	302/319 (94%)	-0.17	2 (0%)	89	88	18, 32, 48, 58	0
1	B	303/319 (94%)	0.05	5 (1%)	73	72	24, 39, 59, 69	0
1	C	319/319 (100%)	-0.06	6 (1%)	70	68	18, 32, 51, 74	0
1	D	304/319 (95%)	0.14	16 (5%)	30	29	19, 38, 61, 80	0
All	All	1228/1276 (96%)	-0.01	29 (2%)	62	61	18, 34, 57, 80	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	160	SER	3.9
1	C	170	GLN	3.7
1	C	168	ARG	3.5
1	D	170	GLN	3.4
1	C	169	PHE	3.2
1	B	159	SER	3.1
1	D	173	GLU	3.1
1	B	291	PRO	3.0
1	D	159	SER	3.0
1	B	218	TYR	3.0
1	C	172	LEU	2.9
1	D	171	ASP	2.9
1	D	169	PHE	2.8
1	D	235	GLU	2.8
1	D	172	LEU	2.8
1	C	147	ASP	2.6
1	D	168	ARG	2.6
1	D	194	PRO	2.4
1	B	239	PRO	2.3
1	D	139	GLY	2.3
1	D	174	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	167	GLU	2.1
1	D	193	SER	2.1
1	B	242	LEU	2.1
1	A	157	THR	2.0
1	D	178	LEU	2.0
1	A	291	PRO	2.0
1	D	141	PRO	2.0
1	D	236	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
2	MG	C	601	1/1	0.92	0.11	-0.14	34,34,34,34	0
3	ADP	D	404	27/27	0.92	0.15	-0.23	40,45,51,52	0
3	ADP	A	401	27/27	0.94	0.11	-0.57	25,37,47,49	0
3	ADP	C	403	27/27	0.97	0.10	-0.71	21,24,28,31	0
3	ADP	B	402	27/27	0.94	0.11	-0.80	35,39,45,47	0
2	MG	D	602	1/1	0.94	0.13	-	49,49,49,49	0

6.5 Other polymers (i)

There are no such residues in this entry.